Problem 22: For how many positive integers n less than or equal to 1000 is

$$(\sin t + i\cos t)^n = \sin nt + i\cos nt$$

true for all real t? (Source: AIME)

We have  $\sin t = \cos(t - \frac{\pi}{2})$  and  $\cos t = -\sin(t - \frac{\pi}{2})$ . Thus

$$(\sin t + i\cos t)^n = (\cos(t - \frac{\pi}{2}) - i\sin(t - \frac{\pi}{2}))^n$$

$$= \cos(n(t - \frac{\pi}{2})) - i\sin(n(t - \frac{\pi}{2}))$$

$$= \cos(nt - \frac{n\pi}{2}) - i\sin(nt - \frac{n\pi}{2})$$

Now we have  $\sin nt = \cos(nt - \frac{\pi}{2})$  and  $\cos nt = -\sin(nt - \frac{\pi}{2})$ . So

$$\sin nt + i\cos nt = \cos(nt - \frac{\pi}{2}) - i\sin(nt - \frac{\pi}{2})$$

We want to find the positive integers  $n \leq 1000$  for which

$$\cos(nt - \frac{n\pi}{2}) - i\sin(nt - \frac{n\pi}{2}) = \cos(nt - \frac{\pi}{2}) - i\sin(nt - \frac{\pi}{2})$$

First we observe that the equation is true for n = 1, 5, 9, ..., 997.

It is not true for the even positive integers, that is, n = 2, 4, 6...

It is also not true for the sequence n = 3, 7, 11, ...

So the solutions are n = 1, 5, 9, ..., 997.

There are 250 numbers in the sequence n = 1, 5, 9, ..., 997.

So the equation

$$(\sin t + i\cos t)^n = \sin nt + i\cos nt$$

is true for 250 positive integers less than or equal to 1000.