

Problem 20: Describe the graph of $r = a + b \sin \theta$, where a and b are positive real numbers, and find the slope of the tangent line at the point where $\theta = \frac{\pi}{2}$. (Source: AoPS Calculus)

The graph of $r = a + b \sin \theta$ is a limaçon, which resembles a circle but has a loop around the origin.

When $0 \leq \theta \leq \pi$, the magnitude $r(\theta)$ is always positive. But when $\pi < \theta < 2\pi$, the magnitude $r(\theta)$ can be positive or negative.. The loop around the origin is caused by a sub-interval of $(\pi, 2\pi)$ where $r(\theta) < 0$.

We would like to know the slope of the tangent line at the point where $\theta = \frac{\pi}{2}$. To find this slope we will differentiate the parametric equations $x = r \cos \theta = a \cos \theta + b \cos \theta \sin \theta$ and $y = r \sin \theta = a \sin \theta + b \sin^2 \theta$.

$$\begin{aligned}\frac{dy}{d\theta} &= a \cos \theta + 2b \sin \theta \cos \theta \\ \frac{dx}{d\theta} &= -a \sin \theta + -b \sin^2 \theta + b \cos^2 \theta\end{aligned}$$

Now we can get the slope of the tangent line, since $\frac{dy}{dx} = \frac{dy/d\theta}{dx/d\theta}$.

$$\begin{aligned}\frac{dy}{dx} &= \frac{dy/d\theta}{dx/d\theta} \\ &= \frac{a \cos \theta + 2b \sin \theta \cos \theta}{-a \sin \theta + -b \sin^2 \theta + b \cos^2 \theta}\end{aligned}$$

Plugging in $\theta = \frac{\pi}{2}$, we get

$$\frac{dy}{dx} \left(\frac{\pi}{2} \right) = \frac{0}{-a + -b} = \boxed{0}$$

The slope of the tangent line at the point where $\theta = \frac{\pi}{2}$ is $\boxed{0}$.