



Jobs

First Trust
Portfolios

Generated by Talend Cloud API
Services Platform

Project Name	TalendFTP	GENERATION DATE	Apr 26, 2022, 11:32:45 AM
AUTHOR	Thompson, Andrew	Talend Cloud VERSION	8.0.1.20220412_1227-patch

Summary

[Project Description](#)

[Description](#)

[Preview Picture](#)

[Settings](#)

[Context List](#)

[Component List](#)

[Components Description](#)

Project Description


Properties	Values
Name	TalendFTP
Language	java

Description	
-------------	--

Description

Properties	Values
Name	ErrorRecordsUsingMemorize
Author	Thompson, Andrew
Version	0.1
Purpose	
Status	
Description	
Creation	Apr 26, 2022, 10:10:18 AM
Modification	Apr 26, 2022, 11:32:45 AM

Preview Picture



Settings

Extra settings

Name	Value
COMP_DEFAULT_FILE_DIR	
Multi thread execution	false
Implicit tContextLoad	false

Status & Logs

Name	Value
Use statistics (tStatCatcher)	false
Use logs (tLogCatcher)	false
Use volumetrics (tFlowMeterCatcher)	false

On Console	false
On Files	false
On Databases	false
Catch components statistics	false
Catch runtime errors	true
Catch user errors	true
Catch user warnings	true

Context List

ContextDefault

Name	Prompt	Need Prompt?	Type	Value	Source
------	--------	--------------	------	-------	--------


Component List

Component Name	Component Type
tFileInputExcel_1	tFileInputExcel
tFilterRow_20	tFilterRow
tLogCatcher_1	tLogCatcher

tLogRow_1	tLogRow
tLogRow_3	tLogRow
tLogRow_4	tLogRow
tMap_1	tMap
tMap_2	tMap
tMap_3	tMap
tMemorizeRows_1	tMemorizeRows
tReplicate_1	tReplicate
tWriteDynamicFields_1	tWriteDynamicFields

Components Description

Component tFileInputExcel

	UNIQUE NAME	tFileInputExcel_1	INPUT(S)	none
	LABEL	RyanTestTrans	OUTPUT(S)	tReplicate_1

Component Parameters:

Properties	Values
Unique Name	tFileInputExcel_1
Component Name	tFileInputExcel
Version	0.102 (ALPHA)

Family	File/Input
Start	true
Startable	true
SUBTREE_START	true
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tFileInputExcel
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	D:\Talend-Studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Property Type	repository: EXCEL:RyanTestTrans
Read excel2007 file format (xlsx)	true
File name/Stream	"C:/Users/student/Desktop/RyanTest/test_trades.xlsx"
Password	**
All sheets	true


Sheet list	[{SHEETNAME="Sheet1", USE_REGEX=}]
Header	1
Footer	0
Limit	
Affect each sheet(header&&footer)	false
First column	1
Last column	
Die on error	false
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	repository: EXCEL:RyanTestTrans - metadata
Schema	repository: EXCEL:RyanTestTrans - metadata
Advanced separator (for numbers)	false
Thousands separator	','
Decimal separator	'.'
Trim all columns	false
Check column to trim	[{SCHEMA_COLUMN=Trade_Date, TRIM=false}, {SCHEMA_COLUMN=Trans_Code, TRIM=false}, {SCHEMA_COLUMN=Qty, TRIM=false}, {SCHEMA_COLUMN=Security, TRIM=false}, {SCHEMA_COLUMN=Account, TRIM=false}]
Convert date column to string	true
Check need convert date column	[{SCHEMA_COLUMN=Trade_Date, CONVERTDATE=true, PATTERN="MM-dd-yyyy"}, {SCHEMA_COLUMN=Trans_Code, CONVERTDATE=false, PATTERN="MM-dd-yyyy"}, {SCHEMA_COLUMN=Qty, CONVERTDATE=false, PATTERN="MM-dd-yyyy"}, {SCHEMA_COLUMN=Security, CONVERTDATE=false, PATTERN="MM-dd-yyyy"}, {SCHEMA_COLUMN=Account, CONVERTDATE=false, PATTERN="MM-dd-yyyy"}]
Encoding	"UTF-8"
Read real values for numbers	false

Stop reading on encountering empty rows	false
Don't validate the cells	false
Ignore the warning	false
Generation mode	USER_MODE
Include phonetic runs	true
Label format	RyanTestTrans
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for metadata :

Column	Key	Type	Length	Precision	Nullable	Comment
Trade_Date	false	String			true	
Trans_Code	false	String			true	
Qty	false	String			true	
Security	false	String			true	
Account	false	String			true	

Original Function Parameters:
Component tFilterRow

	UNIQUE NAME	tFilterRow_20	INPUT(S)	tMap_2
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	tLogRow_3 , tLogRow_4

Component Parameters:

Properties	Values
Unique Name	tFilterRow_20
Component Name	tFilterRow
Version	0.102 (ALPHA)
Family	Processing
Startable	false
SUBTREE_START	false
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tFilterRow
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	D:\Talend-Studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false


Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Schema	Built-In
Schema	Built-In
Logical operator used to combine conditions	&&
Conditions	[{INPUT_COLUMN=origin, FUNCTION=, OPERATOR==, RVALUE="tMap_1"}]
Use advanced mode	false
Advanced	// code sample : use input_row to define the condition. // input_row.columnName1.equals("foo") !(input_row.columnName2.equals("bar")) // replace the following expression by your own filter condition input_row.columnName1.equals(input_row.columnName2)
Label format	__UNIQUE_NAME__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for errorRecord :

Column	Key	Type	Length	Precision	Nullable	Comment
moment	false	java.util.Date			true	

pid	false	String	20		true	
root_pid	false	String	20		true	
father_pid	false	String	20		true	
project	false	String	50		true	
job	false	String	255		true	
context	false	String	50		true	
priority	false	Integer	3		true	
type	false	String	255		true	
origin	false	String	255		true	
message	false	String	255		true	
code	false	Integer	3		true	
record	false	String			true	
recordID	false	Integer			true	

Original Function Parameters:
Component tLogCatcher

	UNIQUE NAME	tLogCatcher_1	INPUT(S)	none
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	tMap_2

Component Parameters:

Properties	Values
Unique Name	tLogCatcher_1
Component Name	tLogCatcher
Version	0.101 (ALPHA)
Family	Logs_Errors
Start	true
Startable	true
SUBTREE_START	true
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tLogCatcher
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	D:\Talend-Studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
REPOSITORY_ALLOW_AUTO_SWITCH	WITH


Schema	Built-In
Catch Java Exception	true
Catch tDie	true
Catch tWarn	true
Catch tJobFailure	true
Label format	__UNIQUE_NAME__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tLogCatcher_1 :

Column	Key	Type	Length	Precision	Nullable	Comment
moment	false	java.util.Date			true	
pid	false	String	20		true	
root_pid	false	String	20		true	
father_pid	false	String	20		true	
project	false	String	50		true	
job	false	String	255		true	

context	false	String	50		true	
priority	false	Integer	3		true	
type	false	String	255		true	
origin	false	String	255		true	
message	false	String	255		true	
code	false	Integer	3		true	

Original Function Parameters:
Component tLogRow

	UNIQUE NAME	tLogRow_1	INPUT(S)	tMap_1
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	none

Component Parameters:

Properties	Values
Unique Name	tLogRow_1
Component Name	tLogRow
Version	0.101 (ALPHA)
Family	Logs_Errors
Startable	false
SUBTREE_START	false
END_OF_FLOW	true
Activate	true


DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tLogRow
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	D:\Talend-Studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Basic	true
Table (print values in cells of a table)	false
Vertical (each row is a key/value list)	false
Print unique name	true
Print label	false
Print unique name and label	false
Field Separator	" "
Print header	false

Print component unique name in front of each output row	false
Print schema column name in front of each value	false
Use fixed length for values	false
Lengths	[[{SCHEMA_COLUMN=tradeDate, LENGTH=10}, {SCHEMA_COLUMN=Qty, LENGTH=10}]]
Print content with log4j	true
Min column number of optimize code	100
Label format	__UNIQUE_NAME__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tLogRow_1 :

Column	Key	Type	Length	Precision	Nullable	Comment
tradeDate	false	java.util.Date			true	
Qty	false	Integer			true	

Original Function Parameters:
Component tLogRow

	UNIQUE NAME	tLogRow_3	INPUT(S)	tFilterRow_20

	LABEL	__UNIQUE_NAME__	OUTPUT(S)	none
--	-------	-----------------	-----------	------

Component Parameters:

Properties	Values
Unique Name	tLogRow_3
Component Name	tLogRow
Version	0.101 (ALPHA)
Family	Logs_Errors
Startable	false
SUBTREE_START	false
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tLogRow
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	D:\Talend-Studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false

REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Basic	true
Table (print values in cells of a table)	false
Vertical (each row is a key/value list)	false
Print unique name	true
Print label	false
Print unique name and label	false
Field Separator	" "
Print header	false
Print component unique name in front of each output row	false
Print schema column name in front of each value	false
Use fixed length for values	false
Lengths	[{SCHEMA_COLUMN=moment, LENGTH=10}, {SCHEMA_COLUMN=pid, LENGTH=10}, {SCHEMA_COLUMN=root_pid, LENGTH=10}, {SCHEMA_COLUMN=father_pid, LENGTH=10}, {SCHEMA_COLUMN=project, LENGTH=10}, {SCHEMA_COLUMN=job, LENGTH=10}, {SCHEMA_COLUMN=context, LENGTH=10}, {SCHEMA_COLUMN=priority, LENGTH=10}, {SCHEMA_COLUMN=type, LENGTH=10}, {SCHEMA_COLUMN=origin, LENGTH=10}, {SCHEMA_COLUMN=message, LENGTH=10}, {SCHEMA_COLUMN=code, LENGTH=10}, {SCHEMA_COLUMN=record, LENGTH=10}, {SCHEMA_COLUMN=recordID, LENGTH=10}]
Print content with log4j	true
Min column number of optimize code	100
Label format	__UNIQUE_NAME__
Hint format	__UNIQUE_NAME__ __COMMENT__


Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for errorRecord :

Column	Key	Type	Length	Precision	Nullable	Comment
moment	false	java.util.Date			true	
pid	false	String	20		true	
root_pid	false	String	20		true	
father_pid	false	String	20		true	
project	false	String	50		true	
job	false	String	255		true	
context	false	String	50		true	
priority	false	Integer	3		true	
type	false	String	255		true	
origin	false	String	255		true	
message	false	String	255		true	
code	false	Integer	3		true	

record	false	String			true	
recordID	false	Integer			true	

Original Function Parameters:
Component tLogRow

	UNIQUE NAME	tLogRow_4	INPUT(S)	tFilterRow_20
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	none

Component Parameters:

Properties	Values
Unique Name	tLogRow_4
Component Name	tLogRow
Version	0.101 (ALPHA)
Family	Logs_Errors
Startable	false
SUBTREE_START	false
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tLogRow
Update components	true
IREPORT_PATH	

JAVA_LIBRARY_PATH	D:\Talend-Studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Basic	true
Table (print values in cells of a table)	false
Vertical (each row is a key/value list)	false
Print unique name	true
Print label	false
Print unique name and label	false
Field Separator	" "
Print header	false
Print component unique name in front of each output row	false
Print schema column name in front of each value	false
Use fixed length for values	false


Lengths	[{SCHEMA_COLUMN=moment, LENGTH=10}, {SCHEMA_COLUMN=pid, LENGTH=10}, {SCHEMA_COLUMN=root_pid, LENGTH=10}, {SCHEMA_COLUMN=father_pid, LENGTH=10}, {SCHEMA_COLUMN=project, LENGTH=10}, {SCHEMA_COLUMN=job, LENGTH=10}, {SCHEMA_COLUMN=context, LENGTH=10}, {SCHEMA_COLUMN=priority, LENGTH=10}, {SCHEMA_COLUMN=type, LENGTH=10}, {SCHEMA_COLUMN=origin, LENGTH=10}, {SCHEMA_COLUMN=message, LENGTH=10}, {SCHEMA_COLUMN=code, LENGTH=10}, {SCHEMA_COLUMN=record, LENGTH=10}, {SCHEMA_COLUMN=recordID, LENGTH=10}, {SCHEMA_COLUMN=errorMessage, LENGTH=10}]
Print content with log4j	true
Min column number of optimize code	100
Label format	__UNIQUE_NAME__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for errorRecord :

Column	Key	Type	Length	Precision	Nullable	Comment
moment	false	java.util.Date			true	
pid	false	String	20		true	
root_pid	false	String	20		true	
father_pid	false	String	20		true	
project	false	String	50		true	

job	false	String	255		true	
context	false	String	50		true	
priority	false	Integer	3		true	
type	false	String	255		true	
origin	false	String	255		true	
message	false	String	255		true	
code	false	Integer	3		true	
record	false	String			true	
recordID	false	Integer			true	
errorMessage	false	String	255		true	

Original Function Parameters:
Component tMemorizeRows

	UNIQUE NAME	tMemorizeRows_1	INPUT(S)	tMap_3
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	none

Component Parameters:

Properties	Values
Unique Name	tMemorizeRows_1
Component Name	tMemorizeRows
Version	0.102 (ALPHA)


Family	Misc
Startable	false
SUBTREE_START	false
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tMemorizeRows
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	D:\Talend-Studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Row count to memorize	1
Columns to memorize	[[SCHEMA_COLUMN=record, MEMORIZE_IT=true], {SCHEMA_COLUMN=recordID, MEMORIZE_IT=true}]
Label format	__UNIQUE_NAME__
Hint format	__UNIQUE_NAME__ __COMMENT__

Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tMemorizeRows_1 :

Column	Key	Type	Length	Precision	Nullable	Comment
record	false	String			true	
recordID	false	Integer			true	

Original Function Parameters:
Component tReplicate

	UNIQUE NAME	tReplicate_1	INPUT(S)	tFileInputExcel_1
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	tWriteDynamicFields_1, tMap_1

Component Parameters:


Properties	Values
Unique Name	tReplicate_1
Component Name	tReplicate
Version	0.101 (ALPHA)
Family	Orchestration
Startable	false
SUBTREE_START	false

END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tReplicate
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	D:\Talend-Studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
REPOSITORY_ALLOW_AUTO_SWITCH	<input checked="" type="checkbox"/>
Schema	Built-In
Label format	__UNIQUE_NAME__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for metadata :

Column	Key	Type	Length	Precision	Nullable	Comment
Trade_Date	false	String			true	
Trans_Code	false	String			true	
Qty	false	String			true	
Security	false	String			true	
Account	false	String			true	

Original Function Parameters:
Component tWriteDynamicFields

	UNIQUE NAME	tWriteDynamicFields_1	INPUT(S)	tReplicate_1
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	tMap_3

Component Parameters:

Properties	Values
Unique Name	tWriteDynamicFields_1
Component Name	tWriteDynamicFields
Version	0.102 (ALPHA)
Family	Processing/Fields
Startable	false
SUBTREE_START	false
END_OF_FLOW	false
Activate	true


DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tWriteDynamicFields
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	D:\Talend-Studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
REPOSITORY_ALLOW_AUTO_SWITCH	WITH
Schema	Built-In
Label format	__UNIQUE_NAME__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	


Schema for tWriteDynamicFields_1 :

Column	Key	Type	Length	Precision	Nullable	Comment
--------	-----	------	--------	-----------	----------	---------

record	false	Dynamic			true	
--------	-------	---------	--	--	------	--

Original Function Parameters:
Component tMap

	UNIQUE NAME	tMap_1	INPUT(S)	tReplicate_1
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	tLogRow_1



Component Parameters:

Properties	Values
tStatCatcher Statistics	false
Mapping links display as:	AUTO
Temp data directory path:	
Max buffer size (nb of rows):	2000000
Ignore trailing zeros for BigDecimal	true

Show Information	false
Comment	
Use an existing validation rule	false

Mapper table for tMap_1 (input):

Mapper table Properties(row2):

Properties	Values
Name	row2
Matching-mode	UNIQUE_MATCH
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries(row2):

Name	Type	Expression	isNullable
Trade_Date	String		true
Trans_Code	String		true
Qty	String		true
Security	String		true
Account	String		true

Constraint Table Entries(row2):

Name	Type	Expression	isNullable
------	------	------------	------------

Mapper table for tMap_1 (output):

Mapper table Properties(trans):

Properties	Values
Name	trans
Matching-mode	
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries(trans):

Name	Type	Expression	isNullable
tradeDate	java.util.Date	TalendDate.parseDate("MM-dd-yyyy", row2.Trade_Date, false)	true
Qty	Integer	Integer.parseInt(row2.Qty)	true

Constraint Table Entries(trans):

Name	Type	Expression	isNullable
------	------	------------	------------

Mapper table for tMap_1 (var):

Mapper table Properties(Var):

Properties	Values
Name	Var
Matching-mode	
isMinimized	true
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null


Metadata Table Entries(Var):


Name	Type	Expression	isNullable
------	------	------------	------------

Constraint Table Entries(Var):

Name	Type	Expression	isNullable
------	------	------------	------------

Component tMap

	UNIQUE NAME	tMap_2	INPUT(S)	tLogCatcher_1
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	tFilterRow_20



Component Parameters:

Properties	Values
tStatCatcher Statistics	false
Mapping links display as:	AUTO
Temp data directory path:	
Max buffer size (nb of rows):	2000000
Ignore trailing zeros for BigDecimal	true
Show Information	false
Comment	
Use an existing validation rule	false

Mapper table for tMap_2 (input):

Mapper table Properties(row4):

Properties	Values
Name	row4
Matching-mode	UNIQUE_MATCH
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries(row4):

Name	Type	Expression	isNullable
moment	java.util.Date		true
pid	String		true
root_pid	String		true
father_pid	String		true
project	String		true
job	String		true
context	String		true
priority	Integer		true
type	String		true
origin	String		true
message	String		true
code	Integer		true

Constraint Table Entries(row4):

Name	Type	Expression	isNullable
------	------	------------	------------

Mapper table for tMap_2 (output):

Mapper table Properties(errorRecord):

Properties	Values
Name	errorRecord
Matching-mode	
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries(errorRecord):

Name	Type	Expression	isNullable
moment	java.util.Date	row4.moment	true
pid	String	row4.pid	true
root_pid	String	row4.root_pid	true
father_pid	String	row4.father_pid	true
project	String	row4.project	true
job	String	row4.job	true
context	String	row4.context	true
priority	Integer	row4.priority	true
type	String	row4.type	true
origin	String	row4.origin	true
message	String	row4.message	true
code	Integer	row4.code	true
record	String	((String[]) globalMap.get("tMemorizeRows_1_record"))[0]	true
recordID	Integer	((Integer[]) globalMap.get("tMemorizeRows_1_recordID"))[0].intValue()	true

Constraint Table Entries(errorRecord):

Name	Type	Expression	isNullable
------	------	------------	------------

Mapper table for tMap_2 (var):
Mapper table Properties(Var):

Properties	Values
Name	Var
Matching-mode	
isMinimized	true
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null


Metadata Table Entries(Var):


Name	Type	Expression	isNullable
------	------	------------	------------

Constraint Table Entries(Var):

Name	Type	Expression	isNullable
------	------	------------	------------

Component tMap

	UNIQUE NAME	tMap_3	INPUT(S)	tWriteDynamicFields_1
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	tMemorizeRows_1



Component Parameters:

Properties	Values
tStatCatcher Statistics	false
Mapping links display as:	AUTO
Temp data directory path:	
Max buffer size (nb of rows):	2000000
Ignore trailing zeros for BigDecimal	true
Show Information	false
Comment	
Use an existing validation rule	false

Mapper table for tMap_3 (input):

Mapper table Properties(row5):

Properties	Values
Name	row5
Matching-mode	UNIQUE_MATCH
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries(row5):

Name	Type	Expression	isNullable
record	Dynamic		true

Constraint Table Entries(row5):

Name	Type	Expression	isNullable

Mapper table for tMap_3 (output):

Mapper table Properties(record):

Properties	Values
Name	record
Matching-mode	
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries(record):

Name	Type	Expression	isNullable
record	String	row5.record.toString()	true
recordID	Integer	Numeric.sequence("record",1,1)	true

Constraint Table Entries(record):

Name	Type	Expression	isNullable
------	------	------------	------------

Mapper table for tMap_3 (var):

Mapper table Properties(Var):

Properties	Values
Name	Var
Matching-mode	
isMinimized	true
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries(Var):

Name	Type	Expression	isNullable
------	------	------------	------------

Constraint Table Entries(Var):

Name	Type	Expression	isNullable
------	------	------------	------------