

# **Software Project Lab – III**

## **Software Requirements Specification and Analysis**

### **Bengali Braille to Text Translator**

**Course: Software Project Lab – III**

**Course No: SE – 801**

Submitted by

**Atiq Ahammed**

BSSE0817

Session: 2015 – 2016

Supervised by

**Dr. Ahmedul Kabir**

Assistant Professor



**Institute of Information Technology**  
**University of Dhaka**

01 – September – 2019

# Letter of Transmittal

01-09-2019

Institute of Information Technology

University of Dhaka.

**Subject: Submission of software requirements specifications of Software Project Lab-III.**

Dear Sir,

I have prepared the report on Software Requirements Specification of Bengali Braille to Text Translator.

The primary purpose of this report is to summaries my findings that I have gathered during the requirements specification process. This report also includes details of each step I have followed while collecting the requirements.

Although this report may have short comings, we did try our level best to produce an acceptable software requirement specification. We would be highly obliged if you overlooked our mistakes and accepted our effort we put in this SRS.

Sincerely yours,

---

Atiq Ahammed  
BSSE 0817  
Institute of Information Technology  
University of Dhaka

---

Dr. Ahmedul Kabir  
Assistant Professor  
Institute of Information Technology  
University of Dhaka

# **Acknowledgement**

By the grace of Almighty Allah, I have completed my report on Software Requirements Specification of Bengali Braille to Text Translator.

I am grateful to my supervisor Dr. Ahmedul Kabir sir for his direction throughout the working time. It was almost impossible for me to complete this SRS document without him.

I am also thankful to the teachers and students of The Institute of Education and Research, University of Dhaka. They greatly helped me in collecting information among all business.

# Abstract

This document contains the software requirements and specifications for the Software Project Lab – III which is titled as “Bengali Braille to Text Translator.” The aim of this project is to create a desktop application that translate Bengali text from scanned image of braille code typed on a paper. This document provides the overview of the scenario-based model, class-based model, and data flow model including the methodology for Bengali Braille to Text translation. Using this document as a guide, we are describing the requirements, necessary diagrams, procedures and working sequence of our project.

This is a project of a desktop application that will be develop to convert the braille code from a scanned image to corresponding Bengali text. Here I will discuss how I will identify the requirements, how to analyze them and how to present a recommended solution for the system.

This will help to make the software according to the demand of the stakeholders.

# Contents

1	Introduction.....	2
1.1	Purpose.....	2
1.2	Intended Audiences .....	2
1.3	Conclusion.....	3
2	Inception.....	5
2.1	Introduction.....	5
2.1.1	Identifying Stakeholders .....	5
2.1.2	Recognizing Multiple Viewpoints .....	5
2.1.3	Working towards Collaboration.....	6
3	Elicitation .....	9
3.1	Introduction.....	9
3.2	Eliciting Requirements.....	9
3.3	Collaborative Requirements Gathering .....	9
3.4	Quality Function Deployment .....	9
3.4.1	Normal Requirements .....	10
3.4.2	Expected Requirements.....	10
3.4.3	Exciting Features.....	10
3.5	Background Studies.....	11
3.5.1	Image.....	11
3.5.2	Image Acquisition (RGB to Gray).....	11
3.5.3	Noise filtering in Digital Image Processing .....	11
3.5.4	Otsu's Thresholding .....	12
3.5.5	Morphological Dilation and Erosion .....	12
3.6	Usage Scenario .....	13
3.6.1	Methodology .....	13
3.6.2	Braille word recognition and transcription .....	16
4	Scenario Based Modeling.....	20
4.1	Introduction.....	20
4.2	Use Case.....	20
4.2.1	Primary Actor .....	20

4.3	Activity diagram.....	20
4.4	Use Case and Activity Diagram.....	21
4.4.1	Level 0 Use Case Diagram of Bengali Braille to Text Translator .	21
4.4.2	Level 1 Use Case Diagram of Bengali Braille to Text Translator .	22
4.4.3	Level 1 Activity Diagram of Bengali Braille to Text Translator ....	23
5	Class Based Modeling.....	25
5.1	Introduction.....	25
5.2	Class Diagram.....	25
5.2.1	Class Diagram of Bengali Braille to Text Translator .....	25
6	Data Flow Modeling .....	27
6.1	Introduction.....	27
6.2	Data Flow Diagram .....	27
6.2.1	Level 0 Data Flow Diagram of Bengali Braille to Text Translator	27
6.2.2	Level 1 Data Flow Diagram of Bengali Braille to Text Translator	28
7	Conclusion.....	29
8	Bibliography .....	30

## Tables

Table 1:	Information about level 0 use case diagram .....	21
Table 2:	Information about level 1 use case diagram .....	22

## Figures

Figure 1:	Level 0 use case diagram of Bengali Braille to Text Translator ....	21
Figure 2:	Level 1 use case diagram of Bengali Braille to Text Translator ....	22
Figure 3:	Class diagram of Bengali Braille to Text Translator .....	25
Figure 4:	Level 0 data flow diagram of Bengali Braille to Text Translator ...	27
Figure 5:	Level 1 data flow diagram of Bengali Braille to Text Translator ...	28

# Chapter 1

# **1 Introduction**

This chapter is a part of our Software Requirement Specification and Analysis for the project “Bengali Braille to Text Translator”. In this chapter, the center of our activity is the intended audience for this project.

## **1.1 Purpose**

This document is the simple outline of the Software Requirement Specification and Analysis of our project for Software Project Lab – 3 titled as “Bengali Braille to Text Translator”. It contains functional, non – functional and supporting requirements and establishes a requirement baseline for developing the system. The Software Requirement Specification holds the requirements that were collected from student of the Institute of Education and Research (IER), University of Dhaka premises. The Software Requirement Specification serves as a platform to forward user requirements to us and provides a common reference point for me, my supervisor and student of IER.

## **1.2 Intended Audiences**

Our Software Requirement Specification (SRS) is pinned for several audiences including students of IER as well as our project supervisor, SPL – 3 coordinators and me.

- Teachers and students of will use this SRS to verify that we have developed a product that the required
- My supervisor will use this SRS to plan milestones and ensure that we are on the right track when developing the system
- I will use this SRS as a basis for creating the system design. I will continually refer back to this SRS to ensure that the system we are designing, will fulfill the requirements of the teacher and students of IER.
- We will also use this SRS as a basis for developing the system functionality and link the requirements defined in this SRS to the software that we will create to ensure that we have created a software that will fulfill all the requirements



## **1.3 Conclusion**

We wish, this analysis of the audience will help us to focus on the users who will be using our analysis. This document will help each and every person related to this project to perceive the subject matter of the project.

# Chapter 2

## 2 Inception

In this chapter, we succinctly discuss the Inception part of the SRS for our “Bengali Braille to Text Translator”.

### 2.1 Introduction

Requirements Engineering starts with Inception phase. Its goal is to identify parallel needs and conflicting requirements among the stakeholders of a project. The foundation was established by following the subsequent factors-

#### 2.1.1 Identifying Stakeholders

Any person, group, or organization which will affect or be affected by the system directly or indirectly is a stakeholder. It includes both project developers and end-users. Here only client-side stakeholders will be focused.

Although, we intend to develop Bengali Braille to Text Translator for public use, we are currently building it for using only in the Institute of Education and Research (IER), University of Dhaka premises. For this reason, we have selected the stakeholders from the scope of IER only. We have identified following stakeholders for our project:

- i. **Teachers of IER:** Teachers working with visually impaired student at IER are our primary client-side stakeholders. They will directly interact with the system.
- ii. **Visually Impaired Students of IER:** Although the visually impaired students will not interact with the system directly, but they are the biggest group affected by the system. The software will process their writing and convert it to text.
- iii. **General Students of IER:** Visually normal students will also use the software. But they will not be using it for the same reason as the teachers.

#### 2.1.2 Recognizing Multiple Viewpoints

We have collected these view points by discussing with the teachers, visually impaired students, and general students of IER.

##### 1. Teachers of IER:

- Proper braille syntax
- Intuitive user interface
- Ability to see intermediate results

## **2. Visually Impaired Students of IER:**

- Error free solution
- Process double sided writing
- Special character recognition ability
- Fast processing

## **3. General Students of IER:**

- Easy to use
- User friendly interface
- Easy to install
- Work with any scanner
- No need of theoretical or technical knowledge

### **2.1.3 Working towards Collaboration**

Every stakeholder has his own set of requirements from his point of view. We followed following steps to merge these requirements:

- Identify the common and conflicting requirements
- Categorize the requirements
- Take priority points for each requirement from stakeholders and on the basis of this voting prioritize the requirements
- Make final decision about the requirements

#### **Common Requirements:**

- User friendly interface
- Easy to use

#### **Conflicting Requirements:**

- Low cost and process double sided writing
- Fast and minimum error rate
- Full control of the system and no need of theoretical or technical knowledge

**Final Requirements:** We have finalized following requirements for the system through categorization and prioritization process:

- Easy to use
- User friendly interface
- Users with theoretical and technical knowledge will be able to fully customize and control the system

- Users with no technical knowledge will be able to use templates (created by specialists) for running the system
- Minimize error rate
- Can work with any scanner

# Chapter 3

## **3 Elicitation**

### **3.1 Introduction**

Elicitation enables the client more specifically define the necessity. This stage faces many issues such as scope issues, volatility issues, and understanding issues. We worked in an organized and systematic way to solve these issues.

### **3.2 Eliciting Requirements**

Unlike the beginning, Elicitation uses a requirements format that incorporates problem solving, preparation, negotiations and specification components, in which questions were answered. A group of end-users and developers must cooperate in order to generate the demands.

### **3.3 Collaborative Requirements Gathering**

There are many different approaches to collaborative requirements gathering. Each approach makes use of a slightly different scenario. We followed the subsequent steps to do it:

- I. Meetings were conducted with teachers and students of IER, DU. They were questioned about their requirements and expectations from the tool.
- II. They were asked about the problems they are facing with exam papers written in Braille. We also inquired regarding the efficiency of the current process.
- III. At last we selected our final requirement list from these meetings.

### **3.4 Quality Function Deployment**

The technique which translates the needs of the customer into technical requirements for software is called Quality Function Deployment (QFD).

QFD concentrates on maximizing customer satisfaction from the Software Engineering process. With respect to our project the following requirements are identified by QFD-

### **3.4.1 Normal Requirements**

Normal requirements refer to the objectives and the goals that are stated for the product during the meeting with the stakeholders. The presence of these requirements ensures the satisfaction of the customers. The normal requirements for the project are stated below.

- User can customize the work sequence, and store the configuration for future use.
- Will be able to run the tool and get output with only single 'run' button.
- User can view result from each level of Braille to text translation process.
- User will be able to run different types of image enhancement and other pre-processing algorithms to improve input image quality.
- There will be some default configuration templates available with the software.

### **3.4.2 Expected Requirements**

The requirements that are implicit to the system might not be brought up during the meeting because of their fundamental nature. Despite being not explicitly mentioned their presence must be ensured. Otherwise, the product will leave customers dissatisfied. These requirements are called expected requirements and these are stated below.

- The system will be able to support all popular image formats like- JPG, JPEG, PNG.
- User will be able to process single image of Braille writing.
- The user interface of the system shall be easy to use. It will make use of drop-down boxes, radio buttons, and other selectable fields wherever possible instead of fields that require the user to type in data.

### **3.4.3 Exciting Features**

The factors that go beyond the customer's expectations and prove to be satisfying when present are called exciting features. The exciting features are the so called 'wow factor' for our project.

- The user interface should provide appropriate error messages for invalid input as well as tool-tips and help.
- User will be able to view each processing step separately
- User will be able to save the output in a ".txt" file using this system if wishes



## 3.5 Background Studies

This part of this document contains necessary terms which be helpful to understand the next Usage Scenario and Methodology of this project.

### 3.5.1 Image

an image can be defined by a two-dimensional array specifically arranged in rows and columns. Digital Image is composed of a finite number of elements, each of which elements have a particular value at a particular location which is called pixel [1]. Each pixel has three values of RGB (Red, Green, Blue) in between 0-255 or we can say that colors here are of the 24-bit format, that means each color has 8 bits of red, 8 bits of green, 8 bits of blue, in it. Each color has three different portions.

### 3.5.2 Image Acquisition (RGB to Gray)

It is converting a digital image from a given one processing each pixel with some operation. On this project the RGB to Gray conversion will be used. Average method is the simplest one. You just have to take the average of three colors. Since it's an RGB image, so it means that you have add r with g with b and then divide it by 3 to get your desired grayscale image [2].

It's done in this way.

$$\text{Grayscale} = (R + G + B / 3)$$

### 3.5.3 Noise filtering in Digital Image Processing

Noise is always presents in digital images during image acquisition, coding, transmission, and processing steps. noise is abrupt change in pixel values in an image. So when it comes to filtering of images, the first intuition that comes is to replace the value of each pixel with average of pixel around it. This process smooths the image. To reduce the noise from the image mean, median and/or gaussian filter will be used based on image quality.

- In image processing, a Gaussian blur (also known as Gaussian smoothing) is the result of blurring an image by a Gaussian function (named after mathematician and scientist Carl Friedrich Gauss). It is a widely used effect in graphics software, typically to reduce image noise and reduce detail.

- Mean filter is a simple sliding window that replace the center value with the average of all pixel values in the window. The window or kernel is usually a square but it can be of any shape.
- Median filter is a simple sliding window that replace the center value with the Median of all pixel values in the window. The window or kernel is usually a square but it can be of any shape.

### 3.5.4 Otsu's Thresholding

Otsu's method is a global thresholding technique. It uses the histogram of the image for threshold searching process. It maximizes "between class variance" of the segmented classes. Otsu proves that Minimizing "within class variance" is same as maximizing "between class variance" of the segmented classes. And maximizing "between class variance" is computationally less expensive than minimizing "within class variance" [3].

Let 't' be the threshold.

This threshold subdivides the image into two classes: C0 and C1.

Now you calculate the function "between class variance" of the segmented classes C0 and C1.

$$BCV = var0 + var1$$

Now what the method does is- search for the value of 't' so that the "between class variance", BCV is maximized.

### 3.5.5 Morphological Dilation and Erosion

The most basic morphological operations are dilation and erosion. Dilation adds pixels to the boundaries of objects in an image, while erosion removes pixels on object boundaries. The number of pixels added or removed from the objects in an image depends on the size and shape of the structuring element used to process the image. In the morphological dilation and erosion operations, the state of any given pixel in the output image is determined by applying a rule to the corresponding pixel and its neighbors in the input image. The rule used to process the pixels defines the operation as a dilation or an erosion [4].

## **3.6 Usage Scenario**

Bengali Braille Character Recognizer will be a desktop application for Windows operating system. It will be a tool that will take a scanned image of Bengali Braille writing as input. The system will be able to support all popular image formats like- JPG, JPEG, PNG. The input will go through different types of image-preprocessing techniques, translate Braille to text through pattern recognition, and apply text correction procedures for final output. The methodology of whole process is discussed below. Then it will provide the Bengali text that is written in the scanned input image. If the user want to save the text file in the local directory of the computer our system will provide the user to save it.

### **3.6.1 Methodology**

Braille is a reading and writing system which can only be read with the sense of touch. It is used by blind and visually impaired people who cannot access print materials. Braille is not a language. Rather, it is a code by which many languages can be written and read. It uses raised dots to represent the letters of the print alphabet. It also includes symbols to represent punctuation. A Braille character is made using a combination of 6 dots which is arranged in two columns and three rows.

At first, the user will select scanned images of Braille writing. Then the following methodology will be applied for final output.

#### **3.6.1.1 Image Preprocessing:**

Different types of image enhancement processes will be run. Then Image preprocessing is an essential step during which errors that occurred while the images were taken are eliminated. Errors include noise, deformation, bad illumination or blurring. Image preprocessing can be used for image enhancement by reducing noise.

1. Grayscale conversion: In any image, each of the pixels should have a variation of RGB values for three different colors Red, Green, and Blue. But for having the same value of each three colors for every pixel it requires to grayscale conversion for this image.
2. Noise reduction: For noise reduction median filter, gaussian elimination will be used.
3. Binary conversion: Then it will take a thresholded image consisting of couples of white and black spots, where each couple denotes a single Braille dot. To do this Otsu thresholding will be used.

4. Filling: For filling the dots Morphological Dilation will be used based on dots quality.

### 3.6.1.2 Line Identification:

After preprocessing the most important task is horizontal line identification. This will be done based on the dot frequency in the image. Each horizontal text line will consist of three-dot lines.

### 3.6.1.3 Braille Cells and Dots Framing:

The framing process to determine the cells, words, and lines in the scanned image based on standard dimensions of Braille documents. Mainly statistics measures of central tendency will be used for performing this task.

### 3.6.1.4 Decimal Braille Code Generation:

This stage is a core stage of the system and it was done by testing each dot in Braille cell, if it active the position of this dot take digit one and if inactivated the position of this dot takes digit zero. The recognizing process of active or inactive dots was depended on taking summation of dot frame, if the summation was been one's digits, that means this dot is activated, else that dot will be inactive.

### 3.6.1.5 Braille letter recognition and transcription:

Braille is not a language. It is a code for mapping character sets of various languages to its 64 fixed permutations. Mapping of character sets of a language to Braille symbols is called character mapping. Different countries developed their own standard character mapping for their language. This character mapping is not necessarily one-to-one because some languages may have more than 64 letters in their alphabet. So possible character mapping can be one-to-one and many-to-one. For example

Bangla letter 'ক'	→	⠠	(One-to-one)
Bangla letter 'খ' & digit '৮'	→	⠠⠠	(Many-to-one)

Each letter of Bangla alphabet, numeric and punctuation has corresponding Braille representation. Bangla letters and their corresponding Braille representations are given in Table I, II and III.

TABLE I. ONE TO ONE CHARACTER MAPPING

Bangla	Braille	Bangla	Braille	Bangla	Braille
ক		খ		ঙ	
খ		ন		ঢ	
ঘ		প		য়	
ঙ		ম		ৎ	
ছ		য		ঁ	
ঝ		র		ং	
ট		ল		ঃ	
ঠ		শ		ক্ষ	
ড		ষ		জ	
ঢ		স		;	
ত		।		!	
থ		‘		=	
ড		’		*	
-		[		]	

TABLE II. TWO TO ONE CHARACTER MAPPING

Bangla	Braille	Bangla	Braille
অ	১	চ	৩
আ	া	জ	০
ঈ	ী	ঞ	:
উ	ু	ণ	Number prefix
উ	ূ	দ	৪
ঋ	্	ফ	৬
ও	ো	ব	২
ঔ	ৌ	হ	৮
গ	৭	্	"
(	)	?	"

TABLE III. THREE TO ONE CHARACTER MAPPING

Bangla			Braille
ই	ি	ঈ	⠠⠠
এ	ে	ঐ	⠠⠡
ঐ	ৈ	/	⠠⠢
,	.	'(lop)	⠠⠠⠠

In this stage of the project, the Braille letter was recognized using a matching algorithm to match each of the input decimal Braille code from an input processed image with codes of each Bengali letter. After the recognition process implemented the recognized letter transcript into equivalent text. The following represent the Bengali Braille Characters.

## 3.6.2 Braille word recognition and transcription

### 3.6.2.1 Grammatical conversion rules

In conversion of Bangla text to Braille, one needs to deal with conjunctions, consonants, dependent and independent vowels, punctuations and numbers. Here all grammatical conversion rules are discussed with examples.

- 1) Replacing rule: In replacing rule each Bangla character is replaced by its corresponding Braille cell. Some uses of consonants, vowels (dependent and independent) and punctuations are given in Table IV.

TABLE IV. USES OF CONSONANTS, VOWELS AND PUNCTUATIONS

Bangla Word	Distribution	Braille Representation
বল	ব ল	⠠⠠ ⠠⠠
উৎস	উ ত্ স	⠠⠠ ⠠⠠ ⠠⠠
কাঠ	ক া ঠ	⠠⠠ ⠠⠠ ⠠⠠
দুট	দ ত্ ট	⠠⠠ ⠠⠠ ⠠⠠
কমা	,	⠠⠠
সেমি কোলন	:	⠠⠠

- 2) Inserting rule: In inserting rule a Braille cell is inserted as prefix. Other characters are replaced according to replace rule.

- If there is “i”, “u” or “o” after consonant and if “a” is pronounced there then Bangla “a” equivalent Braille cell dot 1 is inserted after consonant in Braille [14]. Examples are shown in Table V.

TABLE V. INSERTION OF “অ”

Bangla Word	Distribution	Braille Representation
বই	ব ই	
রওনা	র ও না	

- Braille cell dot 4 is inserted before conjunctions having combination of two letters. Examples are shown in Table VI.

TABLE VI. CONJUNCTION OF 2 LETTERS

Bangla Word	Conjunct	Distribution	Braille Representation
গ্রাম	গ্র	গ ্র	
পূর্ব	ব	র ্ব	

- Braille cell dot 4, 6 is inserted before conjunctions having combination of three letters or four letters. Examples are shown in Table VII.

TABLE VII. CONJUNCTION OF 3 AND 4 LETTERS

Bangla Word	Conjunct	Distribution	Braille Representation
রাষ্ট্র	ঈ	ষ ট ্র	
স্বাস্থ্য	জ্ঞা	ন্ ত ্র য়	

- Two Bangla conjunctions have direct representation in Bangla Braille. So, there is no need to use Braille cell dot 4 before them. They are given in Table VIII.

TABLE VIII. TWO CONJUNCTIONS WITHOUT PREFIX

Bangla Word	Conjunct	Distribution	Braille Representation
কক্ষ	ক্ষ	ক ্ষ	
জ্ঞান	জ্ঞ	জ ্ঞ	

This is the last stage in implementation, the word recognition process flow through letter recognition and fill Braille the decimal array of the word, to apply matching process with stored addressed text and voices files of words, then to run equivalent files from the addressed word database.



# Chapter 4

## **4 Scenario Based Modeling**

This chapter contains the Scenario Based Model for our project “Bengali Braille to Text Translator”.

### **4.1 Introduction**

For developing our software, we are giving the highest priority to user satisfaction. To identify the requirements to establish meaningful analysis and design model we determine how users want to interact with the system. Thus, our requirements modeling begins with scenario generation in the form of use cases, activity diagrams.

### **4.2 Use Case**

Use case diagrams are usually referred to as behavior diagrams used to describe a set of actions that some system or sub-systems can perform in collaboration with one or more external users of the system.

The first step in writing a Use Case is to define that set of “actors” that will be involved in the story. Actors are the different people that use the system or product within the context of the function and behavior that is to be described. Actors represent the roles that people play as the system operators. Every user has one or more goals when using the system.

#### **4.2.1 Primary Actor**

Primary actors interact directly to achieve required system function and derive the intended benefit from the system. They work directly and frequently with the software. In our system both users the system both are primary actor.

### **4.3 Activity diagram**

Activity diagrams are graphical representations of workflows of stepwise activities and actions with support for choice, iteration and concurrency. In this chapter we did try to provide each use case and its corresponding activity diagram together.

## 4.4 Use Case and Activity Diagram

### 4.4.1 Level 0 Use Case Diagram of Bengali Braille to Text Translator




Figure 1: Level 0 use case diagram of Bengali Braille to Text Translator

Table 1: Information about level 0 use case diagram

<b>Name:</b>	Bengali Braille to Text Translator
<b>ID:</b>	L-0
<b>Primary Actor:</b>	User
<b>Secondary Actor:</b>	None

#### 4.4.1.1 Description of Level 0 Use Case Diagram

After analyzing usage scenario, we found that user interact with our system as primary actor.

#### 4.4.2 Level 1 Use Case Diagram of Bengali Braille to Text Translator




Figure 2: Level 1 use case diagram of Bengali Braille to Text Translator

Table 2: Information about level 1 use case diagram

<b>Name:</b>	Bengali Braille to Text Translator
<b>ID:</b>	L-1
<b>Primary Actor:</b>	User
<b>Secondary Actor:</b>	None

##### 4.4.2.1 Description of Level 1 Use Case Diagram

In the usage scenario we separated our System into several modules. Here the user provides scanned image as input and get corresponding Bengali text.

#### 4.4.3 Level 1 Activity Diagram of Bengali Braille to Text Translator




Figure 3: Level 1 activity diagram of Bengali Braille to Text Translator

# Chapter 5

# 5 Class Based Modeling

We intended this chapter to describe class-based modeling for our “Complain Box”.

## 5.1 Introduction

In this chapter, our designed class-based model represents the objects that our “Bengali Braille to Text Translator” will manipulate, the operation that will applied to the objects, relationships between and the collaboration that occur between the classes that are defined.

## 5.2 Class Diagram

In this stage we designed class diagram in the Unified Modeling Language. This is a type of static diagram to describe the structure of our system. Here we also designed two individual design for our two subsystems.

### 5.2.1 Class Diagram of Bengali Braille to Text Translator




Figure 3: Class diagram of Bengali Braille to Text Translator

# Chapter 6



## 6 Data Flow Modeling

We intended this chapter to describe data flow modeling for our “Complain Box”.

### 6.1 Introduction

A data flow diagram is a graphical representation of the flow of data through an information system. We use data flow diagram to diagrammatically represent the flow and exchange of information within our “Bengali Braille to Text Translator”. As previous chapter, we modeled our data flow diagram based on our two main sub system.

### 6.2 Data Flow Diagram

We did try to go initial level to deep level in our system through our data flow diagram.

#### 6.2.1 Level 0 Data Flow Diagram of Bengali Braille to Text Translator




Figure 4: Level 0 data flow diagram of Bengali Braille to Text Translator

### 6.2.2 Level 1 Data Flow Diagram of Bengali Braille to Text Translator




Figure 5: Level 1 data flow diagram of Bengali Braille to Text Translator

## **7 Conclusion**

I am pleased to submit the final SRS report on Bengali Braille to Text Translator. From this, the readers will get a clear and easy view of tactile writing system. they will also get a good understanding of the translation process.

This SRS document can be used effectively to maintain the software development cycle for the project. I have presented a detailed description of the total system. It will be much easy to conduct the whole project using this SRS. It will also help me to determine the pitfalls that may come ahead. Hopefully, this document can also help other software engineering students as well as practitioners.

I have tried my best to make effective and fully designed SRS in a short time. I wish, the readers will find it in order.

## 8 Bibliography

- [1] "Digital Image Processing Basics," 30 August 2019. [Online]. Available: <https://www.geeksforgeeks.org/digital-image-processing-basics/>.
- [2] "Grayscale to RGB Conversion," tutorialspoint, [Online]. Available: [https://www.tutorialspoint.com/dip/grayscale\\_to\\_rgb\\_conversion.htm](https://www.tutorialspoint.com/dip/grayscale_to_rgb_conversion.htm). [Accessed 30 August 2019].
- [3] [Online]. Available: <http://www.labbookpages.co.uk/software/imgProc/otsuThreshold.html>. [Accessed 30 August 2019].
- [4] "MathWOrks," [Online]. Available: <https://www.mathworks.com/help/images/morphological-dilation-and-erosion.html>. [Accessed 31 August 2019].

