

Milestone 1

Android Based Situational Awareness: Moving Map
Tom Atnip, Susi Cisneros, Sam Kim, and Seth Troisi

14 September 2012

Contents

1	Introduction	4
2	Problem Statement	4
2.1	User/Stakeholder Descriptions	4
2.1.1	Users	4
2.1.2	Stakeholders	4
2.2	Key Needs	4
2.3	Current Solution	4
2.4	Alternatives	4
3	Functional Requirements	4
3.1	General	4
4	Non-functional Requirements	5
4.1	General	5
5	Project Plan	5
5.1	Schedule	5
5.2	Risks	5
6	Metrics	5
6.1	Project	5
6.1.1	Documentation	5
6.1.2	Code	5
6.1.3	Testing	6
6.2	Process	6
6.3	Communication	6
7	Questions	7

Changes (based off Git commits)

Date	Description
13 September 2012	Document started
13 September 2012	Initial work on document

1 Introduction

2 Problem Statement

2.1 User/Stakeholder Descriptions

2.1.1 Users

Soldier, Police Officers, and other Ground Personnel

The users of our program are seeking to maintain their situational awareness in locations which may not have connectivity to the Internet. Many of them use voice guided situational awareness technology, but in light of advances in mobile devices, they could receive this information in a visual manner.

2.1.2 Stakeholders

Raytheon

Raytheon's customers are mainly military organizations, many of which are using Raytheon's current situational awareness technologies. Raytheon is looking to update these technologies to keep their position as a leading provider of military systems.

JD Hill

JD is the client who proposed this solution. He is a major proponent of using mobile devices in a military application.

Doug Duesseau

Doug is the acting Technical Lead for this project.

Development Team

The development team on this project are graduating seniors who wish to learn more about the software development process and interaction with a client. They are very interested in learning more about developing on the Android platform.

2.2 Key Needs

ID	Need
N0	View map of surrounding area
N1	View points of interest on the map
N2	View current location on the map
N3	Map must not require internet access
N4	Map must be Android based
N5	Application must work on any size android device

2.3 Current Solution

2.4 Alternatives

All considered solutions to the proposed system require Internet access.

3 Functional Requirements

3.1 General

3.1.1 Android Moving Map shall provide the ability to pan the map by a dragging gesture

- 3.1.2 Android Moving Map shall provide the ability to zoom using double tap, pinch gestures, or using an on-screen button
- 3.1.3 Android Moving Map shall display map tiles that are either stored on the device or provided by a local server
- 3.1.4 Android Moving Map shall display other relevant information supplied by a local server
- 3.1.5 Android Moving Map shall georeference the location of the device

4 Non-functional Requirements

4.1 General

- 4.1.1 Android Moving Map shall run on Android platforms running at least version 3.0 (Honeycomb)
- 4.1.2 Android Moving Map shall be able to receive GPS data from a local server or the device
- 4.1.3 Android Moving Map shall display properly on either mobile phones or tablets

5 Project Plan

5.1 Schedule

5.2 Risks

ID	Risk
R0	Performance of the system
R1	Finding a feature complete mapping engine
R2	Organizing data in the correct format in a timely manner

6 Metrics

6.1 Project

6.1.1 Documentation

This will encompass the percentage of the code, features, and other material that has been documented
Percent Written:

This will encompass the percentage of the documentation that has been reviewed by Dr. Wollowski and/or JD Hill
Percent Reviewed: 0

This will encompass the percentage of the documentation is in a final state (written, reviewed, and stable).
Percent Complete: 0

6.1.2 Code

This will encompass the percentage of the code, by feature, that has been written
Percent Written: 0

This will encompass the percentage of the code that has passed Code review (both Internal and External)
Percent Reviewed: 0

This will encompass the percentage of the code that has passed testing phase.
Percent Tested: 0

This will encompass the percentage of the code that is in a final reviewed, tested, and stable form.
Percent Complete: 0

6.1.3 Testing

6.2 Process

6.3 Communication

7 Questions

- 3.1 Should the orientation be north up or heading up or should we include both? If so what should the default be?
- 3.2 What is the "other relevant information" that will be displayed on the map?
- 3.3 Will we have to display multiple types of map tiles (i.e. satellite or street)?
- 3.4 Will we have any control/knowledge in how map tile data is sent to the device (i.e. filetype and format)?
- 3.5 Can we get sample map data from Raytheon?
- 3.6 What will be the restrictions on zoom level, since it alters how many tiles need to be stored on the device?
- 3.7 When/how should the device pull map tile data from the server?
- 3.8 Does the view follow the user as he/she travels?
- 3.9 Does the server have connection to the Internet?
- 3.10 What ways should the device connect to the server?
- 3.11 Will there be any views aside from the map?
- 3.12 What happens if the connection is lost?
- 3.13 What happens when connection is regained?
- 3.14 How is the connection initially established?
- 3.15 Should we disable the device from turning off the display?
- 3.16 What happens during/after a critical error with the device?
- 3.17 Can this be an open source project, as we may run into GPL licensing issues?
- 3.18 Who is maintaining code after the project finishes?
- 3.19 Who is going to be using the system?
- 3.20 What existing functionality needs to be carried over?