

# The externalize package

Lukas Heindl

[oss.heindl+latex@protonmail.com](mailto:oss.heindl+latex@protonmail.com)

v0.0.1 from 2024/02/25

## 1 Introduction

Put text here.

## 2 Usage

Put text here.

`externalize (env.)`

## 3 Implementation

```
1 \RequirePackage{pgf}
2 \RequirePackage{fancyvrb}
3 \RequirePackage{pgfopts}
4
```

Define package options

```
5 \pgfkeys{
6   /externalize/.cd,
7   jobname/.initial = main,
8   jobname/.value required,
9   prefix/.initial = figures/,
10  prefix/.value required,
11 }
12 \ProcessPgfOptions*
```

load lua package, config and initialize it by default

```
13 \directlua{extern = require "externalize.lua"}
14 \directlua{extern.configure({jobname=[[ \pgfkeysvalueof{/externalize/jobname} ]]], prefix=[[ \pgfkeysvalueof{/externalize/prefix} ]])}
15 \directlua{extern.init()}
```

clean up unused (previously) externalized pdfs to not accumulate lots of unused pdfs

```
16 \AtEndDocument{\directlua{extern.clean_up()}}
```

## Change History

v0.0.1

General: Converted to DTX file . . . *1*

## Index

Numbers written in italic refer to the page where the corresponding entry is described; numbers underlined refer to the code line of the definition; numbers in roman refer to the code lines where the entry is used.

<b>E</b>	<code>externalize (env.)</code>	. . . <i>1</i>
----------	---------------------------------	----------------

environments:

<code>externalize</code>	. . . . .	<i>1</i>
--------------------------	-----------	----------