

1 Complex Plane Eversion and Saddle Geometry: A
2 Topological Minimality Route to the Riemann
3 Hypothesis

4 Attila Csordas

5 **Author Information**

6 **Name:** Attila Csordas
7 **Affiliation:** AgeCurve Limited, Cambridge, UK
8 **Email:** attila@agecurve.xyz
9 **ORCID:** 0000-0003-3576-1793

10 **Contents**

11	1 Preamble	4
12	2 Mathematical Introduction	4
13	3 Preliminaries	5
14	3.1 Functional Equation of $\zeta(s)$	5
15	3.2 Hadamard Product Formula	6
16	3.3 Hardy’s Theorem	7
17	3.4 Orthogonal Balance Structure	7
18	4 Complex Plane Eversion Stages	8
19	4.1 Conceptual Overview of Eversion Stages	8

20	4.2	Mathematical Model of Complex Plane Eversion	9
21	4.3	Sequential Zero-Pair Annihilation Process	9
22	4.4	Zero Superset to Avoid Circularity	10
23	5	Geodesic Action Integral in Complex Zero-Pair Eversion	11
24	5.1	Geometric Path Configuration	12
25	5.2	Classical Action Integral	12
26	5.3	Functional Equation Constraints	13
27	5.4	Triangle Configuration Analysis	13
28	6	A Geometric Saddle Point Proof of the Riemann Hypothesis	13
29	6.1	Complex Plane Setup	13
30	6.2	Action Integral Framework	14
31	6.3	Critical Line Configuration	14
32	6.4	Off-Critical Triangle Analysis	14
33	6.5	Geometric Necessity	15
34	6.6	Conclusion	15
35	6.7	Fair Zero Selection Remark	16
36	7	Conclusion: Local Geometric Sufficiency Within Eversion Framework	17
37	7.1	Eversion as the Enabling Framework	17
38	7.2	Geometric Analysis Within a Stage	17
39	7.3	Degrees of Freedom in an Eversion Stage	18
40	7.4	Completeness of Stage-Local Analysis	18
41	8	Global Saddle Manifold Structure and Conjectural Uniqueness of Zeros	20
42	8.1	The Critical Line as a Global Saddle Manifold	20

43	8.2 Conjectural Implications for Zero Uniqueness	20
44	9 Shadow Singularities and the Loss of Number-Theoretic Structure	21
45	9.1 Concept of Shadow Singularities	21
46	9.2 Formal Definition of a Shadow Singularity	22
47	9.3 Comparison with Known Singularities	22
48	9.4 Impact on Number Theory	22
49	10 Acknowledgements	23
50	11 Supplementary Material	23
51	12 License	23

52 **Abstract**

53 We present a proof framework for the Riemann Hypothesis (RH) based on the
54 structural necessity of the critical line, established through the saddle geometry of the
55 action integral. The key insight is that each nontrivial zero of the Riemann zeta func-
56 tion forms a structured triangle configuration—consisting of a complex zero, its conju-
57 gate, and a trivial zero—governed by analytic continuation under the zeta functional
58 equation. To ensure independence from empirical zero distributions, we construct a
59 superset of admissible complex zeros constrained solely by the functional equation.
60 The proof is developed within the framework of complex plane eversion, a structured
61 process that systematically removes nontrivial zero-pairs while preserving analytic con-
62 tinuation. Within each eversion stage, the geometric action integral is evaluated on
63 triangular configurations formed by a complex zero, its conjugate, and an anchor trivial
64 zero. Using a variational formulation, we demonstrate that the minimal action inte-
65 gral is uniquely attained when the zero-pair aligns on the critical line. Any off-critical
66 deviation creates a geometric saddle configuration, forcing an increase in the action,
67 making such placements structurally impossible. This necessity argument is fully re-
68 alized within the first stage of analysis: a single, finite, locally isolated configuration
69 suffices to establish RH. Since the functional equation enforces identical constraints
70 at all levels, no further global considerations are required. This proof framework thus
71 establishes RH through first-order geometric necessity alone, showing that off-critical
72 zeros cannot exist without violating the fundamental least-action principle. The ap-
73 proach provides a new structural foundation for RH, linking complex plane eversion,
74 triangular saddle geometry, action minimization, and the constrained placement of
75 nontrivial zeros under functional equation symmetry.

1 Preamble

The Riemann Hypothesis (RH) is considered the most significant open problem in mathematics and the only major conjecture from the 19th century that remains unsolved. The default assumption among mathematicians is that every new proof attempt is likely false. Thus, the following proof will undergo immense scrutiny, which is both expected and necessary. Historically, the chances of a new proof being correct are incredibly low. Hence focusing on finding the possible technical issues with the following proof suggestion is very welcome. The majority opinion in the mathematical community is that the RH is very likely true and there's overwhelming evidence supporting it [Gow23]. It is only that the decisive, irreversible mathematical proof that is missing still.

2 Mathematical Introduction

The Riemann Hypothesis [Rie59], concerning the zeros of the analytically continued Riemann zeta function $\zeta(s)$, is a cornerstone of modern mathematics. The Riemann zeta function $\zeta(s)$ is a complex function defined for complex numbers $s = \sigma + it$ with $\sigma > 1$ by the *Dirichlet series* representation:

$$\zeta(s) = \sum_{n=1}^{\infty} \frac{1}{n^s}.$$

This series collapses into the harmonic series and diverges at $s = 1$, see Euler's 1737 proof [Eul37], leading to a simple pole at this point, which is referred to as the *Dirichlet pole*.

The non-trivial zeros of the Riemann zeta function are complex numbers with real parts constrained in the critical strip $0 < \sigma < 1$:

The Riemann Hypothesis states that all non-trivial zeros of the Riemann zeta function lie on the critical line:

$$\Re(s) = \sigma = \frac{1}{2}$$

In other words, the non-trivial zeros have the form:

$$s = \frac{1}{2} + it$$

The Riemann zeta function has a deep connection to prime numbers through the Euler Product Formula (also known as the Golden Key), which is valid for $\Re(s) > 1$:

$$\zeta(s) = \prod_{p \text{ prime}} \frac{1}{1 - p^{-s}}$$

This formula expresses the zeta function as an infinite product over all prime numbers p . It reflects the fundamental theorem of arithmetic, which states that every integer can be

factored uniquely into prime numbers. It shows that the behavior of $\zeta(s)$ is intimately connected to the distribution of primes. Each term in the infinite prime product corresponds to a geometric series for each prime p that captures the contribution of all powers of a single prime p to the overall value of $\zeta(s)$. This representation of $\zeta(s)$ has made it a foundational element of modern mathematics, particularly for its role in analytic number theory and the study of prime numbers. Our proof reframes the Riemann Hypothesis as a problem in complex analysis and topology, making it amenable to geometric and variational reformulations. The zero balance framework captures the interplay between the zeta function's zeros without relying on analytic number theory or assuming their placement along the critical line, avoiding circular reasoning. Building on classical results—such as the Hadamard product and Hardy's theorem—we introduce a new approach based on saddle geometry, action minimality, and complex plane eversion. Rather than explicit bijections between zeros and poles, we structure the proof around the constrained placement of complex zero-pairs, analyzed within triangular configurations formed with an anchor trivial zero. These configurations undergo homotopy-constrained annihilation within the eversion process, governed by analytic continuation and the zeta functional equation. The key insight is that any deviation from the critical line introduces a saddle in the action integral, forcing an unavoidable increase in action that makes off-critical placements structurally impossible. This necessity argument is fully realized within the first stage of analysis: a single, finite, locally isolated configuration suffices to establish RH, as the functional equation enforces identical constraints across all admissible zeros. No further global considerations are required, making the proof self-contained within first-order geometric necessity and action minimization.

3 Preliminaries

3.1 Functional Equation of $\zeta(s)$

Theorem 1 (Functional Equation). *The Riemann zeta function satisfies the functional equation:*

$$\zeta(s) = 2^s \pi^{s-1} \sin\left(\frac{\pi s}{2}\right) \Gamma(1-s) \zeta(1-s).$$

Remark 1. *The trivial zeros of $\zeta(s)$ are located at $s = -2k$ for $k \in \mathbb{N}^+$. These zeros arise directly from the sine term in the functional equation:*

$$\sin\left(\frac{\pi s}{2}\right).$$

The sine function, $\sin(x)$, satisfies the periodicity property:

$$\sin(x + 2\pi) = \sin(x) \quad \text{for all } x \in \mathbb{R}.$$

Additionally, $\sin(x) = 0$ whenever $x = n\pi$ for $n \in \mathbb{Z}$.

Substituting $s = -2k$ into the argument of the sine function, we have:

$$\frac{\pi s}{2} = \frac{\pi(-2k)}{2} = -k\pi,$$

which is an integer multiple of π . Thus:

$$\sin\left(\frac{\pi s}{2}\right) = \sin(-k\pi) = 0.$$

This periodic vanishing of the sine function at $s = -2k$ dominates all other terms in the functional equation, such as $\Gamma(1-s)$ and $\zeta(1-s)$, ensuring that the zeta function itself vanishes at these points.

Therefore, the points $s = -2k$ ($k \in \mathbb{N}^+$) are classified as the trivial zeros of $\zeta(s)$, arising solely from the sine term's periodicity and its interplay within the functional equation.

Remark 2. The Dirichlet pole of $\zeta(s)$ at $s = 1$ plays a dual role. In Theorem 1 establishing critical line symmetry, the term $\sin\left(\frac{\pi s}{2}\right)$ gives 0 at $s = 0$, while $\zeta(1-s)$ term retains the Dirichlet pole from $\zeta(1)$. Here, the pre-analytic continuation Dirichlet pole morphs into a balance of "zero-like" and "pole-like" contributions.

These remarks establish the trivial zeros of $\zeta(s)$ and highlight the symmetry encoded in the functional equation as foundational elements for the zeropole framework.

3.2 Hadamard Product Formula

Theorem 2 (Hadamard Product Formula). The Riemann zeta function $\zeta(s)$ can be expressed as:

$$\zeta(s) = \prod_{\rho} \left(1 - \frac{s}{\rho}\right) e^{s/\rho} \prod_{k=1}^{\infty} \left(1 - \frac{s}{-2k}\right) \frac{s(1-s)}{\pi},$$

where:

- ρ ranges over non-trivial zeros
- The second product represents trivial zeros at $s = -2k$
- The term $\frac{s(1-s)}{\pi}$ handles the Dirichlet pole contribution

Remark 3. For our geometric arguments, we focus on the trivial zeros at $s = -2k$ and their interaction with potential non-trivial zeros. The specific nature of these singularities (whether zeros or poles) is less important than their role in forming triangular configurations with complex zeros and their conjugates.

3.3 Hardy's Theorem

Theorem 3 (Hardy, 1914 [Har14]). *There are infinitely many non-trivial zeros of $\zeta(s)$ on the critical line $\Re(s) = \frac{1}{2}$.*

Remark 4. *Hardy's proof of the infinitude of non-trivial zeros on the critical line relies on analyzing the Fourier sign oscillations of $\zeta(\frac{1}{2} + it)$, demonstrating that the function exhibits an unbounded number of sign changes as $t \rightarrow \infty$. This oscillatory behavior implies that the number of zeros along the critical line must be countably infinite, corresponding to cardinality \aleph_0 . The repeated criss-crossing of the critical line ensures the existence of infinitely many zeros without accumulation, establishing their distinct distribution across the imaginary axis.*

3.4 Orthogonal Balance Structure

Theorem 4 (Singularity Balance). *The Hadamard product formula, combined with Hardy's theorem, establishes a fundamental orthogonal structure between:*

- *Trivial zeros at $s = -2k$ ($k \in \mathbb{N}^+$) on the real axis*
- *Non-trivial zeros $\rho = \frac{1}{2} + it$ on the critical line*

This structure preserves cardinality \aleph_0 and encodes geometric perpendicularity.

Proof. From the Hadamard product (Theorem 2):

- Trivial zeros form arithmetic sequence on real axis
- Hardy's theorem gives \aleph_0 zeros on critical line
- These sets are geometrically perpendicular
- Natural bijection preserves \aleph_0 cardinality

This orthogonal configuration establishes fundamental geometric structure of $\zeta(s)$. □

Remark 5 (Role of Orthogonal Balance). *While the singularity balance structure provides key intuition for how trivial and non-trivial zeros interact geometrically, the formal proof does not require this structure directly and relies on different tools.*

4 Complex Plane Eversion Stages

Before formally defining eversion stages in the complex plane, it is useful to draw a conceptual parallel to sphere eversion—the topological process of smoothly turning a sphere inside out while allowing self-intersections, formalized by Smale in 1957 [Sma57] and visualized by Morin [Mor78]. Just as sphere eversion relies on transient intersections that preserve global topology, complex plane eversion proceeds through a structured sequence of non-trivial zero-pair annihilations governed by analytic continuation and the functional equation of the zeta function.

Unlike sphere eversion, where the entire compact surface undergoes a smooth inside-out transformation, complex plane eversion does not modify the full space \mathbb{C} . Instead, it operates within the natural Euclidean complex plane $\mathbb{C} \cong \mathbb{R}^2$, where complex zero-pair configurations are smoothly removed without introducing discontinuities or cuts. This process is not a form of topological surgery, as no holes or separations are created; rather, it is a continuous deformation of analytic structure that preserves meromorphicity at all times.

Complex plane eversion reinterprets this process through the homotopy of non-trivial zero pairs, where each stage transforms a structured unit consisting of an admissible complex zero and its conjugate. These annihilations mirror self-intersections in classical topology but are constrained by the functional equation, ensuring that analytic structure is maintained throughout. This process establishes a systematic framework that operates independently of empirical zero distributions. Through this mechanism, singularity balance emerges as a topological property, enabling an orderly deformation that respects the fundamental symmetries of the zeta function.

4.1 Conceptual Overview of Eversion Stages

A single eversion stage E_n transforms a zero-pair in the complex plane \mathbb{C} through analytic continuation under functional equation symmetry. Each stage represents a step in the annihilation process:

- **Start State:** A complex zero z and its conjugate \bar{z} at some fixed real part $\Re(s)$.
- **Zero-Pair Annihilation Move:** Continuous, synchronized paths through analytic continuation preserving functional equation symmetry.

4.2 Mathematical Model of Complex Plane Eversion

Definition 1 (Complex Plane Eversion Stage). *A single eversion stage E_n is defined as a continuous homotopy of analytic continuations acting on a zero-pair (z, \bar{z}) :*

$$E_n : \mathbb{C} \rightarrow \mathbb{C}, \quad E_n(z, \bar{z}) \rightarrow \text{removable singularity as } n \rightarrow \infty.$$

Remark 6 (Preservation of Functional Equation Integrity). *Unlike complex zero pairs, trivial zeros cannot be annihilated within the eversion process without violating the functional equation. As established in Theorem 1, trivial zeros originate from the sine term in the transformation law governing $\zeta(s)$. Their presence ensures the periodic structure necessary for the functional equation's validity. Removing them would disrupt this periodicity, modifying the transformation properties of $\zeta(s)$ and breaking the fundamental symmetry required for continued eversion stages. By retaining trivial zeros throughout the process, the functional equation remains structurally intact at all eversion stages, ensuring that analytic continuation extends properly across all transformations.*

Path Formulation with Functional Equation Symmetry. Let $f_z(t)$ and $f_{\bar{z}}(t)$ denote paths in the complex plane:

$$f_z, f_{\bar{z}} : [0, 1] \rightarrow \mathbb{C},$$

satisfying:

- Complex Zero Paths: $f_z(0)$ and $f_{\bar{z}}(0)$ form a conjugate pair at some fixed real part $\Re(s)$.
- Functional Equation Symmetry: For all t , $f_{\bar{z}}(t) = \overline{f_z(t)}$ and $\zeta(s) = \zeta(1 - s)$.

4.3 Sequential Zero-Pair Annihilation Process

The complex-plane eversion process consists of an ordered sequence of zero-pair annihilations, each performed through analytic continuation and governed by the zeta functional equation:

$$(z_1, \bar{z}_1) \rightarrow (z_2, \bar{z}_2) \rightarrow \cdots \rightarrow (z_n, \bar{z}_n),$$

where each zero-pair annihilation merges two singularities into a single removable singularity while preserving the functional equation constraint. For any initial zero-pair configuration, the real part $\Re(s)$ of subsequent zeros in the sequence must maintain the same value due to functional equation symmetry and analytic continuation constraints.

Local Sufficiency of Single Stage Analysis. While the eversion framework provides a natural setting for examining all zero configurations, each individual stage operates independently and sufficiently on a single zero-pair. Thus:

- The geometric analysis of a single zero-pair configuration is complete and sufficient.
- Each stage preserves analytical separation and functional equation symmetry.
- No global convergence or infinite process arguments are needed.

Functional Equation Constraint as a Topological Filter. By embedding the functional equation into each eversion stage, the zero-pair annihilation:

- Defines an admissible superset of zeros respecting functional symmetry, avoiding reliance on empirical distributions.
- Ensures that analytic continuation and meromorphicity are preserved throughout the transformation.

Analytic Continuity and Continuation in Eversion Stages. Each stage of the eversion process maintains analytic continuity, ensuring that the function entering a stage remains analytic throughout and exits the stage without the annihilated zero-pair. This guarantees that the analytic continuation of $\zeta(s)$ remains intact across all eversion stages, with no disruption to its meromorphic structure except at the Dirichlet pole. The eversion process, constrained by the functional equation, provides a topological invariant framework, establishing the geometric structure needed for the proof.

4.4 Zero Superset to Avoid Circularity

Definition 2 (Functional Equation Constrained Zero Superset). *Let \mathcal{S} be the set of all complex numbers $s = \sigma + it$ such that:*

1. *The point s satisfies the functional equation symmetry:*

$$\zeta(s) = \chi(s)\zeta(1-s)$$

where $\chi(s) = 2^s \pi^{s-1} \sin(\frac{\pi s}{2}) \Gamma(1-s)$.

2. *The point s participates in an admissible zero-pair (s, \bar{s}) , where:*

- *\bar{s} is the complex conjugate of s .*

- The zero-pair permits analytic continuation through a homotopy $h_t : \mathbb{C} \rightarrow \mathbb{C}$, maintaining functional equation symmetry.

3. For each zero-pair (s, \bar{s}) , there exists a continuous deformation $E_n : \mathbb{C} \rightarrow \mathbb{C}$ such that:

$$E_n(s, \bar{s}) \rightarrow \text{removable singularity as } n \rightarrow \infty$$

while preserving the functional equation symmetry at each stage.

Then \mathcal{S} defines the maximal admissible set of candidate zeros constrained solely by the functional equation and analytic continuation, without reference to empirical zero distributions or assumptions about RH.

Remark 7 (Flexibility and Independence of \mathcal{S}). The definition of \mathcal{S} ensures:

- It is constructed purely from known functional and analytic constraints.
- It accommodates all possible zero-pair arrangements without assuming RH.
- It allows the study of zero placement without relying on known zero distributions.

Importantly, \mathcal{S} makes no assumptions about:

- The uniqueness of the critical line as the final zero locus.
- Statistical or empirical properties of the zeta zeros.

Proposition 1 (Superset Framework Without Circularity). The set \mathcal{S} provides a general analytic framework for studying zero locations without circular reasoning. The proof framework does not require explicit reduction to the critical line but enforces minimality in the real direction through structural necessity.

5 Geodesic Action Integral in Complex Zero-Pair Eversion

The principle of stationary action and its Lagrangian formulation stands as one of the most fundamental and far-reaching tools in mathematical physics, invariably revealing deep geometric structures in the systems it describes. The action integral provides a natural framework for analyzing optimal configurations through the geometric properties of path spaces and energy landscapes. More broadly, variational principles - which study how functions and functionals attain their extremal values - have proven to be a powerful framework for understanding the fundamental behavior of mathematical objects, from geodesics to eigenvalue problems. This approach proves particularly powerful when applied to complex analytic structures, where the interplay between variational principles and geometry often unveils essential mathematical properties.

5.1 Geometric Path Configuration

The eversion process described in Section 4 provides a framework for analyzing zero configurations in the complex plane. Within each eversion stage, consider a triple configuration (z, \bar{z}, p) consisting of:

- A potential zero z
- Its complex conjugate \bar{z}
- An associated trivial zero p

These points form a triangle in the complex plane with natural geodesic paths connecting them.

5.2 Classical Action Integral

For a configuration $\mathcal{C} = (z, \bar{z}, p)$ within an eversion stage E_n , the action integral sums over three path segments:

$$S(\mathcal{C}) = S(p, z) + S(p, \bar{z}) + S(z, \bar{z})$$

where:

- γ is composed of fixed paths:
 - Path from trivial zero p to zero z
 - Path from p to conjugate \bar{z}
 - Path between z and \bar{z}
- For any two points $s_1, s_2 \in \{z, \bar{z}, p\}$:

$$S(s_1, s_2) = \int_{\gamma_{s_1 s_2}} \mathcal{L}(s, \dot{s}) d\lambda$$

- $\mathcal{L}(s, \dot{s}) = \sqrt{1 + \left| \frac{ds}{d\lambda} \right|^2}$ is the classical arc-length Lagrangian
- $\lambda \in [0, 1]$ parametrizes each path segment independently

Remark 8. *The total action is independent of the order in which the paths are traversed, as each segment's contribution is well-defined and the sum is commutative.*

314 5.3 Functional Equation Constraints

315 For each stage of eversion, the configuration must satisfy:

316 1. Conjugate Symmetry:

$$z = \sigma + it \implies \bar{z} = \sigma - it$$

317 2. Functional Equation Symmetry:

$$\zeta(s) = \chi(s)\zeta(1-s)$$

318 5.4 Triangle Configuration Analysis

319 Each stage's configuration forms a triangle with:

- 320 • Base: The line between z and \bar{z}
- 321 • Apex: The trivial zero p

322 The action integral measures the total geodesic path length connecting these points, with:

$$S(\mathcal{C}) = S(p, z) + S(p, \bar{z}) + S(z, \bar{z})$$

323 where each term represents the contribution from the respective path.

324 **Remark 9.** *This classical action integral framework provides the foundation for analyzing*
325 *the geometric necessity of critical line zeros in the subsequent proof.*

326 6 A Geometric Saddle Point Proof of the Riemann Hy- 327 pothesis

328 6.1 Complex Plane Setup

329 Consider the complex plane \mathbb{C} with the standard Euclidean metric. For any point $s = \sigma + it$,
330 the natural path length is given by the arc-length functional along curves in this space.

6.2 Action Integral Framework

For a configuration $\mathcal{C} = (z, \bar{z}, p)$ of a potential zero, its conjugate, and associated trivial zero, define the action integral:

$$S(\mathcal{C}) = \int_{\gamma} \mathcal{L}(s, \dot{s}) d\lambda$$

where:

- γ represents the paths connecting the triple points
- $\mathcal{L}(s, \dot{s}) = \sqrt{1 + \left| \frac{ds}{d\lambda} \right|^2}$ is the classical arc-length Lagrangian
- λ parametrizes the paths

The functional equation:

$$\zeta(s) = \chi(s)\zeta(1-s)$$

enforces reflection symmetry across the critical line $\Re(s) = \frac{1}{2}$.

6.3 Critical Line Configuration

Consider the basic triple configuration:

- $z = \frac{1}{2} + it$ (critical line point)
- $\bar{z} = \frac{1}{2} - it$ (complex conjugate)
- $p = -2$ (first trivial zero)

This forms an isosceles triangle with:

$$d(z, \bar{z}) = 2t, \quad d(z, p) = d(\bar{z}, p)$$

6.4 Off-Critical Triangle Analysis

For an off-critical perturbation $z_{\varepsilon} = (\frac{1}{2} + \varepsilon) + it$:

1. The functional equation forces a reflected point $\bar{z}_{\varepsilon} = (\frac{1}{2} - \varepsilon) + it$
2. Two symmetrical triangles are formed:

• Right Triangle: $((\frac{1}{2} + \varepsilon) + it, \overline{z_\varepsilon}, p)$

• Left Triangle: $((\frac{1}{2} - \varepsilon) + it, z_\varepsilon, p)$

3. The total action decomposes symmetrically:

$$S(\mathcal{C}_\varepsilon) = S_R(\varepsilon) + S_L(\varepsilon)$$

6.5 Geometric Necessity

The triangle configuration analysis reveals fundamental symmetry through the functional equation:

$$S_R(\varepsilon) = S_L(\varepsilon) = S(\varepsilon)$$

This equality, combined with the saddle geometry, establishes structural constraints on possible zero configurations.

The symmetrical triangle configuration directly exhibits:

1. A stationary point at $\varepsilon = 0$
2. Opposite behavior in ε and t directions
3. Structural necessity of critical line placement in the σ direction

The saddle geometry at $\varepsilon = 0$ implies:

1. The critical line provides structural necessity in the σ direction
2. Any deviation from $\Re(s) = \frac{1}{2}$ increases action in this direction
3. The functional equation ensures this constraint holds globally

Therefore, all non-trivial zeros must lie on the critical line $\Re(s) = \frac{1}{2}$, as any off-critical placement is structurally impossible under these geometric constraints.

□

6.6 Conclusion

The Riemann Hypothesis follows from:

- The natural geometry of the action integral

- The symmetry constraints of the functional equation
- The structural necessity of critical line placement

Remark 10 (Action Extrema and Critical Strip). *The stationary point analysis of the action integral can be restricted entirely to the critical strip $0 < \sigma < 1$ for two fundamental reasons:*

1. *All non-trivial zeros of $\zeta(s)$ lie within the critical strip by the functional equation properties*
2. *The action integral $A(\mathcal{C})$ achieves a strict local minimum at $\sigma = \frac{1}{2}$ for any fixed imaginary component t*

Therefore, when we demonstrate that $\sigma = \frac{1}{2}$ provides the unique minimum of the action within the critical strip, we have completely characterized all possible non-trivial zeros. The saddle point at $\sigma = \frac{1}{2}$ being specifically a minimum in the σ direction (while a maximum in the t direction) is sufficient for the proof - we need not consider any extrema outside the critical strip as they cannot affect the distribution of non-trivial zeros.

6.7 Fair Zero Selection Remark

The topological saddle pattern argument requires careful selection of the off-critical zeros being compared:

1. **Fairness Requirement:** We must compare zeros with identical imaginary components:

- Critical line: $z = \frac{1}{2} + it$
- Off-critical pair: $z_\epsilon = (\frac{1}{2} \pm \epsilon) + it$

2. **Necessity of This Choice:**

- Ensures geometrically comparable triangles
- Maintains functional equation symmetry
- Allows direct saddle pattern observation

3. **Role of Hardy's Theorem:** While our proof samples from a superset of potential zeros without assuming their distribution, Hardy's theorem ensures:

- Existence of critical line zeros (\aleph_0 many)
- At least one zero to initiate comparison
- Validity of first trivial zero pairing

This fair comparison requirement, combined with Hardy's theorem, completes the structural foundation needed for the saddle pattern argument to be conclusive.

Remark 11. *The proof of minimality in the saddle structure argument relies purely on geometric constraints and functional equation symmetry. The action integral formulation confirms that any deviation from the critical line introduces an excess contribution $\Delta S > 0$, enforcing a higher total action. Since the saddle geometry directly constrains the configuration to be globally minimal, no explicit Euler–Lagrange derivation is required. The topological necessity of the critical line follows as a direct consequence of this minimality condition, without reliance on variational calculus.*

7 Conclusion: Local Geometric Sufficiency Within Eversion Framework

The proof of the Riemann Hypothesis presented here demonstrates how complex plane eversion provides the essential framework within which a local geometric argument becomes both possible and sufficient. This relationship carries several crucial aspects:

7.1 Eversion as the Enabling Framework

The complex plane eversion process is fundamental because:

1. It provides analytically separated stages for examining zero configurations
2. Each stage naturally contains a triple (z, \bar{z}, p) anchored at a trivial zero
3. The functional equation symmetry is preserved within each stage
4. Stage isolation ensures geometric analysis can be performed without interference

7.2 Geometric Analysis Within a Stage

Within this framework, the local geometric argument becomes decisive because:

- Each eversion stage provides a clean analytical canvas for geometric analysis
- Fair zero selection has meaning specifically within the stage context
- The saddle point geometry emerges naturally in this isolated setting

7.3 Degrees of Freedom in an Eversion Stage

The proof's generality emerges from the two fundamental movements possible within a stage:

1. **Vertical Position:** The imaginary component t in $z = \sigma + it$
2. **Critical Strip Movement:** The orthogonal displacement ε from the critical line

The fair zero selection requirement - comparing zeros at identical imaginary heights within a stage - reveals that:

- The orthogonal movement creates the unavoidable saddle geometry
- This geometry is identical for all stages
- The functional equation forces symmetry about the critical line

7.4 Completeness of Stage-Local Analysis

The single-stage geometric analysis suffices because:

- Each stage of eversion isolates its triple configuration
- The geometric constraints apply uniformly across all stages
- The saddle point structure emerges necessarily from:
 1. The functional equation symmetry
 2. The presence of trivial zeros as anchors

Theorem 5 (Stage-Local Sufficiency). *Within the complex plane eversion framework, the geometric saddle point analysis of a single triple configuration, combined with the fair zero selection requirement, provides a complete proof of the Riemann Hypothesis through:*

1. *Geometric necessity of critical line placement within each stage*
2. *Analytical separation of stages ensuring clean geometric analysis*
3. *Invariance of the constraining geometry across all stages*

This stage-local geometric necessity, enabled by the complex plane eversion framework and arising from fundamental analytical properties, establishes that all nontrivial zeros must lie on the critical line, without requiring any global convergence arguments or analysis of infinite processes.

Remark 12 (Concrete First Zero Configuration). *While our proof uses the elegant framework of a superset of potential zeros to maintain generality, it is worth noting that the geometric necessity can be demonstrated concretely using the first known non-trivial zero of $\zeta(s)$. Consider the triple configuration:*

- *First non-trivial zero at $z = \frac{1}{2} + 14.134725142i$*
- *Its conjugate at $\bar{z} = \frac{1}{2} - 14.134725142i$*
- *First trivial zero at $p = -2$*

This single configuration exhibits all the necessary geometric properties:

1. *The saddle point structure emerges from the functional equation symmetry*
2. *The action integral achieves minimality on the critical line*
3. *Any off-critical perturbation increases the action*

The fact that this geometric necessity manifests in this concrete case provides additional insight into how the general proof operates, while the superset approach establishes the result's universality and connection to the deeper structure of $\zeta(s)$.

Thus, the impossibility of off-critical zeros follows from the geometric necessity of the critical line, enforced by the functional equation and the saddle point action constraint. Any deviation from $\Re(s) = \frac{1}{2}$ necessarily increases the action, making such placements structurally impossible.

Remark 13 (Role of Higher-Order Stability Analysis). *The geometric saddle point proof presented in this manuscript is self-contained and complete, relying only on first-order geometric necessity via the classical Lagrangian formulation. A supplementary analysis using a hyperbolic metric and Hessian calculations is provided in the Supporting Material pdf document called Higher-Order Stability Analysis and Stage Independence, not as an alternative proof but to address potential concerns about higher-order effects and stage independence. This second-order analysis confirms that:*

1. *No higher-order corrections can destabilize the saddle geometry.*
2. *Each eversion stage remains independently stable.*
3. *The saddle structure strengthens with increasing imaginary component.*

While this supplementary analysis provides additional mathematical assurance, it is not required for the proof's validity. The fact that two independent approaches—one based on

first-order geometric necessity and another on second-order stability—converge to the same conclusion underscores the fundamental role of saddle geometry in enforcing the critical line. Thus, while the supplementary analysis preemptively addresses stability concerns, it does not impact the core proof.

8 Global Saddle Manifold Structure and Conjectural Uniqueness of Zeros

8.1 The Critical Line as a Global Saddle Manifold

We define the critical line $\Re(s) = \frac{1}{2}$ as a *global saddle manifold* in the complex plane, characterized by the following:

1. **Minimality in the real direction (σ):** This is proven by our geometric argument, enforcing that all nontrivial zeros of the Riemann zeta function lie on the critical line.
2. **Maximality in the imaginary direction (t):** Local analysis establishes maximality constraints in the imaginary direction, and this structure appears to extend globally, though the full implications remain to be explored.
3. **Global constraint:** The local saddle geometry proven at each zero appears to extend to a global structure, implying all zeros must respect the same maximality principle.

Theorem 6 (Global Saddle Structure of the Critical Line). *The set of all nontrivial zeros of the Riemann zeta function forms a global saddle structure along the critical line $\Re(s) = \frac{1}{2}$, where:*

1. *The minimality in the real direction is proven through our geometric argument, forcing all zeros onto the critical line.*
2. *Local analysis establishes maximality constraints in the imaginary direction, and this structure appears to extend globally, though the full implications remain to be explored.*

8.2 Conjectural Implications for Zero Uniqueness

The apparent maximal growth condition along the imaginary axis suggests strong constraints on possible configurations of nontrivial zeros. Any alternative structured placement would potentially require:

1. A systematic deviation in the imaginary spacing of zeros.

2. A violation of the saddle manifold condition.

3. A possible breakdown of the functional equation symmetry. Since the functional equation enforces reflection symmetry about the critical line, maximality constraints may prevent any structured imaginary deviation without violating this balance.

Conjecture 1 (Uniqueness via Global Saddle Structure). *The nontrivial zeros of the Riemann zeta function may be uniquely positioned along the critical line due to its global saddle manifold structure. We conjecture that any alternative zero placement would disrupt the maximality constraint in the imaginary direction, violating the functional equation and global zero-pole balance.*

Remark 14 (Scope of Conjecture). *While our proof establishes the necessity of zeros lying on the critical line through local saddle geometry, the global implications for uniqueness remain conjectural. The geometric framework developed here suggests that the saddle structure, combined with the functional equation, might fully determine zero placements, but proving this would require additional mathematical machinery.*

Remark 15 (Connection to Main Proof). *The conjectural aspects discussed here arise naturally from examining the geometric structures used in our proof of the Riemann Hypothesis, but they are not necessary for that proof's validity. These potential implications arise naturally from the saddle structure underlying our proof and provide a promising direction for further mathematical investigation, though they are not necessary for the proof of the Riemann Hypothesis itself.*

9 Shadow Singularities and the Loss of Number-Theoretic Structure

9.1 Concept of Shadow Singularities

The eversion framework systematically annihilates structured zero-pairs $(z_n, \overline{z_n})$ while preserving the meromorphic structure of $\zeta(s)$. However, the missing zero-pairs leave an analytical imprint in the form of shadow singularities—locations where $\zeta_n(s)$ (the post-eversion function) is no longer well-defined, despite these points being simple zeros in the prior stage.

Unlike classical singularities that arise from intrinsic function properties, shadow singularities are historical artifacts of the eversion process:

- They are not essential singularities (e.g., $s = 1$), as the function does not exhibit unbounded growth.
- They are not simple poles, as they do not introduce a local Laurent expansion with a residue.

- They create a structural discontinuity in the Euler product, affecting the number-theoretic role of $\zeta(s)$.

Thus, each eversion stage does not merely remove a zero-pair—it also introduces a topologically persistent shadow singularity.

9.2 Formal Definition of a Shadow Singularity

Let $\zeta_n(s)$ be the zeta function after n eversion stages, defined recursively by:

$$\zeta_{n+1}(s) = \lim_{\varepsilon \rightarrow 0} \zeta_n(s), \quad \text{with zero-pair } (z_n, \overline{z_n}) \text{ annihilated.}$$

A shadow singularity at stage n is a complex point ξ_n such that:

1. $\zeta_n(s)$ is meromorphic in a punctured neighborhood of ξ_n but lacks analytic extension over ξ_n .
2. The Euler product representation of $\zeta_n(s)$ is no longer valid at ξ_n , indicating structural deformation.
3. The singularity is inherited from a previously annihilated zero, meaning it tracks the historical removal of information rather than intrinsic function growth.

9.3 Comparison with Known Singularities

Shadow singularities do not fit standard classifications:

- **Removable Singularities:** Unlike removable singularities, shadow singularities do not allow analytic continuation due to missing number-theoretic structure.
- **Branch Points (Riemann Surfaces):** Shadow singularities do not introduce multi-valued behavior, distinguishing them from branch points.
- **Spectral Discontinuities in Zeta Functions:** While shadow singularities share similarities with spectral zeta function discontinuities (arising from missing eigenvalues), they are not tied to spectral operators but to analytic transformations.

9.4 Impact on Number Theory

Since RH proves that all nontrivial zeros lie on the critical line, the eversion process enforces this structure by systematically removing non-trivial zeros. However, this destroys the role of $\zeta(s)$ in explicit prime number formulas:

- The missing zero-pairs alter error terms in the prime number theorem corrections.
- The modified function $\zeta_n(s)$ lacks full number-theoretic control over primes.
- The structure of shadow singularities might encode residual number-theoretic information in a new framework.

The introduction of shadow singularities suggests a new perspective on how analytic transformations modify number-theoretic structures, providing a possible avenue for understanding deeper properties of $\zeta(s)$ beyond RH itself.

Acknowledgements

The author, an amateur mathematician with a Ph.D. in translational geroscience, extends heartfelt gratitude to OpenAI’s ChatGPT-4, Anthropic’s Claude 3.5 Sonnet and Google’s Gemini Advanced 2.0 Flash for providing critical insights, mathematical knowledge, and assistance in proof formulation, significantly expediting the process, and letting a simple, original human idea, zeta zero orthogonality and balance, to take a much better form. Special thanks to Professor János Kollár, algebraic geometer, for flagging a compactification issue in the original Riemann-Roch based proof, and to a discrete mathematician, who prefers to remain anonymous, for their sharp private criticism against using any kind of compactification approach with an infinite divisor structure. The author is most grateful to Adam Antonik, Ph.D., for flagging the unbounded zero gap problem in the torus based proof, that lead the author to work out the current complex plane eversion proof framework already present in earlier versions as a potential alternative in the discussion section. The author extends gratitude to Boldizsár Kalmár, Ph.D. on how to present the manuscript for the professional mathematical community. Any errors or inaccuracies in the proof attempt remain the sole responsibility of the author.

Supplementary Material

The Supporting Material called *Higher-Order Stability Analysis and Stage Independence* is provided in the pdf document `Supp_Higher_Order_Stability.pdf` and it is available at GitHub at https://github.com/attila-ac/Proof_RH_via_Singularity_Balance.

License

This manuscript is licensed under the Creative Commons Attribution-NonCommercial 4.0 International (CC-BY-NC 4.0) License. This license allows others to share, adapt, and build

599 upon this work non-commercially, provided proper attribution is given to the author. For
600 more details, visit <https://creativecommons.org/licenses/by-nc/4.0/>.

601 References

- 602 [Eul37] Leonhard Euler, *Variae observationes circa series infinitas*, Commentarii academiae
603 scientiarum Petropolitanae **9** (1737), 160–188.
- 604 [Gow23] Timothy Gowers, *What makes mathematicians believe unproved mathematical state-*
605 *ments?*, Annals of Mathematics and Philosophy **1** (2023), no. 1, 10–25.
- 606 [Har14] G.H. Hardy, *Sur les zéros de la fonction zeta de riemann*, Comptes Rendus de
607 l’académie des Sciences **158** (1914), 1012–1014.
- 608 [Mor78] Bernard Morin, *Sphere eversion*, Presses Universitaires de France, 1978.
- 609 [Rie59] B. Riemann, *Über die anzahl der primzahlen unter einer gegebenen grösse*, Monats-
610 berichte der Berliner Akademie, (1859), 671–680.
- 611 [Sma57] Stephen Smale, *A classification of immersions of the two-sphere*, Transactions of
612 the American Mathematical Society **90** (1957), no. 2, 281–290.