

Mathematics Of Doing, Understand, Learning, and Educating Secondary Schools

MODULE(S²): Algebra for Secondary Mathematics Teaching

Adapted for MODULE(S²)

Version Spring 2018



This work is licensed under a Creative Commons Attribution-ShareAlike 3.0 Unported License.

The Mathematics Of Doing, Understand, Learning, and Educating Secondary Schools (MODULE(S²)) project is partially supported by funding from a collaborative grant of the National Science Foundation under Grant Nos. DUE-1726707, 1726804, 1726252, 1726723, 1726744, and 1726098. Any opinions, findings, and conclusions or recommendations expressed in this material are those of the authors and do not necessarily reflect the views of the National Science Foundation.

Todo list

Contents

I	Introduction to Complex Numbers	1
1	Basics of Complex Numbers	1
1.1	Defining Complex Numbers	1
1.2	Inquiry: Sums and Products	1
1.2.1	Ordered Pairs	2
1.3	Addition and Subtraction of Complex Numbers	3
1.4	Homework	5
1.5	Inquiry: The Mathematics of Turns	6
1.5.1	The Mathematics of Half Turns	6
1.5.2	Thinking About the Mathematics of Half Turns	6
1.5.3	The Mathematics of Quarter Turns	6
1.5.4	Thinking Hard About Quarter Turns	7
1.6	Multiplication of Complex Numbers	8
II	Representations of Complex Numbers	8
III	Roots and polynomials	8

Part I

Introduction to Complex Numbers

Basics of Complex Numbers

Defining Complex Numbers

First, a bit of review. The set of natural numbers, \mathbb{N} , consists of all of the counting numbers:

$$\mathbb{N} = \{0, 1, 2, 3, \dots\}.$$

The set of integers, \mathbb{Z} , consists of the natural numbers and their additive inverses:

$$\mathbb{Z} = \{\dots, -3, -2, -1, 0, 1, 2, 3, \dots\}.$$

The rational numbers are those numbers that can be written as a fraction:

$$\mathbb{Q} = \left\{ \frac{a}{b} \mid a, b \in \mathbb{Z}, b \neq 0 \right\}.$$

Some numbers cannot be written as a ratio of two integers, and we call those numbers irrational. For example, $\sqrt{2}$ is not a rational number; it is irrational. But, finally, we have the set of real numbers, \mathbb{R} , which consists of all the rational numbers together with all of the irrational numbers. So, we have the following containments:

$$\mathbb{N} \subseteq \mathbb{Z} \subseteq \mathbb{Q} \subseteq \mathbb{R}.$$

We often model the real numbers on a line, called the real number line.

INSERT IMAGE

Real numbers can added, subtracted, multiplied and divided. As suggested by the number line model, there is also an ordering of the real numbers with the following properties:

- For any real numbers a and b , if $a \leq b$ and $b \leq a$, then $a = b$. (Antisymmetry)
- For any real numbers a , b , and c , if $a \leq b$ and $b \leq c$, then $a \leq c$. (Transitivity)
- For any real numbers a and b , $a \leq b$ or $b \leq a$. (Totality)

These properties fit our intuition for how objects on a number line should behave, and for that reason we call an ordering with these properties a **linear order**. So, we say the real numbers are “linearly ordered.” The real numbers also have a very important property called “completeness,” which allows us to conclude that there are no “gaps” in the real numbers. Although the real numbers are complete in this sense, it turns out that there are some problems which can’t be solved with real numbers.

Inquiry: Sums and Products

Find two numbers whose sum is 10 and whose product is 16.

Find two numbers whose sum is 10 and whose product is 25.

Find two numbers whose sum is 10 and whose product is 40.

Instructor note. Distribute handout with this question. As teachers work on it, circulate and listen to the questions and comments they make. They may say and do things that will lead into a discussion on clarifying the question, precision, and also what it means to have less or more satisfying answers to a question.

In the last task in the inquiry above, the equation

$$x^2 - 10x + 40 = 0$$

is found to have no real solutions. So are there two numbers which satisfy the requirements? Well, there are no **real** numbers that work, but we can find two **complex numbers**: $5 + i\sqrt{15}$ and $5 - i\sqrt{15}$. In the sections that follow we will introduce complex numbers and study their properties.

ORDERED PAIRS

You may know that complex numbers have the form $a + bi$ where a and b are real numbers and $i = \sqrt{-1}$. And, you may also know that we can model complex numbers in the plane. We will begin our study of complex numbers by viewing them as points or vectors in the plane. Thus, we can say that a **complex** number z is an ordered pair

$$z = (a, b)$$

of real numbers a and b . This representation allows us to very naturally graph complex numbers in the plane:

INSERT IMAGE

When we graph complex numbers in the plane, we call that plane the “complex plane.”

Also, in this representation, it is natural to identify a complex number of the form $(a, 0)$ with the real number a . Thus we identify the complex number $(3, 0)$ with the real number 3 and we identify the complex number $(\frac{1}{3}, 0)$ with the real number $\frac{1}{3}$.

Thus, if we denote the set of complex numbers by the symbol \mathbb{C} , then we have

$$\mathbb{N} \subseteq \mathbb{Z} \subseteq \mathbb{Q} \subseteq \mathbb{R} \subseteq \mathbb{C}.$$

In this way, the complex numbers contain the real numbers as a subset. In the complex plane we say that the set of real numbers are found along the “real axis.”

Complex numbers of the form $(0, b)$ are called **pure imaginary numbers**, or just **imaginary numbers**. In the complex plane, the set of imaginary numbers are found along the “imaginary axis.”

INSERT IMAGE

If we are given a complex number $z = (a, b)$ we call a the **real part** of z and we call b the **imaginary part** of z . The notation for this is

$$\operatorname{Re} z = a \text{ and } \operatorname{Im} z = b.$$

Two complex numbers are said to be equal when they have the same real parts and the same imaginary parts. That is (just like ordered pairs), we say

$$(a, b) = (c, d) \text{ if and only if } a = c \text{ and } b = d.$$

Now, notice that

$$z = (a, b) = a \cdot (1, 0) + b \cdot (0, 1).$$

We already know that we can identify the complex number $(1, 0)$ with the real number 1. We will also let i denote the pure imaginary number $(0, 1)$. Thus, we can write

$$\begin{aligned} z &= (a, b) \\ &= a \cdot (1, 0) + b \cdot (0, 1) \\ &= a \cdot 1 + b \cdot i \\ &= a + bi \end{aligned}$$

Many students are more familiar with the form $z = a + bi$ for the complex number (a, b) . Both representations are useful. We will usually use the form $z = a + bi$, but we will also often use the form $z = (a, b)$. The notation $a + bi$ is very flexible, but there are some conventions. For example, $5 + 3i$, $5 + i3$, $3i + 5$ and $i3 + 5$ are all equal, but we usually write it as $5 + 3i$. Instead of writing something like $8 + 1i$, we would usually just write $8 + i$. And, rather than $3 + 0i$ or $0 + 0i$ we typically just write 3 or 0, respectively.

- Let $z = a + bi$ where $a, b \in \mathbb{R}$. There are two triangles that contain z as a vertex and whose legs are parallel or perpendicular to the real and imaginary axes. What are the coordinates of the other vertices of these triangles in terms of complex numbers?
- In the above question, what are the lengths of the legs and hypotenuses of the right triangles?

Given a complex number $z = (a, b)$ the **complex conjugate** of z is the complex number $\bar{z} = (a, -b)$.

- What is the complex conjugate of $z = 3 - 4i$? Graph z and \bar{z} on the same set of axes.
- What is the complex conjugate of $z = (0, 1)$? Graph z and \bar{z} on the same set of axes.
- What transformation of the plane maps z to \bar{z} ?

Addition and Subtraction of Complex Numbers

Complex numbers are identified with points in the plane for some very good reasons. One of those reasons is that addition works as expected: we add them **component wise**. That is, given complex numbers $z_1 = (a, b)$ and $z_2 = (c, d)$ we add them as follows:

$$\begin{aligned} z_1 + z_2 &= (a, b) + (c, d) \\ &= (a + c, b + d) \end{aligned}$$

If we had represented these complex numbers as $z_1 = a + bi$ and $z_2 = c + di$ then addition would work as follows

$$\begin{aligned} z_1 + z_2 &= (a + bi) + (c + di) \\ &= (a + c) + (b + d)i \end{aligned}$$

In any number system, we say a number \mathbf{n} is an **additive identity** if $x + \mathbf{n} = \mathbf{n} + x = x$ for any number x in that number system.

- What is the additive identity of the natural numbers? What about the integers, rationals, and reals?
- What is the additive identity in the set of complex numbers \mathbb{C} ? Write it in two ways.

Suppose x is a number of any type. It can be an integer, rational, real or complex number. We define the additive inverse of x to be the number y so that $x + y = \mathbf{0}$.

- Given a complex number $z = a + bi$, what is its additive inverse?
- How would you write z and its additive inverse using ordered pairs?
- How would you define subtraction of complex numbers? Write the definition using both the $a + bi$ representation and the ordered pair representation.
- Given a complex number z , what is $z + \bar{z}$? What is $z - \bar{z}$? Write your answers in terms of $\text{Re } z$ and $\text{Im } z$.

Finally we define the **modulus** of a complex number $z = a + bi$ to be $|z| = \sqrt{a^2 + b^2}$. The modulus goes by many names. You will also see the modules of z referred to as the **magnitude of z** , the **norm of z** , the **length of z** , and sometimes the **absolute value of z** .

- Use the Pythagorean theorem to explain why it makes sense that the modulus of z is also called the magnitude (or norm, or length) of z .
- What is the relationship between the concept of the absolute value of a real number and the concept of the modulus of a complex number?
- If z is a complex number, what is the relationship between $|z|$ and $|\bar{z}|$.

Here are some facts about the relationship between addition, modulus, and the complex conjugate.

Lemma 1.1. *Let $z = a + bi$ and $w = c + di$ be complex numbers.*

1. $\bar{z} + \bar{w} = \overline{z + w}$
2. $|z| = |\bar{z}|$
3. $|z| = 0$ if and only if $z = 0$
4. $|z + w| \leq |z| + |w|$.

Homework

Inquiry: The Mathematics of Turns

TODO: Still editing this.

THE MATHEMATICS OF HALF TURNS

For the tasks below you should be in groups of 3-4 people, and you will need blank paper.

- Stand up and face forward. Describe what you see to the other members of your team. Do a half-turn counterclockwise. Again, describe what you see to your team members. Do another half-turn counterclockwise. Describe what you see. Do a full turn. Describe what you see.
- Draw a picture that illustrates what you just did.
- Describe what just happened. In your description you should (at least) answer the following questions: What did you do? What did you see? Did everyone see the same thing? How did you decide what “forward” was? What was interesting? What was boring?
- Identify the important features from the description that you wrote above. Share your features with your group. If someone from your team identifies a feature that you didn't, and you also think it is important, include it in your list.
- Create an icon that represents each of the features you listed above. Remember that, though they may both be considered graphics, there is an important difference between icons and symbols. (???)
- Use your icons to write an iconic sentence that describes the experience you had at the start of this activity.

THINKING ABOUT THE MATHEMATICS OF HALF TURNS

The table shown below is a special type of multiplication table. Note that the symbol in the top left cell of the table is meant to represent the verb “followed by.”

*	HT	FT
HT		
FT		

- Do you have any ideas about what the symbols in the table are meant to represent? Write down your ideas.
- Do you have any ideas about how to complete the table? Write down your ideas.
- Share your ideas with the other members in your team. Make a conjecture about how to complete the table and be prepared to share your conjecture with the class. Include the rationale behind your conjecture.
- Complete the table.
- Do you notice anything interesting about the completed table? If no, then what is it that makes the completed table so dull?
- Think of the other mathematical concepts that you have learned about in your career as a student. Can you create another table that combines those concepts in the same way as the table above? If so, draw and explain it. Please be ready to share it with the class.

THE MATHEMATICS OF QUARTER TURNS

- Stand up and face forward. Describe what you see to the other members of your team. Do a quarter-turn counterclockwise. Again, describe what you see to your team members. Do another quarter-turn counterclockwise. Describe what you see.
- Draw a picture that illustrates what you just did.
- Write a description of what just happened. In your description you should (at least) answer the following questions: What did you do? What did you see? Was there anything about this experience that was the same as your experience last time? What was interesting? What was boring?
- Identify the important features from the description that you wrote above. Share your features with your group. If someone from your team identifies a feature that you didn't, and you also think it is important, include it in your list.
- Create an icon that represents each of the features you listed above. Remember that, though they may both be considered graphics, there is an important difference between icons and symbols. (???)
- Use your icons to write an iconic sentence that describes the experience you had at the start of this activity.

THINKING HARD ABOUT QUARTER TURNS

The multiplication table shown to the right is much like the one you saw when working with half-turns. The symbol in the top left corner still represents the feature “followed by.” You can probably guess what the symbol “QT” represents...

*	HT	FT	QT
HT			
FT			
QT			

- Make a conjecture about how to complete the table and be prepared to share your conjecture with the class. Include the rationale behind your conjecture.
- Do you notice anything interesting about the completed table? If no, then tell us what's boring about the table.
- How is this completed table the same and/or different from the table you completed about half-turns?
- Think of the other mathematical concepts that you have learned about in your career as a student. Can you create another table that combines those concepts in the same way as the table above? If so, draw and explain it below. Please share it with the class.
- Consider the two tables below. They are the two tables that we discussed a few days ago while thinking about the mathematics of turns:

INSERT TABLES

- Now consider the two tables below that summarize the nature of quarter-turns. First, complete the table on the left in the same way that you did at the beginning of this work. Can you complete the table on the right so that it can be “substituted for” the table on the left? As a hint, think about the two tables on the previous page.

INSERT TABLES

Multiplication of Complex Numbers

Before we discuss multiplication of complex numbers in full generality, let us discuss multiplication by i . As you may know, we define

$$\sqrt{-1} = i.$$

So the symbol i is here used as shorthand for $\sqrt{-1}$. But as you have seen we can also represent i as an ordered pair $(0, 1)$.

TODO: RELATE TO ABOVE INQUIRY

A REMINDER ABOUT MULTIPLYING BINOMIALS

One more thing before we start multiplying complex numbers. Do you remember how to multiply binomials? For example, suppose we want to find

$$(x + y)(z + w).$$

We could use the distributive law for multiplication to write

$$\begin{aligned}(x + y)(z + w) &= (x + y)z + (x + y)w \\ &= xz + yz + xw + yw\end{aligned}$$

For example, if we wanted to multiply 307 and 52 we could do this:

$$\begin{aligned}(300 + 7)(50 + 2) &= 300(50) + 7(50) + 300(2) + 7(2) \\ &= 1500 + 350 + 600 + 14 \\ &= 2464\end{aligned}$$

The distributive law is very important, and we would never give it up - even when we are dealing with complex numbers. Just below we give a formula for multiplication of complex numbers, but it is important to understand that this formula is not magic - it's a consequence of the distributive property. So, if you know the distributive law (and you do) and you know how to calculate powers of i (and you do), then you can multiply complex numbers. (So you can!) For example,

$$\begin{aligned}(3 - 4i)(2 + 5i) &= (3 - 4i)(2) + (3 - 4i)(5i) \\ &= (3)(2) - (4i)(2) + 3(5i) - (4i)(5i) \\ &= 6 - 8i + 15i - 20i^2 \\ &= 6 + 7i - 20i^2\end{aligned}$$

Now, we know that $i^2 = -1$ so we can replace $-20i^2$ with 20 to obtain that

$$\begin{aligned}(3 - 4i)(2 + 5i) &= 6 - 8i - 20i^2 = 6 - 8i + 20 \\ &= 26 + 7i.\end{aligned}$$

Now if we do this again, but with arbitrary complex numbers $a + bi$ and $c + di$ we obtain

$$\begin{aligned}(a + bi)(c + di) &= (a + bi)(c) + (a + bi)(di) \\ &= ac + bci + adi + bdi^2 \\ &= ac + bci + adi - bd \\ &= (ac - bd) + (ad + bc)i.\end{aligned}$$

Therefore we have

Definition 1.2. Multiplication of two complex numbers is defined as follows:

$$(a + bi)(c + di) = (ac - bd) + (ad + bc)i.$$

Example 1.3.

$$\begin{aligned}(3 - 4i)(2 + 5i) &= ((3)(2) - (-4)(5)) + ((3)(5) + (-4)(2))i \\ &= 26 + 7i\end{aligned}$$

- this

Homework

Part II

Representations of Complex Numbers

Part III

Roots and polynomials