

Greater Banded Hornet

Vespa tropica

(Hymenoptera: Vespidae)

Christopher A. Rosario, Lee Roy Sablan, Ross H. Miller, and Aubrey Moore
University of Guam, College of Natural and Applied Sciences

July 13, 2016

Updated July 27, 2016



Fig. 1. The first greater banded hornet collected on Guam with a honeybee for size comparison. Photo by Olympia Terral.

a nest near the observation was posted on the iNaturalist web site (<http://www.inaturalist.org/observations/3710757>).

DESCRIPTION

UOG entomologists identified the wasp as *Vespa tropica* based on publicly available images and keys [Archer, 1991]. This is a medium-sized to large species. Queens reach 30mm or more, males average 26mm and workers average 24 to 26mm.

This species is known to attack the nests of Polistines (paper wasps) in order to obtain the larvae to feed their own larvae. It is said to be almost exclusive in choice of prey. However, they sometimes catch honeybees

The nest of *Vespa tropica* is usually underground or in a tree hollow or similar enclosed space. Due to the location, the nest is seldom seen. If excavated, the nest usually appears rhomboid or bowl-shaped, with an open bottom (as opposed to the completely sealed nests of most aerial hornets). The nest envelope is laminar (comprising of distinct, broad individual layers) and very brittle.

DISTRIBUTION

Vespa tropica is found in China, Japan, Malaysia, Hong Kong, Singapore, India, and the Philippines [GBIF Secretariat: GBIF Backbone Taxonomy].

On July 12, 2016, University of Guam research assistant Christopher Rosario discovered a colony of large wasps nesting in a hollow avocado tree in Dededo, Guam (13.50533 °N, 144.80134 °E). The wasps were aggressive, resulting in only single specimen being collected. This observation was posted on the iNaturalist web site (<http://www.inaturalist.org/observations/3663868>).

On July 20, 2016, Arnold Perez of the Leo Palace Resort delivered 5 specimens of *Vespa tropica* to Dr. Aubrey Moore at the University of Guam. Perez discovered

REFERENCES

- Michael E Archer. Taxonomy and bionomics of the vespa tropica group (hym., vespinae). *Entomologist's Monthly Magazine*, 127:225–232, 1991. URL <https://preview.overleaf.com/public/tggvpdznxzvf/images/9c473a596aabce3647a3c1c7467fdff94bbb2d90.jpeg>.
- K L Chan. The hornets of singapore: their ideenification, biology an control. *Singapore Medical Journal*, 13: 178–187.
- GBIF Secretariat: GBIF Backbone Taxonomy. URL <http://www.gbif.org/dataset/d7dddbf4-2cf0-4f39-9b2a-bb099caae36c>. [Online; accessed 14-July-2016].
- iNaturalist.org web application, a. URL <http://www.inaturalist.org/observations/284072>. [Online; accessed 13-July-2016].
- iNaturalist.org web application, b. URL <http://www.inaturalist.org/observations/3710757>. [Online; accessed 21-July-2016].
- Wikipedia. Vespa tropica — wikipedia, the free encyclopedia, 2016. URL https://en.wikipedia.org/wiki/Vespa_tropica. [Online; accessed 13-July-2016].