

**Demonstrate the effect of changing degree****Degree of the problem changed from 3 to 2**

```

% read the igs file to matlab
clear;clf;
file_name = input('Pleas input the file name: ','s');
fp = fopen(file_name, 'r');
s = fscanf(fp, '%c', [82 inf]);s=s';
fclose(fp);

n=size(s);
j=0;
for i=1:n(1)-1
    temp = s(i,:);
    t = str2double(temp(6:8));
    % If t=126 indicate this line recorded a BS_curve
    if t == 126
        j = j+1;
        % find the bs_curve parameter segment number
        l = temp(13:16);
        % the following find BS_curve parameter segment
        for ii = i:n(1)-1
            temp1 = s(ii,:);
            % find BSCURVE parameter segment
            if strcmp(temp1(77:80),l) & str2double(temp1(1:3)) == t
                % parameter segment sign, in our example is '21P'
                temp2 = temp1(70:73);
                row1 = ii;
                for i2 = ii:n(1)-1
                    temp3 = s(i2,:);
                    % find all parameter lines in the same BSCURVE
                    if strcmp(temp3(70:73),temp2)
                        % record the last BS_curve parameter line
                        k = i2;
                    end
                end
                for i3=1:k-row1+1
                    bs(i3,:)=s(row1+i3-1,:);
                end
                %call bspline processing function
                hold on;
                bsp_curve(bs);
                clear bs
            end
        end
    elseif t==128 % BS_surface
        j=j+1;
        l = temp(13:16);%bs_surface eparameter segment
        % find bs_surface parameter
        for ii=i:n(1)-1
            temp1=s(ii,:);
            if strcmp(temp1(77:80),l) & str2double(temp1(1:3)) == t% find BSCURVE parameter segment
                % parameter segment example: 25p
                temp2 = temp1(70:73);
                row1=ii;
                for i2=ii:n(1)-1
                    temp3=s(i2,:);
                    % find all parameter lines in the same BSCURVE
                    if strcmp(temp3(70:73),temp2)
                        k=i2; %record the last BS_cruve parameter line
                    end
                end
                for i3=1:k-row1+1
                    bs(i3,:)=s(row1+i3-1,:);
                end
            end
        end
    end
end

```

```

end
%call bs drawing function
hold on;
bsp_surface(bs);
view(-8,-42);
clear bs
end
end
end
end
end

```

degree 2

weights

Columns 1 through 23

1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1

Columns 24 through 42

1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1

control points...

1.0000	0.0600	9.0265
0	2.7841	7.1406
0	3.0355	4.7518
0	3.2451	2.1115
0	3.2870	1.1057
0	3.4127	0.3094
0	3.9575	0.0580
0	4.4604	-0.6545
0	4.9214	-1.5346
0	5.3405	-2.6661
0	5.4662	-3.7138
0	5.4662	-4.5520
0	5.5919	-5.1387
0	5.0890	-4.8873
0	4.8795	-4.6358
0	4.6700	-4.1748
0	4.3347	-3.3785
0	4.2090	-3.0433
0	4.1670	-3.0433
0	3.9994	-3.1690
0	4.1251	-3.7557
0	4.2928	-4.2586
0	3.4546	-3.6719
0	3.1193	-2.6661
0	2.8679	-2.5404
0	3.0355	-3.8395
0	3.1193	-6.0607
0	2.4488	-7.5275
0	1.7782	-8.2819
0	1.0671	-9.2445
0	1.0671	-9.4482
0	1.3726	-11.1455
0	2.5267	-12.6730
0	3.5112	-13.6235
0	4.1561	-14.1667
0	4.7332	-14.6759
0	4.9709	-14.9474
0	3.3075	-14.3364
0	2.3570	-13.8612
0	1.4065	-13.3520
0	0.7276	-12.9107
0	0.0147	-12.5033

knotvector

Columns 1 through 14

0	0	0	0	1.0971	2.1942	3.2913	4.3884	5.4855	6.5826	7.6797	8.
---	---	---	---	--------	--------	--------	--------	--------	--------	--------	----

Columns 15 through 28

12.0680	13.1651	14.2622	15.3593	16.4564	17.5535	18.6506	19.7477	20.8448	21.9419	23.0390	24.
---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	-----

Columns 29 through 42

27.4274	28.5245	29.6216	30.7187	31.8157	32.9128	34.0099	35.1070	36.2041	37.3012	38.3983	39.
---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	-----

Columns 43 through 45

42.7867	42.7867	42.7867
---------	---------	---------

degree 3

weights

Columns 1 through 23

1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

Columns 24 through 42

1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---

control points...

-0.0600	9.0265	0
-2.7841	7.1406	0
-3.0355	4.7518	0
-3.2451	2.1115	0
-3.2870	1.1057	0
-3.4127	0.3094	0
-3.9575	0.0580	0
-4.4604	-0.6545	0
-4.9214	-1.5346	0
-5.3405	-2.6661	0
-5.4662	-3.7138	0
-5.4662	-4.5520	0
-5.5919	-5.1387	0
-5.0890	-4.8873	0
-4.8795	-4.6358	0
-4.6700	-4.1748	0
-4.3347	-3.3785	0
-4.2090	-3.0433	0
-4.1670	-3.0433	0
-3.9994	-3.1690	0
-4.1251	-3.7557	0
-4.2928	-4.2586	0
-3.4546	-3.6719	0
-3.1193	-2.6661	0
-2.8679	-2.5404	0
-3.0355	-3.8395	0
-3.1193	-6.0607	0
-2.4488	-7.5275	0
-1.7782	-8.2819	0
-1.0671	-9.2445	0
-1.0671	-9.4482	0
-1.3726	-11.1455	0
-2.5267	-12.6730	0
-3.5112	-13.6235	0
-4.1561	-14.1667	0
-4.7332	-14.6759	0
-4.9709	-14.9474	0
-3.3075	-14.3364	0
-2.3570	-13.8612	0
-1.4065	-13.3520	0
-0.7276	-12.9107	0
-0.0147	-12.5033	0

knotvector

Columns 1 through 14

0	0	0	0	1.0971	2.1942	3.2913	4.3884	5.4855	6.5826	7.6797	8.
Columns 15 through 28											
12.0680	13.1651	14.2622	15.3593	16.4564	17.5535	18.6506	19.7477	20.8448	21.9419	23.0390	24.
Columns 29 through 42											
27.4274	28.5245	29.6216	30.7187	31.8157	32.9128	34.0099	35.1070	36.2041	37.3012	38.3983	39.
Columns 43 through 46											
42.7867	42.7867	42.7867	42.7867								

