RWorksheet_Barrientos#ARmn.Rmd

Auderie Josh Barrientos

2024-10-11

```
1.
Letters <- c("A", "B", "C", "D", "E", "F", "G", "H", "I", "J", "K", "L", "M", "N", "O", "P", "Q", "R", "S", "T", "U", "V", "
letters <- c("a","b","c","d","e","f","g","h","i","j","k","l","m","n", "o","p","q","r","s","t","u","v",""
eleven <- Letters[1:11]</pre>
eleven
## [1] "A" "B" "C" "D" "E" "F" "G" "H" "I" "J" "K"
  b.
odd \leftarrow Letters[seq("1","26", by = 2)]
## [1] "A" "C" "E" "G" "I" "K" "M" "O" "Q" "S" "U" "W" "Y"
  c.
vowels <- Letters[c(1,5,9,15,21)]
## [1] "A" "E" "I" "O" "U"
  d.
last5 <- tail(letters,5)</pre>
## [1] "v" "w" "x" "y" "z"
between <- letters[c(15:24)]
between
## [1] "o" "p" "q" "r" "s" "t" "u" "v" "w" "x"
tempp < c(42,39,34,34,30,27)
place <- c("Tuguegarao City", "Manila", "Iloilo City", "Tacloban", "Samal Island", "Davao City")</pre>
  b.
temp <- mean(tempp)</pre>
temp
```

```
## [1] 34.33333
  c.
city_temp <- data.frame(tempp,place)</pre>
city_temp
## tempp
                  place
## 1 42 Tuguegarao City
     39
## 2
                Manila
## 3 34 Iloilo City
## 4 34
            Tacloban
## 5 30 Samal Island
## 6 27 Davao City
 d.
names(city_temp) <- c("Temperature", "City")</pre>
city_temp
## Temperature
                         City
## 1 42 Tuguegarao City
## 2
                       Manila
## 3
           34 Iloilo City
           34
## 4
                      Tacloban
## 5
           30 Samal Island
## 6
           27
                  Davao City
str(city_temp)
## 'data.frame': 6 obs. of 2 variables:
## $ Temperature: num 42 39 34 34 30 27
## $ City : chr "Tuguegarao City" "Manila" "Iloilo City" "Tacloban" ...
  f.
row_content3 <- city_temp[3,]</pre>
row_content4 <- city_temp[4,]</pre>
row_content3
## Temperature
                      City
## 3
            34 Iloilo City
row_content4
## Temperature City
       34 Tacloban
## 4
max_index <- max(city_temp$Temperature)</pre>
max_index
## [1] 42
min_index <- min(city_temp$Temperature)</pre>
min_index
```

```
## [1] 27
  2.
matrics <- matrix(c(1:8,11:14),nrow=3,ncol=4)</pre>
matrics
     [,1] [,2] [,3] [,4]
## [1,] 1 4 7 12
## [2,] 2 5 8 13
## [3,] 3 6 11 14
b.
multiply <- matrics*2</pre>
multiply
## [,1] [,2] [,3] [,4]
## [1,] 2 8 14 24
## [2,] 4 10 16 26
## [3,] 6 12 22 28
row2 <- matrics[2,]</pre>
row2
## [1] 2 5 8 13
 d.
display <- matrics[1:2,3:4]</pre>
display
## [,1] [,2]
## [1,] 7 12
## [2,] 8 13
col23 <- matrics[3,2:3]</pre>
co123
## [1] 6 11
 f.
col4 <- matrics[,4]</pre>
## [1] 12 13 14
dimnames(multiply) <- list( c("isa", "dalawa", "tatlo"), c("uno", "dos", "tres", "quatro"))</pre>
multiply
       uno dos tres quatro
        2 8 14
## isa
## dalawa 4 10 16
                         26
## tatlo 6 12 22
                         28
 h.
```

```
dim(matrics) \leftarrow c(6,2)
matrics
##
       [,1] [,2]
## [1,]
        1 7
## [2,]
        2
             8
## [3,]
        3
             11
        4
## [4,]
             12
## [5,]
       5 13
## [6,]
       6 14
arr \leftarrow c(1, 2, 3, 6, 7, 8, 9, 0, 3, 4, 5, 1)
arr
## [1] 1 2 3 6 7 8 9 0 3 4 5 1
rra \leftarrow c(1, 2, 3, 6, 7, 8, 9, 0, 3, 4, 5, 1)
## [1] 1 2 3 6 7 8 9 0 3 4 5 1
aray <- array(c(arr,rra),dim=c(2,4,3))</pre>
## , , 1
##
     [,1] [,2] [,3] [,4]
##
## [1,]
       1 3 7 9
## [2,]
       2 6 8 0
##
## , , 2
##
## [,1] [,2] [,3] [,4]
## [1,]
         3 5 1
## [2,]
         4
             1
                   2
##
## , , 3
##
     [,1] [,2] [,3] [,4]
##
## [1,]
        7 9 3 5
## [2,]
        8 0 4 1
 b.
  3.
 C.
column.names <- c("A","B","C","D")</pre>
row.names <- c("a", "b")
matrix.names <- c("1st-Dimensional Array", "2nd-Dimensional Array", "3rd-Dimensional Array")
aray <- array(c(arr,rra),dim = c(2,4,3),dimnames = list(row.names,column.names,</pre>
  matrix.names))
aray
```

```
## , , 1st-Dimensional Array
##
## A B C D
## a 1 3 7 9
## b 2 6 8 0
##
\mbox{\tt \#\#} , , 2nd-Dimensional Array
##
## A B C D
## a 3 5 1 3
## b 4 1 2 6
## , , 3rd-Dimensional Array
##
## A B C D
## a 7 9 3 5
## b 8 0 4 1
```