

# ABELIAN PHASE CODING: A LINEAR PROJECTION FROM PREFRONTAL PHASE CODES TO THE ENTORHINAL GRID

## ABSTRACT

To navigate complex environments, the mammalian brain integrates local sensory signals with a global internal model. In our framework, both the prefrontal cortex (PFC) and the medial entorhinal cortex (MEC) are key components of this global model. The high-dimensional phase code in the PFC [El-Gaby *et al.*, 2024] and the two-dimensional grid code in the MEC [Hafting *et al.*, 2005] together form a cognitive map of the agent’s world [Behrens *et al.*, 2018]. Formally, we represent each PFC working memory buffer—a cyclic process modeled as a locally compact abelian group (LCAG)—with a phase variable  $z_j \in \mathbb{C}$ , so that their joint state forms a complex vector  $z \in \mathbb{C}^g$ . By quotienting  $\mathbb{C}^g$  by the lattice  $\Lambda = \mathbb{Z}^g + \Omega \mathbb{Z}^g$  (with  $\Omega = \Omega^T$  and  $\Im(\Omega) > 0$ ), we obtain a  $g$ -dimensional complex torus—an abelian variety [Mumford 1983]—representing the agent’s model of the world.

To capture the observed  $60^\circ$  symmetry in grid cell firing, we aim to endow a subset of these phase variables with a structure based on a  $\mathbb{Z}[\omega]$ -module (with  $\omega = e^{2\pi i/3}$ ), imposing an intrinsic hexagonal geometry on the phase space. A linear projection  $\phi: \mathbb{C}^g \rightarrow \mathbb{C}$  maps the high-dimensional torus onto a two-dimensional lattice isomorphic to  $\mathbb{Z}[\omega]$ . The Riemann theta function  $\Theta(z|\Omega)$ —and its Fourier dual formulation as developed by Weil (1964)—localises positions within the phase space, providing an interpretation of how the brain may integrate local sensory inputs with a global model structured as an abelian variety.

While the neuroscientific motivation is clear, the mathematical formalism—especially the resonance mechanisms enforcing the  $\mathbb{Z}[\omega]$  symmetry—remains heuristic. We seek mathematical insights to rigorously formalise the abelian variety structure, elucidate the role of theta functions in neural integration, and produce biologically realistic simulations.

## SUPPORTING FIGURES




FIGURE 1. Sketch: If PFC cyclic buffers have a hexagonal structure in phase space (left) then a projection from a high-dimensional lattice defined by the abelian variety can linearly map onto a 2D hexagonal lattice (center). In ideal conditions, this 2D lattice is isomorphic to  $\mathbb{Z}[\omega]$  (right). Note: This is just a high-level idea of what we want the model to be able to do. Defining the abelian variety, the projection, and the theta function is the end goal.



FIGURE 2. Ideal grid code based on a theta function: with coset shifts and scaling.



FIGURE 3. Progressive loss of grid coherence in an inexact linear projection model.




FIGURE 4. A comparison of decreasing grid coherence in our projection model (left) vs. experimental recordings (right) from Gardner *et al.* (2022). Note: no one has modelled this coherence effect, it supports the approach.

## REFERENCES

- [1] **[Behrens *et al.*, 2018]**  
Behrens, T. E. J., Muller, T. H., Whittington, J. C. R., Mark, S., Baram, A. B., Stachenfeld, K. L., & Kurth-Nelson, Z. (2018). *What is a cognitive map? Organizing knowledge for flexible behavior*. *Neuron*, 100(2), 490–509.
- [2] **[El-Gaby *et al.*, 2024]**  
El-Gaby, M., Harris, A. L., Whittington, J. C. R., Dorrell, W., Bhomick, A., Walton, M. E., Akam, T., & Behrens, T. E. J. (2024). *A cellular basis for mapping behavioural structure*. *Nature*, 636, 671–680.
- [3] **[Gardner *et al.*, 2022]**  
Gardner, R. J., Hermansen, E., Pachitariu, M., Burak, Y., Baas, N. A., Dunn, B. A., Moser, M.-B., & Moser, E. I. (2022). *Toroidal topology of population activity in grid cells*. *Nature*, 601(7893), 347–353. <https://doi.org/10.1038/s41586-021-04268-7>
- [4] **[Hafting *et al.*, 2005]**  
Hafting, T., Fyhn, M., Molden, S., Moser, M. B., & Moser, E. I. (2005). *Microstructure of a spatial map in the entorhinal cortex*. *Nature*, 436(7052), 801–806. <https://doi.org/10.1038/nature03721>
- [5] **[Mumford, 1983]**  
Mumford, D. (1983). *Tata Lectures on Theta I*. Progress in Mathematics, Vol. 28. Birkhäuser.
- [6] **[Weil, 1964]**  
Weil, A. (1964). *Sur certains groupes d'opérateurs unitaires* (E. Peterson, Trans.). *Acta Mathematica*, 111, 143–211.