

IMPORTANT NOTE:

Do NOT submit A0 via Canvas.

Its purpose is to make sure you have a good understanding of the assignment environment and you are ready to solve real assignments.

However, A0 includes a problem from A1:

VectorAdd problem will also be included in the A1. Hence, you can start thinking about how to update template.cu of VectorAdd as we progress in lectures.

Note1: DeviceQuery is presented with its solution (the student does not need to update its code). It is included in A0 so that you can check capabilities of your GPU.

Note2: VectorAdd in A1 may have different datasets than the ones presented in A0. Make sure that you test your solution with all datasets presented in A1 before submitting your A1.

Assignment#0 (DeviceQuery, VectorAdd)

Steps for solving the assignment (refer to "Assignment Environment" lecture slides for details):

- Download the assignment from Canvas and unzip it (now you have "A0" directory - you must have already done this to read this a0-instruction.pdf file).
- Build the source using CMake (in "build" directory that you create under "A0" directory).
- Copy datasets directly under "build" directory (under "A0/datasets" directory, we have two dataset directories, copy each of them to "A0/build", e.g., copy contents of "A0/datasets/VectorAdd" to "A0/build/VectorAdd").
- For each problem in the set:
 - Set the project properties as indicated in the below "Project Setup" instructions (e.g., set command line options).
 - Update the template code (template.cu) as indicated in the below "Coding" instructions to solve the problem.
 - Build your solution under Visual Studio (right click on the project and hit "Build") and run it under Visual Studio (right click on the project and hit "Debug -> Start new instance").

- Make sure your executable (located under “Debug” directory that resides under “build” directory) works from the command line as indicated in the below “Command-line Execution” instructions.
- Create a new directory by giving it the name of the problem.
- Copy the executable file (.exe file) and the updated template code (template.cu) to this newly created directory.
- Zip all newly created problem directories, name this ZIP file as YourLastName-YourFirstName-a#.zip (e.g., Doe-Jane-a0.zip).
- Build (using CMake and Visual Studio) and test your assignment in a **remotely accessible** lab machine (see the syllabus for tips) and **create a TEXT (i.e., not a pdf, doc etc.) file called "readme.txt"** that indicates whether your submission works on the remotely accessible lab machine. You may also include additional information you want to share with the grader in this text file. Make sure you have the executable files (.exe files) tested on the lab machine in the zip file mentioned above.
- (This step is not necessary for A0) Submit the **TWO files you have created above (zip file and txt file) SEPERATELY to Canvas** (i.e., do NOT place the txt file inside the zip file). You will receive the grader comments on your text file when grades are posted.

Problem#1: DeviceQuery

Objective

The purpose of this problem is to introduce the student to the CUDA hardware resources along with their capabilities. The problem is presented with its solution (the student does not need to update its code). Hence, in the submission, the student should not include DeviceQuery’s template.cu and executable file.

Coding

The problem is presented with its solution. Hence, the student does not need to add extra lines of code.

The code provided queries the GPU hardware on the system. Specifically we log the following hardware features:

- GPU card's name
- GPU computation capabilities
- Maximum number of block dimensions

- Maximum number of grid dimensions
- Maximum size of GPU memory
- Amount of constant and share memory
- Warp size

Note: `wbLog` is a provided logging API (similar to `Log4J`). The logging function `wbLog` takes a level which is either `OFF`, `FATAL`, `ERROR`, `WARN`, `INFO`, `DEBUG`, or `TRACE` and a message to be printed.

Project Setup

- `DeviceQuery` does not have any test data. But we save the output of our execution on its empty data directory.
- Right click on the `DeviceQuery_Template` project -> Properties -> Configuration Properties -> Debugging -> Command Arguments and enter the following:

```
> .\DeviceQuery\Dataset\0\result.txt
```

(You will see the output of your execution in `result.txt` which resides under `build\DeviceQuery\Dataset\0\`)

Command-line Execution

The executable generated as a result of compiling the project (`build\Debug\DeviceQuery_Template.exe`) can be run from the command-line using the following command (make sure you are in `build` directory):

```
.\Debug\DeviceQuery_Template > .\DeviceQuery\Dataset\0\result.txt
```

Problem#2: VectorAdd

Objective

The purpose of this problem is to introduce the student to the CUDA API by implementing vector addition. The student will implement vector addition by writing the GPU kernel code as well as the associated host code.

Coding

Edit the template.cu to perform the following:

- Allocate device memory
- Copy host memory to device
- Initialize thread block and kernel grid dimensions
- Invoke CUDA kernel
- Copy results from device to host
- Free device memory
- Write the CUDA kernel

Instructions about where to place each part of the code is demarcated by the `//@@` comment lines in the template.cu.

Project Setup

To test your program on test_case_0:

- Right click on the VectorAdd_Template project -> Properties -> Configuration Properties -> Debugging -> Command Arguments and enter the following:

```
-e .\VectorAdd\Dataset\0\output.raw  
-i .\VectorAdd\Dataset\0\input0.raw, .\VectorAdd\Dataset\0\input1.raw  
-o .\VectorAdd\Dataset\0\myoutput.raw -t vector  
> .\VectorAdd\Dataset\0\result.txt
```

(all in one line - do not forget to put spaces between the sub-lines)

You will see the output of your execution in `result.txt` which resides under `build\VectorAdd\Dataset\0\`

Command-line Execution

The executable generated as a result of compiling the project (`build\Debug\VectorAdd_Template.exe`) can be run from the command-line using the following command (make sure you are in build directory):

```
.\Debug\VectorAdd_Template -e .\VectorAdd\Dataset\0\output.raw  
-i .\VectorAdd\Dataset\0\input0.raw, .\VectorAdd\Dataset\0\input1.raw
```

```
-o .\VectorAdd\Dataset\0\myoutput.raw -t vector  
> .\VectorAdd\Dataset\0\result.txt
```

(all in one line - do not forget to put spaces between the sub-lines)