

# **OpenAM Java EE Policy Agent 3.3.0 Release Notes**

**Mark Craig  
Vanessa Richie  
Mike Jang**

**Software release date: November 08, 2013**

**Publication date: October 25, 2013**

---

Copyright © 2011-2013 ForgeRock AS

## Abstract

Notes covering prerequisites, fixes, known issues for OpenAM Java EE policy agents. OpenAM provides open source Authentication, Authorization, Entitlement and Federation software.



This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivs 3.0 Unported License.

To view a copy of this license, visit <http://creativecommons.org/licenses/by-nc-nd/3.0/> or send a letter to Creative Commons, 444 Castro Street, Suite 900, Mountain View, California, 94041, USA.

Trademarks are the property of their respective owners.

UNLESS OTHERWISE MUTUALLY AGREED BY THE PARTIES IN WRITING, LICENSOR OFFERS THE WORK AS-IS AND MAKES NO REPRESENTATIONS OR WARRANTIES OF ANY KIND CONCERNING THE WORK, EXPRESS, IMPLIED, STATUTORY OR OTHERWISE, INCLUDING, WITHOUT LIMITATION, WARRANTIES OF TITLE, MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, NON-INFRINGEMENT, OR THE ABSENCE OF LATENT OR OTHER DEFECTS, ACCURACY, OR THE PRESENCE OF ABSENCE OF ERRORS, WHETHER OR NOT DISCOVERABLE. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OF IMPLIED WARRANTIES, SO SUCH EXCLUSION MAY NOT APPLY TO YOU.

EXCEPT TO THE EXTENT REQUIRED BY APPLICABLE LAW, IN NO EVENT WILL LICENSOR BE LIABLE TO YOU ON ANY LEGAL THEORY FOR ANY SPECIAL, INCIDENTAL, CONSEQUENTIAL, PUNITIVE OR EXEMPLARY DAMAGES ARISING OUT OF THIS LICENSE OR THE USE OF THE WORK, EVEN IF LICENSOR HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

DejaVu Fonts

Bitstream Vera Fonts Copyright

Copyright (c) 2003 by Bitstream, Inc. All Rights Reserved. Bitstream Vera is a trademark of Bitstream, Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy of the fonts accompanying this license ("Fonts") and associated documentation files (the "Font Software"), to reproduce and distribute the Font Software, including without limitation the rights to use, copy, merge, publish, distribute, and/or sell copies of the Font Software, and to permit persons to whom the Font Software is furnished to do so, subject to the following conditions:

The above copyright and trademark notices and this permission notice shall be included in all copies of one or more of the Font Software typefaces.

The Font Software may be modified, altered, or added to, and in particular the designs of glyphs or characters in the Fonts may be modified and additional glyphs or characters may be added to the Fonts, only if the fonts are renamed to names not containing either the words "Bitstream" or the word "Vera".

This License becomes null and void to the extent applicable to Fonts or Font Software that has been modified and is distributed under the "Bitstream Vera" names.

The Font Software may be sold as part of a larger software package but no copy of one or more of the Font Software typefaces may be sold by itself.

THE FONT SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NON-INFRINGEMENT OF COPYRIGHT, PATENT, TRADEMARK, OR OTHER RIGHT. IN NO EVENT SHALL BITSTREAM OR THE GNOME FOUNDATION BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, INCLUDING ANY GENERAL, SPECIAL, INDIRECT, INCIDENTAL, OR CONSEQUENTIAL DAMAGES, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF THE USE OR INABILITY TO USE THE FONT SOFTWARE OR FROM OTHER DEALINGS IN THE FONT SOFTWARE.

Except as contained in this notice, the names of Gnome, the Gnome Foundation, and Bitstream Inc., shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Font Software without prior written authorization from the Gnome Foundation or Bitstream Inc., respectively. For further information, contact: [fonts at gnome dot org](mailto:fonts@gnome dot org).

Arev Fonts Copyright

Copyright (c) 2006 by Tavmjong Bah. All Rights Reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of the fonts accompanying this license ("Fonts") and associated documentation files (the "Font Software"), to reproduce and distribute the modifications to the Bitstream Vera Font Software, including without limitation the rights to use, copy, merge, publish, distribute, and/or sell copies of the Font Software, and to permit persons to whom the Font Software is furnished to do so, subject to the following conditions:

The above copyright and trademark notices and this permission notice shall be included in all copies of one or more of the Font Software typefaces.

The Font Software may be modified, altered, or added to, and in particular the designs of glyphs or characters in the Fonts may be modified and additional glyphs or characters may be added to the Fonts, only if the fonts are renamed to names not containing either the words "Tavmjong Bah" or the word "Arev".

This License becomes null and void to the extent applicable to Fonts or Font Software that has been modified and is distributed under the "Tavmjong Bah Arev" names.

The Font Software may be sold as part of a larger software package but no copy of one or more of the Font Software typefaces may be sold by itself.

THE FONT SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NON-INFRINGEMENT OF COPYRIGHT, PATENT, TRADEMARK, OR OTHER RIGHT. IN NO EVENT SHALL TAVMJONG BAH BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, INCLUDING ANY GENERAL, SPECIAL, INDIRECT, INCIDENTAL, OR CONSEQUENTIAL DAMAGES, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF THE USE OR INABILITY TO USE THE FONT SOFTWARE OR FROM OTHER DEALINGS IN THE FONT SOFTWARE.

Except as contained in this notice, the name of Tavmjong Bah shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Font Software without prior written authorization from Tavmjong Bah. For further information, contact: [tavmjong @ free . fr](mailto:tavmjong@free.fr).

---

# Table of Contents

1. Java EE Policy Agents 3.3.0 .....	1
2. How to Report Problems & Provide Feedback .....	5
3. Support .....	7

---

---

# Chapter 1. Java EE Policy Agents 3.3.0

This chapter concerns OpenAM Java EE policy agents. Java EE policy agents run in web application containers and protect Java EE applications.

## 1.1. New in JavaEE Policy Agents 3.3.0

- A new Java EE policy agent for JBoss 7 has been added. The new agent simplifies integration with JBoss AS 7 (EAP 6) application servers by leveraging the module system introduced in JBoss 7 (OPENAM-1806, OPENAM-1735).
- Java EE policy agents now fully support Java 7 environments.
- The Java EE agent goto URL can now be modified (OPENAM-1299).
- The Apache Tomcat policy agent now supports Tomcat 7 as well (OPENAM-1273, OPENAM-591).
- Java EE policy agents can now conditionally redirect users based on the incoming request URL (OPENAM-1265).
- The auto-submitting form in `FormLoginContent.txt` now parses as valid XML (OPENAM-674).

## 1.2. Before You Install OpenAM Java EE Policy Agents

This section covers software and hardware prerequisites for installing and running OpenAM Java EE Policy Agents.

If you have a special request to support a combination not listed here, contact ForgeRock at [info@forgerock.com](mailto:info@forgerock.com).

### 1.2.1. Java EE Agents Java Requirements

Java EE policy agents run in a Java EE Web container and require Java Development Kit 6 or Java Development Kit 7. ForgeRock recommends the most recent update of Java 6 or 7 to ensure you have the latest security fixes.

ForgeRock has tested this release with Oracle Java SE JDK.

### 1.2.2. Java EE Agents Browsers Tested

ForgeRock has tested this policy agent release with the following web browsers.

- Chrome release 16 and later

- Firefox 3.6 and later
- Internet Explorer 7 and later

### **1.2.3. Web Application Container Requirements**

Java EE policy agents support the following Java EE application containers.

- Apache Tomcat 6, 7
- GlassFish v2, v3 (at least 3.1)
- IBM WebSphere Application Server 7, 8, 8.5
- JBoss Enterprise Application Platform 5 and 6, JBoss Application Server 7
- Jetty 7 (at least 7.6.13), 8 (at least 8.1.13)
- Oracle WebLogic Server 10g, 11g, 12c

### **1.2.4. Java EE Agents Platform Requirements**

Apache Tomcat Java EE policy agents have been tested on Linux 2.6 or later, and on Microsoft Windows Server 2008 R2 and 2012.

GlassFish Java EE policy agents have been tested on Oracle Solaris 10 or later.

Other Java EE policy agents have been tested on Linux 2.6 or later.

Testing has focused on 64-bit operating systems.

### **1.2.5. Java EE Agents Hardware Requirements**

You can deploy OpenAM Java EE policy agents on any hardware supported for the combination of software required.

ForgeRock has tested this release on x86 and x64 based systems.

## **1.3. Java EE Policy Agent Compatibility**

This section concerns OpenAM Java EE Policy Agents 3.3.0.

### **1.3.1. Important Changes to Java EE Policy Agent Functionality**

The default policy evaluation mode for new policy agent profiles is now self rather than subtree, in order to better scale for large numbers of policy rules.

Upgrade does not change existing policy agent profile configurations, however. If you want to adopt the new default setting for existing policy agents, you must change the setting manually.

To do so for Java EE policy agents, set `com.sun.identity.policy.client.-cacheMode=self`.

### 1.3.2. Deprecated Functionality

Support for Oracle WebLogic 10g is deprecated and is likely to be removed in a future release.

### 1.3.3. Removed Functionality

No functionality has been removed in this release.

## 1.4. Java EE Policy Agents Fixes, Limitations, & Known Issues

OpenAM Java EE policy agent issues are tracked at <https://bugster.forgerock.org/jira/browse/OPENAM>.

### 1.4.1. Key Fixes

The following bugs were fixed in release 3.3.0. For details, see the OpenAM issue tracker.

- OPENAM-1775: Java EE agent should not encapsulate exceptions coming out of applications
- OPENAM-1357: WebSphere Policy Agent authentication issue for syncNode script when OpenAM authentication chain updated to not use Datastore as first module.
- OPENAM-1220: Invalid date header -1 with Java agents
- OPENAM-665: Uninstallation of agent on Glassfish 3 does cleanly reset security-service element correctly.
- OPENAM-390: Hot-deployment fails for J2EE Agents
- OPENAM-276: Agent logout throws 403 after logout if cookie encoding is enabled
- OPENAM-212: RemoteUser still setted after logout when accessing not enforced URL

### 1.4.2. Limitations

Apache Tomcat can fail to shut down properly when the Java EE policy agent for Tomcat is deployed. To work around this limitation, add the following to your Tomcat configuration in the `<Server port="8005" shutdown="SHUTDOWN">` section.

```
<Listener  
  className="org.forgerock.agents.tomcat.v6.TomcatLifeCycleListener" />
```

### 1.4.3. Known Issues

The following important known issues remained open at the time release 3.3.0 became available. For details and information on other issues, see the OpenAM issue tracker.

- OPENAM-3209: Tomcat 6 agent custom-install does not modify global web.xml
- OPENAM-3162: AgentRemoteConfigUtils failover logic is erroneous
- OPENAM-2974: agentadmin should allow to configure multiple instances for the same agent on the same host
- OPENAM-1991: Tomcat doesn't shutdown properly with J2EE agent for the tomcat.
- OPENAM-1849: J2EE profile attribute mapper cannot handle identities with special chars in universal ID
- OPENAM-1206: J2EE agent silent install isn't silent
- OPENAM-1106: Null messages in the error log
- OPENAM-868: J2EE Agent strips off servlet context when processing request for JSF application (Apache Trinidad)
- OPENAM-605: Tomcat J2ee Agent initialization fails on Windows 2003
- OPENAM-211: J2EE agents are unable to work, if the container was started prior to OpenAM



---

## Chapter 2. How to Report Problems & Provide Feedback

If you have questions regarding OpenAM policy agents which are not answered by the documentation, there is a mailing list which can be found at <https://lists.forgerock.org/mailman/listinfo/openam> where you are likely to find an answer.

If you have found issues or reproducible bugs within OpenAM 3.3.0 policy agents, report them in <https://bugster.forgerock.org>.

When requesting help with a problem, include the following information:

- Description of the problem, including when the problem occurs and its impact on your operation
- Description of the environment, including the following information:
  - Machine type
  - Operating system and version
  - Web server or container and version
  - Java version
  - OpenAM policy agent and version
  - Any patches or other software that might be affecting the problem
- Steps to reproduce the problem
- Any relevant access and error logs, stack traces, or core dumps



---

## Chapter 3. Support

You can purchase OpenAM support subscriptions and training courses from ForgeRock and from consulting partners around the world and in your area. To contact ForgeRock, send mail to [info@forgerock.com](mailto:info@forgerock.com). To find a partner in your area, see <http://forgerock.com/partners/find-a-partner/>.

