

OpenICF 1.1.1.0 Release Notes

Mark Craig

Software release date: December 16, 2012

Publication date: December 18, 2012

Copyright © 2012 ForgeRock AS

Abstract

Notes covering OpenICF prerequisites, fixes, known issues. Open Identity Connector Framework provides connectors for a consistent generic layer between applications and target resources.



This work is licensed under the Creative Commons Attribution-NonCommercial-NoDerivs 3.0 Unported License.

To view a copy of this license, visit <http://creativecommons.org/licenses/by-nc-nd/3.0/> or send a letter to Creative Commons, 444 Castro Street, Suite 900, Mountain View, California, 94041, USA.

Trademarks are the property of their respective owners.

UNLESS OTHERWISE MUTUALLY AGREED BY THE PARTIES IN WRITING, LICENSOR OFFERS THE WORK AS-IS AND MAKES NO REPRESENTATIONS OR WARRANTIES OF ANY KIND CONCERNING THE WORK, EXPRESS, IMPLIED, STATUTORY OR OTHERWISE, INCLUDING, WITHOUT LIMITATION, WARRANTIES OF TITLE, MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, NON-INFRINGEMENT, OR THE ABSENCE OF LATENT OR OTHER DEFECTS, ACCURACY, OR THE PRESENCE OF ABSENCE OF ERRORS, WHETHER OR NOT DISCOVERABLE. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OF IMPLIED WARRANTIES, SO SUCH EXCLUSION MAY NOT APPLY TO YOU.

EXCEPT TO THE EXTENT REQUIRED BY APPLICABLE LAW, IN NO EVENT WILL LICENSOR BE LIABLE TO YOU ON ANY LEGAL THEORY FOR ANY SPECIAL, INCIDENTAL, CONSEQUENTIAL, PUNITIVE OR EXEMPLARY DAMAGES ARISING OUT OF THIS LICENSE OR THE USE OF THE WORK, EVEN IF LICENSOR HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

DejaVu Fonts

Bitstream Vera Fonts Copyright

Copyright (c) 2003 by Bitstream, Inc. All Rights Reserved. Bitstream Vera is a trademark of Bitstream, Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy of the fonts accompanying this license ("Fonts") and associated documentation files (the "Font Software"), to reproduce and distribute the Font Software, including without limitation the rights to use, copy, merge, publish, distribute, and/or sell copies of the Font Software, and to permit persons to whom the Font Software is furnished to do so, subject to the following conditions:

The above copyright and trademark notices and this permission notice shall be included in all copies of one or more of the Font Software typefaces.

The Font Software may be modified, altered, or added to, and in particular the designs of glyphs or characters in the Fonts may be modified and additional glyphs or characters may be added to the Fonts, only if the fonts are renamed to names not containing either the words "Bitstream" or the word "Vera".

This License becomes null and void to the extent applicable to Fonts or Font Software that has been modified and is distributed under the "Bitstream Vera" names.

The Font Software may be sold as part of a larger software package but no copy of one or more of the Font Software typefaces may be sold by itself.

THE FONT SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NON-INFRINGEMENT OF COPYRIGHT, PATENT, TRADEMARK, OR OTHER RIGHT. IN NO EVENT SHALL BITSTREAM OR THE GNOME FOUNDATION BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, INCLUDING ANY GENERAL, SPECIAL, INDIRECT, INCIDENTAL, OR CONSEQUENTIAL DAMAGES, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF THE USE OR INABILITY TO USE THE FONT SOFTWARE OR FROM OTHER DEALINGS IN THE FONT SOFTWARE.

Except as contained in this notice, the names of Gnome, the Gnome Foundation, and Bitstream Inc., shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Font Software without prior written authorization from the Gnome Foundation or Bitstream Inc., respectively. For further information, contact: fonts@gnome.org.

Arev Fonts Copyright

Copyright (c) 2006 by Tavmjong Bah. All Rights Reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of the fonts accompanying this license ("Fonts") and associated documentation files (the "Font Software"), to reproduce and distribute the modifications to the Bitstream Vera Font Software, including without limitation the rights to use, copy, merge, publish, distribute, and/or sell copies of the Font Software, and to permit persons to whom the Font Software is furnished to do so, subject to the following conditions:

The above copyright and trademark notices and this permission notice shall be included in all copies of one or more of the Font Software typefaces.

The Font Software may be modified, altered, or added to, and in particular the designs of glyphs or characters in the Fonts may be modified and additional glyphs or characters may be added to the Fonts, only if the fonts are renamed to names not containing either the words "Tavmjong Bah" or the word "Arev".

This License becomes null and void to the extent applicable to Fonts or Font Software that has been modified and is distributed under the "Tavmjong Bah Arev" names.

The Font Software may be sold as part of a larger software package but no copy of one or more of the Font Software typefaces may be sold by itself.

THE FONT SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NON-INFRINGEMENT OF COPYRIGHT, PATENT, TRADEMARK, OR OTHER RIGHT. IN NO EVENT SHALL TAVMJONG BAH BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, INCLUDING ANY GENERAL, SPECIAL, INDIRECT, INCIDENTAL, OR CONSEQUENTIAL DAMAGES, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF THE USE OR INABILITY TO USE THE FONT SOFTWARE OR FROM OTHER DEALINGS IN THE FONT SOFTWARE.

Except as contained in this notice, the name of Tavmjong Bah shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Font Software without prior written authorization from Tavmjong Bah. For further information, contact: tavmjong@free.fr.

Table of Contents

- 1. What's New in OpenICF 1.1.1.0 1
- 2. Before You Install OpenICF Software 3
- 3. OpenICF Fixes, Limitations, & Known Issues 5
- 4. OpenICF Compatibility 7
- 5. How to Report Problems & Provide Feedback 9
- 6. Support 11

Chapter 1. What's New in OpenICF 1.1.1.0

This release of OpenICF includes the following enhancements and new features.

- OPENICF-62: Improve the performance - Disable LocalCache
- OPENICF-47: Add core documentation for OpenICF
- OPENICF-40: Update the Apache Commons Daemon binary in OpenICF Java assembly
- OPENICF-38: Make more useable the return objects of the ScriptExecutors
- OPENICF-37: Package the OpenICF .Net Connector server
- OPENICF-34: AD Connector should be able to run PowerShell script for the RunScriptOnResource operation
- OPENICF-32: ScriptedSQL connector should validate connection to the database
- OPENICF-31: ScriptedSQL connector needs a debug mode where scripts are reloaded when invoked
- OPENICF-30: ScriptedSQL connector autocommit mode to be configurable
- OPENICF-25: Add simple heartbeat facility
- OPENICF-16: Connector adds some empty lines to the XML files when writing into it
- OPENICF-15: Output fields always quoted with valueQualifier
- OPENICF-4: Add optional MVCC support

Chapter 2. Before You Install OpenICF Software

This chapter covers prerequisites for installing and running OpenICF software. If you have a special request to support a component or combination not listed here, contact ForgeRock at info@forgerock.com.

2.1. Java Requirements

OpenICF requires Java Development Kit 1.6. ForgeRock has tested this release primarily with Oracle Java SE JDK.

2.2. Connector Server Requirements

If you choose to run an OpenICF connector server, then read this section.

2.2.1. .NET Connector Servers

.NET Connector Servers require the following:

- Windows Server 2003 or 2008
- .NET Framework 3.5 or later (but not 4.0 or later)

Specific .NET connector bundles might come with additional requirements.

2.2.2. Java Connector Servers

Java Connector Servers require Java 1.5 or later.

Specific Java connector bundles might come with additional requirements.

2.3. Supported Connectors to Data Resources

This section covers the basic data resources that OpenICF connectors support.

Many advanced connectors not listed in this section are also available, including connectors for IBM Resource Access Control Facility (RACF), IBM Tivoli Access Manager (TAM), SAP, a wide range of databases, as well as enterprise and cloud applications. If you require support for a data resource connector not mentioned here, contact ForgeRock at info@forgerock.com.

ForgeRock has tested connectors with the following data resources.

- Database Table
- File CSV

Supported Connectors to Data Resources

- File XML
- LDAP
- Microsoft Active Directory (tested with the .NET connector server on Windows 2008)
- Scripted SQL

Chapter 3. OpenICF Fixes, Limitations, & Known Issues

OpenICF issues are tracked at <https://bugster.forgerock.org/jira/browse/OPENICF>.

3.1. Fixes

OpenICF 1.1.1.0 fixes the following bugs.

- OPENICF-60: Typo and schema error in XML resource schema
- OPENICF-59: NPE when the AttributeInfo is null
- OPENICF-57: Solaris connector bad usage of `log.ok(<format>,args..)` can lead to exceptions
- OPENICF-53: escape / in DN entry
- OPENICF-50: clear text password is not properly passed to create/update scripts
- OPENICF-48: Can't change the secret key on Java Connector server.
- OPENICF-45: Throw `UnknownUidException` if the connector tries to update a non existing entry
- OPENICF-36: Create/Update LDAP user with groups can fail and leaves a partially modified user object.
- OPENICF-35: Read of AD Group without members fails
- OPENICF-33: Scripted connector does not recognize multi valued attributes if they are Collections
- OPENICF-27: Fix the broken communication between Java and .Net
- OPENICF-24: Memory leak in AD Connector and/or .Net Connector Server
- OPENICF-23: Reading AD groups with more than 1500 members fails with NPE
- OPENICF-22: Header values randomly switch between being quoted and unquoted
- OPENICF-21: XML Connector throws exception when trying to query an XML File with user containing apostrophe.

- OPENICF-20: Once an output CSV file reaches 658 lines long, any further rows are output with an extra newline character between them.
- OPENICF-14: CSVFileConnector - fieldDelimiter of "|" causes connector to fail
- OPENICF-10: Default to handle missing file as an error rather than creating an empty default
- OPENICF-9: CSV File Connector writes one newline to much per record
- OPENICF-1: ClassNotFoundException in OSGi environment with org.identityconnectors.framework.impl.api.local.BundleClassLoader

3.2. Limitations

No particular limitations are identified for this release.

3.3. Known Issues

The following known issues remained open at the time of release.

- OPENICF-61: XML Connector throws errors when using special characters in user account.
- OPENICF-54: Powershell scripts - missing stdole.dll
- OPENICF-42: Fix and update the common Active Directory attribute support
- OPENICF-2: ICF throwing "invisible" exceptions

Chapter 4. OpenICF Compatibility

This chapter covers both major changes to existing functionality, and also deprecated and removed functionality.

4.1. Major Changes to Existing Functionality

This release includes no major changes affecting compatibility.

4.2. Deprecated Functionality

No functionality is deprecated in OpenICF 1.1.1.0.

4.3. Removed Functionality

No functionality has been removed in OpenICF 1.1.1.0.

Chapter 5. How to Report Problems & Provide Feedback

If you have questions regarding OpenICF which are not answered by the documentation, there is a mailing list which can be found at <https://lists.forgerock.org/mailman/listinfo/openicf> where you are likely to find an answer.

If you have found issues or reproducible bugs within OpenICF 1.1.1.0, report them in <https://bugster.forgerock.org>.

When requesting help with a problem, please include the following information:

- Description of the problem, including when the problem occurs and its impact on your operation
- Machine type, operating system version, connector or connector server version, connector server container and version, Java version, and OpenICF release version, including any patches or other software that might be affecting the problem
- Steps to reproduce the problem
- Any relevant access and error logs, stack traces, or core dumps

Chapter 6. Support

You can purchase OpenICF support subscriptions and training courses from ForgeRock and from consulting partners around the world and in your area. To contact ForgeRock, send mail to info@forgerock.com. To find a partner in your area, see <http://www.forgerock.com/partners.html>.

