```
%20 = \text{load i} 32, \text{i} 32*\% \text{j, align 4, !dbg !} 1390
                                             %cmp33 = icmp ult i32 %20, 1000, !dbg !1392
                                    br i1 %cmp33, label %for.body34, label %for.end42, !dbg !1393
                                                                                                         [3/4]
                                                                             for.body34:
                                                                                                                   ; preds = %for.cond32
                                                                                       %call35 = call i32 @rand() #3, !dbg !1394
                                                                                       %rem = urem i32 %call35, 10, !dbg !1396
                          [0/1]
                                                                                   %21 = load i32**, i32*** %a, align 8, !dbg !1397
for.inc40:
                                    ; preds = \% for.body34
                                                                                    %22 = load i32, i32* %i28, align 4, !dbg !1398
       %25 = load i32, i32* %j, align 4, !dbg !1402
                                                                                    %idxprom36 = zext i32 %22 to i64, !dbg !1397
           %inc41 = add i32 %25, 1, !dbg !1402
                                                                 %arrayidx37 = getelementptr inbounds i32*, i32** %21, i64 %idxprom36, !dbg !1397
       store i32 %inc41, i32* %j, align 4, !dbg !1402
                                                                               %23 = load i32*, i32** %arrayidx37, align 8, !dbg !1397
    br label %for.cond32, !dbg !1403, !llvm.loop !1404
                                                                                      %24 = load i32, i32* %j, align 4, !dbg !1399
                                                                                    %idxprom38 = zext i32 %24 to i64, !dbg !1397
                                                                   %arrayidx39 = getelementptr inbounds i32, i32* %23, i64 %idxprom38, !dbg !1397
                                                                                 store i32 %rem, i32* %arrayidx39, align 4, !dbg !1400
                                                                                            br label %for.inc40, !dbg !1401
```

; preds = % for.inc40, % for.body31

[2/5]

for.cond32: