```
%14 = load i32, i32* %i22, align 4
                                                                        %cmp31 = icmp ult i32 %14, 100
                                                                br i1 %cmp31, label %for.body32, label %for.end47
                                            [3/4]
                                                      ; preds = \%for.cond30
                              %15 = \text{load i}32, i32* \%i22, align 4
                              %idxprom33 = zext i32 \%15 to i64
                               %16 = load i32, i32* %k, align 4
                              %idxprom35 = zext i32 \%16 to i64
                               %17 = \text{load i} 32, i 32* \% k, align 4
                              %idxprom37 = zext i32 %17 to i64
                              %18 = 10ad i32, i32* \% i26, align 4
                              %idxprom39 = zext i32 %18 to i64
                                    %add41 = add i32 0, 0
                              %19 = 10ad i32, i32* \% j26, align 4
                              \%idxprom42 = zext i32 \% 19 to i64
%arrayidx43 = getelementptr inbounds [100 x i32], [100 x i32]* @_ZL1a, i64 0, i64 %idxprom42
                           %20 = load i32, i32* %arrayidx43, align 4
                               %add44 = add i32 %20, %add41
                          store i32 %add44, i32* %arrayidx43, align 4
                                      br label %for.inc45
```

for.cond30:

for.body32:

[2/5]

; preds = %for.inc45, %for.body29

[0/1]for.inc45: ; preds = % for.body32 %21 = load i32, i32\* %i22, align 4 %inc46 = add i32 %21, 1 store i32 %inc46, i32\* %i22, align 4 br label %for.cond30