Chapter 8 How to handle exceptions



Objectives

Applied

- 1. Add the proper level of exception handling to your programs.
- 2. Use raise statements to test the exception handling in your programs.

Knowledge

- 1. Describe the types of exceptions that need to be handled by a program.
- 2. Describe the operation of a try statement with one or more except clauses.
- 3. Describe the use of an exception object in your exception handling routines.
- 4. Describe the use of the exit() function in the sys module.



Objectives (cont.)

- 5. Describe the use of a finally clause in a try statement.
- 6. Explain why you may need to raise exceptions when testing your exception handling routines.



Code that can cause a ValueError exception

```
number = int(input("Enter an integer: "))
print("You entered a valid integer of " + str(number) + ".")
print("Thanks!")
```

The console for a valid integer

```
Enter an integer: 5
You entered a valid integer of 5.
Thanks!
```

The console for an invalid integer

```
Enter an integer: five
Traceback (most recent call last):
   File "C:\murach\python\book_figs\ch07\fig1.py", line
1, in <module>
     number = int(input("Enter a valid integer: "))
ValueError: invalid literal for int() with base 10:
'five'
```



Two functions that can cause a ValueError exception

Function	Reason for exception
int(data)	Can't convert the data argument to an int value.
float(data)	Can't convert the data argument to a float value.



The syntax for a try statement that catches an exception

```
try:
    statements
except [ExceptionName]:
    statements
```



How to handle a ValueError exception

```
try:
    number = int(input("Enter an integer: "))
    print("You entered a valid integer of " + str(number) + ".")
    except ValueError:
        print("You entered an invalid integer. Please try again.")
    print("Thanks!")
```

The console for a valid integer

```
Enter an integer: 5
You entered a valid integer of 5.
Thanks!
```

The console for an invalid integer

```
Enter an integer: five
You entered an invalid integer. Please try again.
Thanks!
```



The console for a valid integer

```
Enter an integer: 5
You entered a valid integer of 5.
Thanks!
```

The console for an invalid integer

```
Enter an integer: five
You entered an invalid integer. Please try again.
Thanks!
```



The user interface for the Total Calculator

```
try:
    number = int(input("Enter an integer: "))
    print("You entered a valid integer of " + str(number) + ".")
    except:
        print("You entered an invalid integer. Please try again.")
    print("Thanks!")
```



The user interface for the Total Calculator (cont.)

```
The Total Calculator program

Enter price: ten
Invalid decimal number. Please try again.
Enter price: 9.99
Enter quantity: 2.5
Invalid integer. Please try again.
Enter quantity: 3

PRICE: 9.99
QUANTITY: 3
TOTAL: 29.97
```



The code

```
def get_price():
    while True:
        try:
            price = float(input("Enter price: "))
            return price
        except ValueError:
            print("Invalid decimal number. Please try again.")

def get_quantity():
    while True:
        try:
            quantity = int(input("Enter quantity: "))
            return quantity
        except ValueError:
            print("Invalid integer. Please try again.")
```



```
def main():
   print("The Total Calculator program\n")
   # get the price and quantity
   price = get price()
   quantity = get quantity()
   # calculate the total
   total = price * quantity
   # display the results
   print()
   print("PRICE: ", price)
   print("QUANTITY: ", quantity)
   print("TOTAL: ", total)
if name == " main ":
   main()
```



The hierarchy for five common exceptions

```
Exception
OSError
FileExistsError
FileNotFoundError
ValueError
```



The syntax for a try statement with multiple except blocks

```
try:
    statements
except ExceptionName:
    statements
[except ExceptionName:
    statements] ...
```



Code that handles multiple exceptions

```
filename = input("Enter filename: ")
movies = []
try:
    with open(filename) as file:
        for line in file:
            line = line.replace("\n", "")
            movies.append(line)
except FileNotFoundError:
    print("Could not find the file named " + filename)
except OSError:
    print("File found - error reading file")
except Exception:
    print("An unexpected error occurred")
```

The console when a FileNotFoundError occurs

```
Could not find the file named films.txt
```

The console when an OSError occurs

```
File found - error reading file
```

The console when any other Exception occurs

```
An unexpected error occurred.
```



The built-in type() function

type (object)

The exit() function of the sys module

exit()



The complete syntax for the except clause

```
except [ExceptionName] [as name]:
    statements
```

Code that handles multiple exceptions

```
import sys
filename = input("Enter filename: ")
movies = []
try:
    with open (filename) as file:
        for line in file:
            line = line.replace("\n", "")
            movies.append(line)
except FileNotFoundError as e:
    print("FileNotFoundError:", e)
    sys.exit()
except OSError as e:
    print("OSError:", e)
    sys.exit()
except Exception as e:
    print(type(e), e)
    sys.exit()
```



The console when a FileNotFoundError occurs

```
FileNotFoundError: [Errno 2] No such file or directory:
'films'
```

The console when an OSError occurs

```
OSError: [Errno 13] Permission denied: 'movies.csv'
```



The user interface for the Movie List 2.0 program with exception handling

```
COMMAND MENU
list - List all movies
add - Add a movie
del - Delete a movie
exit - Exit program
Command: list
1. Monty Python and the Holy Grail (1975)
2. Cat on a Hot Tin Roof (1958)
3. On the Waterfront (1954)
4. Gone with the Wind (1939)
5. Wizard of Oz (1939)
Command: del
Number: X
Invalid integer. Please try again.
Number: 6
There is no movie with that number. Please try again.
Number: 4
Gone with the Wind was deleted.
```



A console that handles a file I/O exception

```
COMMAND MENU
list - List all movies
add - Add a movie
del - Delete a movie
exit - Exit program

Could not find movies.csv file.
Terminating program.
```



The code

```
import csv
import sys
FILENAME = "movies.csv"
def read movies():
        movies = []
        with open (FILENAME, newline="") as file:
            reader = csv.reader(file)
            for row in reader:
                movies.append(row)
        return movies
    except FileNotFoundError:
        print("Could not find " + FILENAME + " file.")
        exit program()
    except Exception as e:
        print(type(e), e)
        exit program()
```



```
def write_movies(movies):
    try:
        with open(FILENAME, "w", newline="") as file:
            writer = csv.writer(file)
            writer.writerows(movies)

except Exception as e:
        print(type(e), e)
        exit_program()

def exit_program():
    print("Terminating program.")
    sys.exit()
```



```
def delete movie (movies):
    while True:
        try:
            number = int(input("Number: "))
        except ValueError:
            print("Invalid integer. Please try again.")
            continue
        if number < 1 or number > len(movies):
            print("There is no movie with that number. " +
                  "Please try again.")
        else:
            break
    movie = movies.pop(number - 1)
    write movies(movies)
    print(movie[0] + " was deleted.\n")
```



```
def main():
    display menu()
    movies = read movies()
    while True:
        command = input("Command: ")
        if command == "list":
            list movies(movies)
        elif command == "add":
            add movie (movies)
        elif command == "del":
            delete movie (movies)
        elif command == "exit":
            break
        else:
            print("Not a valid command. Please try again.\n")
    print("Bye!")
```



The complete syntax for a try statement

```
try:
    statements
except [ExceptionName] [as name]:
    statements
[except [ExceptionName] [as name]:
    statements] ...
[finally:
    statements]
```



A function that uses a with statement to clean up resources

```
def read_movies(filename):
    try:
        with open(filename, newline=""") as file:
            movies = []
            reader = csv.reader(file)
            for row in reader:
                movies.append(row)
        return movies
    except Exception as e:
        print(e)
```



A function that uses a finally clause to clean up resources

```
def read_movies(filename):
    try:
        file = open(filename, newline="")
        try:
            movies = []
            reader = csv.reader(file)
            for row in reader:
                 movies.append(row)
            return movies
        except Exception as e:
            print(type(e), e)
        finally:
            file.close()
        except FileNotFoundError as e:
            print(e)
```



The syntax for the raise statement

raise ExceptionName("Error message")

Raising a ValueError exception

raise ValueError("Invalid value")



Raising an exception for testing an exception handler

```
def get_movies(filename):
    try:
        with open(filename, newline="") as file:
            raise OSError("OSError")  # for testing
            movies = []
            reader = csv.reader(file)
            for row in reader:
                 movies.append(row)
        return movies
    except Exception as e:
        print(type(e), e)
```



Raising an exception that should be handled by the calling function

```
def get_movies(filename):
    if len(filename) == 0:
        raise ValueError("The filename argument is required.")
    with open(filename, newline="") as file:
        movies = []
    reader = csv.reader(file)
        for row in reader:
            movies.append(row)
    return movies
```



Logging an exception and raising it for the calling function

```
def get_movies(filename):
    try:
        with open(filename, newline="") as file:
            movies = []
            reader = csv.reader(file)
            for row in reader:
                movies.append(row)
        return movies
    except Exception as e:
        log_exception(e)
        raise e
```

