

BAYESIAN ESTIMATION OF RISK-NEUTRAL PROBABILITY

Alexander Vlasov (avlasov@nes.ru)

New Economic School – 2025-06-20

IMPLIED RISK-NEUTRAL PROBABILITY DENSITY (STATE-PRICE DENSITY)

$$S = \sum_{s=1}^K \phi(s)q(s)$$

$$\phi^* \stackrel{d}{=} \frac{\phi(s)}{\sum_{s=1}^K \phi(s)} = \frac{\phi(s)}{1/(1+r)} = (1+r)\phi(s)$$

$$S = \frac{1}{1+r} \sum_{s=1}^K \phi^*(s)q(s) = \frac{1}{1+r} \mathbb{E}^*[q(s)].$$

IMPLIED RISK-NEUTRAL PROBABILITY DENSITY

For TAS utility, the state-prices are

$$\phi(s) = \pi \frac{\beta u'[c(s)]}{u'[c(0)]},$$

\rightsquigarrow implied risk-neutral probability is

$$\phi^*(s) = \pi \frac{\beta u'[c(s)]}{u'[c(0)]} (1 + r) = \pi \frac{u'[c(s)]}{u'[c(0)]} \approx \pi,$$

for u' is constant (risk-neutrality) or $c(s) \approx c(0) \forall s$.

BREEDEN-LITZENBERGER (1978) FORMULA

For short-term, $r \approx 0$.

$$\begin{aligned} C(S, t) &= \mathbb{E}^* [[S(T) - \mathcal{K}]^+ \mid S(t) = S] \\ &= \int_0^{+\infty} (x - \mathcal{K})^+ dP^*(x) \\ &= \int_{\mathcal{K}}^{+\infty} x dP^*(x) - \mathcal{K} \int_0^{+\infty} dP^*(x) \\ &= \int_{\mathcal{K}}^{+\infty} x dP^*(x) - \mathcal{K}(1 - P^*(\mathcal{K})) \end{aligned}$$

$$\begin{aligned} \frac{\partial C}{\partial \mathcal{K}} &= -\mathcal{K}p^*(\mathcal{K}) - 1 + P^*(\mathcal{K}) + \mathcal{K}p^*(\mathcal{K}) = P^*(\mathcal{K}) - 1 \\ \frac{\partial^2 C}{\partial \mathcal{K}^2} &= p^*(\mathcal{K}). \end{aligned}$$

We need an option price, C , to be twice differentiable, C^2 , function.

APPROACHES TO ESTIMATION

- Estimation of C with shape restrictions (Ait-Sahalia and Duarte, 2003)
- Bayesian Methods (Fisher, 2016; Härdle, López-Cabrera, and Teng, 2015) + KDE in the second case
-

BAYESIAN FORMULATION

Fisher (2016) proposes the following approach.

$$y_i = \lambda \sum_{j=1}^K X_{ij} \beta_j + \varepsilon_i,$$

where $\beta = (\beta_1, \dots, \beta_K) \in \Delta^{K-1}$, Δ^{K-1} denotes the simplex of dimension $(K - 1)$; X_{ij} is a payoff of derivative i in state j , and $\varepsilon_i \sim N(0, \sigma^2)$.

In vector form,


$$y = \lambda X \beta + \varepsilon.$$

In order to insure $\beta \in \Delta^{K-1}$, we select the (symmetric) Dirichlet prior:

$$p(\beta \mid \alpha) = \text{Dirichlet}(\beta \mid \alpha) \propto \prod_{i=1}^K x_i^{\alpha-1}.$$

X consists of n payoffs of K derivatives, including the payoffs price (you can think of it as call option with strike equal zero).


The state space is chosen to ensure that the first and last coefficients are near zero, so the list of possibilities is exhaustive.



PRIOR FOR CONCENTRATION COEFFICIENT

α is a vector of concentration parameters for Dirichlet distribution. The lower the value, the less 'flat' the distribution of risk-neutral density β .

It is reasonable to select a distribution that is relatively flat on $[0, 1]$ and assign a large portion of mass to $[0, 1]$. Fisher (2016) uses Lognormal prior, I propose Weibull. The result turns out to be almost identical.



PRIORS AND POSTERIOR

$$p(\beta \mid \alpha) = \text{Dirichlet}(\beta \mid \alpha) \propto \prod_{i=1}^K x_i^{\alpha-1}.$$


$$p(\alpha) = \text{Weibull}(1.1, 1)$$

$$p(\sigma^2) \propto \frac{1}{\sigma^2}$$

$$p(\alpha, \lambda, \sigma, \beta \mid y) \propto N(y \mid \lambda X \beta, \sigma) \times \text{Dirichlet}(\beta \mid \alpha) \times \text{Weibull}(1.1, 1) \times \frac{1}{\sigma^2}$$


RISK NEUTRAL DENSITY FOR AAPL I

Calculated in 2025-04-01 with expiration date 2025-04-17 (+16 days). Whiskers are 90% HPD interval.




RISK NEUTRAL DENSITY FOR AAPL II

Calculated in 2025-04-01 (same) with expiration date 2025-07-18 (+45 days).




DENSITY BEFORE AND AFTER THE “LIBERATION DAY”

2025-04-02




SUMMARY STATISTICS & SANITY CHECK




CONCENTRATION PARAMETER POSTERIOR DISTRIBUTION

Concentration parameter, α , is a measure of uncertainty in the risk-neutral probability density. The lower the value, the less 'flat' the distribution.




CONCENTRATION PARAMETER POSTERIOR DISTRIBUTION

The posterior distribution of the concentration parameter, α , for 2025-05-16.



CONCENTRATION PARAMETER AND STATE SPACE

The concentration parameter is dependent on the state space. Since we want to ensure that the list of possibilities is exhaustive, we will be facing several betas close to zero. This corresponds to the concentration parameter being close to zero.



CONCLUSIONS AND FURTHER WORK

- Concentration parameter is a natural way to measure uncertainty in the risk-neutral probability density.
- The liberation day (April 2) increased the uncertainty of expected AAPL price.

Applications:

- This method can be applied to derivatives of rate of interest (e.g SOFR options by CME).
- Concentration parameter then measures whether the forward guidance is effective/was there misinterpretation.
- The concentration parameter α distribution can be conditioned. (Definitely the position and scale parameters are dependent on expiration date.)

REFERENCES [1]



Ait-Sahalia, Yacine and Jefferson Duarte (Sept. 2003). “Nonparametric Option Pricing under Shape Restrictions”. In: *Journal of Econometrics* 116(1), pp. 9–47. ISSN: 0304-4076. DOI: 10.1016/S0304-4076(03)00102-7. (Visited on 05/31/2025).



Breeden, Douglas T. and Robert H. Litzenberger (1978). “Prices of State-Contingent Claims Implicit in Option Prices”. In: *The Journal of Business* 51(4), pp. 621–651. ISSN: 0021-9398. JSTOR: 2352653. (Visited on 05/31/2025).



Fisher, Mark (May 2016). *Simplex Regression*.



Härdle, Wolfgang Karl, Brenda López-Cabrera, and Huei-Wen Teng (Sept. 2015). “State Price Densities Implied from Weather Derivatives”. In: *Insurance: Mathematics and Economics* 64, pp. 106–125. ISSN: 0167-6687. DOI: 10.1016/j.insmatheco.2015.05.001. (Visited on 06/07/2025).