

MA 519: Homework 13

Max Jeter, Carlos Salinas

December 1, 2016

PROBLEM 13.1 (HANDOUT 17, # 16)

Suppose $X \sim \text{Exp}(1)$, $Y \sim U[0, 1]$, and X, Y are independent.

- (a) Find the density of $X + Y$.
- (b) Find the density of XY .

SOLUTION. For part (a): Since X and Y are independent, the distribution of $X + Y$ is given by the convolution

$$f_{X+Y}(x) = \int_{-\infty}^{\infty} f_X(x-y)f_Y(y) dy,$$

where

$$f_X(x) = \begin{cases} e^{-x} & \text{for } x \geq 0, \\ 0 & \text{otherwise,} \end{cases} \quad f_Y(x) = \begin{cases} 1 & \text{for } 0 \leq x \leq 1, \\ 0 & \text{otherwise.} \end{cases}$$

Therefore,

$$\begin{aligned} f_{X+Y}(x) &= \int_{-\infty}^{\infty} \chi_{[0,\infty)}(x-y)e^{-(x-y)}\chi_{[0,1]}(y) dy \\ &= e^{-x} \int_{-\infty}^{\infty} \chi_{[0,\infty)}\chi_{[0,1]} dy \\ &= \end{aligned}$$

■

PROBLEM 13.2 (HANDOUT 17, # 18)

Two points A, B are chosen at random from the unit circle. Find the probability that the circle centered at A with radius AB is fully contained within the original unit circle.

SOLUTION.



PROBLEM 13.3 (HANDOUT 17, # 19)

Let X, Y be i.i.d. $U[0, 1]$ random variables. Find the correlation between $\max\{X, Y\}$ and $\min\{X, Y\}$.

SOLUTION. ■