

PHYS630 Problem Set 1

Carlos Salinas

August 26, 2015

Problem 1.1

Consider the transmission line described in Jackson's problem 1.7. Suppose the conductors carry charges $\pm Q$.

- (a) Find the electric field at any point of the plane passing through the axes of the conductors. (Please neglect the end effects, i.e., assume the length of the line to be effectively infinite.)
- (b) Using your result from (a), verify the formula given in the problem for the capacitance. Why is the formula listed as approximate?

Solution.



Problem 1.2

An uncharged conducting sphere of a radius a is placed in the electric field produced by some large distant conductors (basically, the plates of a large parallel capacitor). Without the sphere, the field was uniform (i.e., independent of the location) and equal to $\mathbf{E}_0 = E_0 \hat{\mathbf{z}}$. We will be looking for the field $\mathbf{E}(x, y, z)$ in the presence of the sphere.

Look for a solution to the Laplace equation outside the sphere in the form

$$\varphi(r, \theta) = -E_0 z + \sum_{\ell=1}^{\infty} \frac{c_{\ell} P_{\ell}(\cos \theta)}{r^{\ell+1}},$$

where r, θ, φ are spherical coordinates (there is no dependence on φ), $z = r \cos \theta$, P_{ℓ} are the Legendre polynomials, and c_{ℓ} are the expansion coefficients to be found.

- (a) Use the boundary condition at the surface of the plane to find all c_{ℓ} .
- (b) Find the Cartesian components of the electric field \mathbf{E} .
- (c) Find the change in the electrostatic energy caused by the presence of the sphere.

Solution.

■