

MA544: Qual Preparation

Carlos Salinas

July 27, 2016

Prof. Bañuelos, este es otro problema con el que no he podido avanzar.

Problem 1. Let $f_n: X \rightarrow [0, \infty)$ be a sequence of measurable functions on the measure space (X, \mathcal{F}, μ) . Suppose there is a positive constant M such that the functions $g_n(x) = f_n(x)\chi_{\{f_n \leq M\}}(x)$ satisfy $\|g_n\|_1 \leq An^{-4/3}$ and for which $\mu\{x \in X : f_n(x) > M\} \leq Bn^{-5/4}$, where A and B are positive constants independent of n . Prove that

$$\sum_{n=1}^{\infty} f_n < \infty$$

almost everywhere.

Solution. ► Let

$$E = \left\{ x \in X : \sum_{n \in \mathbb{N}} f_n(x) = \infty \right\}.$$

We must show that for every $\varepsilon > 0$, $\mu(E) < \varepsilon$, i.e., E is a set of measure zero.

Seeking a contradiction, suppose that $\mu(E) > 0$. We know that

$$\mu\{f_n > M\} \leq \frac{B}{n^{5/4}}$$

and that

$$\|g_n\|_1 = \int_{\{f_n \leq M\}} f_n(x) \, dx \leq \frac{A}{n^{4/3}}.$$

Take $\Re z$

◀