# MA 544: Homework 3

Carlos Salinas

January 26, 2016

# PROBLEM 3.1 (WHEEDEN & ZYGMUND §3, Ex. 5)

Construct a subset of [0,1] in the same manner as the Cantor set, except that at the kth stage each interval removed has length  $\delta 3^{-k}$ ,  $0 < \delta < 1$ . Show that the resulting set is perfect, has measure  $1 - \delta$ , and contains no interval.

### PROBLEM 3.2 (WHEEDEN & ZYGMUND §3, Ex. 7)

Prove (3.15).

Proof.

**Lemma** (Wheeden & Zygmund (3.15)). If  $\{I_k\}_k^N$  is a finite collection of nonoverlapping intervals, then  $\bigcup I_k$  is measurable and  $|\bigcup I_k| = \sum |I_k|$ .

### PROBLEM 3.3 (WHEEDEN & ZYGMUND §3, Ex. 9)

If  $\{E_k\}_{k=1}^{\infty}$  is a sequence of sets with  $\sum |E_k|_e < +\infty$ , show that  $\limsup E_k$  (and also  $\liminf E_k$ ) has measure zero.

### PROBLEM 3.4 (WHEEDEN & ZYGMUND §3, Ex. 12)

If  $E_1$  and  $E_2$  are measurable subsets of  $\mathbf{R}^1$ , show that  $E_1 \times E_2$  is measurable subset of  $\mathbf{R}^2$  and  $|E_1 \times E_2|_e = |E_1||E_2|_e$ . (Interpret  $0 \cdot \infty$  as 0) [HINT: Use a characterization of measurability.]

### PROBLEM 3.5 (WHEEDEN & ZYGMUND §3, Ex. 13)

Motivated by (3.7), define the inner measure of E to by  $|E|_i := \sup |F|$ , where the supremum is taken over all closed subsets F of E. Show that

- (i)  $|E|_i \leq |E|_e$ , and
- (ii) if  $|E|_e<+\infty,$  then E is measurable if and only if  $|E|_e=|E|_i.$  [Use (3.22).]

# Problem 3.6 (Wheeden & Zygmund $\S 3$ , Ex. 14)

Show that the conclusion of part (ii) of Exercise 13 (Problem) is false if  $|E|_e=+\infty$ .

Proof.

MA~544:~Homework~3

### PROBLEM 3.7 (WHEEDEN & ZYGMUND §3, Ex. 8)

Show that the Borel  $\sigma$ -algebra  $\mathcal{B}$  in  $\mathbf{R}^n$  is the smallest  $\sigma$ -algebra containing the closed sets in  $\mathbf{R}^n$ .

Proof.

MA 544: Homework 3

### PROBLEM 3.8 (WHEEDEN & ZYGMUND §3, Ex. 10)

If  $E_1$  and  $E_2$  are measurable, show that  $|E_1 \cup E_2| + |E_1 \cap E_2| = |E_1| + |E_2|$ .

### PROBLEM 3.9 (WHEEDEN & ZYGMUND §3, Ex. 15)

If E is measurable and A is any subset of E, show that  $|E|=|A|_i+|E\smallsetminus A|_e$ . [See Exercise 13 for the definition of  $|A|_i$ .]

# PROBLEM 3.10 (WHEEDEN & ZYGMUND §3, Ex. 16)

Prove (3.34).

Proof.

**Lemma.** |P| = v(P).

### PROBLEM 3.11 (WHEEDEN & ZYGMUND §3, Ex. 18)

Prove that outer measure is *translation invariant*; that is, if  $E_{\mathbf{h}} \coloneqq \{\mathbf{x} + \mathbf{h} \mid \mathbf{x} \in E\}$  is the translate of E by  $\mathbf{h}$ ,  $\mathbf{h} \in \mathbf{R}^n$ , show that  $|E_{\mathbf{h}}|_e = |E|_e$ . If E is measurable, show that  $E_{\mathbf{h}}$  is also measurable. [This fact was used in proving (3.37).]