Eclipse Scout

Release Notes

Scout Team

Version 7.0

Table of Contents

Overview	1
What's New	1
Upgrade to jQuery 3.	1
Prevent double clicks on buttons and menus	1

Overview

Eclipse Scout 7.0 will be the Eclipse Oxygen release. The latest stable version is *Oxygen.RC1* (7.0.0.005_RC1). The official release for Eclipse Oxygen will be released in June 2017. See also https://wiki.eclipse.org/Oxygen/Simultaneous_Release_Plan for the release schedule.

Download SDK: Eclipse for Scout Developers

• Runtime on Maven Central: 7.0.0.005_RC1

What's New

This document shows some of the new features delivered with the release 7.0. The release contains a lot of bugfixes and even some features not mentioned here. If you are interested in the detailed change log see https://github.com/eclipse/scout.rt/compare/releases/6.1.x...releases/7.0.x.



If you upgrade from version 6.0, also see the release notes for the 6.1 release. https://eclipsescout.github.io/6.1/release-notes.html

Upgrade to jQuery 3

We upgraded from jQuery 2.1.4 to jQuery 3.2.1. The new version contains a lot of improvements, including performance optimizations for animations and event handling. It also allowed us to remove some code which is now included in jQuery directly (e.g. addClassSVG, removeClassSVG, hasClassSVG).

Beside upgrading jQuery, we upgraded the Jasmine Maven Plugin to version 2.2 and the PhantomJS Maven Plugin to version 2.1.1, too. The YUI compressor has also been upgraded from 2.4.8 to version 2.4.9, but unfortunately it is not compatible with jQuery 3. To make it work again we had to fork it and now use the version 2.4.9-BSI-1.

Along with the jQuery upgrade we decided to remove jQuery UI and jQuery Mobile completely. Scout only included parts of these libraries and the usage was limited to 2 or 3 functions. Without these dependencies it will be easier in the future to upgrade jQuery itself.

Prevent double clicks on buttons and menus

If a button or a menu is clicked twice within a short period of time, the corresponding action is executed twice. This can be convenient (e.g. when inserting new rows in a table) or unproblematic (e.g. when closing a form - the second click will just be ignored). However, there are cases where executing an action twice would break things. To instruct the UI to block double clicks, a new property "preventDoubleClick" is provided on buttons and menus:

- AbstractButton.getConfiguredPreventDoubleClick()
- AbstractMenu.getConfiguredPreventDoubleClick()

The default value is false.



Do you want to improve this document? Please edit this page on GitHub.