

			W	/all panels 1/3				
Key	Qty	Dim A	Dim B	Dim C	Finish A	Volume/ea (ft³)	Volume total (ft ³)	
Α	2	25 13/16"	16"	3 5/8"	Sawn	0.866	1.733	
В	2	25 13/16"	7 1/4"	3 5/8"	Sawn	0.393	0.785	
С	2	14 13/16"	16"	3 5/8"	Sawn	0.497	0.994	
D	2	14 13/16"	7 1/4"	3 5/8"	Sawn	0.225	0.451	
Е	7	25"	16"	3 5/8"	Sawn	0.839	5.874	
F	1	25"	4 3/8"	3 5/8"	Sawn	0.229	0.229	
G	1	25"	8 3/4"	3 5/8"	Sawn	0.459	0.459	
Н	1	25"	6 7/8"	3 5/8"	Sawn	0.361	0.361	
I	13	30 3/8"	16"	3 5/8"	Sawn	1.02	13.254	
J	22	38 3/4"	16"	3 5/8"	Sawn	1.301	28.614	
K	12	47 1/8"	16"	3 5/8"	Sawn	1.582	18.981	
L	1	47 1/8"	3 3/4"	3 5/8"	Sawn	0.371	0.371	
М	1	47 1/8"	11 7/8"	3 5/8"	Sawn	1.174	1.174	
N	1	47 1/8"	4 1/2"	3 5/8"	Polished	0.445	0.445	
0	7	51 5/8"	16"	3 5/8"	Sawn	1.733	12.129	
Р	1	51 5/8"	4 3/8"	3 5/8"	Sawn	0.474	0.474	
Q	1	51 5/8"	8 3/4"	3 5/8"	Sawn	0.948	0.948	
R	1	51 5/8"	6 7/8"	3 5/8"	Sawn	0.745	0.745	
S	13	46 1/4"	16"	3 5/8"	Sawn	1.552	20.181	
Т	22	37 7/8"	16"	3 5/8"	Sawn	1.271	27.968	
U	12	29 1/2"	16"	3 5/8"	Sawn	0.99	11.882	
V	1	29 1/2"	3 3/4"	3 5/8"	Sawn	0.232	0.232	
W	1	29 1/2"	11 7/8"	3 5/8"	Sawn	0.735	0.735	
Х	1	29 1/2"	4 1/2"	3 5/8"	Polished	0.278	0.278	
Υ	28	60"	16"	3 5/8"	Sawn	2.014	56.389	
Z	1	60"	3 1/2"	3 5/8"	Sawn	0.441	0.441	
	DRAWN							


Exterior wall panels 1

Sawiii	0.111	0.111				
DRAWN awelt	11/19/2022	<u>La F</u>	(ASOTA	APPROVAL NAME:		
FINISH	Polished	820 V MANK	VILLOW STREET (ATO, MN 56001	DATE:		
STONE	SN		07-508-0684 UNDING BOX	PACKAGING NOTES:		
KEY	A-Z	M2:				
QTY		M3: Vol:		PROJECT NAME Dakota Library		REV 1
TOLERANCE	±1/16"	SCALE	Dwg FI Dako	ile ota library	SHEET 8 OF	24

	Wall panels 2/3								
Key	Qty	Dim A	Dim B	Dim C	Finish A	Volume/ea (ft³)	Volume total (ft ³)		
AA	11	42"	16"	3 5/8"	Polished	1.41	15.507		
AB	1	42"	9 7/16"	3 5/8"	Sawn	0.832	0.832		
AC	1	42"	6 3/16"	3 5/8"	Sawn	0.545	0.545		
AD	1	42"	15 1/2"	3 5/8"	Sawn	1.366	1.366		
AE	39	16 5/8"	16"	3 5/8"	Sawn	0.558	21.763		
AF	1	16 5/8"	3 1/2"	3 5/8"	Sawn	0.122	0.122		
AG	1	16 5/8"	9 7/16"	3 5/8"	Polished	0.329	0.329		
AH	1	16 5/8"	6 3/16"	3 5/8"	Sawn	0.216	0.216		
AI	1	16 5/8"	15 1/2"	3 5/8"	Sawn	0.541	0.541		
AJ	4	19"	16"	3 5/8"	Sawn	0.638	2.551		
AK	2	30 1/2"	16"	3 5/8"	Sawn	1.024	2.047		
AL	1	19"	5"	3 5/8"	Sawn	0.199	0.199		
AM	44	17 9/16"	16"	3 5/8"	Polished	0.589	25.938		
AN	2	17 9/16"	7 7/16"	3 5/8"	Polished	0.274	0.548		
AO	1	17 9/16"	7 1/8"	3 5/8"	Polished	0.263	0.263		
AP	4	39 5/8"	16"	3 5/8"	Sawn	1.33	5.32		
AQ	2	28 1/8"	16"	3 5/8"	Sawn	0.944	1.888		
AR	1	39 5/8"	5"	3 5/8"	Sawn	0.416	0.416		
AS	9	37"	16"	3 5/8"	Polished	1.242	11.177		
AT	2	37"	13 3/8"	3 5/8"	Sawn	1.038	2.076		
AU	1	37"	9 7/8"	3 5/8"	Sawn	0.766	0.766		
AV	1	37"	5 3/4"	3 5/8"	Sawn	0.446	0.446		
AW	1	37"	4 3/4"	3 5/8"	Sawn	0.369	0.369		
AX	1	37"	10 7/8"	3 5/8"	Sawn	0.844	0.844		
AY	1	17 9/16"	8 5/8"	3 5/8"	Polished	0.318	0.318		
AZ	1	17 9/16"	12 5/8"	3 5/8"	Polished	0.465	0.465		
					DRAWN				

Exterior wall panels 2

1 Onsiled	0.105	0.103				
DRAWN awelt	11/19/2022	K	ASOTA	APPROVAL NAME:		
FINISH	Polished	820 WIL MANKAT	LOW STREET O, MN 56001	DATE:		
STONE	SN	MIN BOUN	508-0684 IDING BOX	PACKAGING NOTES:		
KEY	AA-AZ	M1: M2:				
QTY		M3: Vol:		PROJECT NAME Dakota Library		REV 1
TOLERANCE	±1/16"	SCALE	Dwg Fi Dako	ile ota library	SHEET 9 OF	24



				Vall Carra					
l/au	OF. 1	D. •	1	Vall Caps	N-1	V-1 / //	-21		Exterior wall cap
Key	Qty	Dim A	Dim B	Dim C	Volume/ea (ft³)	`	(3)		Exterior wan cap
BN	107	4 1/8"	16"	3 5/8"	0.138	14.815			
ВО	1	4 1/8"	11 7/8"	3 5/8"	0.103	0.103			
BP	1	4 1/8"	4 1/2"	3 5/8"	0.039	0.039			
BQ	1	4 1/8"	4 3/8"	3 5/8"	0.038	0.038			
BR	1	4 1/8"	8 3/4"	3 5/8"	0.076	0.076			
BS	1	4 1/8"	6 7/8"	3 5/8"	0.059	0.059			Sawn
BT	1	4 1/8"	3 1/2"	3 5/8"	0.03	0.03			
BU	2	4 1/8"	7 7/16"	3 5/8"	0.064	0.129		<	Polished
BV	1	4 1/8"	7 1/8"	3 5/8"	0.062	0.062			
BW	2	4 1/8"	13 3/8"	3 5/8"	0.116	0.231		`	
BX	1	4 1/8"	9 7/8"	3 5/8"	0.085	0.085		Į	
BY	1	4 1/8"	10 7/8"	3 5/8"	0.094	0.094			
BZ	1	4 1/8"	8 5/8"	3 5/8"	0.075	0.075			418 in [4.125]
CA	1	4 1/8"	12 5/8"	3 5/8"	0.109	0.109	→	³ / ₄ in	
СВ	1	4 1/8"	9 1/2"	3 5/8"	0.082	0.082	 	[.75]	14 in [14]
CC	1	4 1/8"	11 1/4"	3 5/8"	0.097	0.097			
CD	1	4 1/8"	8 1/8"	3 5/8"	0.07	0.07		/ /	
		-	——Dim B		-		3/4 in [.75]	Dim A	3 ⁵ 6 in Sawn [3,625] Sawn
D	Dim C							Dim C	
			Тор	Α			'	ION A-A	
						DRAWN	11/19/2022	KASOTA	APPROVAL NAME:
	A				\dashv	3.11.010		STONE	MAME:
D	Dim A		→ VEIN	↔ ¦		FINISH	Polished	820 WILLOW STREET MANKATO, MN 56001 507-508-0684	DATE:
	¥					STONE	SN	MIN BOUNDING BOX	PACKAGING NOTES:

BN-CD

TOLERANCE ±1/16"

KEY

QTY

Front

Fractional dimensions rounded to nearest $\frac{1}{16}$ ",

decimal dimensions accurate to .0001

M1:

M2: M3:

Vol:

SCALE

PROJECT NAME

Dakota Library


DWG FILE


1 / 6 Dakota library


REV

SHEET **11** OF **24**

Wall cap return










SECTION H-H

DRAWN awelt	11/19/2022	KASOTA	APPROVAL NAME:	
FINISH	Polished	820 WILLOW STREET MANKATO, MN 56001	DATE:	
STONE	SN	507-508-0684 MIN BOUNDING BOX	PACKAGING NOTES:	
KEY	CE	M1: 3 5/8" M2: 4 1/8"		
QTY	1	M3: 16" Vol: 0.138 ft ³	PROJECT NAME Dakota Library	REV 1
TOLERANCI	±1/16"	SCALE DWG FI		SHEET 12 OF 24


Wall cap return










DRAWN	i		APPROVAL	
awelt	11/19/2022	KASOTA	NAME:	
FINISH	Polished	820 WILLOW STREET MANKATO, MN 56001	DATE:	
STONE	SN	507-508-0684 MIN BOUNDING BOX	PACKAGING NOTES:	
KEY	CF	M1: 3 5/8" M2: 4 1/8"		
QTY	2	M3: 16" Vol: 0.138 ft ³	PROJECT NAME Dakota Library	REV 1
TOLERANC	E ±1/16"	SCALE DWG F	TILE ota library	SHEET 13 OF 24











Window return



Top




Front



DRAWN awelt	11/19/2022	KASOTA	APPROVAL NAME:		
FINISH	Polished	820 WILLOW STREET MANKATO, MN 56001	DATE:		
STONE	SN	507-508-0684 MIN BOUNDING BOX	PACKAGING NOTES:		
KEY	CR	M1: 3 5/8" M2: 4 5/8"			
QTY	4	M3: 22 1/8" Vol: 0.215 ft ³	PROJECT NAME Dakota Library		REV 1
TOLERANCI	±1/16"	SCALE DWG F	ile ota library	SHEET 18 (of 24

			1.5.1.1.1							
			rch Retaining wal				De	wah watainir	المبيري	60.0
Key	Qty	Dim A	Dim B			Volume total (ft³)	PC	orch retainir	iy wall	cap
CS	3	2 3/4"	47"	16 3/4"	1.254	3.761				
СТ	2	2 3/4"	47 13/16"	16 3/4"	1.275	2.55				
Dim C		——Dim B—	F	3/4 in [.75]	6½ [6.1	Sawn —	1½ in 4.5]	Iso 61/8 in [6.125]	ished Dim C Sawn	Dim A
Dim A		←→VEIN←→ Front	F	2 in [2]	Drip edg		ION F-F	Drip edge typ.	2¾ in [2.75]	
				DRAWN	11/19/202	2		APPROVAL NAME:		
				awelt	1		KASOTA TONE WILLOW STREET	INAME:		
				FINISH	Polished	MAN	KATO, MN 56001 07-508-0684	DATE:		
				STONE	SN	MIN BO	UNDING BOX	PACKAGING NOTES:		
				KEY	CS-CT	M2:				
Frac	tional dimension	ns rounded to nea	arest ½6".	QТY		M3: Vol:		PROJECT NAME Dakota Library		REV 1
		sions accurate to	'	TOLERANCI	±1/16"	SCALE	Dwg Fi 1 / 13 Dako	ota library	SHEET 19	9 of 24

	Porch veneer									
Key	Qty	Dim A	Dim B	Dim C	Finish A	Volume/ea (ft³)	Volume total (ft³)			
CU	13	27 13/16"	16"	1"	Sawn	0.258	3.348			
CV	2	27 13/16"	12 1/2"	1"	Sawn	0.201	0.402			
CW	13	31 13/16"	16"	1"	Sawn	0.295	3.829			
CX	2	31 13/16"	12 1/2"	1"	Sawn	0.23	0.46			
CY	13	27"	16"	1"	Sawn	0.25	3.25			
CZ	2	27"	12 1/2"	1"	Sawn	0.195	0.391			
DA	4	44 7/16"	9 1/8"	1"	Polished	0.235	0.939			
DB	5	44 7/16"	16"	1"	Sawn	0.411	2.057			
DC	4	46 13/16"	9 1/8"	1"	Polished	0.247	0.989			
DD	5	46 13/16"	16"	1"	Sawn	0.433	2.167			
DE	4	44 7/16"	5 5/8"	1"	Sawn	0.145	0.579			
DF	3	46 13/16"	5 5/8"	1"	Sawn	0.152	0.457			
DG	8	43 5/8"	9 1/8"	1"	Polished	0.23	1.843			
DH	9	43 5/8"	16"	1"	Sawn	0.404	3.635			
DI	1	44 7/16"	8 1/2"	1"	Sawn	0.219	0.219			
DJ	1	46 13/16"	8 1/2"	1"	Sawn	0.23	0.23			
DK	3	43 5/8"	8 1/2"	1"	Sawn	0.215	0.644			
DL	2	43 5/8"	9 3/8"	1"	Sawn	0.237	0.473			



DRAWN awelt	11/19/2022	KASOTA	APPROVAL NAME:		
FINISH	Polished	820 WILLOW STREET MANKATO, MN 56001	DATE:		
STONE	SN	507-508-0684 MIN BOUNDING BOX	PACKAGING NOTES:		
KEY	CU-DL	M1: M2:			
QTY		M3: Vol:	PROJECT NAME Dakota Library		REV 1
TOLERANC	±1/16"	SCALE DWG F		SHEET 20 (of 24

