# EIGRP Verification – show run | section eigrp

```
R1#show run | section eigrp router eigrp 100 network 10.0.0.0
```



# EIGRP Verification – show ip protocols

```
R1#show ip protocols
*** IP Routing is NSF aware ***
Routing Protocol is "eigrp 100"
  Outgoing update filter list for all interfaces is not set
  Incoming update filter list for all interfaces is not set
  Default networks flagged in outgoing updates
  Default networks accepted from incoming updates
  EIGRP-IPv4 Protocol for AS(100)
    Metric weight K1=1, K2=0, K3=1, K4=0, K5=0
   NSF-aware route hold timer is 240
   Router-ID: 10.0.3.1
    Topology: 0 (base)
      Active Timer: 3 min
      Distance: internal 90 external 170
     Maximum path: 4
      Maximum hopcount 100
      Maximum metric variance 1
  Automatic Summarization: disabled
  Maximum path: 4
  Routing for Networks:
    10.0.0.0
  Routing Information Sources:
    Gateway
                   Distance
                             Last Update
    10.0.0.2
                                  01:49:37
Distance: internal 90 external 170
```



# EIGRP Verification – show ip eigrp interfaces


R1#show ip eigrp interfaces EIGRP-IPv4 Interfaces for AS(100)

		Xmit Queue	PeerQ	Mean	Pacing Time	Multicast	Pending
Interface	Peers	Un/Reliable	Un/Reliable	SRTT	Un/Reliable	Flow Timer	Routes
Fa0/0	1	0/0	0/0	46	0/0	184	0
Fa1/0	0	0/0	0/0	0	0/0	0	0
Fa2/0	0	0/0	0/0	0	0/0	0	0




# EIGRP Verification - show ip eigrp neighbors

R2#show ip eigrp neighbors EIGRP-IPv4 Neighbors for AS(100) Address Interface Hold Uptime SRTT RTO Seq (sec) (ms)Cnt Num 10.0.0.1 13 01:55:26 Fa0/0 18 108 51





### EIGRP Verification - show ip route





#### Lab

