
Bayesian Network "Extended Student"



C := Coherence, D := Difficulty, G := Grade, H := Happy, I := Intelligence, J := Job, L := Letter; S := SAT

Daphne Koller and Nir Friedman, "Probabilistic Graphical Models: Principles and Techniques", MIT Press, 2009

	P(C)			P(I)			$P(L \mid G)$				$P(S \mid I)$			
c_0	c_1	C_2		i_0	i_1			l_0	l_1			S_0	s_1	
0.2	0.5	0.3		0.	7 0.3		g_0	0.1	0.9	00	i_0	0.95	0.05	
$P(D \mid C)$ $g_1 = 0.40 = 0.60$										50	i_1	0.20	0.80	
1	$oxed{d_0 d_1}$						g_2	0.9	9 0.0	1	$P(H \mid G, J)$			
\mathcal{C}_0	0.2											h_0	h_1	h_2
c_0	0.5						$P(J \mid L, S)$				α i	0 6		$\frac{n_2}{0.10}$
									j_1	l	g_0, j_0			
c_2	$c_2 = 0.8 = 0.2$								0.05		g_0, j_1	0.0		0.89
	$P(G \mid D, I)$					l_0 ,					g_1, j_0			0.05
		g_0)	g_1	g_2	l_0 ,			0.75		g_1, j_1	0.1	0.20	0.70
	d_0 , i_0	0.	30	0.40	0.30	l_1 ,	S_0	0.65			g_2, j_0	0.9	5 0.04	0.01
	d_0 , i_1	0.	90	0.08	0.02	l_1 ,	S_1	0.15	0.85		g_2, j_1	0.2	0.30	0.50

0.05 0.25 0.70

0.50 0.30 0.20

 d_1 , i_0

 d_1 , i_1

Moralized graph

