

ALGORITHM AND GRAPH FOR HEAP SORT:

```
public class HeapSort
{
    public void sort(int arr[])
    {
        int n = arr.length;

        // Build heap (rearrange array)
        for (int i = n / 2 - 1; i >= 0; i--)
            heapify(arr, n, i);

        // One by one extract an element from heap
        for (int i = n - 1; i >= 0; i--)
        {
            // Move current root to end
            int temp = arr[0];
            arr[0] = arr[i];
            arr[i] = temp;

            // call max heapify on the reduced heap
            heapify(arr, i, 0);
        }
    }

    // To heapify a subtree rooted with node i which is
    // an index in arr[]. n is size of heap
    void heapify(int arr[], int n, int i)
    {
        int largest = i; // Initialize largest as root
        int l = 2 * i + 1; // left = 2*i + 1
        int r = 2 * i + 2; // right = 2*i + 2

        // If left child is larger than root
        if (l < n && arr[l] > arr[largest])
            largest = l;

        // If right child is larger than largest so far
        if (r < n && arr[r] > arr[largest])
            largest = r;

        // If largest is not root
        if (largest != i)
        {
            int swap = arr[i];
            arr[i] = arr[largest];
            arr[largest] = swap;

            // Recursively heapify the affected sub-tree
            heapify(arr, n, largest);
        }
    }
}

/* A utility function to print array of size n */
```

```

static void printArray(int arr[])
{
    int n = arr.length;
    for (int i=0; i<n; ++i)
        System.out.print(arr[i]+" ");
    System.out.println();
}

// Driver program
public static void main(String args[])
{
    int arr[] = {12, 11, 13, 5, 6, 7};
    int n = arr.length;

    HeapSort ob = new HeapSort();
    ob.sort(arr);

    System.out.println("Sorted array is");
    printArray(arr);
}
}

```

heapsort

Heap Sort

