

ENGRD 2700: Basic Engineering Probability and Statistics
Spring 2019

Homework 3

Due Saturday, March 2 by 2 am. Submit to Gradescope by clicking the name of the assignment. See https://people.orie.cornell.edu/yudong.chen/engrd2700_2019sp.html#homework for detailed submission instructions.

The same stipulations from Homework 1 (e.g., independent work, computer code, etc.) still apply.

1. The lifetime T , in years, of the light bulb you just purchased satisfies

$$P(T > t) = e^{-t/4} \quad \text{for all } t \geq 0.$$

Suppose the bulb has lasted more than x years, where $x \geq 0$. Given this information, what's the conditional probability that it will last at most $x + 1$ years? Does your answer depend on the value of x ?

2. Suppose a family with two children is selected at random, and the genders of the children are noted in the order of their birth (f for female, m for male). Assume that the possible outcomes $\{ff, fm, mf, mm\}$ are all equally likely.
- (a) A family tells us that the first child is female. Given this information, what's the probability that both children are female?
 - (b) Another family tells us that at least one of the children is female. Given this information, what's the probability that both children are female?
 - (c) Assume that, if a child is female, then her name is Katie with some small probability p independently of the gender and naming of the other child, and that no boys are named Katie.
Now, a third family tells us that they have at least one child named Katie. Given this information, what's the probability that both children are female?
3. A train station has installed a system for determining whether bags contain explosives. It has a 95% chance of correctly identifying a bag containing explosives, and a 99.5% chance of correctly classifying a bag without explosives as safe. Suppose that the train station screens 4 million bags per year, and that 10 of these bags are expected to contain explosives.
- (a) A bag is identified by the system as containing explosives. What's the probability that it actually contains explosives?
 - (b) If we want the probability in part (a) to be at least 0.5, what should the probability of correctly identifying a bag without explosives be?
 - (c) Would it be possible to make the probability in part (a) at least 0.5 by increasing the chance of correctly identifying bags containing explosives? Justify your answer.
4. A casino offers you the following game. There's a pot that initially contains 1 dollar. A fair coin is tossed. If it comes up tails, the amount of money in the pot is doubled, and the coin is tossed again. The game ends once the coin comes up heads, at which point you get whatever is in the pot. Let the random variable X denote the amount of money you win by playing this game.
- (a) What is the set \mathcal{X} of possible values for X ?
 - (b) Write down the PMF $p_X(x)$ of X for $x \in \mathcal{X}$.
 - (c) What's the probability that you'll win less than 20 dollars?
 - (d) Compute $E[X]$.

- (e) Define another random variable $Y = \min\{X, 2^{20}\}$. Find the set \mathcal{Y} of possible values for Y , write down the PMF of Y , and compute $E[Y]$.

5. A random variable X has the following cumulative distribution function (CDF):

$$F(x) = \begin{cases} 0 & x < -2 \\ 0.1 & -2 \leq x < -1 \\ 0.2 & -1 \leq x < 0 \\ 0.8 & 0 \leq x < 1 \\ 0.9 & 1 \leq x < 2 \\ 1 & x \geq 2 \end{cases}$$

- (a) Find $f(x)$, its probability mass function (PMF).
- (b) Compute $E[X]$ and $\text{Var}(X)$.
- (c) Compute $E(X^5)$.
6. Stephanie Kerry is a very good basketball player. Each time she attempts a free throw, she misses it with a probability of only 5% (independently of other free throw attempts). This month, she will attempt 1000 free throws.
- (a) What is the distribution of X , the total number of free throws that Stephanie misses this month? Give its name and compute its parameters.
- (b) What is the probability that Stephanie will miss at least 61 free throws this month?
- (c) Use a Poisson approximation to give an approximation for the probability that Stephanie will miss at least 61 free throws this month.
- (d) By the end of the 15th day of the month, Stephanie has already missed 55 free throws. Given this information, what is the chance that she will miss at most 60 free throws in total this month? Use the Poisson approximation in answering this question.
- (e) At the end of the month, Stephanie will look at her total number of missed free throws, X . If $X \geq 50$, she will put 5 dollars in a jar **for each** free throw she misses. For example, she puts 250 dollars in the jar if $X = 50$. If $X < 50$, she will leave the jar empty. What is the expected number of dollars in the jar? Use the Poisson approximation in answering this question.