

Week 2 Notes and Exercises

1 Notes

Matrix operations

Calculate $A + B$ and $A - B$ or state why you can't.

a)

$$A = \begin{bmatrix} 1 & 0 & 4 \\ -1 & 2 & 2 \\ 0 & -2 & -3 \end{bmatrix}, B = \begin{bmatrix} -1 & 3 & 5 \\ 2 & 2 & -3 \\ 2 & -3 & 0 \end{bmatrix}$$
$$A + B = \begin{bmatrix} 0 & 3 & 9 \\ 1 & 4 & -1 \\ 2 & -5 & -3 \end{bmatrix}, A - B = \begin{bmatrix} 2 & -3 & -1 \\ -3 & 0 & 5 \\ -2 & 1 & -3 \end{bmatrix}$$

b)

$$A = \begin{bmatrix} -1 & 0 & 5 & 6 \\ -4 & -3 & 5 & -2 \end{bmatrix}, B = \begin{bmatrix} -3 & 9 & -3 & 4 \\ 0 & -2 & -1 & 2 \end{bmatrix}$$
$$A + B = \begin{bmatrix} -4 & 9 & 2 & 10 \\ -4 & -5 & 4 & 0 \end{bmatrix}$$

Exercises find AB or state why it doesn't exist.

a)

$$A = \begin{bmatrix} 1 & 0 & 1 \\ 0 & -1 & -1 \\ -1 & 1 & 0 \end{bmatrix}, B = \begin{bmatrix} 0 & 1 & -1 \\ 1 & -1 & 0 \\ -1 & 0 & 1 \end{bmatrix}$$

b)

$$A = \begin{bmatrix} 4 & -3 \\ 3 & -1 \\ 0 & -2 \\ -1 & 5 \end{bmatrix}, B = \begin{bmatrix} -1 & 3 & 2 & 2 \\ 0 & -1 & 4 & 3 \end{bmatrix}$$

2 Exercise 2.1

Questions 1,2,3,7,8,9,10,12

In Exercise 1 and 2, compute each matrix sum or product if it is defined. If an expression is undefined, explain why. Let $A = \begin{bmatrix} 2 & 0 & -1 \\ 4 & -5 & 2 \end{bmatrix}$, $B = \begin{bmatrix} 7 & -5 & 1 \\ 1 & -4 & -3 \end{bmatrix}$, $C = \begin{bmatrix} 1 & 2 \\ -2 & 1 \end{bmatrix}$, $D = \begin{bmatrix} 3 & 5 \\ -1 & 4 \end{bmatrix}$, $E = \begin{bmatrix} -5 \\ 3 \end{bmatrix}$.

Sum

$$A + B = \begin{bmatrix} 2+7 & 0+(-5) & -1+1 \\ 4+1 & -5+(-4) & 2+(-3) \end{bmatrix} = \begin{bmatrix} 9 & -5 & 0 \\ 5 & -9 & -1 \end{bmatrix}$$
$$C + D = \begin{bmatrix} 1+3 & 2+5 \\ -2+(-1) & 1+4 \end{bmatrix} = \begin{bmatrix} 4 & 2 \\ -3 & 5 \end{bmatrix}$$

Rest of matrices can't be added together since they don't have the same dimensions.

Product

$$\begin{aligned}
C_{2 \times 2} \cdot A_{2 \times 3} &= \begin{bmatrix} 1 \cdot 2 + 2 \cdot 4 & 1 \cdot 0 + 2 \cdot -5 & 1 \cdot -1 + 2 \cdot 2 \\ -2 \cdot 2 + 1 \cdot 4 & -2 \cdot 0 + 1 \cdot -5 & -2 \cdot -1 + 1 \cdot 2 \end{bmatrix} = \begin{bmatrix} 10 & -10 & 3 \\ 0 & -5 & 4 \end{bmatrix} \\
C_{2 \times 2} \cdot B_{2 \times 3} &= \begin{bmatrix} 1 \cdot 7 + 2 \cdot 1 & 1 \cdot -5 + 2 \cdot -4 & 1 \cdot 1 + 2 \cdot -3 \\ -2 \cdot 7 + 1 \cdot 1 & -2 \cdot -5 + 1 \cdot -4 & -2 \cdot 1 + 1 \cdot -3 \end{bmatrix} = \begin{bmatrix} 9 & -13 & -5 \\ -13 & 6 & -5 \end{bmatrix} \\
C_{2 \times 2} \cdot D_{2 \times 2} &= \begin{bmatrix} 1 \cdot 3 + 2 \cdot 5 & 1 \cdot 5 + 2 \cdot 4 \\ -2 \cdot 3 + 1 \cdot -1 & -2 \cdot 5 + 1 \cdot 4 \end{bmatrix} = \begin{bmatrix} 13 & 13 \\ -7 & -5 \end{bmatrix} \\
C_{2 \times 2} \cdot E_{2 \times 1} &= \begin{bmatrix} 1 \cdot -5 + 2 \cdot 3 \\ -2 \cdot -5 + 1 \cdot 3 \end{bmatrix} = \begin{bmatrix} 1 \\ 13 \end{bmatrix} \\
D_{2 \times 2} \cdot A_{2 \times 3} &= \begin{bmatrix} 3 \cdot 2 + 5 \cdot 4 & 3 \cdot 0 + 5 \cdot -5 & 3 \cdot -1 + 5 \cdot 2 \\ -1 \cdot 2 + 4 \cdot 4 & -1 \cdot 0 + 4 \cdot -5 & -1 \cdot -1 + 4 \cdot 2 \end{bmatrix} = \begin{bmatrix} 26 & -25 & 7 \\ 6 & -20 & 9 \end{bmatrix} \\
D_{2 \times 2} \cdot B_{2 \times 3} &= \begin{bmatrix} 3 \cdot 7 + 5 \cdot 1 & 3 \cdot -5 + 5 \cdot -4 & 3 \cdot 1 + 5 \cdot -3 \\ -1 \cdot 7 + 4 \cdot 1 & -1 \cdot -5 + 4 \cdot -4 & -1 \cdot 1 + 4 \cdot -3 \end{bmatrix} = \begin{bmatrix} 26 & -35 & -12 \\ -3 & -11 & -13 \end{bmatrix} \\
D_{2 \times 2} \cdot E_{2 \times 1} &= \begin{bmatrix} 3 \cdot -5 + 5 \cdot 3 \\ -1 \cdot -5 + 4 \cdot 3 \end{bmatrix} = \begin{bmatrix} 0 \\ 17 \end{bmatrix}
\end{aligned}$$

Rest of matrices can't have a dot product since they don't have the required dimensions.

1)

$$\begin{aligned}
-2A &= 2 \cdot \begin{bmatrix} 2 & 0 & -1 \\ 4 & -5 & 2 \end{bmatrix} = \begin{bmatrix} 2 \cdot 2 & 2 \cdot 0 & 2 \cdot -1 \\ 2 \cdot 4 & 2 \cdot -5 & 2 \cdot 2 \end{bmatrix} = \begin{bmatrix} 4 & 0 & -2 \\ 8 & -10 & 2 \end{bmatrix} \\
B - 2A &= \begin{bmatrix} 7 & -5 & 1 \\ 1 & -4 & -3 \end{bmatrix} + \begin{bmatrix} 4 & 0 & -2 \\ 8 & -10 & 2 \end{bmatrix} = \begin{bmatrix} 11 & -5 & -1 \\ 9 & -14 & -1 \end{bmatrix}
\end{aligned}$$

$A_{2 \times 3} \cdot C_{2 \times 2}$ can't have a dot product because they don't have the proper dimensions.

$$CD = \begin{bmatrix} 1 \cdot 3 + 2 \cdot 5 & 1 \cdot 5 + 2 \cdot 4 \\ -2 \cdot 3 + 1 \cdot -1 & -2 \cdot 5 + 1 \cdot 4 \end{bmatrix} = \begin{bmatrix} 13 & 13 \\ -7 & -5 \end{bmatrix}$$

2)

$$A + 2B = \begin{bmatrix} 2 & 0 & -1 \\ 4 & -5 & 2 \end{bmatrix} + 2 \begin{bmatrix} 7 & -5 & 1 \\ 1 & -4 & -3 \end{bmatrix} = \begin{bmatrix} 2 & 0 & -1 \\ 4 & -5 & 2 \end{bmatrix} + \begin{bmatrix} 14 & -10 & 2 \\ 2 & -8 & -6 \end{bmatrix} = \begin{bmatrix} 16 & -10 & 1 \\ 6 & -13 & -4 \end{bmatrix}$$

$3C - E$ can't have a sum because they don't have the same dimensions.

$$C \cdot B = \begin{bmatrix} 1 \cdot 7 + 2 \cdot 1 & 1 \cdot -5 + 2 \cdot -4 & 1 \cdot 1 + 2 \cdot -3 \\ -2 \cdot 7 + 1 \cdot 1 & -2 \cdot -5 + 1 \cdot -4 & -2 \cdot 1 + 1 \cdot -3 \end{bmatrix} = \begin{bmatrix} 9 & -13 & -5 \\ -13 & 6 & -5 \end{bmatrix}$$

EB can't have a dot product because they don't have the proper dimensions.

3) Let $A = \begin{bmatrix} 4 & -1 \\ 5 & -2 \end{bmatrix}$. Compute $3I_2 - A$ and $(3I_2)A$.

$$\begin{aligned}
3I_2 - A &= 3 \cdot \begin{bmatrix} 1 & 0 \\ 0 & 1 \end{bmatrix} - \begin{bmatrix} 4 & -1 \\ 5 & -2 \end{bmatrix} = \begin{bmatrix} 3 & 0 \\ 0 & 3 \end{bmatrix} - \begin{bmatrix} 4 & -1 \\ 5 & -2 \end{bmatrix} = \begin{bmatrix} -1 & 0 \\ -5 & 5 \end{bmatrix} \\
(3I_2)A &= \begin{bmatrix} 3 & 0 \\ 0 & 3 \end{bmatrix} \cdot \begin{bmatrix} 4 & -1 \\ 5 & -2 \end{bmatrix} = \begin{bmatrix} 3 \cdot 4 + 0 \cdot 5 & 3 \cdot -1 + 0 \cdot -2 \\ 0 \cdot 4 + 3 \cdot 5 & 0 \cdot -1 + 3 \cdot -2 \end{bmatrix} = \begin{bmatrix} 12 & -3 \\ 15 & -6 \end{bmatrix}
\end{aligned}$$

7) If a matrix A is 5×3 and the product AB is 5×7 , what is the size of B ?
 $A_{5 \times 3} \cdot B_{x \times y} = AB_{5 \times 7}$. To be able to multiply AB , the column number of A has to be the same as the row number of B . Since AB has a size of 5×3 , the row size came from the row size of A and the column size came from the column size B . Therefore, $B_{3 \times 7}$.

8) How many rows does B have if BC is a 3×4 matrix?
 $B = 3$ rows.

9) Let $A = \begin{bmatrix} 2 & 5 \\ -3 & 1 \end{bmatrix}$, $B = \begin{bmatrix} 4 & -5 \\ 3 & k \end{bmatrix}$. What value(s) of k , if any, will make $AB = BA$?

$$\begin{aligned} A \cdot B &= \begin{bmatrix} 2 \cdot 4 + 5 \cdot 3 & 2 \cdot (-5) + 5 \cdot k \\ -3 \cdot 4 + 1 \cdot 3 & -3 \cdot (-5) + 1 \cdot k \end{bmatrix} = \begin{bmatrix} 23 & 5k - 10 \\ -9 & k + 15 \end{bmatrix} \\ B \cdot A &= \begin{bmatrix} 4 \cdot 2 + (-5) \cdot (-3) & 4 \cdot 5 + (-5) \cdot 1 \\ 3 \cdot 2 + k \cdot (-3) & 3 \cdot 5 + k \cdot 1 \end{bmatrix} = \begin{bmatrix} 23 & 15 \\ -3k + 6 & k + 15 \end{bmatrix} \\ \text{if } \begin{bmatrix} 23 & 5k - 10 \\ -9 & k + 15 \end{bmatrix} &= \begin{bmatrix} 23 & 15 \\ -3k + 6 & k + 15 \end{bmatrix}, \text{ then } \begin{bmatrix} 23 & 5k - 10 \\ -9 & k + 15 \end{bmatrix} - \begin{bmatrix} 23 & 15 \\ -3k + 6 & k + 15 \end{bmatrix} = \begin{bmatrix} 0 & 0 \\ 0 & 0 \end{bmatrix} \\ AB - BA &= \begin{bmatrix} 23 - (23) & 5k - 10 - (15) \\ -9 - (-3k + 6) & k + 15 - (k + 15) \end{bmatrix} = \begin{bmatrix} 0 & 5k - 25 \\ 3k - 15 & 0 \end{bmatrix} \\ 5k - 25 &= 0, 5k = 25, k = 5 \\ 3k - 15 &= 0, 3k = 15, k = 5 \end{aligned}$$

10) Let $A = \begin{bmatrix} 2 & -3 \\ -4 & 6 \end{bmatrix}$, $B = \begin{bmatrix} 8 & 4 \\ 5 & 5 \end{bmatrix}$, $C = \begin{bmatrix} 5 & -2 \\ 3 & 1 \end{bmatrix}$. Verify that $AB = AC$ and yet $B \neq C$.

The cancellation laws do not hold for matrix multiplication. Such that

$$\begin{aligned} AB &= AC \\ \frac{A}{A}B &= C \\ I_A B &= C \\ B &= C \end{aligned}$$

$$\begin{aligned} A \cdot B &= \begin{bmatrix} 2 \cdot 8 + (-3) \cdot 5 & 2 \cdot 4 + (-3) \cdot 5 \\ -4 \cdot 8 + 6 \cdot 5 & -4 \cdot 4 + 6 \cdot 5 \end{bmatrix} = \begin{bmatrix} 1 & -7 \\ -2 & 14 \end{bmatrix} \\ A \cdot C &= \begin{bmatrix} 2 \cdot 5 + (-3) \cdot 3 & 2 \cdot (-2) + (-3) \cdot 1 \\ -4 \cdot 5 + 6 \cdot 3 & -4 \cdot (-2) + 6 \cdot 1 \end{bmatrix} = \begin{bmatrix} 1 & -7 \\ -2 & 14 \end{bmatrix} \\ \begin{bmatrix} 1 & -7 \\ -2 & 14 \end{bmatrix} &= \begin{bmatrix} 1 & -7 \\ -2 & -2 \end{bmatrix} \end{aligned}$$

12) Let $A = \begin{bmatrix} 3 & -6 \\ -1 & 2 \end{bmatrix}$. Construct a 2×2 matrix B such that AB is the zero matrix. Use two different non-zero columns for B .

Consider $B = \begin{bmatrix} b_1 & b_2 \\ b_3 & b_4 \end{bmatrix}$, then $Ab_1 = 0$ and $Ab_2 = 0$ or $Ab_3 = 0$ and $Ab_4 = 0$.

$$\begin{aligned} B &= \begin{bmatrix} 2 & 2 \\ 1 & 1 \end{bmatrix} \\ A \cdot B &= \begin{bmatrix} 3 \cdot 2 + (-6) \cdot 1 & 3 \cdot 2 + (-6) \cdot 1 \\ -1 \cdot 2 + 2 \cdot 1 & -1 \cdot 2 + 2 \cdot 1 \end{bmatrix} = \begin{bmatrix} 0 & 0 \\ 0 & 0 \end{bmatrix} \end{aligned}$$

3 Exercise 2.2

Questions 1,2,3,4,5,6,7a,8,29-32