/ Data Types, Tables, Data Integrity, DDL, DML, DCL

Quiz review

| Started on | Monday, 27 February 2023, 4:08 PM |
|--|--|
| | Finished |
| Completed on | Monday, 27 February 2023, 4:16 PM |
| | 7 mins 16 secs |
| Marks | 9/10 |
| Grade | 90 out of 100 |
| | |
| Question 1 | |
| Correct | |
| Mark 1 out of 1 | |
| | |
| You need not speci | fy the column(s) name in the SQL query if we are adding values for all the columns of the table, with an INSERT SQL. |
| Select one: | |
| True ✓ | |
| False | |
| | |
| | |
| Question 2 | |
| Correct | |
| | |
| Mark 1 out of 1 | |
| | |
| The data type used | for storing fixed length characters to a maximum length of 4000 characters. |
| Select one: | |
| O CHAR | |
| NCHAR ✓ | |
| O VARCHAR(M. | ΔΥ |
| O VARCHAR | |
| VAINOHAIN | |
| | |
| Question 3 | |
| Correct | |
| Mark 1 out of 1 | |
| Walt Fout of F | |
| | |
| If one of the commands in the transaction fails, all of the other commands fail and any data that is modified in the database is rolled back to its previous state. Say True/False | |
| Select one: | |
| True | |
| | |
| False | |
| | |

| estion 4 | | |
|--|--|--|
| Correct | | |
| Mark 1 out of 1 | | |
| | | |
| Which of the below commands from the options are DML? | | |
| □ Alter | | |
| □ Drop | | |
| ☑ Delete✓ | | |
| ☑ Insert✔ | | |
| | | |
| | | |
| Question 5 | | |
| Correct | | |
| Mark 1 out of 1 595 | | |
| | | |
| What is true about the INSERT statement? (Choose the most appropriate option) | | |
| We cannot insert data. | | |
| We can insert data in one row of one table at a time and we cannot modify the order of fields while inserting. | | |
| we can insert data in many rows of many tables at a time | | |
| We can insert data in many rows of one table at a time We can insert data in many rows of one table at a time with needed fields. | | |
| We can most data in many lone of one asia at a time man needed holds. | | |
| | | |
| Question 6 | | |
| Correct | | |
| Mark 1 out of 1 | | |
| | | |
| Implementing data integrity is : | | |
| Select one or more: | | |
| ☐ Granting of DDL priviledges to users | | |
| ✓ Implementation of Constraints in a table, like primary and foreign key | | |
| ☐ Granting specific DML priviledges to users 95 | | |
| ☑ Implementation of Constraints in a table, like check,not null and unique constraints | | |
| | | |

| estion 7 | |
|---|--|
| Correct | |
| Mark 1 out of 1 | |
| | |
| Which of the following are approximate numeric data types? | |
| Select one or more: | |
| ☑ FLOAT✔ | |
| NUMERIC | |
| □ INT | |
| ☑ REAL ✓ | |
| | |
| Question 8 | |
| Correct 595 | |
| Mark 1 out of 1 | |
| | |
| State true or false. | |
| Truncate is a DML command | |
| Select one: | |
| ○ True | |
| ⊚ False ✓ | |
| | |
| Question 9 595 | |
| Correct | |
| Mark 1 out of 1 | |
| | |
| key is used to establish relation between two tables | |
| o primary key | |
| O unique | |
| ⊚ foreign key | |
| ○ check 595 | |
| | |
| Question 10 | |
| | |
| Incorrect Mark 0 out of 1 | |
| | |
| We need to ensure that the amount withdrawn should be less then the credit card limit amount, to ensure this intergity what type constraint will be used? | |
| O column level check constraint | |
| table level check constraint | |
| ⊚ column level foreign key constraint ¥ | |
| table level foreign key constraint | |
| | |

◄ Purge Table

Jump to...

Pre-Quiz ▶

595

595