



IIT KHARAGPUR



NPTEL

NPTEL ONLINE
CERTIFICATION COURSES

COMPUTER NETWORKS AND INTERNET PROTOCOLS

Introduction

SOUMYA K GHOSH

COMPUTER SCIENCE AND ENGINEERING
IIT KHARAGPUR

SANDIP CHAKRABORTY

COMPUTER SCIENCE AND ENGINEERING
IIT KHARAGPUR

Objectives of the Course

- Understand how two computers in the Internet talk to each other
- Go through the basic functionalities of the computer networks
- Learn how to program the network
- Learn the future of the computer network – Do we need any further changes in the design?

Functionalities

**Network
Architecture**

Protocols



IIT KHARAGPUR



ONLINE
CERTIFICATION COURSES

So, What is Network Architecture?

- A way to visualize how two remote computers talk to each other



Network Protocol Stack



IIT KHARAGPUR



NPTEL

What is Network Architecture? (contd...)



IIT KHARAGPUR



NPTEL ONLINE
CERTIFICATION COURSES

What is Network Architecture? (contd...)



Requirement: Convert digital data to analog signal and vice versa

Physical




IIT KHARAGPUR




NPTEL
NPTEL ONLINE
CERTIFICATION COURSES

What is Network Architecture? (contd...)




What is Network Architecture? (contd...)




Requirement: Ensure proper scheduling in media access

Data Link
Physical

What is Network Architecture? (contd...)



What is Network Architecture? (contd...)



Network

Data Link

Physical




IIT KHARAGPUR



NPTEL ONLINE
CERTIFICATION COURSES

What is Network Architecture? (contd...)




IIT KHARAGPUR



NPTEL
NPTEL ONLINE
CERTIFICATION COURSES

What is Network Architecture? (contd...)



Transport
Network
Data Link
Physical

Requirement: End to end traffic control in the network



IIT KHARAGPUR



NPTEL ONLINE
CERTIFICATION COURSES

What is Network Architecture? (contd...)



**Network Protocol
Stack**



Application
Transport
Network
Data Link
Physical




IIT KHARAGPUR



NPTEL ONLINE
CERTIFICATION COURSES

Data Transfer between Two Remote Machines



IIT KHARAGPUR




NPTEL



COURSES

Data Transfer between Two Remote Machines



IIT KHARAGPUR



NPTEL
NPTEL ONLINE
CERTIFICATION COURSES

Protocols at Different Layers

Application	HTTP, FTP, SMTP
Transport	TCP, UDP, RTP
Network	IPv4, IPv6, MPLS
Data Link	Ethernet, WiFi, Bluetooth, UMTS, LTE
Physical	




IIT KHARAGPUR



NPTEL
NPTEL ONLINE
CERTIFICATION COURSES

Network Management and Control – Cross Layer Protocols





IIT KHARAGPUR



NPTEL
NPTEL ONLINE
CERTIFICATION COURSES

Two Ways to Learn Computer Networks



IIT KHARAGPUR



NPTEL
NPTEL ONLINE
CERTIFICATION COURSES

History of Computer Networks

- <https://www.youtube.com/watch?v=9hIQjrMHTv4>

The screenshot shows the homepage of the Internet Society's website. At the top, there is a navigation bar with links for 'The Internet', 'What we're doing', 'What you can do', 'Resources', 'About Us', and 'News'. There are also links for 'Member Login', 'EN', a search icon, and a 'Donate' button. Below the navigation bar is a large banner with a cityscape background. The banner features the text 'About the Internet' and 'History of the Internet' in large white letters. A subtext below reads: 'From the early days of ARPANET to today's mobile technologies, here we share some of the different histories of the Internet from various personalities and organizations.' Below the banner is a white navigation bar with links for 'Internet Pioneers', 'World Wide Web', 'Overviews & Collections', 'Regional Histories', 'Timelines', and 'Other Sources'. The main content area has a blue header with the text 'In the words of Internet' and two articles: 'A Brief History of the Internet' and 'Interesting Historical Background to Internet Governance Issues By One of the Internet Pioneers'.

<https://www.internetsociety.org/internet/history-internet>

History of Internet

Year	Event
1836	Telegraph by Cooke and Wheatstone Revolutionized human (tele)communications. Morse Code a series of dots and dashes used to communicate between humans. This is similar to how computers communicate via (binary 0/1)
1858-1866	Transatlantic cable. Allowed direct instantaneous communication across the Atlantic. Today, cables connect all continents and are still a main hub of telecommunications.
1876	Telephone. Alexander Graham Bell Exhibits. Telephones exchanges provide the backbone of Internet connections today. Modems provide Digital to Audio conversions to allow computers to connect over the telephone network.
1957	The US forms the Advanced Research Projects Agency (ARPA) within the Department of Defense (DoD) to build US skills in computer technology. U.S.S.R. launches Sputnik.
1962	ARPA's contracts from the private sector to universities and laid the foundations for what would become the ARPANET.

History of Internet

Year	Event
1962-1968	Packet-switching (PS) networks developed The Internet relies on packets to transfer data. Data is split into tiny packets that may take different routes to a destination.
1969	ARPANET commissioned by DoD for research into networking. Four (4) nodes: (i) Univ of California, Los Angeles (UCLA); (ii) Stanford Research Institute (SRI); (iii) Univ of California, Santa Barbara (UCSB); (iv) Univ of Utah
1971	Ray Tomlinson invents Email program to send messages across a distributed network. 15 nodes (23 hosts) on ARPANET
1973	Global Networking becomes a reality. First international connections to the ARPANET: University College of London (England) and Royal Radar Establishment (Norway)
1974	Packets become mode of transfer Transmission Control Program (TCP) specified. Packet network Intercommunication -- the basis of Internet Communication. Telenet, a commercial version of ARPANET, opened -- the first public packet data service.



IIT KHARAGPUR



NPTEL ONLINE
CERTIFICATION COURSES

History of Internet

Year	Event
1977	E-mail becomes a reality Hosts: 100+
1979	News Groups formed. USENET established using UUCP - A collection of discussions groups, news groups.
1982	establishes the Transmission Control Protocol (TCP) and Internet Protocol (IP), as the protocol suite, commonly known as TCP/IP, for ARPANET. TCP/IP defines future network communication.
1983	Name server developed.
1984	Domain Name Server (DNS) introduced. Hosts: 1,000+ NSFNET created - NSF establishes 5 super-computing centers to provide high-computing power for all -- This allows an explosion of connections, especially from universities.
1987	Commercialization of Internet. UUNET is founded with Usenix funds to provide commercial UUCP and Usenet access. Hosts: ~30,000.



IIT KHARAGPUR



NPTEL
NPTEL ONLINE
CERTIFICATION COURSES

History of Internet

Year	Event
1989	First relays between a commercial electronic mail carrier and the Internet Hosts: 100,000+ WWW concept by Tim Berners-Lee
1990	First search-engine (Archie) 300,000 Hosts. 1,000 News groups ARPANET ceases to exist. First browser/editor program.
1991	User Friendly Interface to Internet established Gopher released by Paul Lindner and Mark P. McCahill from the U of Minnesota. Text based, menu-driven interface to access internet resources.
1992	Multimedia changes the face of the Internet Hosts: 1+ Million. News groups 4,000 The term "Surfing the Internet" is coined by Jean Armour Polly.
1993	The WWW Revolution truly begins Hosts: 2 Million. 600 WWW sites. The Mosaic Web browser is released on the Net



IIT KHARAGPUR



NPTEL
NPTEL ONLINE
CERTIFICATION COURSES

Web exploded...

- 1994 – 3,2 million hosts and 3,000 websites
- 1995 – 6,4 million hosts and 25,000 websites
- 1997 – 19,5 million hosts and 1,2 million websites
- January 2001 – 110 million hosts and 30 million websites
- Expansion continues....



IIT KHARAGPUR



NPTEL
NPTEL ONLINE
CERTIFICATION COURSES

Some Facts

- 1994 – Hotmail starts web based email
- 1994 – World Wide Web Consortium (W3C) was founded
- 1995 – JAVA source code was released
- 1996 – Mirabilis (Israel) starts ICQ
- 1998 – Google is founded




IIT KHARAGPUR



NPTEL
NPTEL ONLINE
CERTIFICATION COURSES

Books / Resources to Follow ...

Application
Transport
Network
Data Link
Physical



**COMPUTER
NETWORKING** FIFTH EDITION

A Top-Down Approach



IIT KHARAGPUR






NPTEL
NPTEL ONLINE
CERTIFICATION COURSES

KUROSE • ROSS




Books / Resources to Follow ...

Application
Transport
Network
Data Link
Physical



Books / Resources to Follow ... (online)

Application
Transport
Network
Data Link
Physical



<http://www.redbooks.ibm.com/abstracts/gg243376.html>
<http://www.tcpipguide.com/>

Internet Resources



I E T F®

Chat Live with the IETF Community

[Home](#)

[About the IETF](#)

[Mission](#)

[Standards Process](#)

[Note Well](#)

[NomCom](#)

[Blog](#)

[Info for Newcomers](#)

[Internet-Drafts](#)

Datatracker

Search

Submit

[RFC Pages](#)

Search RFC Ed Index

RFC Editor Queue

Request for Comments (RFC)

Memos in the **Requests for Comments (RFC)** document series contain technical and organizational notes about the Internet. They cover many aspects of computer networking, including protocols, procedures, programs, and concepts, as well as meeting notes, opinions, and sometimes humor. Below are links to RFCs, as available from ietf.org and from rfc-editor.org. Note that there is a brief time period when the two sites will be out of sync. When in doubt, the RFC Editor site is the authoritative source page.

RFCs associated with an active IETF Working Group can also be accessed from the Working Group's web page via [IETF Working Groups](#).

IETF Repository Retrieval

- Advanced search options are available at [IETF Datatracker](#) and the [RFC Search Page](#).
- A text index of RFCs is available on the IETF web site here: [RFC Index \(Text\)](#).
- To go directly to a text version of an RFC, type <https://www.ietf.org/rfc/rfcNNNN.txt> into the location field of your browser, where NNNN is the RFC number.

RFC Editor Repository Retrieval

- [RFC Search Page](#)
- RFC Index ([HTML](#) | [TXT](#) | [XML](#))
- [Additional listings of RFCs](#)
- [RFC Editor Queue](#)

RFC Errata

Published RFCs never change. Although every published RFC has been submitted to careful proofreading by the RFC Editor

The Internet Engineering Task Force (IETF®)

The goal of the IETF is to make the Internet work better.

The mission of the IETF is to make the Internet work better by producing high quality, relevant technical documents that influence the way people design, use, and manage the Internet. Newcomers to the IETF should [start here](#).

News

- [IETF 104 in Prague!](#)
- [IETF Blog](#)
- [IETF Daily Dose](#)

Next Meeting: IETF 101 London

[IETF 101 - March 17-23, 2018](#)

- [Register](#)
- [Important Dates](#)
- [Wiki](#)
- [Agenda](#)
- [Meeting Materials](#)
- [Remote Participation](#)
- [Hackathon \(open to public\)](#)



Recent Meeting: IETF 100 - Singapore

a tool realizing the requirements
6778 is now in use:

[IETF email archives](#)

ing in, use your datatracker

[Comment in the archives here.\)](#)

- [IETF 100 Information](#)
- [IETF 100 Proceedings](#)

Internet-Drafts and RFCs Quick Search

yes

[TACO and IANCI](#) | [IAR](#) | [RFC Editor](#) | [IANA](#) | [IDR](#) | [IETF Trust](#) | [ISOC](#)



thank you!



IIT KHARAGPUR



NPTEL
NPTEL ONLINE
CERTIFICATION COURSES



IIT KHARAGPUR



NPTEL

NPTEL ONLINE
CERTIFICATION COURSES

COMPUTER NETWORKS AND INTERNET PROTOCOLS

Protocol Stacks – OSI and TCP/IP

SOUMYA K GHOSH

COMPUTER SCIENCE AND ENGINEERING
IIT KHARAGPUR

SANDIP CHAKRABORTY

COMPUTER SCIENCE AND ENGINEERING
IIT KHARAGPUR

History of Computer Networks

- <https://www.youtube.com/watch?v=9hIQjrMHTv4>

The screenshot shows the homepage of the Internet Society's website. At the top, there is a navigation bar with links for 'The Internet', 'What we're doing', 'What you can do', 'Resources', 'About Us', and 'News'. There are also links for 'Member Login', 'EN', a search icon, and a 'Donate' button. Below the navigation bar is a large banner with a cityscape background. The banner features the text 'About the Internet' and 'History of the Internet' in large white letters. A subtext below reads: 'From the early days of ARPANET to today's mobile technologies, here we share some of the different histories of the Internet from various personalities and organizations.' Below the banner is a white navigation bar with links for 'Internet Pioneers', 'World Wide Web', 'Overviews & Collections', 'Regional Histories', 'Timelines', and 'Other Sources'. The main content area has a blue header with the text 'In the words of Internet' and two articles: 'A Brief History of the Internet' and 'Interesting Historical Background to Internet Governance Issues By One of the Internet Pioneers'.

<https://www.internetsociety.org/internet/history-internet>

History of Internet

Year	Event
1836	<p><i>Telegraph</i> by Cooke and Wheatstone</p> <p>Revolutionized human (tele)communications.</p> <p>Morse Code a series of dots and dashes used to communicate between humans. This is similar to how computers communicate via (binary 0/1)</p>
1858-1866	<p><i>Transatlantic cable</i>. Allowed direct instantaneous communication across the Atlantic. Today, cables connect all continents and are still a main hub of telecommunications.</p>
1876	<p><i>Telephone</i>. Alexander Graham Bell Exhibits.</p> <p>Telephones exchanges provide the backbone of Internet connections today.</p> <p>Modems provide Digital to Audio conversions to allow computers to connect over the telephone network.</p>
1957	The US forms the <i>Advanced Research Projects Agency (ARPA)</i> within the Department of Defense (DoD) to build US skills in computer technology. U.S.S.R. launches Sputnik.
1962	ARPA's contracts from the private sector to universities and laid the foundations for what would become the <i>ARPANET</i> .

History of Internet

Year	Event
1962-1968	<p><i>Packet-switching (PS)</i> networks developed</p> <p>The Internet relies on packets to transfer data.</p> <p>Data is split into tiny packets that may take different routes to a destination.</p>
1969	<p>ARPANET commissioned by DoD for research into networking.</p> <p>Four (4) nodes: (i) Univ of California, Los Angeles (UCLA); (ii) Stanford Research Institute (SRI); (iii) Univ of California, Santa Barbara (UCSB); (iv) Univ of Utah</p>
1971	<p>Ray Tomlinson invents <i>Email</i> program to send messages across a distributed network.</p> <p>15 nodes (23 hosts) on ARPANET</p>
1973	<p>Global Networking becomes a reality.</p> <p>First international connections to the ARPANET: University College of London (England) and Royal Radar Establishment (Norway)</p>
1974	<p>Packets become mode of transfer</p> <p>Transmission Control Program (TCP) specified. Packet network Intercommunication -- the basis of Internet Communication.</p> <p>Telenet, a commercial version of ARPANET, opened -- the first public packet data service.</p>



IIT KHARAGPUR



NPTEL
NPTEL ONLINE
CERTIFICATION COURSES

History of Internet

Year	Event
1977	E-mail becomes a reality Hosts: 100+
1979	News Groups formed. USENET established using UUCP - A collection of discussions groups, news groups.
1982	Transmission Control Protocol (TCP) and Internet Protocol (IP) are proposed, as the protocol suite, commonly known as TCP/IP, for ARPANET. TCP/IP defines future network communication.
1983	Name server developed.
1984	Domain Name Server (DNS) introduced. Hosts: 1,000+ NSFNET created - NSF establishes 5 super-computing centers to provide high-computing power for all -- This allows an explosion of connections, especially from universities.
1987	Commercialization of Internet. UUNET is founded with Usenix funds to provide commercial UUCP and Usenet access. Hosts: ~30,000.



IIT KHARAGPUR



NPTEL ONLINE
CERTIFICATION COURSES

History of Internet

Year	Event
1989	First relays between a commercial electronic mail carrier and the Internet Hosts: 100,000+ WWW concept by Tim Berners-Lee
1990	First search-engine (Archie) 300,000 Hosts. 1,000 News groups ARPANET ceases to exist. First browser/editor program.
1991	User Friendly Interface to Internet established Gopher released by Paul Lindner and Mark P. McCahill from the U of Minnesota. Text based, menu-driven interface to access internet resources.
1992	Multimedia changes the face of the Internet Hosts: 1+ Million. News groups 4,000 The term "Surfing the Internet" is coined by Jean Armour Polly.
1993	The WWW Revolution truly begins Hosts: 2 Million. 600 WWW sites. The Mosaic Web browser is released on the Net



IIT KHARAGPUR



NPTEL ONLINE
CERTIFICATION COURSES

Network Management and Control – Cross Layer Protocols

Application	HTTP, FTP, SMTP
Transport	TCP, UDP, RTP
Network	IPv4, IPv6, MPLS
Data Link	Ethernet, WiFi, Bluetooth, UMTS, LTE
Physical	<i>DNS</i> <i>SNMP</i> <i>ARP, DHCP</i>



IIT KHARAGPUR



NPTEL
NPTEL ONLINE
CERTIFICATION COURSES

Web exploded...

- 1994 – 3.2 million hosts and 3,000 websites
- 1995 – 6.4 million hosts and 25,000 websites
- 1997 – 19.5 million hosts and 1.2 million websites
- January 2001 – 110 million hosts and 30 million websites
- Expansion continues....



IIT KHARAGPUR



NPTEL
NPTEL ONLINE
CERTIFICATION COURSES

Some Facts

- 1994 – Hotmail starts web based email
- 1994 – World Wide Web Consortium (W3C) was founded
- 1995 – JAVA source code was released
- 1996 – Mirabilis (Israel) starts ICQ
- 1998 – Google is founded



IIT KHARAGPUR



NPTEL
NPTEL ONLINE
CERTIFICATION COURSES

Protocols

- Protocol is a controlled sequence of messages that is exchanged between two or more systems to accomplish a given task.
- Protocol specifications define this sequence together with the format or layout of the messages that are exchanged.

OSI Model Layers

OSI layer	Function provided
Application	Network applications such as file transfer and terminal emulation
Presentation	Data formatting and encryption
Session	Establishment and maintenance of sessions
Transport	Provision for end-to-end reliable and unreliable delivery
Network	Delivery of packets of information, which includes routing
Data Link	Transfer of units of information, framing, and error checking
Physical	Transmission of binary data of a medium



IIT KHARAGPUR



NPTEL
NPTEL ONLINE
CERTIFICATION COURSES

Transmission Control Protocol / Internet Protocol (TCP/IP)

- Transmission Control Protocol/Internet Protocol (TCP/IP) suite of protocols has become the dominant standard for inter-networking.
- TCP/IP represents a set of public standards that specify how packets of information are exchanged between computers over one or more networks.




IIT KHARAGPUR



NPTEL
NPTEL ONLINE
CERTIFICATION COURSES

OSI and TCP/IP



IIT KHARAGPUR



NPTEL
NPTEL ONLINE
CERTIFICATION COURSES

TCP/IP

Application (Host To Host Layer)	Ping	Telnet & Rlogin	FTP	SMTP	SNMP	Trace- route
	DNS	TFTP	BOOTP	RIP	OSPF	etc.
Transport	TCP		UDP		ICMP	
Network	IP					
Data Link	LLC	HDLC			PPP	
	Ethernet	802.3	X.25	Token Ring	Frame Relay	ATM
Physical	Fiber Optics	UTP	Coax	Microwave	Satellite	STP




IIT KHARAGPUR



NPTEL ONLINE
CERTIFICATION COURSES

OSI and TCP/IP

OSI & TCP/IP Protocol-Stacks and Protocols




IIT KHARAGPUR



NPTEL ONLINE
CERTIFICATION COURSES

TCP/IP – Packet Encapsulation



Local Area Network (LAN) – Typical Components

- Clients – workstations
- Servers – usually have more computing resources
- Network devices
 - Repeaters
 - Hubs
 - Transceivers
 - NICs
 - Bridges
 - Switches
 - Routers



IIT KHARAGPUR



NPTEL
NPTEL ONLINE
CERTIFICATION COURSES

Wide Area Networks

- A WAN is a data communications network covering a large geographic area.
- Unlike LANs , a WAN connection is generally rented from a *service provider*.
- WANs connect various sites at different geographic locations so that information can be exchanged.




IIT KHARAGPUR



NPTEL
NPTEL ONLINE
CERTIFICATION COURSES

Evolution of LAN Devices

- NICs, Repeaters, & Hubs
- Bridges
- Switches
- Routers



IIT KHARAGPUR



NPTEL
NPTEL ONLINE
CERTIFICATION COURSES

NIC Specifics

- NICs provide hosts with access to media by using a MAC address.
- MAC stands for Media Access Control
- NICs operate at Layer 2 !!



IIT KHARAGPUR



NPTEL
NPTEL ONLINE
CERTIFICATION COURSES

NICs, Repeaters, & Hubs

The First LAN



To connect two computers, you must...

- Install a NIC card in each.

Attach computers using a crossover cable




IIT KHARAGPUR




NPTEL
NPTEL ONLINE
CERTIFICATION COURSES

NICs, Repeaters, & Hubs



Repeaters amplify and retime signals

NICs, Repeaters, & Hubs



Using repeaters was fine as long as a business only needed two computers networked.



What if a business wanted a third computer attached?



Or a fourth? What device would they need?



IIT KHARAGPUR




NPTEL
NPTEL ONLINE
CERTIFICATION COURSES

NICs, Repeaters, & Hubs

A multi-port repeater!

Also called a...

Hub




IIT KHARAGPUR



NPTEL
NPTEL ONLINE
CERTIFICATION COURSES

A Dilemma!

As businesses expanded their networks, they began to cascade hubs.



IIT KHARAGPUR



NPTEL
NPTEL ONLINE
CERTIFICATION COURSES

What's The Problem?

- 1) Hubs share bandwidth between all attached devices.
- 2) Hubs are stupid, Layer 1 devices. They cannot filter traffic.
- 3) Most LANs use a “broadcast topology,” so every device sees every packet sent down the media.

Let's take a look at how broadcasting works




IIT KHARAGPUR



NPTEL
NPTEL ONLINE
CERTIFICATION COURSES

Broadcasts

In this picture, all hubs forward all traffic to all devices.




IIT KHARAGPUR



NPTEL
NPTEL ONLINE
CERTIFICATION COURSES

Broadcasts

So, if Host 1 wants ping Host 2, all hosts see the ping. This is what we mean by a broadcast topology



The red arrows show that all hosts receive the ping request. Only Host 2 will respond.



IIT KHARAGPUR



NPTEL ONLINE
CERTIFICATION COURSES

What's The Solution?

- We need a smarter hub!
- What's a “smarter hub” called?
- A Bridge!
- Bridges filter network traffic based on MAC addresses.
- Let's take a look at how this works.




IIT KHARAGPUR



NPTEL
NPTEL ONLINE
CERTIFICATION COURSES

Bridge

To lessen the amount of LAN traffic, businesses began to use bridges to filter frames based on MAC addresses.




IIT KHARAGPUR



NPTEL
ONLINE
CERTIFICATION COURSES

Bridge

Now, if Host 1 pings Host 2, only the hosts on that LAN segment see the ping. The bridges stop the ping.



IIT KHARAGPUR



NPTEL
ONLINE
CERTIFICATION COURSES

Switch

A switch (also known as a multi-port bridge), can effectively replace these four bridges.




IIT KHARAGPUR



NPTEL
NPTEL ONLINE
CERTIFICATION COURSES


Switch

Another benefit of a switch is that each LAN segment gets dedicated bandwidth.




Router

Routers filter traffic based on IP addresses. The IP address tells the router which LAN segment the ping belongs to.



Devices Function at Layers




IIT KHARAGPUR



NPTEL
ONLINE
CERTIFICATION COURSES

Devices Function at Layers




IIT KHARAGPUR



NPTEL
NPTEL ONLINE
CERTIFICATION COURSES

Devices Function at Layers



IIT KHARAGPUR



NPTEL
NPTEL ONLINE
CERTIFICATION COURSES

Hierarchical Design Model

- A layered model for network design
- Consists of 3 tiers
- Access layer - for end user connectivity
- Distribution layer - for policy based routing and access control
- Core layer- for switching packets as fast as possible across the *internetwork*.



IIT KHARAGPUR



NPTEL
NPTEL ONLINE
CERTIFICATION COURSES

Few points to note

- Routers, by default, break up *broadcast domain*
- Broadcast domain – Set of all devices on a network segment that hear all the broadcasts sent on that segment
- Breaking-up of network broadcast is important – because when a host or server sends a network broadcast, every device on the network “must” read and process that broadcast.
- When a router’s interface receives this broadcast – it discards the broadcast without forwarding it on to other network
- *Router also breaks up “collision domain” as well !*

Few points to note (contd)

- Switches aren't used to create internetworks, they're employed to add functionality to an internetwork LAN
- Switches only “switches” frames from one port to other within a “switched network”
- Switches break-up *collision domains*.
- Collision domain – Ethernet term ! – used to describe a network scenario in which one particular device sends a packet on a network segment, forcing other devices on the same segment to pay attention to it. At the same time, a different device tries to transmit, leading to collision, then both the devices must re-transmit – a situation found in a Hub
- Each and every port on a switch represent its own collision domain (*Hub represents only one collision domain and only one broadcast domain*)



thank you!



IIT KHARAGPUR



NPTEL
NPTEL ONLINE
CERTIFICATION COURSES



IIT KHARAGPUR



NPTEL

NPTEL ONLINE
CERTIFICATION COURSES

COMPUTER NETWORKS AND INTERNET PROTOCOLS

Circuit Switching and Packet Switching

SOUMYA K GHOSH

COMPUTER SCIENCE AND ENGINEERING
IIT KHARAGPUR

SANDIP CHAKRABORTY

COMPUTER SCIENCE AND ENGINEERING
IIT KHARAGPUR

Switched Network

- Communication between distant stations/ end-devices is typically done over a network of switching nodes.
- Switching nodes do not concern with content of data. The purpose is to provide a switching facility that will communicate/transmit the data from source to destination via intermediate node(s).
- A collection of nodes and connections forms a communications network.
- In a switched communications network, data entering the network from a source station are routed to the destination by being switched from node to node.

Ref: Data & Computer Communications by William Stallings




IIT KHARAGPUR



NPTEL ONLINE
CERTIFICATION COURSES

Typical Switching Network



Ref: Data & Computer Communications by William Stallings

Switching Technologies

- Switching nodes may connect to other nodes, or to some stations.
- Network is usually partially connected
 - However, some redundant connections are desirable for reliability
- Two different switching technologies
 - Circuit switching
 - Packet switching

Ref: Data & Computer Communications by William Stallings

Circuit Switching

- Dedicated communication path between two stations
- Three phases
 - Establish
 - Transfer
 - Disconnect
- Must have switching capacity and channel capacity to establish connection
- Must have intelligence to work out routing

Ref: Data & Computer Communications by William Stallings

Packet Switching

- A station breaks long message into packets
- Packets are sent out to the network sequentially, one at a time
- The stream of packets are routed through the network and are delivered to the intended destination?
 - Two approaches
 - **Datagram** approach
 - **Virtual circuit** approach



IIT KHARAGPUR



NPTEL
NPTEL ONLINE
CERTIFICATION COURSES

Circuit Switching - Approaches

- Space-Division Switch
- Time-Division Switch
- TDM Bus
- Combinations




IIT KHARAGPUR




NPTEL
NPTEL ONLINE
CERTIFICATION COURSES

Circuit Switching - Approaches



Ref: Data & Computer Communications by William Stallings

Circuit Switching - Space Division Switch




IIT KHARAGPUR



NPTEL ONLINE
CERTIFICATION COURSES

Circuit Switching - Multi-stage Space Division Switch

3-stage Space
Division Switch



Ref: Data & Computer Communications by William Stallings




IIT KHARAGPUR



NPTEL ONLINE
CERTIFICATION COURSES

Circuit Switching - Time Division Multiplexing



Ref: Data & Computer Communications by William Stallings




IIT KHARAGPUR



NPTEL ONLINE
CERTIFICATION COURSES

Circuit Switching - Time Slot Interchange



Ref: Data & Computer Communications by William Stallings

Circuit Switching - Properties/Issues

- Once connected, transfer is transparent
- Developed for voice traffic (phone)
- Inefficient
 - Channel capacity dedicated for duration of connection
 - If no data, capacity wasted
- Set up (connection) takes time
- Data rate is fixed - Both ends must operate at the same rate



IIT KHARAGPUR




NPTEL
NPTEL ONLINE
CERTIFICATION COURSES

Packet Switching – Basics

- Data transmitted in small packets
 - Typically 1000 octets (8 bit byte)
 - Longer messages split into series of packets
 - Each packet contains a portion of user data plus some control info
- Control info
 - Routing (addressing) info
- Packets are received, stored briefly (buffered) and passed on to the next node
 - Store and forward

Packet Switched Network



Ref: Data & Computer Communications by William Stallings

Packet Switching - Advantages

- Line efficiency
 - Single node to node link can be shared by many packets over time
 - Packets queued and transmitted as fast as possible
- Data rate conversion
 - Each station connects to the local node at its own speed
 - Nodes buffer data if required to equalize rates
- Packets are accepted even when network is busy
 - Delivery may slow down
- Priorities can be used

Packet Switching – Techniques

- Station breaks long message into packets
- Packets sent one at a time to the network
- Packets are handled in two ways
 - Datagram
 - Virtual circuit



IIT KHARAGPUR




NPTEL
NPTEL ONLINE
CERTIFICATION COURSES

Packet Switching - Datagram

- Each packet treated independently
- Packets can take any practical route
- Packets may arrive out of order
- Packets may get lost or delayed
- Up to receiver to re-order packets and recover from missing packets

Packet Switching - Datagram



IIT KHARAGPUR



NPTEL
NPTEL ONLINE
CERTIFICATION COURSES

Packet Switching – Virtual Circuit

- Preplanned route established before any packets sent
- Call request and call accept packets establish connection (handshake)
- Each packet contains a virtual circuit identifier instead of destination address
- No routing decisions required for each packet
- Clear request to drop circuit
- Not a dedicated path




IIT KHARAGPUR



NPTEL
NPTEL ONLINE
CERTIFICATION COURSES

Packet Switching - Virtual Circuit




IIT KHARAGPUR




NPTEL
NPTEL ONLINE
CERTIFICATION COURSES

Packet Switching - VC Switching Table



Virtual Circuit - Source to Destination



Packet Switching - Virtual Circuits vs Datagram

- Virtual circuits
 - Network can provide sequencing and error control
 - Packets are forwarded more quickly
 - No routing decisions to make
 - Less reliable
 - Loss of a node loses all circuits through that node
- Datagram
 - No call setup phase
 - Better if few packets
 - More flexible
 - Routing can be used to avoid congested parts of the network



IIT KHARAGPUR



NPTEL
NPTEL ONLINE
CERTIFICATION COURSES

Circuit vs. Packet Switching

Circuit Switched

- Bandwidth guaranteed
- Circuit capacity not reduced by other network traffic
- Circuit costs independent of amount of data transmitted, resulting in wasted bandwidth
- Suitable for voice communication

Packet Switched

- Bandwidth dynamically allocated on as-needed basis
- May have concurrent transmissions over physical channel
- May have delays and congestion
- More cost-effective, offer better performance
- Suitable for data communication



IIT KHARAGPUR



NPTEL
NPTEL ONLINE
CERTIFICATION COURSES




thank you!



IIT KHARAGPUR



NPTEL
NPTEL ONLINE
CERTIFICATION COURSES



COMPUTER NETWORKS AND INTERNET PROTOCOLS

Protocol Stack – Layered Services

SOUMYA K GHOSH

COMPUTER SCIENCE AND ENGINEERING
IIT KHARAGPUR

SANDIP CHAKRABORTY

COMPUTER SCIENCE AND ENGINEERING
IIT KHARAGPUR


Network Protocols

- Protocol defines the interfaces between the layers in the same system and with the layers of peer system
- Building blocks of a network architecture
- Each protocol object has two different interfaces
 - service interface: operations on this protocol
 - peer-to-peer interface: messages exchanged with peer
- “Protocol” includes
 - specification of peer-to-peer interface
 - module that implements this interface
- Features:
 - Protocol Specification: prose, pseudo-code, state transition diagram
 - Interoperable: when two or more protocols that implement the specification accurately
 - IETF: Internet Engineering Task Force

Ref: Computer Networks: A Systems Approach, by Larry L. Peterson and Bruce S. Davie

Key Elements of a Protocol

- Syntax
 - Data formats
 - Signal levels
- Semantics
 - Control information
 - Error handling
- Timing
 - Speed matching
 - Sequencing




IIT KHARAGPUR



NPTEL ONLINE
CERTIFICATION COURSES


Interfaces



Service and Peer Interfaces


Ref: Computer Networks: A Systems Approach, by Larry L. Peterson and Bruce S. Davie

Protocol Hierarchy




Ref: Computer Networks: A Systems Approach, by Larry L. Peterson and Bruce S. Davie

Encapsulation



High-level messages are encapsulated inside of low-level messages

OSI (Open Systems Interconnection) Model



IIT KHARAGPUR



NPTEL
NPTEL ONLINE
CERTIFICATION COURSES

Protocol Layers - Functions

- Physical Layer
 - Handles the transmission of raw bits over a communication link
- Data Link Layer
 - Collects a stream of bits into a larger aggregate called a *frame*
 - Network adaptor along with device driver in OS implement the protocol in this layer
 - Frames are actually delivered to hosts
- Network Layer
 - Handles routing among nodes within a packet-switched network
 - Unit of data exchanged between nodes in this layer is called a *packet*

Lower three layers are typically implemented on all network nodes




IIT KHARAGPUR



NPTEL
NPTEL ONLINE
CERTIFICATION COURSES


Protocol Layers - Functions

- Transport Layer
 - Implements a process-to-process channel
 - Unit of data exchanges in this layer is called a *message*
- Session Layer
 - Provides a name space that is used to tie together the potentially different transport streams that are part of a single application
- Presentation Layer
 - Concerned about the format of data exchanged between peers
- Application Layer
 - Standardize common type of exchanges




Transport layer and the higher layers typically run only on end-hosts and not on the intermediate switches and routers

Internet Architecture



Internet Protocol Graph



IIT KHARAGPUR



NPTEL ONLINE
CERTIFICATION COURSES

Internet Architecture


- Defined by IETF
- Three main features
 - Does not imply strict layering. The application is free to bypass the defined transport layers and to directly use IP or other underlying networks
 - An hour-glass shape – wide at the top, narrow in the middle and wide at the bottom. IP serves as the focal point for the architecture
 - In order for a new protocol to be officially included in the architecture, there needs to be both a protocol specification and at least one (and preferably two) representative implementations of the specification

Ref: Computer Networks: A Systems Approach, by Larry L. Peterson and Bruce S. Davie

Network Application Programming Interface (API)

- Interface exported by the network
- Since most network protocols are implemented (those in the high protocol stack) in software and nearly all computer systems implement their network protocols as part of the operating system
- The interface is called the *network Application Programming Interface (API)*

TCP/IP Protocol Stack



TCP/IP Layers – Group of functions in each layer

Ref: IBM Redbooks - TCP/IP Tutorial and Technical Overview

TCP/IP Protocol Stack

- **Application layer**
 - The application layer is provided by the program that uses TCP/IP for communication.
 - An application is a user process cooperating with another process usually on a different host (there is also a benefit to application communication within a single host).
 - Examples of applications include Telnet and the File Transfer Protocol (FTP).
 - The interface between the application and transport layers is defined by port numbers and “sockets”

TCP/IP Protocol Stack

- **Transport layer**

- Transport layer provides the end-to-end data transfer by delivering data from an application to its remote peer. Multiple applications can be supported simultaneously.
- Most-used transport layer protocol is the Transmission Control Protocol (TCP), which provides connection-oriented reliable data delivery, duplicate data suppression, congestion control, and flow control.
- Another transport layer protocol: User Datagram Protocol (UDP)
- It provides connectionless, unreliable, best-effort service.
- As a result, applications using UDP as the transport protocol have to provide their own end-to-end integrity, flow control, and congestion control, if desired.
- Usually, UDP is used by applications that need a fast transport mechanism and can tolerate the loss of some data.

TCP/IP Protocol Stack

- **Internetwork layer (IP / Network Layer)**


- The internetwork layer, also called the *internet layer* or the *network layer*, provides the “virtual network” image of an internet (this layer shields the higher levels from the physical network architecture below it).
- Internet Protocol (IP) is the most important protocol in this layer. It is a connectionless protocol that does not assume reliability from lower layers.
- IP does *not* provide reliability, flow control, or error recovery. These functions must be provided at a higher level.
- IP provides a routing function that attempts to deliver transmitted messages to their destination.
- A message unit in an IP network is called an *IP datagram*. This is the basic unit of information transmitted across TCP/IP networks.
- Typical internetwork-layer protocols are IP, ICMP, IGMP, ARP, and RARP.

TCP/IP Protocol Stack

- **Network interface layer**
 - The network interface layer, also called the *link layer* or the *data-link layer*, is the interface to the actual network hardware.
 - This interface may or may not provide reliable delivery, and may be packet or stream oriented.
 - In fact, TCP/IP does not specify any protocol here, but can use almost any network interface available, which illustrates the flexibility of the IP layer.
 - Examples are IEEE 802.2, X.25 (which is reliable in itself), ATM, FDDI, and even SNA.
 - There should be some underlying physical networks and interfaces

TCP/IP Protocol Stack

TCP/IP specifications do not describe or standardize any network-layer protocols per se; they only standardize ways of accessing those protocols from the internetwork layer.



TCP/IP Architecture




IIT KHARAGPUR



NPTEL ONLINE
CERTIFICATION COURSES

TCP/IP : Protocol Architecture and Communication Network



Ref: Data and Computer Communications, by William Stallings




IIT KHARAGPUR



NPTEL ONLINE
CERTIFICATION COURSES

TCP/IP : Protocol Architecture and Communication Network



Ref: Data and Computer Communications, by William Stallings




thank you!



IIT KHARAGPUR



NPTEL
NPTEL ONLINE
CERTIFICATION COURSES



COMPUTER NETWORKS AND INTERNET PROTOCOLS

Application Layer - I

SOUMYA K GHOSH

COMPUTER SCIENCE AND ENGINEERING
IIT KHARAGPUR

SANDIP CHAKRABORTY

COMPUTER SCIENCE AND ENGINEERING
IIT KHARAGPUR




IIT KHARAGPUR



NPTEL
NPTEL ONLINE
CERTIFICATION COURSES

TCP/IP Protocol Stack

TCP/IP specifications do not describe or standardize any network-layer protocols per se; they only standardize ways of accessing those protocols from the internetwork layer.



TCP/IP Architecture

Ref: IBM Redbooks - TCP/IP Tutorial and Technical Overview




IIT KHARAGPUR



NPTEL ONLINE
CERTIFICATION COURSES

TCP/IP Protocol Stack



TCP/IP Layers – Group of functions in each layer

Ref: IBM Redbooks - TCP/IP Tutorial and Technical Overview

TCP/IP Protocol Stack – Application Layer

- **Application layer**
 - Application layer is provided by the program that uses TCP/IP for communication.
 - An application is a user process cooperating with another process usually on a different host (there is also a benefit to application communication within a single host).
 - Examples of applications: Telnet, SMTP, FTP etc.
 - Interface between the application and transport layers is defined by port numbers and “sockets”




IIT KHARAGPUR



NPTEL ONLINE
CERTIFICATION COURSES

TCP/IP - Application Layer




IIT KHARAGPUR



NPTEL ONLINE
CERTIFICATION COURSES

TCP/IP : Protocol Architecture and Communication Network



Ref: Data and Computer Communications, by William Stallings




IIT KHARAGPUR




NPTEL ONLINE
CERTIFICATION COURSES

TCP/IP : Protocol Architecture and Communication Network



Ref: Data and Computer Communications, by William Stallings

TCP/IP : Operation



Ref: Data and Computer Communications, by William Stallings




IIT KHARAGPUR




NPTEL ONLINE
CERTIFICATION COURSES

TCP/IP : Concept



Ref: Data and Computer Communications, by William Stallings

TCP/IP : Sample Protocols



BGP = Border Gateway Protocol

FTP = File Transfer Protocol

HTTP = Hypertext Transfer Protocol

ICMP = Internet Control Message Protocol

IGMP = Internet Group Management Protocol

IP = Internet Protocol

MIME = Multi-Purpose Internet Mail Extension

OSPF = Open Shortest Path First

RSVP = Resource ReSerVation Protocol

SMTTP = Simple Mail Transfer Protocol

SNMP = Simple Network Management Protocol

TCP = Transmission Control Protocol

UDP = User Datagram Protocol

Ref: Data and Computer Communications, by William Stallings




IIT KHARAGPUR



NPTEL ONLINE
CERTIFICATION COURSES

Protocol Stack Implementation in a Host





IIT KHARAGPUR




NPTEL ONLINE
CERTIFICATION COURSES


How Application Data Passes Through Different Layers



Application Layer Interfacing



Application Layer Interfacing



IIT KHARAGPUR



NPTEL
NPTEL ONLINE
CERTIFICATION COURSES

Responsibilities of Application Layer

- Identifying and establishing the availability of intended communication partners
- Synchronizing cooperating applications
- Establishing agreement on procedures for error recovery
- Controlling data integrity

Application Layer Examples

- Domain Name System (DNS)
- File Transfer Protocol (FTP)
- Hypertext Transfer Protocol (HTTP)
- Simple Mail Transport Protocol (SMTP)
- Simple Network Management Protocol (SNMP)
- Telnet
-



IIT KHARAGPUR



NPTEL
NPTEL ONLINE
CERTIFICATION COURSES

DNS

- Domain Name System (DNS) is a system used for translating names of domains into IP addresses.
- There are more than 200 top-level domains on the Internet, examples of which include the following:

.in - India
.us - United States
.uk - United Kingdom
.edu - educational sites
.com - commercial sites

.gov - government sites
.org - non-profit sites
.net - network service



IIT KHARAGPUR



NPTEL
NPTEL ONLINE
CERTIFICATION COURSES

FTP and TFTP

- FTP is a reliable, connection-oriented service that uses TCP to transfer files between systems that support FTP.
- TFTP is a connectionless service that uses User Datagram Protocol (UDP).
 - TFTP is used on routers to transfer configuration files and Cisco IOS images.
 - TFTP is designed to be small and easy to implement.




IIT KHARAGPUR



NPTEL
NPTEL ONLINE
CERTIFICATION COURSES

HTTP




IIT KHARAGPUR



NPTEL
NPTEL ONLINE
CERTIFICATION COURSES

SMTP

- E-mail servers communicate with each other using the Simple Mail Transport Protocol (SMTP) to send and receive mail.




IIT KHARAGPUR



NPTEL
NPTEL ONLINE
CERTIFICATION COURSES

SNMP

The Simple Network Management Protocol (SNMP) is an application layer protocol that facilitates the exchange of management information between network devices.




IIT KHARAGPUR



NPTEL ONLINE
CERTIFICATION COURSES


Telnet

Telnet client software provides the ability to log in to a remote Internet host that is running a Telnet server application and then to execute commands from the command line.



Network API: “Socket”

Server and Client exchange messages over the network through a common **Socket API**





thank you!



IIT KHARAGPUR



NPTEL
NPTEL ONLINE
CERTIFICATION COURSES