

Martin Gugat

A Parametric View to the Mangasarian-Fromovitz Constraint Qualification

Bericht des European Child & Adolescent Psychiatry

Kurzfassung

To examine the inter-rater reliability and stability of autism spectrum disorder (ASD) diagnoses made at a very early age in children identified through a screening procedure around 14 months of age. In a prospective design, preschoolers were recruited from a screening study for ASD. The inter-rater reliability of the diagnosis of ASD was measured through an independent assessment of a randomly selected subsample of 38 patients by two other psychiatrists. The diagnoses at 23 months and 42 months of 131 patients, based on the clinical assessment and the diagnostic classifications of standardised instruments, were compared to evaluate stability of the diagnosis of ASD. Inter-rater reliability on a diagnosis of ASD versus non-ASD at 23 months was 87% with a weighted κ of 0.74 (SE 0.11). The stability of the different diagnoses in the autism spectrum was 63% for autistic disorder, 54% for pervasive developmental disorder, not otherwise specified (PDD-NOS), and 91% for the whole category of ASD. Most diagnostic changes at 42 months were within the autism spectrum from autistic disorder to PDD-NOS and were mainly due to diminished symptom severity. Children who moved outside the ASD category at 42 months made significantly larger gains in cognitive and language skills than children with a stable ASD diagnosis. In conclusion, the inter-rater reliability and stability of the diagnoses of ASD established at 23 months in this population-based sample of very young children are good.