



The University of the West Indies, St. Augustine
COMP 2603 Object Oriented Programming I
Assignment 1 Grade Sheet
2020/2021 Semester 2

Khaalis Delas (816007114)

26.32%

F3

Criteria	Mark
VirtualMeetingSystem	0.0
VirtualRoom	3.0
BreakoutRoom	9.0
Participant	3.0
Total (out of 57.0)	15.0

VirtualMeetingSystem Class

Failed 11/11.

Class	Should not be printed	0.0 / 1.0
-------	-----------------------	-----------

Should not be printed. Should not be printed.

Class	Should not be printed	0.0 / 1.0
-------	-----------------------	-----------

Should not be printed. Should not be printed.

Class	Should not be printed	0.0 / 1.0
-------	-----------------------	-----------

Should not be printed. Should not be printed.

Method	<code>addParticipant(String, int)</code>	0.0 / 2.0
--------	--	-----------

Is not defined. We expect your attribute, method or constructor to be defined in a particular way, but yours isn't or not defined at all.

Check <code>VirtualMeetingSystem()</code> constructor exists and is accessible	✓
--	---

Check <code>loadParticipantData(String)</code> method exists and is accessible	✓
--	---

Check <code>createVirtualRoom(String)</code> method exists and is accessible	✓
--	---

Check <code>openBreakoutRoom(int)</code> method exists and is accessible	✓
--	---

Check <code>public boolean addParticipant(String, int)</code> method exists and defined properly	✗
--	---

Method	<code>listParticipants(int)</code>	0.0 / 3.0
--------	------------------------------------	-----------

Is not testable because testing relies on the `addParticipant` method that is not defined. We expect your attribute, method or constructor to be defined in a particular way, but yours isn't or not defined at all.

Check <code>VirtualMeetingSystem()</code> constructor exists and is accessible	✓
--	---

Check <code>createVirtualRoom(String)</code> method exists and is accessible	✓
--	---

Check <code>openBreakoutRoom(int)</code> method exists and is accessible	✓
--	---

Check <code>addParticipant(String, int)</code> method exists and is accessible	✗
--	---

Class	Should not be printed	0.0 / 1.0
-------	-----------------------	-----------

Should not be printed. Should not be printed.

Class	Should not be printed	0.0 / 1.0
-------	-----------------------	-----------

Should not be printed. Should not be printed.

Class	Should not be printed	0.0 / 1.0
-------	-----------------------	-----------

Should not be printed. Should not be printed.

Class	Should not be printed	0.0 / 1.0
-------	-----------------------	-----------

Should not be printed. Should not be printed.

Method	<code>findParticipantBreakoutRoom(String)</code>	0.0 / 2.0
--------	--	-----------

Is not testable because testing relies on the `addParticipant` method that is not defined. We expect your attribute, method or constructor to be defined in a particular way, but yours isn't or not defined at all.

Check <code>VirtualMeetingSystem()</code> constructor exists and is accessible	✓
--	---

Check <code>createVirtualRoom(String)</code> method exists and is accessible	✓
--	---

Check <code>openBreakoutRoom(int)</code> method exists and is accessible	✓
--	---

Check <code>addParticipant(String, int)</code> method exists and is accessible	✗
--	---

Method	<code>listParticipantsInAllBreakoutRooms()</code>	0.0 / 2.0
--------	---	-----------

Is not testable because testing relies on the `addParticipant` method that is not defined. We expect your attribute, method or constructor to be defined in a particular way, but yours isn't or not defined at all.

Check <code>VirtualMeetingSystem()</code> constructor exists and is accessible	✓
--	---

Check <code>createVirtualRoom(String)</code> method exists and is accessible	✓
--	---

Check <code>openBreakoutRoom(int)</code> method exists and is accessible	✓
--	---

Check <code>addParticipant(String, int)</code> method exists and is accessible	✗
--	---

VirtualRoom Class

Passed 2/14; Partially passed 2/14; Failed 10/14.

Attribute	<code>breakoutRooms</code>	1.0 / 1.0
Attribute	<code>name</code>	1.0 / 1.0
Class	Should not be printed	0.0 / 1.0
Should not be printed. Should not be printed.		
Class	Should not be printed	0.0 / 1.0
Should not be printed. Should not be printed.		
Class	Should not be printed	0.0 / 1.0
Should not be printed. Should not be printed.		
Attribute	<code>breakoutRoomLimit</code>	0.0 / 1.0
Does not have final modifier. We expect your attribute or method to have the final keyword indicating that it is a constant attribute or an un-overridable method, but yours doesn't.		
Check <code>private final int breakoutRoomLimit</code> attribute exists and defined properly		✗
Class	Should not be printed	0.0 / 1.0
Should not be printed. Should not be printed.		
Class	Should not be printed	0.0 / 1.0
Should not be printed. Should not be printed.		
Class	Should not be printed	0.0 / 1.0
Should not be printed. Should not be printed.		
Class	Should not be printed	0.0 / 1.0
Should not be printed. Should not be printed.		
Class	Should not be printed	0.0 / 1.0

Should not be printed. Should not be printed.

Constructor

`VirtualRoom(String, int)`

0.5 / 2.0

Does not initialize the name attribute. We expect your constructor to initialize a particular set of instance attributes, but yours doesn't.

Check `public VirtualRoom(String, int)` constructor exists and defined properly

✓

Check `VirtualRoom(String, int)` constructor creates instances with args ("VirtualRoom", 10) +0.5

✓

Check name attribute equals "VirtualRoom"

✗

Constructor

`VirtualRoom(String)`

0.5 / 2.0

Does not initialize the name attribute. We expect your constructor to initialize a particular set of instance attributes, but yours doesn't.

Check `public VirtualRoom(String)` constructor exists and defined properly

✓

Check `VirtualRoom(String)` constructor creates instances with args ("VirtualRoom") +0.5

✓

Check name attribute equals "VirtualRoom"

✗

Method

`findParticipantBreakoutRoom(String)`

0.0 / 2.0

Is not defined. We expect your attribute, method or constructor to be defined in a particular way, but yours isn't or not defined at all.

Check `VirtualRoom(String)` constructor exists and is accessible

✓

Check `createBreakoutRooms()` method exists and is accessible

✓

Check `listParticipantsInBreakoutRoom(int)` method exists and is accessible

✓

Check `addParticipantToBreakoutRoom(String, int)` method exists and is accessible

✓

Check `public String findParticipantBreakoutRoom(String)` method exists and defined properly

✗

BreakoutRoom Class

Passed 7/16; Failed 9/16.

[illegible]

Should not be printed. Should not be printed.

Class	Should not be printed	0.0 / 1.0
-------	-----------------------	-----------

Should not be printed. Should not be printed.

Class	Should not be printed	0.0 / 1.0
-------	-----------------------	-----------

Should not be printed. Should not be printed.

Participant Class

Passed 2/5; Failed 3/5.

Attribute	participantID	1.0 / 1.0
-----------	---------------	-----------

Constructor	Participant(String)	2.0 / 2.0
-------------	---------------------	-----------

Class	Should not be printed	0.0 / 1.0
-------	-----------------------	-----------

Should not be printed. Should not be printed.

Class	Should not be printed	0.0 / 1.0
-------	-----------------------	-----------

Should not be printed. Should not be printed.

Class	Should not be printed	0.0 / 1.0
-------	-----------------------	-----------

Should not be printed. Should not be printed.