



: 2025-01-14 00:00:00

: <https://arxiv.org/pdf/2501.07857>

: 78

: 85

•

•

• - , € .

- , € , €

, - .  $f$

LLM

, - ,

” -

□

□

†

## ... ” : 1.

$$(\pm \frac{1}{2}, \frac{1}{2}), (\pm \frac{1}{2}, -\frac{1}{2}), (\pm \frac{1}{2}, \frac{3}{2}), (\pm \frac{1}{2}, -\frac{3}{2}).$$

(AST) ,  
LLM  $\pm \pm$  .

( , „ %<sub>00</sub> ) € (BSS).

API LLM - LLM  
 ‡  
 .  
 -  
 € (chain-of-thought)  
 (in-context learning),  
 ## :  
 ,  
 . •  
 LLM: € ‡ ‡ API  
 : Š  
 ‡ ‡ / Š  
 € , , LLM ‰  
 :  
 Š ‡ , €  
 „ ‹ "chain of thought" ( € )  
 „  
 - :  
 ‡ ,  
 ‡ Œ € - €  
 In-context learning ( ):  
 (one-shot learning) ‰  
 Œ API Š  
 € : - •  
 - Ž ,  
 - Š , LLM  
 , ‡ - • ‡  
 (AST) €  
 , „ €  
 .  
 ## : 1. Š  
 - € : • . Š  
 LLM, , ‡  
 ^ ,  
 : • . • €  
 . -

```

GPT ## ... ,
##

```

```

        - € . • , €
        :

        - €

One-shot learning -

        € - - " ##
Š ‡ - €

[=====] # ' : " „% ‡
        €

## ... - Œ € ‡
        ,
        .

## ... [=====]java public boolean processPayment(Customer customer,
double amount, PaymentMethod method) { if (customer == null || amount <= 0 || method
== null) { logger.error("Invalid payment parameters"); return false; }

Transaction transaction = new Transaction(customer.getId(), amount, method);

try { paymentGateway.authorize(transaction); customer.updateBalance(amount);
billingRepository.saveTransaction(transaction);
notificationService.sendPaymentConfirmation(customer, amount); return true; } catch
(PaymentException e) { logger.error("Payment failed: " + e.getMessage());
transaction.setStatus(TransactionStatus.FAILED);
billingRepository.saveTransaction(transaction); return false; } } [=====]

## „ Š € , „ ‡ , „ „%
„% : 1. • 2. , „ ‡ , „%
3. , - % ‡ 4. f - ‡
5. „ - , 6. € ... • • -
        ‡ 7. ‡ - ‡
        „

## Š , „ ( ‡ ) • :
calculateMonthlyBill , : customerId (String), billingPeriod (Period)
, : Bill ^ f :
€ ‡
        „ : 1. Š ‡ • 2.
        3. Š „ ‡ 4.
        - € 5. “ €
... • • : • ‡ : Š
        ‡ [=====]

## Š ‡ ‡

```

€  
 ‡  
 - ‡  
 ‡  
 •  
 (one-shot learning),  
 €  
 „%  
 -  
 €  
 ( ‡ )  
 ( ‡ )  
 €  
 ,  
 -  
 €  
 „  
 ,  
 €  
 -  
 €  
 .