

EXAM:;MRI OF THE LEFT KNEE WITHOUT  
CONTRAST,CLINICAL:;Left knee pain. Twisting  
injury.,FINDINGS:;The images reveal a sizable joint effusion.  
The joint effusion appears to be complex with mixed signal  
intensity material within. The patella is slightly laterally tilted  
towards the left. The mid portion of the patella cartilage shows  
some increased signal and focal injury to the patellar cartilage  
is suspected. Mildly increased bone signal overlying the  
inferolateral portion of the patella is identified. No significant  
degenerative changes about the patella can be seen. The  
quadriceps tendon as well as the infrapatellar ligament both  
look intact. There is some prepatellar soft tissue edema.,The  
bone signal shows a couple of small areas of cystic change in  
the proximal aspect of the tibia. NO significant areas of bone  
edema are appreciated.,There is soft tissue edema along the  
lateral aspect of the knee. There is a partial tear of the lateral  
collateral ligament complex. The medial collateral ligament  
complex looks intact. A small amount of edema is identified  
immediately adjacent to the medial collateral ligament  
complex.,The posterior cruciate ligament looks intact. The  
anterior cruciate ligament is thickened with significant  
increased signal. I suspect at least a high grade partial  
tear.,The posterior horn of the medial meniscus shows some  
myxoid degenerative changes. The posterior horn and  
anterior horn of the lateral meniscus likewise shows myxoid  
degenerative type changes. I don't see a definite tear  
extending to the articular surface.,IMPRESSION:;Sizeable  
joint effusion which is complex and may contain blood

products.,Myxoid degenerative type changes medial and lateral meniscus with no definite evidence of a tear.,Soft tissue swelling and partial tear of the lateral collateral ligament complex.,At least high grade partial tear of the anterior cruciate ligament with significant thickening and increased signal of this structure.,The posterior cruciate ligament is intact.,Injury to the patellar cartilage as above.