



American International University-Bangladesh
DEPARTMENT OF COMPUTER SCIENCE AND ENGINEERING
Dhaka, Bangladesh

00892 ADVANCE DATABASE MANAGEMENT SYSTEM
PROJECT Report
[B][SUMMER 22-23]

E-Sports Management System

Submitted by

Names of Students	ID
AJLAN HOSSAIN	19-39334-1
SHARIF HADI MAHATAB	20-43625-2
MD. SARAFAT ALI ADIR	20-41926-1
MEDHA CHOWDHURY	20-41930-1

Date of Submission

July 14, 2023

Submitted to

JUENA AHMED NOSHIN

Assistant Professor, Faculty

Department of Computer Science and Engineering
American International University-Bangladesh

Contribution

	AJRAN HOSSAIN	SHARIF HADI MAHATAB	MD. SARAFAT ALI ADIR	MEDHA CHOWDHURY	Contribution (%)
	<i>19-39334-1</i>	<i>20-43625-2</i>	<i>20-41926-1</i>	<i>20-41930-1</i>	
Diagram	40%	20%	0%	0%	60(%)
UI Design	50%	0%	0%	0%	50(%)
Normalization	50%	50%	0%	0%	100(%)
SQL Query	80%	0%	0%	0%	80(%)
Relational Algebra	0%	0%	100%	0%	100(%)
Report Writing	50%	30%	5%	0%	80(%)

Contents

1	Introduction	1
1.1	Project Proposal	1
1.1.1	Purposes	2
1.1.2	Methodology	2
1.2	Project Scenario	3
2	Diagrams	4
2.1	ER Diagram	4
2.2	Class Diagram	5
2.3	Use Case Diagram	6
2.4	Activity Diagram	7
3	User Interface	8
3.1	Technologies Used	8
3.1.1	Home Page	8
3.1.2	About Page	8
3.1.3	Login Page	9
3.1.4	Profile Page	9
3.1.5	Tournament Page	9
3.1.6	Team Page	10
3.1.7	Game Page	10
4	NF and Schema	11
4.1	Manage branch	11
4.1.1	(Admin \rightarrow Manager)	11
4.1.2	(Manager \rightarrow Finance)	12
4.1.3	(Manager \rightarrow Teams)	13
4.1.4	(SocialMedia \rightarrow ContentCreator)	14
4.2	Pay branch	16
4.2.1	(Finance \rightarrow SocialMedia)	16
4.2.2	(Finance \rightarrow organization)	17
4.3	Formed branch	18
4.3.1	(Teams \rightarrow Player)	18
4.4	Has branch	20
4.4.1	(Record \rightarrow Tournament)	20
4.4.2	(Tournament \rightarrow Game)	21
4.5	Participate branch	22
4.5.1	(Teams \rightarrow Game)	22
4.6	Host branch	23
4.6.1	(Organizer \rightarrow Tournament)	23
4.7	Sponsor branch	24
4.7.1	(Companies \rightarrow Organization)	24
4.7.2	(Companies \rightarrow Teams)	25
4.8	Temporary Tables	26
4.9	Final Tables	28
4.10	Schema Diagram	30

5	SQL Queries	31
5.1	Table Creation	31
5.2	Sequence Creation	44
5.3	Index for Table	45
5.4	Alter Table	46
5.5	Data Insertion	47
5.6	Single Row Functions	58
5.7	Group Functions	59
5.8	SubQuery	60
5.9	Join Queries	62
5.10	Creating View	64
5.11	Synonyms	65
6	Relational Algebra	66
7	Conclusion	67

Introduction

Esports Management System is an innovative platform that will revolutionize the management and organization of esports teams, participants, tournaments, and sponsors. This system seeks to provide users with an efficient and user-friendly way to search for their preferred professional esports players.

A user-friendly interface is at the core of the Esports Management System, allowing users to seamlessly navigate and explore the realm of professional esports. With only a few clicks, users can search for potential professional athletes and teams, as well as access valuable information such as their winning records and accomplishments. This enables fans and enthusiasts to remain up-to-date on their preferred players and teams, nurturing a stronger connection within the esports community.

The Esports Management System's ability to facilitate sponsorships is a crucial feature. Numerous organizations and businesses can engage in sponsorship activities, whether for the purpose of supporting tournaments or individual athletes. The system serves as a centralized repository where the information and details of these sponsors can be efficiently stored and managed. This facilitates the sponsorship process and ensures that sponsors and the esports industry collaborate effectively.

There are specialized administrators within the Esports Management System who play crucial roles in managing and enhancing the overall experience. The social media manager is among these supervisors; he or she supervises the organization's online presence and engagement on various social media platforms. In addition, the content creator/VFX/GFX team assures the creation of visually stunning and captivating content that enhances the overall esports experience.

Dynamic features and functionalities make the Esports Management System an indispensable instrument for the esports industry. It makes it easier for fans to discover and connect with professional esports players, allowing them to remain informed and engaged. It enhances collaboration between organizations and the esports community by providing a centralized platform for sponsorship management. In addition, the system enables administrators to enhance the organization's online presence and develop visually appealing content, ensuring that all stakeholders have an engaging experience.

In the following sections, we will delve deeper into the features, functionalities, and innovative aspects of the Esports Management System, demonstrating its potential to revolutionize the management and celebration of esports teams, players, tournaments, and sponsors.

1.1 Project Proposal

This proposal for the development and implementation of an Esports Management System is presented with pleasure. This revolutionary platform seeks to transform the management and organization of esports teams, players, tournaments, and sponsors. The Esports Management System will improve the user experience, encourage community engagement, and expedite operations within the esports industry by leveraging advanced technology and comprehensive functionalities.

1.1.1 Purposes

- Create an intuitive web-based platform that serves as the central hub for esports administration, catering to the requirements of teams, players, tournament organizers, and sponsors.
- Implement a sophisticated matching algorithm to facilitate the search and discovery of favored professional esports players, thereby enhancing the fan experience and fostering esports community connections.
- Provide efficient sponsorship administration capabilities, enabling organizations and businesses to support tournaments or individual athletes through sponsorship activities.
- Enhance the organization's online presence by supervising social media platforms and having the content creator/VFX/GFX team produce visually spectacular and engaging content.

1.1.2 Methodology

System Development:

- Conduct exhaustive investigation on the necessary requirements and features of an effective Esports Management System.
- Utilize industry-standard programming languages and technologies to create a scalable and secure web-based platform.
- Implement a user-friendly interface with intuitive navigation in order to provide a seamless and enjoyable user experience.

Matching Algorithm

- Collaboration with data scientists and psychologists to create a matching algorithm based on personality traits, values, and beliefs.
- Integrate the matching algorithm into the system to recommend professional esports players compatible with the user's preferences.

Sponsorship Management

- Create an all-encompassing sponsorship management module to facilitate collaborations between organizations and the esports industry.
- Provide a centralized repository for sponsor information to facilitate communication and sponsorship efficiency.

Online Presence Enhancement

- Appoint a social media manager to supervise the organization's online presence and interact with the esports community.
- Appoint a social media manager to supervise the organization's online presence and interact with the esports community.

1.2 Project Scenario

Imagine an eSports organization called "eSports FTW" that manages various teams and tournaments in the gaming industry. The organization is led by an Admin who oversees the operations. The Admin entity contains attributes such as email, picture, password, name, and a unique ID.

Under the Admin, there are multiple Managers responsible for different departments. Each Manager has attributes including hire date, picture, salary, email, name, department ID, and a unique ID. One Manager specifically manages the Finance department, ensuring financial stability and handling the accounts for the organization. The Finance entity consists of attributes such as a unique ID, account number, and balance.

In addition to managing the finances, each Manager is in charge of a specific team. The Teams entity includes details such as the team's established date, country, name, team ID, team icon, winning numbers, and total prize money. Each team has a unique Manager assigned to it, ensuring proper coordination and organization. The Manager entity is linked to the Teams entity through the Manager ID attribute.

Within each team, there are multiple Players who represent the organization in various games. The Players entity contains attributes such as name, player ID, picture, salary, winning prize money, total hours played, phone number, and address (including country, city, zip code, and road number). Additionally, players have links to their social media profiles on platforms like Facebook, Instagram, Twitter, and YouTube.

The organization hosts tournaments, bringing together teams from different games. The Tournament entity consists of attributes such as tournament ID, name, prize pool, starting date, and ending date. Each tournament features various games such as Valorant, Mobile Legends: Bang Bang (MLBB), and Rainbow Six Siege. The Game entity contains attributes like name, release date, genre, game picture, publisher, platform, game ID, and prize pool. Each tournament may have different games associated with it, creating diverse competitive environments.

To support the teams and tournaments financially, eSports FTW seeks sponsorships from different companies. The Companies entity includes attributes such as name, company ID, location, sponsor date, and phone number. Multiple companies can sponsor both teams and tournaments, forming a many-to-many relationship between the Companies, Teams, and Tournament entities.

Additionally, eSports FTW employs a Social Media Manager responsible for managing the organization's online presence. The Social Media Manager entity contains attributes such as name, picture, email, manager ID, hire date, salary, phone number, and social media links (Facebook, Instagram, Twitter, YouTube). The Social Media Manager oversees the VFX/GFX and Content Creator teams, ensuring engaging content creation and visual effects. The VFX/GFX and Content Creator entities include attributes like name, picture, VFX/GFX ID, email, phone number, salary, and address (country, city, zip code, and road number).


Diagrams

2.1 ER Diagram



ER Diagram

2.2 Class Diagram




Class Diagram

2.3 Use Case Diagram



Use Case Diagram

2.4 Activity Diagram



Activity Diagram

User Interface

3.1 Technologies Used

- SvelteKit
 - Tailwind CSS
-

3.1.1 Home Page



3.1.2 About Page



3.1.3 Login Page



The screenshot shows the login page of the E-Sports FTW website. The header includes the logo and navigation links for Tournament, Games, and Teams, along with a Login button. The main content area features a login form with fields for Email (containing 'yourname@email.com') and Password (containing '*****'). Below the fields are buttons for 'Sign In' and 'Forgot Password?'. The footer contains the copyright notice: '© 2023 E-SPORTS FTW. All rights reserved.'

3.1.4 Profile Page



The screenshot shows the profile page of the E-Sports FTW website. The header includes the logo and navigation links for Tournament, Games, Teams, and About, along with a Login button. The main content area features a profile card for 'Azran Hassan' with the email 'azran@gmail.com'. Below the profile card are sections for 'Change Name' and 'Change Password', each with an input field and a 'Save' button.

3.1.5 Tournament Page



The screenshot shows the tournament page of the E-Sports FTW website. The header includes the logo and navigation links for Tournament, Games, and Teams, along with a Login button. The main content area features a section titled 'Esports Events Statistics' with filters for Game, Game publisher, Year, and Teams. Below the filters is a search bar and a table of tournaments.

Name	Game	Prize Pool	Platform	Event Date
Tournament 1	Valorant	\$1000	PC	2022-01-01
Tournament 2	League of Legends	\$500	PC	2022-02-14
Tournament 3	Dota 2	\$2000	PC	2022-03-17
Tournament 4	Overwatch	\$150	PC	2022-04-20
Tournament 5	Fortnite	\$1000	PC	2022-05-23

The footer contains the copyright notice: '© 2023 E-SPORTS FTW. All rights reserved.'

3.1.6 Team Page

ESPORTS FTW Tournament Games Teams Login

Esports Events Statistics

Game: All Games

Search tournament by name

Name	Game	Prize Pool	Total Game	Location
Team 1	Valorant	\$1000	10	NYC
Team 2	Overwatch	\$2000	10	VST
Team 3	League of Legends	\$3000	10	LA
Team 4	Dota 2	\$4000	10	NYC
Team 5	Counter-Strike: Global Offensive	\$5000	10	NYC

5 Items 1-5 of 5

© 2023 E-SPORTS FTW. All rights reserved.

3.1.7 Game Page

ESPORTS FTW Tournament Games Teams Login

Top esports games in 2023 by prize money

Search games by name

Period by: 2023 Sort by: Prize

Name	Type	Prize Pool	Platform	Total Tournament
Valorant	FPS	\$1000	PC	10
League of Legends	MOBA	\$1000	PC	20
Fortnite	Battle Royale	\$2000	PC	15
Overwatch	FPS	\$3000	PC	12
Dota 2	MOBA	\$8000	PC	25

5 Items 1-5 of 5

© 2023 E-SPORTS FTW. All rights reserved.

Normalization and Schema Design

4.1 Manage branch

4.1.1 (Admin → Manager)

UNF

(Admin_ID, Admin_Name, Admin_Email, Admin_Password, Admin_Picture, Manager_ID, Manager_Name, Manager_Email, Manager_Password, Manager_Picture, Manager_Hiredate, Manager_Phone)

1NF

Phone is multi-valued attribute.

- (Admin_ID, Admin_Name, Admin_Email, Admin_Password, Admin_Picture, Manager_ID, Manager_Name, Manager_Email, Manager_Password, Manager_Picture, Manager_Hiredate, Manager_Phone)

2NF

- Admin_ID, Admin_Name, Admin_Email, Admin_Password, Admin_Picture
- Manager_ID, Manager_Name, Manager_Email, Manager_Password, Manager_Picture, Manager_Hiredate, Manager_Phone

3NF

No transitive dependencies found. Same as 2NF

Table after Normalization

- **Manager** (Manager_ID, Manager_Name, Manager_Email, Manager_Password, Manager_Picture, Manager_Hiredate, **Admin_ID**)
- **Admin** (Admin_ID, Admin_Name, Admin_Email, Admin_Password, Admin_Picture)
- **Manager_Phone** (Mp_ID, **Manager_ID**, Manager_Phone)

4.1.2 (Manager \rightarrow Finance)

UNF

(Manager_ID, Manager_Name, Manager_Email, Manager_Password, Manager_Picture, Manager_Hiredate, Manager_Phone, Finance_ID, Finance_Account_Number, Finance_Balance)

1NF

Phone is multi-valued attribute.

- (Manager_ID, Manager_Name, Manager_Email, Manager_Password, Manager_Picture, Manager_Hiredate, Manager_Phone, Finance_ID, Finance_Account_Number, Finance_Balance)

2NF

- **Manager**(Manager_ID, Manager_Name, Manager_Email, Manager_Password, Manager_Picture, Manager_Hiredate, Manager_Phone)
- **Finance**(Finance_ID, Finance_Account_Number, Finance_Balance)

3NF

No transitive dependency found. Same as 2NF.

Table after Normalization

- **Manager**(Manager_ID, Manager_Name, Manager_Email, Manager_Password, Manager_Picture, Manager_Hiredate)
- **Finance**(Finance_ID, Finance_Account_Number, Finance_Balance, **Manager_ID**)
- **Manager_Phone** (Manager_ID, **Manager_ID**, Manager_Phone)

4.1.3 (Manager \rightarrow Teams)

UNF

(Manager_ID, Manager_Name, Manager_Email, Manager_Password, Manager_Picture, Manager_Hiredate, Manager_Phone, Team_ID, Team_Name, Team_Icon, Team_established_date, Team_country, Total_Price_Money, Team_Winnig)

1NF

Winning & Phone are multi-valued attribute.

- (Manager_ID, Manager_Name, Manager_Email, Manager_Password, Manager_Picture, Manager_Hiredate, Manager_Phone, Team_ID, Team_Name, Team_Icon, Team_established_date, Team_country, Team_Total_Price_Money, Team_Winnig)

2NF

- **Manager**(Manager_ID, Manager_Name, Manager_Email, Manager_Password, Manager_Picture, Manager_Hiredate, Manager_Phone)
- **Team**(Team_ID, Team_Name, Team_Icon, Team_established_date, Total_Price_Money, Team_country)

3NF

No transitive dependency found. Same as 2NF.

Table after Normalization

- **Manager**(Manager_ID, Manager_Name, Manager_Email, Manager_Password, Manager_Picture, Manager_Hiredate)
- **Team**(Team_ID, Team_Name, Team_Icon, Team_established_date, Team_country, Total_Price_Money, **Manager_ID**)
- **Team_Winnig**(Tw_ID, **Team_ID**, Team_Winnig)
- **Manager_Phone**(Mp_ID, **Manager_ID**, Manager_Phone)

4.1.4 (SocialMedia → ContentCreator)

UNF

(SocialMedia_ID, SocialMedia_Name, SocialMedia_Email, SocialMedia_Password, SocialMedia_Picture, SocialMedia_Phone , SocialMedia_Hiredate , SocialMedia_Salary, ContentCreator_ID, ContentCreator_Name, ContentCreator_Email, ContentCreator_Password, ContentCreator_Picture, ContentCreator_Phone , ContentCreator_Hiredate , ContentCreator_Salary, ContentCreator_Facebook_Link, ContentCreator_Twitter_Link, ContentCreator_Instagram_Link, ContentCreator_Youtube_Link , ContentCreator_Country, ContentCreator_City, ContentCreator_Street, ContentCreator_Zip_Code)

1NF

Phone is multi-valued attribute.

- (SocialMedia_ID, SocialMedia_Name, SocialMedia_Email, SocialMedia_Password, SocialMedia_Picture, SocialMedia_Phone , SocialMedia_Hiredate , SocialMedia_Salary, ContentCreator_ID, ContentCreator_Name, ContentCreator_Email, ContentCreator_Password, ContentCreator_Picture, ContentCreator_Phone , ContentCreator_Hiredate , ContentCreator_Salary, ContentCreator_Facebook_Link, ContentCreator_Twitter_Link, ContentCreator_Instagram_Link, ContentCreator_Youtube_Link , ContentCreator_Country, ContentCreator_City, ContentCreator_Street, ContentCreator_Zip_Code)

2NF

- **SocialMedia** (SocialMedia_ID, SocialMedia_Name, SocialMedia_Email, SocialMedia_Password, SocialMedia_Picture, SocialMedia_Phone , SocialMedia_Hiredate , SocialMedia_Salary)
- **ContentCreator** (ContentCreator_ID, ContentCreator_Name, ContentCreator_Email, ContentCreator_Password, ContentCreator_Picture, ContentCreator_Phone , ContentCreator_Hiredate , ContentCreator_Salary, ContentCreator_Facebook_Link, ContentCreator_Twitter_Link, ContentCreator_Instagram_Link, ContentCreator_Youtube_Link , ContentCreator_Country, ContentCreator_City, ContentCreator_Street, ContentCreator_Zip_Code)

3NF

- **SocialMedia** SocialMedia_ID, SocialMedia_Name, SocialMedia_Email, SocialMedia_Password, SocialMedia_Picture , SocialMedia_Hiredate , SocialMedia_Salary)
- **ContentCreator** ContentCreator_ID, ContentCreator_Name, ContentCreator_Email, ContentCreator_Password, ContentCreator_Picture , ContentCreator_Hiredate , ContentCreator_Salary)
- **ContentCreator_SocialMedia** (**ContentCreator_ID**, **SocialMedia_ID** , ContentCreator_Facebook_Link, ContentCreator_Twitter_Link, ContentCreator_Instagram_Link, ContentCreator_Youtube_Link)
- **ContentCreator_Address** (**ContentCreator_ID**, ContentCreator_Country, ContentCreator_City, ContentCreator_Street, ContentCreator_Zip_Code)

Table after Normalization

- **SocialMedia** (SocialMedia_ID, SocialMedia_Name, SocialMedia_Email, SocialMedia_Password, SocialMedia_Picture , SocialMedia_Hiredate , SocialMedia_Salary)
- **ContentCreator** (ContentCreator_ID, ContentCreator_Name, ContentCreator_Email, ContentCreator_Password, ContentCreator_Picture , ContentCreator_Hiredate , ContentCreator_Salary)
- **ContentCreator_SocialMedia** (Ccs_ID, **ContentCreator_ID** , ContentCreator_Facebook_Link, ContentCreator_Twitter_Link, ContentCreator_Instagram_Link, ContentCreator_Youtube_Link)
- **ContentCreator_Address** (Cca_ID, **ContentCreator_ID**, ContentCreator_Country, ContentCreator_City, ContentCreator_Street, ContentCreator_Zip_Code)
- **ContentCreator_Phone** (Ccp_ID, **ContentCreator_ID**, ContentCreator_Phone)
- **SocialMedia_Phone** (Smp_ID, **SocialMedia_ID**, SocialMedia_Phone)
- **ContentCreator_SocialMedia_Phone** (Ccp_ID, **ContentCreator_ID**, ContentCreator_Phone)

4.2 Pay branch

4.2.1 (Finance \rightarrow SocialMedia)

UNF

(Finance_ID, Finance_Account_Number, Finance_Balance, SocialMedia_ID, SocialMedia_Name, SocialMedia_Email, SocialMedia_Password, SocialMedia_Picture, SocialMedia_Phone , SocialMedia_Hiredate , SocialMedia_Salary)

1NF

Phone is multi-valued attribute.

- (Finance_ID, Finance_Account_Number, Finance_Balance, SocialMedia_ID, SocialMedia_Name, SocialMedia_Email, SocialMedia_Password, SocialMedia_Picture, SocialMedia_Phone , SocialMedia_Hiredate , SocialMedia_Salary)

2NF

- **Finance**(Finance_ID, Finance_Account_Number, Finance_Balance)
- **SocialMedia**(SocialMedia_ID, SocialMedia_Name, SocialMedia_Email, SocialMedia_Password, SocialMedia_Picture, SocialMedia_Phone , SocialMedia_Hiredate , SocialMedia_Salary)

3NF

No transitive dependency found. Same as 2NF.

Table after Normalization

- **Finance**(Finance_ID, Finance_Account_Number, Finance_Balance)
- **SocialMedia**(SocialMedia_ID, SocialMedia_Name, SocialMedia_Email, SocialMedia_Password, SocialMedia_Picture , SocialMedia_Hiredate , SocialMedia_Salary, **Finance_ID**)
- **SocialMedia_Phone** (Smp_ID, **SocialMedia_ID**, SocialMedia_Phone)

4.2.2 (Finance \rightarrow organization)

UNF

(Finance_ID, Finance_Account_Number, Finance_Balance, Organization_ID, Organization_Name, Organization_Email, Organization_Password, Organization_Picture, Organization_Phone)

1NF

Phone is multi-valued attribute.

- (Finance_ID, Finance_Account_Number, Finance_Balance, Organization_ID, Organization_Name, Organization_Email, Organization_Password, Organization_Picture, Organization_Phone)

2NF

- **Finance**(Finance_ID, Finance_Account_Number, Finance_Balance)
- **Organization**(Organization_ID, Organization_Name, Organization_Email, Organization_Password, Organization_Picture, Organization_Phone)

3NF

No transitive dependency found. Same as 2NF.

Table after Normalization

- **Finance**(Finance_ID, Finance_Account_Number, Finance_Balance)
- **Organization**(Organization_ID, Organization_Name, Organization_Email, Organization_Password, Organization_Picture, Organization_Phone, **Finance_ID**)
- **Organization_Phone** (Op_ID, **Organization_ID**, Organization_Phone)

4.3 Formed branch

4.3.1 (Teams \rightarrow Player)

UNF

(Team_ID, Team_Name, Team_Icon, Team_established_date, Team_country, Total_Earning,

Team_Winnig, Player_ID, Player_Name, Player_Email, Player_Password, Player_Picture, Player_JoinDate, Player_Phone, Player_Salary, Player_Winnig_Money, Player_Play_Hours, Player_country, Player_City, Player_Street, Player_Zip_Code, Player_DOB, Player_Facebook_Link, Player_Instagram_Link, Player_Twitter_Link, Player_Youtube_Link)

1NF

Phone & Wining number are multi-valued attribute.

- (Team_ID, Team_Name, Team_Icon, Team_established_date, Team_country, Total_Earning, Team_Winnig, Player_ID, Player_Name, Player_Email, Player_Password, Player_Picture, Player_JoinDate, Player_Phone, Player_Salary, Player_Winnig_Money, Player_Play_Hours, Player_country, Player_City, Player_Street, Player_Zip_Code, Player_DOB, Player_Facebook_Link, Player_Instagram_Link, Player_Twitter_Link, Player_Youtube_Link)

2NF

- **Team**(Team_ID, Team_Name, Team_Icon, Team_established_date, Team_country, Total_Earning, Team_Winnig)
- **Player**(Player_ID, Player_Name, Player_Email, Player_Password, Player_Picture, Player_JoinDate, Player_Salary, Player_Winnig_Money, Player_Play_Hours, Player_country, Player_City, Player_Street, Player_Zip_Code, Player_DOB, Player_Facebook_Link, Player_Instagram_Link, Player_Twitter_Link, Player_Youtube_Link)

3NF

- **Team**(Team_ID, Team_Name, Team_Icon, Team_established_date, Team_country, Total_Earning, Team_Winnig)
- **Player**(Player_ID, Player_Name, Player_Email, Player_Password, Player_Picture, Player_JoinDate, Player_Salary, Player_Winnig_Money, Player_Play_Hours, Player_DOB)
- **Player_Address** (Pa_ID, **Player_ID**, Player_country, Player_City, Player_Street, Player_Zip_Code)
- **Player_Social_Link** (PsL_ID, **Player_ID**, Player_Facebook_Link, Player_Instagram_Link, Player_Twitter_Link, Player_Youtube_Link)

Table after Normalization

- **Team**(Team_ID, Team_Name, Team_Icon, Team_established_date, Team_country, Total_Earning, Team_Winnig)
- **Player**(Player_ID, Player_Name, Player_Email, Player_Password, Player_Picture, Player_JoinDate, Player_Salary, Player_Play_Hours, Player_DOB)

- **Player_Address** (Pa_ID, **Player_ID**, Player_country, Player_City, Player_Street, Player_Zip_Code)
- **Player_Social_Link** (Psl_ID, **Player_ID**, Player_Facebook_Link, Player_Instagram_Link, Player_Twitter_Link, Player_Youtube_Link)
- **Player_Phone** (Pp_ID, **Player_ID**, Player_Phone)
- **Player_Wining** (Pw_ID, **Player_ID**, Player_Winnig)
- **Player_Team** (Pt_ID, **Player_ID**, **Team_ID**)

4.4 Has branch

4.4.1 (Record \rightarrow Tournament)

UNF

(Record_ID, Record_Date, Record_Price_Pool, Tournament_ID, Tournament_Name, Tournament_StartingDate, Tournament_EndingDate, Tournament_Location, Tournament_Prize_Pool)

1NF

- (Record_ID, Record_Date, Record_Price_Pool, Tournament_ID, Tournament_Name, Tournament_StartingDate, Tournament_EndingDate, Tournament_Location, Tournament_Prize_Pool)

2NF

- **Record**(Record_ID, Record_Date, Record_Price_Pool, **Tournament_ID**)
- **Tournament**(Tournament_ID, Tournament_Name, Tournament_StartingDate, Tournament_EndingDate, Tournament_Location, Tournament_Prize_Pool)

3NF

No transitive dependency found. Same as 2NF.

Table after Normalization

- **Record**(Record_ID, Record_Date, Record_Price_Pool, **Tournament_ID**)
- **Tournament**(Tournament_ID, Tournament_Name, Tournament_StartingDate, Tournament_EndingDate, Tournament_Location, Tournament_Prize_Pool)

4.4.2 (Tournament → Game)

UNF

(Tournament_ID, Tournament_Name, Tournament_StartingDate, Tournament_EndingDate, Tournament_Location, Tournament_Prize_Pool, Game_ID, Game_Name, Game_Icon, Game_ReleaseDate, Game_Platform, Game_PricePool, Game_Genre, Game_Publisher)

1NF

- (Tournament_ID, Tournament_Name, Tournament_StartingDate, Tournament_EndingDate, Tournament_Location, Tournament_Prize_Pool, Game_ID, Game_Name, Game_Icon, Game_ReleaseDate, Game_Platform, Game_PricePool, Game_Genre, Game_Publisher)

2NF

- **Tournament**(Tournament_ID, Tournament_Name, Tournament_StartingDate, Tournament_EndingDate, Tournament_Location, Tournament_Prize_Pool)
- **Game**(Game_ID, Game_Name, Game_Icon, Game_ReleaseDate, Game_Platform, Game_PricePool, Game_Genre, Game_Publisher)

3NF

No transitive dependency found. Same as 2NF.

Table after Normalization

- **Tournament**(Tournament_ID, Tournament_Name, Tournament_StartingDate, Tournament_EndingDate, Tournament_Location, Tournament_Prize_Pool)
- **Game**(Game_ID, Game_Name, Game_Icon, Game_ReleaseDate, Game_Platform, Game_PricePool, Game_Genre, Game_Publisher)
- **Tournament_Game**(Tournament_ID, Game_ID)

4.5 Participate branch

4.5.1 (Teams \rightarrow Game)

UNF

(Team_ID, Team_Name, Team_Icon, Team_established_date, Team_country, Total_Earning, Team_Winnig, Game_ID, Game_Name, Game_Icon, Game_ReleaseDate, Game_Platform, Game_PricePool, Game_Genre, Game_Publisher)

1NF

- (Team_ID, Team_Name, Team_Icon, Team_established_date, Team_country, Total_Earning, Team_Winnig, Game_ID, Game_Name, Game_Icon, Game_ReleaseDate, Game_Platform, Game_PricePool, Game_Genre, Game_Publisher)

2NF

- **Team**(Team_ID, Team_Name, Team_Icon, Team_established_date, Team_country, Total_Earning, Team_Winnig)
- **Game**(Game_ID, Game_Name, Game_Icon, Game_ReleaseDate, Game_Platform, Game_PricePool, Game_Genre, Game_Publisher)

3NF

No transitive dependency found. Same as 2NF.

Table after Normalization

- **Team**(Team_ID, Team_Name, Team_Icon, Team_established_date, Team_country, Total_Earning, Team_Winnig)
- **Game**(Game_ID, Game_Name, Game_Icon, Game_ReleaseDate, Game_Platform, Game_PricePool, Game_Genre, Game_Publisher)
- **Team_Game**(Team_ID, Game_ID)

4.6 Host branch

4.6.1 (Organizer \rightarrow Tournament)

UNF

(Tournament_ID, Tournament_Name, Tournament_StartingDate, Tournament_EndingDate, Tournament_Location, Tournament_Prize_Pool, Organization_ID, Organization_Name, Organization_Email, Organization_Password, Organization_Picture, Organization_Phone)

1NF

Phone is a multi-valued attribute.

- (Tournament_ID, Tournament_Name, Tournament_StartingDate, Tournament_EndingDate, Tournament_Location, Tournament_Prize_Pool, Organization_ID, Organization_Name, Organization_Email, Organization_Password, Organization_Picture, Organization_Phone)

2NF

- **Tournament**(Tournament_ID, Tournament_Name, Tournament_StartingDate, Tournament_EndingDate, Tournament_Location, Tournament_Prize_Pool, Organization_ID)
- **Organization**(Organization_ID, Organization_Name, Organization_Email, Organization_Password, Organization_Picture, Organization_Phone)

3NF

No transitive dependency found. Same as 2NF.

Table after Normalization

- **Tournament**(Tournament_ID, Tournament_Name, Tournament_StartingDate, Tournament_EndingDate, Tournament_Location, Tournament_Prize_Pool, Organization_ID)
- **Organization**(Organization_ID, Organization_Name, Organization_Email, Organization_Password, Organization_Picture)
- **Organization_Phone**(Organization_ID, Organization_Phone)
- **Organization_Tournament**(Organization_ID, Tournament_ID)

4.7 Sponsor branch

4.7.1 (Companies \rightarrow Organization)

UNF

(Organization_ID, Organization_Name, Organization_Email, Organization_Picture, Organization_Phone, Company_ID, Company_Name, Company_Email, Company_Picture, Company_Phone, location)

1NF

phone is a multi-value attribute.

- (Organization_ID, Organization_Name, Organization_Email, Organization_Picture, Organization_Phone, Company_ID, Company_Name, Company_Email, Company_Picture, Company_Phone, location)

2NF

- **Organization**(Organization_ID, Organization_Name, Organization_Email, Organization_Picture, Organization_Phone, Company_ID)
- **Company**(Company_ID, Company_Name, Company_Email, Company_Picture, Company_Phone, location)

3NF

No transitive dependency found. Same as 2NF.

Table after Normalization

- **Organization**(Organization_ID, Organization_Name, Organization_Email, Organization_Picture, Company_ID)
- **Organization_Phone**(Organization_ID, Organization_Phone)
- **Company**(Company_ID, Company_Name, Company_Email, Company_Picture, Company_Phone, location)
- **Company_Phone**(Company_ID, Company_Phone)
- **Organization_Company**(Organization_ID, Company_ID)

4.7.2 (Companies \rightarrow Teams)

UNF

(Team_ID, Team_Name, Team_Icon, Team_established_date, Team_country, Total_Earning, Team_Winnig, Company_ID, Company_Name, Company_Email, Company_Password, Company_Picture, Company_Phone, Company_location)

1NF

Phone is multi-value attribute.

- (Team_ID, Team_Name, Team_Icon, Team_established_date, Team_country, Total_Earning, Team_Winnig, Company_ID, Company_Name, Company_Email, Company_Password, Company_Picture, Company_Phone, Company_location)

2NF

- **Team**(Team_ID, Team_Name, Team_Icon, Team_established_date, Team_country, Total_Earning, Team_Winnig)
- **Company**(Company_ID, Company_Name, Company_Email, Company_Password, Company_Picture, Company_Phone, Company_location)

3NF

No transitive dependency found. Same as 2NF.

Table after Normalization

- **Team**(Team_ID, Team_Name, Team_Icon, Team_established_date, Team_country, Total_Earning, Team_Winnig)
- **Company**(Company_ID, Company_Name, Company_Email, Company_Password, Company_Picture, Company_Phone, Company_location)
- **Team_Company**(Team_ID, Company_ID)
- **Company_Phone**(Company_ID, Company_Phone)

4.8 Temporary Tables

1. **Manager** (Manager_ID, Manager_Name, Manager_Email, Manager_Password, Manager_Picture, Manager_Hiredate, **Admin_ID**)
2. **Admin** (Admin_ID, Admin_Name, Admin_Email, Admin_Password, Admin_Picture)
3. **Manager_Phone** (Mp_ID, **Manager_ID**, Manager_Phone)
4. **Manager** (Manager_ID, Manager_Name, Manager_Email, Manager_Password, Manager_Picture, Manager_Hiredate)
5. **Finance** (Finance_ID, Finance_Account_Number, Finance_Balance, **Manager_ID**)
6. **Manager_Phone** (Mp_ID, **Manager_ID**, Manager_Phone)
7. **Manager** (Manager_ID, Manager_Name, Manager_Email, Manager_Password, Manager_Picture, Manager_Hiredate)
8. **Team** (Team_ID, Team_Name, Team_Icon, Team_established_date, Team_country, Total_Price_Money, **Manager_ID**)
9. **Team_Winnig** (Tw_ID, **Team_ID**, Team_Winnig)
10. **Manager_Phone** (Mp_ID, **Manager_ID**, Manager_Phone)
11. **SocialMedia** (SocialMedia_ID, SocialMedia_Name, SocialMedia_Email, SocialMedia_Password, SocialMedia_Picture , SocialMedia_Hiredate , SocialMedia_Salary)
12. **ContentCreator** (ContentCreator_ID, ContentCreator_Name, ContentCreator_Email, ContentCreator_Password, ContentCreator_Picture , ContentCreator_Hiredate , ContentCreator_Salary)
13. **ContentCreator_SocialMedia** (Ccs_ID, **ContentCreator_ID** , ContentCreator_Facebook_Link, ContentCreator_Twitter_Link, ContentCreator_Instagram_Link, ContentCreator_Youtube_Link)
14. **ContentCreator_Address** (Cca_ID, **ContentCreator_ID**, ContentCreator_Country, ContentCreator_City, ContentCreator_Street, ContentCreator_Zip_Code)
15. **ContentCreator_Phone** (Ccp_ID, **ContentCreator_ID**, ContentCreator_Phone)
16. **SocialMedia_Phone** (Smp_ID, **SocialMedia_ID**, SocialMedia_Phone)
17. **Finance** (Finance_ID, Finance_Account_Number, Finance_Balance)
18. **Organization** (Organization_ID, Organization_Name, Organization_Email, Organization_Password, Organization_Picture, Organization_Phone, **Finance_ID**)
19. **Organization_Phone** (Op_ID, **Organization_ID**, Organization_Phone)
20. **Finance** (Finance_ID, Finance_Account_Number, Finance_Balance)
21. **SocialMedia** (SocialMedia_ID, SocialMedia_Name, SocialMedia_Email, SocialMedia_Password, SocialMedia_Picture , SocialMedia_Hiredate , SocialMedia_Salary, **Finance_ID**)
22. **SocialMedia_Phone** (Smp_ID, **SocialMedia_ID**, SocialMedia_Phone)

23. ~~**Team**(Team_ID, Team_Name, Team_Icon, Team_established_date, Team_country, Total_Earning, Team_Winnig)~~
24. **Player**(Player_ID, Player_Name, Player_Email, Player_Password, Player_Picture, Player_JoinDate, Player_Salary, Player_Play_Hours, Player_DOB)
25. **Player_Address** (Pa_ID, **Player_ID**, Player_country, Player_City, Player_Street, Player_Zip_Code)
26. **Player_Social_Link** (Psl_ID, **Player_ID**, Player_Facebook_Link, Player_Instagram_Link, Player_Twitter_Link, Player_Youtube_Link)
27. **Player_Phone** (Pp_ID, **Player_ID**, Player_Phone)
28. **Player_Wining** (Pw_ID, **Player_ID**, Player_Winnig)
29. **Player_Team** (Pt_ID, **Player_ID**, **Team_ID**)
30. **Record**(Record_ID, Record_Date, Record_Price_Pool, **Tournament_ID**)
31. **Tournament**(Tournament_ID, Tournament_Name, Tournament_StartingDate, Tournament_EndingDate, Tournament_Location, Tournament_Prize_Pool)
32. **Tournament**(Tournament_ID, Tournament_Name, Tournament_StartingDate, Tournament_EndingDate, Tournament_Location, Tournament_Prize_Pool)
33. **Game**(Game_ID, Game_Name, Game_Icon, Game_ReleaseDate, Game_Platform, Game_PricePool, Game_Genre, Game_Publisher)
34. **Tournament_Game**(Tournament_ID, Game_ID)
35. **Tournament**(Tournament_ID, Tournament_Name, Tournament_StartingDate, Tournament_EndingDate, Tournament_Location, Tournament_Prize_Pool, Organization_ID)
36. ~~**Organization**(Organization_ID, Organization_Name, Organization_Email, Organization_Password, Organization_Picture)~~
37. ~~**Organization_Phone**(Organization_ID, Organization_Phone)~~
38. ~~**Organization_Tournament**(Organization_ID, Tournament_ID)~~
39. ~~**Team**(Team_ID, Team_Name, Team_Icon, Team_established_date, Team_country, Total_Earning, Team_Winnig)~~
40. ~~**Game**(Game_ID, Game_Name, Game_Icon, Game_ReleaseDate, Game_Platform, Game_PricePool, Game_Genre, Game_Publisher)~~
41. **Team_Game**(Team_ID, Game_ID)
42. ~~**Organization**(Organization_ID, Organization_Name, Organization_Email, Organization_Picture, Company_ID)~~
43. ~~**Organization_Phone**(Organization_ID, Organization_Phone)~~
44. **Company**(Company_ID, Company_Name, Company_Email, Company_Picture, Company_Phone, location)

45. **Company_Phone**(Company_ID, Company_Phone)
46. **Organization_Company**(Organization_ID, Company_ID)
47. ~~**Team**(Team_ID, Team_Name, Team_Icon, Team_established_date, Team_country, Total_Earning, Team_Winnig)~~
48. ~~**Company**(Company_ID, Company_Name, Company_Email, Company_Password, Company_Picture, Company_Phone, Company_Location)~~
49. **Team_Company**(Team_ID, Company_ID)
50. ~~**Company_Phone**(Company_ID, Company_Phone)~~

4.9 Final Tables

1. **Manager** (Manager_ID, Manager_Name, Manager_Email, Manager_Password, Manager_Picture, Manager_Hiredate, **Admin_ID**)
2. **Admin** (Admin_ID, Admin_Name, Admin_Email, Admin_Password, Admin_Picture)
3. **Manager_Phone** (Mp_ID, **Manager_ID**, Manager_Phone)
4. **Finance**(Finance_ID, Finance_Account_Number, Finance_Balance, **Manager_ID**)
5. **Team**(Team_ID, Team_Name, Team_Icon, Team_established_date, Team_country, Total_Price_Money, **Manager_ID**)
6. **Team_Winnig**(Tw_ID, **Team_ID**, Team_Winnig)
7. **SocialMedia** (SocialMedia_ID, SocialMedia_Name, SocialMedia_Email, SocialMedia_Password, SocialMedia_Picture , SocialMedia_Hiredate , SocialMedia_Salary)
8. **ContentCreator** (ContentCreator_ID, ContentCreator_Name, ContentCreator_Email, ContentCreator_Password, ContentCreator_Picture , ContentCreator_Hiredate , ContentCreator_Salary)
9. **ContentCreator_SocialMedia** (Ccs_ID, **ContentCreator_ID** , ContentCreator_Facebook_Link, ContentCreator_Twitter_Link, ContentCreator_Instagram_Link, ContentCreator_Youtube_Link)
10. **ContentCreator_Address** (Cca_ID, **ContentCreator_ID**, ContentCreator_Country, ContentCreator_City, ContentCreator_Street, ContentCreator_Zip_Code)
11. **ContentCreator_Phone** (Ccp_ID, **ContentCreator_ID**, ContentCreator_Phone)
12. **SocialMedia_Phone** (Smp_ID, **SocialMedia_ID**, SocialMedia_Phone)

13. **Organization**(Organization_ID, Organization_Name, Organization_Email, Organization_Password, Organization_Picture, Organization_Phone, **Finance_ID**)
14. **Organization_Phone** (Op_ID, **Organization_ID**, Organization_Phone)
15. **Player**(Player_ID, Player_Name, Player_Email, Player_Password, Player_Picture, Player_JoinDate, Player_Salary, Player_Play_Hours, Player_DOB)
16. **Player_Address** (Pa_ID, **Player_ID**, Player_country, Player_City, Player_Street, Player_Zip_Code)
17. **Player_Social_Link** (Psl_ID, **Player_ID**, Player_Facebook_Link, Player_Instagram_Link, Player_Twitter_Link, Player_Youtube_Link)
18. **Player_Phone** (Pp_ID, **Player_ID**, Player_Phone)
19. **Player_Wining** (Pw_ID, **Player_ID**, Player_Winnig)
20. **Player_Team** (Pt_ID, **Player_ID**, **Team_ID**)
21. **Record**(Record_ID, Record_Date, Record_Price_Pool, **Tournament_ID**)
22. **Tournament**(Tournament_ID, Tournament_Name, Tournament_StartingDate, Tournament_EndingDate, Tournament_Location, Tournament_Prize_Pool)
23. **Game**(Game_ID, Game_Name, Game_Icon, Game_ReleaseDate, Game_Platform, Game_PricePool, Game_Genre, Game_Publisher)
24. **Tournament_Game**(Tournament_ID, Game_ID)
25. **Organization_Tournament**(Organization_ID, Tournament_ID)
26. **Team_Game**(Team_ID, Game_ID)
27. **Company**(Company_ID, Company_Name, Company_Email, Company_Picture, Company_Phone, location)
28. **Company_Phone**(Company_ID, Company_Phone)
29. **Organization_Company**(Organization_ID, Company_ID)
30. **Team_Company**(Team_ID, Company_ID)



SQL Queries

5.1 Table Creation

```
1 CREATE TABLE Admin (  
2     Admin_ID INT PRIMARY KEY,  
3     Admin_Name VARCHAR(100),  
4     Admin_Email VARCHAR(100),  
5     Admin_Password VARCHAR(100),  
6     Admin_Picture VARCHAR(100)  
7 );
```

Create Admin table

Results	Explain	Describe	Saved SQL		History				
Object Type			TABLE ?		Object		ADMIN ?		
Table	Column	Data Type	Length	Precision	Scale	Primary Key	Nullable	Default	Comment
ADMIN	ADMIN_ID	NUMBER	22	-	0	1	-	-	-
	ADMIN_NAME	VARCHAR2	100	-	-	-	✓	-	-
	ADMIN_EMAIL	VARCHAR2	100	-	-	-	✓	-	-
	ADMIN_PASSWORD	VARCHAR2	100	-	-	-	✓	-	-
	ADMIN_PICTURE	VARCHAR2	100	-	-	-	✓	-	-

Admin table description

```
1 CREATE TABLE Manager (  
2     Manager_ID INT PRIMARY KEY,  
3     Manager_Name VARCHAR(100),  
4     Manager_Email VARCHAR(100),  
5     Manager_Password VARCHAR(100),  
6     Manager_Picture VARCHAR(100),  
7     Manager_Hiredate DATE,  
8     Admin_ID INT,  
9     FOREIGN KEY (Admin_id) REFERENCES Manager (Admin_ID)  
10 );
```

Create Manager table

Object Type		TABLE ?	Object		MANAGER ?				
Table	Column	Data Type	Length	Precision	Scale	Primary Key	Nullable	Default	Comment
MANAGER	MANAGER_ID	NUMBER	22	-	0	1	-	-	-
	MANAGER_NAME	VARCHAR2	100	-	-	-	✓	-	-
	MANAGER_EMAIL	VARCHAR2	100	-	-	-	✓	-	-
	MANAGER_PASSWORD	VARCHAR2	100	-	-	-	✓	-	-
	MANAGER_PICTURE	VARCHAR2	100	-	-	-	✓	-	-
	MANAGER_HIREDATE	DATE	7	-	-	-	✓	-	-
	ADMIN_ID	NUMBER	22	-	0	-	✓	-	-

Manager table description

```

1 CREATE TABLE Manager_Phone (
2     Mp_ID INT PRIMARY KEY,
3     Manager_ID INT,
4     Manager_Phone VARCHAR(20),
5     FOREIGN KEY (Manager_ID) REFERENCES Manager (Manager_ID)
6 );

```

Create Manager Phone table

Results	Explain	Describe	Saved SQL	History					
Object Type TABLE ? Object MANAGER_PHONE ?									
Table	Column	Data Type	Length	Precision	Scale	Primary Key	Nullable	Default	Comment
MANAGER_PHONE	MP_ID	NUMBER	22	-	0	1	-	-	-
	MANAGER_ID	NUMBER	22	-	0	-	✓	-	-
	MANAGER_PHONE	VARCHAR2	20	-	-	-	✓	-	-

Manager Phone table description

```

1 CREATE TABLE Finance (
2     Finance_ID INT PRIMARY KEY,
3     Finance_Account_Number VARCHAR(100),
4     Finance_Balance DECIMAL(10, 2),
5     Manager_ID INT,
6     FOREIGN KEY (Manager_ID) REFERENCES Manager (Manager_ID)
7 );

```

Create Finance table

Results	Explain	Describe	Saved SQL		History				
Object Type		TABLE ?	Object		FINANCE ?				
Table	Column	Data Type	Length	Precision	Scale	Primary Key	Nullable	Default	Comment
FINANCE	FINANCE_ID	NUMBER	22	-	0	1	-	-	-
	FINANCE_ACCOUNT_NUMBER	VARCHAR2	100	-	-	-	✓	-	-
	FINANCE_BALANCE	NUMBER	-	10	2	-	✓	-	-
	MANAGER_ID	NUMBER	22	-	0	-	✓	-	-

Finance table description

```

1 CREATE TABLE Team (
2     Team_ID INT PRIMARY KEY,
3     Team_Name VARCHAR(100),
4     Team_Icon VARCHAR(100),
5     Team_Established_Date DATE,
6     Team_Country VARCHAR(100),
7     Total_Price_Money DECIMAL(10, 2),
8     Manager_ID INT,
9     FOREIGN KEY (Manager_ID) REFERENCES Manager (Manager_ID)
10 );

```

Create Team table

Results	Explain	Describe	Saved SQL	History					
Object Type		TABLE ?	Object		TEAM ?				
Table	Column	Data Type	Length	Precision	Scale	Primary Key	Nullable	Default	Comment
TEAM	TEAM_ID	NUMBER	22	-	0	1	-	-	-
	TEAM_NAME	VARCHAR2	100	-	-	-	✓	-	-
	TEAM_ICON	VARCHAR2	100	-	-	-	✓	-	-
	TEAM_ESTABLISHED_DATE	DATE	7	-	-	-	✓	-	-
	TEAM_COUNTRY	VARCHAR2	100	-	-	-	✓	-	-
	TOTAL_PRICE_MONEY	NUMBER	-	10	2	-	✓	-	-
	MANAGER_ID	NUMBER	22	-	0	-	✓	-	-

Team table description

```

1 CREATE TABLE Team_Winning (
2     Tw_ID INT PRIMARY KEY,
3     Team_ID INT,
4     Team_Winning VARCHAR(100),
5     FOREIGN KEY (Team_ID) REFERENCES Team (Team_ID)
6 );

```

Create Team Winning table

Results	Explain	Describe	Saved SQL		History				
Object Type		TABLE ?	Object		TEAM_WINNING ?				
Table	Column	Data Type	Length	Precision	Scale	Primary Key	Nullable	Default	Comment
TEAM_WINNING	TW_ID	NUMBER	22	-	0	1	-	-	-
	TEAM_ID	NUMBER	22	-	0	-	✓	-	-
	TEAM_WINNING	VARCHAR2	100	-	-	-	✓	-	-

Team Winning table description

```

1 CREATE TABLE SocialMedia (
2     SocialMedia_ID INT PRIMARY KEY,
3     SocialMedia_Name VARCHAR(100),
4     SocialMedia_Email VARCHAR(100),
5     SocialMedia_Password VARCHAR(100),
6     SocialMedia_Picture VARCHAR(100),
7     SocialMedia_Hiredate DATE,
8     SocialMedia_Salary DECIMAL(10, 2),
9     Manager_ID INT,
10    FOREIGN KEY (Manager_ID) REFERENCES Manager (Manager_ID)
11 );

```

Create SocialMedia table

Results	Explain	Describe	Saved SQL	History					
Object Type		TABLE ?	Object	SOCIALMEDIA ?					
Table	Column	Data Type	Length	Precision	Scale	Primary Key	Nullable	Default	Comment
SOCIALMEDIA	SOCIALMEDIA_ID	NUMBER	22	-	0	1	-	-	-
	SOCIALMEDIA_NAME	VARCHAR2	100	-	-	-	✓	-	-
	SOCIALMEDIA_EMAIL	VARCHAR2	100	-	-	-	✓	-	-
	SOCIALMEDIA_PASSWORD	VARCHAR2	100	-	-	-	✓	-	-
	SOCIALMEDIA_PICTURE	VARCHAR2	100	-	-	-	✓	-	-
	SOCIALMEDIA_HIREDATE	DATE	7	-	-	-	✓	-	-
	SOCIALMEDIA_SALARY	NUMBER	-	10	2	-	✓	-	-
	MANAGER_ID	NUMBER	22	-	0	-	✓	-	-

SocialMedia table description

```

1 CREATE TABLE ContentCreator (
2     ContentCreator_ID INT PRIMARY KEY,
3     ContentCreator_Name VARCHAR(100),
4     ContentCreator_Email VARCHAR(100),
5     ContentCreator_Password VARCHAR(100),
6     ContentCreator_Picture VARCHAR(100),
7     ContentCreator_Hiredate DATE,
8     ContentCreator_Salary DECIMAL(10, 2),
9     SocialMedia_ID INT,
10    FOREIGN KEY (SocialMedia_ID) REFERENCES SocialMedia (SocialMedia_ID)
11 );

```

Create ContentCreator table

Results	Explain	Describe	Saved SQL	History					
Object Type		TABLE ?	Object	CONTENTCREATOR ?					
Table	Column	Data Type	Length	Precision	Scale	Primary Key	Nullable	Default	Comment
CONTENTCREATOR	CONTENTCREATOR_ID	NUMBER	22	-	0	1	-	-	-
	CONTENTCREATOR_NAME	VARCHAR2	100	-	-	-	✓	-	-
	CONTENTCREATOR_EMAIL	VARCHAR2	100	-	-	-	✓	-	-
	CONTENTCREATOR_PASSWORD	VARCHAR2	100	-	-	-	✓	-	-
	CONTENTCREATOR_PICTURE	VARCHAR2	100	-	-	-	✓	-	-
	CONTENTCREATOR_HIREDATE	DATE	7	-	-	-	✓	-	-
	CONTENTCREATOR_SALARY	NUMBER	-	10	2	-	✓	-	-
	SOCIALMEDIA_ID	NUMBER	22	-	0	-	✓	-	-

ContentCreator table description

```

1 CREATE TABLE ContentCreator_SocialMedia (
2     Ccs_ID INT PRIMARY KEY,
3     ContentCreator_ID INT,
4     ContentCreator_Facebook_Link VARCHAR(100),
5     ContentCreator_Twitter_Link VARCHAR(100),
6     ContentCreator_Instagram_Link VARCHAR(100),
7     ContentCreator_Youtube_Link VARCHAR(100),
8     FOREIGN KEY (ContentCreator_ID) REFERENCES ContentCreator (ContentCreator_ID)
9 );

```

Create ContentCreator SocialMedia table

Results	Explain	Describe	Saved SQL	History					
Object Type		TABLE ?	Object		CONTENTCREATOR_SOCIALMEDIA ?				
Table	Column	Data Type	Length	Precision	Scale	Primary Key	Nullable	Default	Comment
CONTENTCREATOR_SOCIALMEDIA	CCS_ID	NUMBER	22	-	0	1	-	-	-
	CONTENTCREATOR_ID	NUMBER	22	-	0	-	✓	-	-
	CONTENTCREATOR_FACEBOOK_LINK	VARCHAR2	100	-	-	-	✓	-	-
	CONTENTCREATOR_TWITTER_LINK	VARCHAR2	100	-	-	-	✓	-	-
	CONTENTCREATOR_INSTAGRAM_LINK	VARCHAR2	100	-	-	-	✓	-	-
	CONTENTCREATOR_YOUTUBE_LINK	VARCHAR2	100	-	-	-	✓	-	-

ContentCreator SocialMedia table description

```

1 CREATE TABLE ContentCreator_Address (
2   Cca_ID INT PRIMARY KEY,
3   ContentCreator_ID INT,
4   ContentCreator_Country VARCHAR(100),
5   ContentCreator_City VARCHAR(100),
6   ContentCreator_Street VARCHAR(100),
7   ContentCreator_Zip_Code VARCHAR(20),
8   FOREIGN KEY (ContentCreator_ID) REFERENCES ContentCreator (ContentCreator_ID)
9 );

```

Create ContentCreator Address table

Results	Explain	Describe	Saved SQL	History					
Object Type		TABLE ⓘ	Object		CONTENTCREATOR_ADDRESS ⓘ				
Table	Column	Data Type	Length	Precision	Scale	Primary Key	Nullable	Default	Comment
CONTENTCREATOR_ADDRESS	CCA_ID	NUMBER	22	-	0	1	-	-	-
	CONTENTCREATOR_ID	NUMBER	22	-	0	-	✓	-	-
	CONTENTCREATOR_COUNTRY	VARCHAR2	100	-	-	-	✓	-	-
	CONTENTCREATOR_CITY	VARCHAR2	100	-	-	-	✓	-	-
	CONTENTCREATOR_STREET	VARCHAR2	100	-	-	-	✓	-	-
	CONTENTCREATOR_ZIP_CODE	VARCHAR2	20	-	-	-	✓	-	-

ContentCreator Address table description

```

1 CREATE TABLE ContentCreator_Phone (
2   Ccp_ID INT PRIMARY KEY,
3   ContentCreator_ID INT,
4   ContentCreator_Phone VARCHAR(20),
5   FOREIGN KEY (ContentCreator_ID) REFERENCES ContentCreator (ContentCreator_ID)
6 );

```

Create ContentCreator Phone table

```

1 CREATE TABLE SocialMedia_Phone (
2     Smp_ID INT PRIMARY KEY,
3     SocialMedia_ID INT,
4     SocialMedia_Phone VARCHAR(20),
5     FOREIGN KEY (SocialMedia_ID) REFERENCES SocialMedia (SocialMedia_ID)
6 );

```

Create SocialMedia Phone table

Results	Explain	Describe	Saved SQL		History				
Object Type		TABLE ?	Object		SOCIALMEDIA_PHONE ?				
Table	Column	Data Type	Length	Precision	Scale	Primary Key	Nullable	Default	Comment
SOCIALMEDIA_PHONE	SMP_ID	NUMBER	22	-	0	1	-	-	-
	SOCIALMEDIA_ID	NUMBER	22	-	0	-	✓	-	-
	SOCIALMEDIA_PHONE	VARCHAR2	20	-	-	-	✓	-	-

SocialMedia Phone table description

```

1 CREATE TABLE Organization (
2     Organization_ID INT PRIMARY KEY,
3     Organization_Name VARCHAR(100),
4     Organization_Email VARCHAR(100),
5     Organization_Password VARCHAR(100),
6     Organization_Picture VARCHAR(100),
7     Organization_Phone VARCHAR(20),
8     Finance_ID INT,
9     FOREIGN KEY (Finance_ID) REFERENCES Finance (Finance_ID)
10 );

```

Create Organization table

Results	Explain	Describe	Saved SQL	History					
Object Type		TABLE ?	Object						
			ORGANIZATION ?						
Table	Column	Data Type	Length	Precision	Scale	Primary Key	Nullable	Default	Comment
ORGANIZATION	ORGANIZATION_ID	NUMBER	22	-	0	1	-	-	-
	ORGANIZATION_NAME	VARCHAR2	100	-	-	-	✓	-	-
	ORGANIZATION_EMAIL	VARCHAR2	100	-	-	-	✓	-	-
	ORGANIZATION_PASSWORD	VARCHAR2	100	-	-	-	✓	-	-
	ORGANIZATION_PICTURE	VARCHAR2	100	-	-	-	✓	-	-
	ORGANIZATION_PHONE	VARCHAR2	20	-	-	-	✓	-	-
	FINANCE_ID	NUMBER	22	-	0	-	✓	-	-

Organization table description

```

1 CREATE TABLE Organization_Phone (
2     Op_ID INT PRIMARY KEY,
3     Organization_ID INT,
4     Organization_Phone VARCHAR(20),
5     FOREIGN KEY (Organization_ID) REFERENCES Organization (Organization_ID)
6 );

```

Create Organization Phone table

Results	Explain	Describe	Saved SQL	History					
Object Type TABLE ? Object ORGANIZATION_PHONE ?									
Table	Column	Data Type	Length	Precision	Scale	Primary Key	Nullable	Default	Comment
ORGANIZATION_PHONE	OP_ID	NUMBER	22	-	0	1	-	-	-
	ORGANIZATION_ID	NUMBER	22	-	0	-	✓	-	-
	ORGANIZATION_PHONE	VARCHAR2	20	-	-	-	✓	-	-

Organization Phone table description

```

1 CREATE TABLE Player (
2     Player_ID INT PRIMARY KEY,
3     Player_Name VARCHAR(100),
4     Player_Email VARCHAR(100),
5     Player_Password VARCHAR(100),
6     Player_Picture VARCHAR(100),
7     Player_JoinDate DATE,
8     Player_Salary DECIMAL(10, 2),
9     Player_Play_Hours INT,
10    Player_DOB DATE
11 );

```

Create Player table

Results	Explain	Describe	Saved SQL	History					
Object Type		TABLE ?	Object		PLAYER ?				
Table	Column	Data Type	Length	Precision	Scale	Primary Key	Nullable	Default	Comment
PLAYER	PLAYER_ID	NUMBER	22	-	0	1	-	-	-
	PLAYER_NAME	VARCHAR2	100	-	-	-	✓	-	-
	PLAYER_EMAIL	VARCHAR2	100	-	-	-	✓	-	-
	PLAYER_PASSWORD	VARCHAR2	100	-	-	-	✓	-	-
	PLAYER_PICTURE	VARCHAR2	100	-	-	-	✓	-	-
	PLAYER_JOINDATE	DATE	7	-	-	-	✓	-	-
	PLAYER_SALARY	NUMBER	-	10	2	-	✓	-	-
	PLAYER_PLAY_HOURS	NUMBER	22	-	0	-	✓	-	-
	PLAYER_DOB	DATE	7	-	-	-	✓	-	-

Player table description

```

1 CREATE TABLE Player_Address (
2     Pa_ID INT PRIMARY KEY,
3     Player_ID INT,
4     Player_Country VARCHAR(100),
5     Player_City VARCHAR(100),
6     Player_Street VARCHAR(100),
7     Player_Zip_Code VARCHAR(20),
8     FOREIGN KEY (Player_ID) REFERENCES Player (Player_ID)
9 );

```

Create Player Address table

Results	Explain	Describe	Saved SQL	History					
Object Type		TABLE ?	Object		PLAYER_ADDRESS ?				
Table	Column	Data Type	Length	Precision	Scale	Primary Key	Nullable	Default	Comment
PLAYER_ADDRESS	PA_ID	NUMBER	22	-	0	1	-	-	-
	PLAYER_ID	NUMBER	22	-	0	-	✓	-	-
	PLAYER_COUNTRY	VARCHAR2	100	-	-	-	✓	-	-
	PLAYER_CITY	VARCHAR2	100	-	-	-	✓	-	-
	PLAYER_STREET	VARCHAR2	100	-	-	-	✓	-	-
	PLAYER_ZIP_CODE	VARCHAR2	20	-	-	-	✓	-	-

Player Address table description

```

1 CREATE TABLE Player_Social_Link (
2     Psl_ID INT PRIMARY KEY,
3     Player_ID INT,
4     Player_Facebook_Link VARCHAR(100),
5     Player_Instagram_Link VARCHAR(100),
6     Player_Twitter_Link VARCHAR(100),
7     Player_Youtube_Link VARCHAR(100),
8     FOREIGN KEY (Player_ID) REFERENCES Player (Player_ID)
9 );

```

Create Player Social Link table

Results	Explain	Describe	Saved SQL	History					
Object Type		TABLE ?	Object		PLAYER_SOCIAL_LINK ?				
Table	Column	Data Type	Length	Precision	Scale	Primary Key	Nullable	Default	Comment
PLAYER_SOCIAL_LINK	PSL_ID	NUMBER	22	-	0	1	-	-	-
	PLAYER_ID	NUMBER	22	-	0	-	✓	-	-
	PLAYER_FACEBOOK_LINK	VARCHAR2	100	-	-	-	✓	-	-
	PLAYER_INSTAGRAM_LINK	VARCHAR2	100	-	-	-	✓	-	-
	PLAYER_TWITTER_LINK	VARCHAR2	100	-	-	-	✓	-	-
	PLAYER_YOUTUBE_LINK	VARCHAR2	100	-	-	-	✓	-	-

Player Social Link table description

```

1 CREATE TABLE Player_Phone (
2     Pp_ID INT PRIMARY KEY,
3     Player_ID INT,
4     Player_Phone VARCHAR(20),
5     FOREIGN KEY (Player_ID) REFERENCES Player (Player_ID)
6 );

```

Create Player Phone table

Results	Explain	Describe	Saved SQL		History				
Object Type		TABLE ?	Object		PLAYER_PHONE ?				
Table	Column	Data Type	Length	Precision	Scale	Primary Key	Nullable	Default	Comment
PLAYER_PHONE	PP_ID	NUMBER	22	-	0	1	-	-	-
	PLAYER_ID	NUMBER	22	-	0	-	✓	-	-
	PLAYER_PHONE	VARCHAR2	20	-	-	-	✓	-	-

Player Phone table description

```

1 CREATE TABLE Player_Winning (
2     Pw_ID INT PRIMARY KEY,
3     Player_ID INT,
4     Player_Winning VARCHAR(100),
5     FOREIGN KEY (Player_ID) REFERENCES Player (Player_ID)
6 );

```

Create Player Winning table

Results	Explain	Describe	Saved SQL	History					
Object Type		TABLE ?	Object						
			PLAYER_WINNING ?						
Table	Column	Data Type	Length	Precision	Scale	Primary Key	Nullable	Default	Comment
PLAYER_WINNING	PW_ID	NUMBER	22	-	0	1	-	-	-
	PLAYER_ID	NUMBER	22	-	0	-	✓	-	-
	PLAYER_WINNING	VARCHAR2	100	-	-	-	✓	-	-

Player Winning table description

```

1 CREATE TABLE Player_Team (
2     Pt_ID INT PRIMARY KEY,
3     Player_ID INT,
4     Team_ID INT,
5     FOREIGN KEY (Player_ID) REFERENCES Player (Player_ID),
6     FOREIGN KEY (Team_ID) REFERENCES Team (Team_ID)
7 );

```

Create Player Team table

Results	Explain	Describe	Saved SQL	History					
Object Type		TABLE ?	Object						
			PLAYER_TEAM ?						
Table	Column	Data Type	Length	Precision	Scale	Primary Key	Nullable	Default	Comment
PLAYER_TEAM	PT_ID	NUMBER	22	-	0	1	-	-	-
	PLAYER_ID	NUMBER	22	-	0	-	✓	-	-
	TEAM_ID	NUMBER	22	-	0	-	✓	-	-

Player Team table description

```

1 CREATE TABLE Tournament (
2     Tournament_ID INT PRIMARY KEY,
3     Tournament_Name VARCHAR(100),
4     Tournament_StartingDate DATE,
5     Tournament_EndingDate DATE,
6     Tournament_Location VARCHAR(100),
7     Tournament_Prize_Pool DECIMAL(10, 2),
8     Organization_ID INT,
9     FOREIGN KEY (Organization_ID) REFERENCES Organization (Organization_ID)
10 );

```

Create Tournament table

Results	Explain	Describe	Saved SQL	History					
Object Type		TABLE ?	Object		TOURNAMENT ?				
Table	Column	Data Type	Length	Precision	Scale	Primary Key	Nullable	Default	Comment
TOURNAMENT	TOURNAMENT_ID	NUMBER	22	-	0	1	-	-	-
	TOURNAMENT_NAME	VARCHAR2	100	-	-	-	✓	-	-
	TOURNAMENT_STARTINGDATE	DATE	7	-	-	-	✓	-	-
	TOURNAMENT_ENDINGDATE	DATE	7	-	-	-	✓	-	-
	TOURNAMENT_LOCATION	VARCHAR2	100	-	-	-	✓	-	-
	TOURNAMENT_PRIZE_POOL	NUMBER	-	10	2	-	✓	-	-
	ORGANIZATION_ID	NUMBER	22	-	0	-	✓	-	-

Tournament table description

```

1 CREATE TABLE Record (
2     Record_ID INT PRIMARY KEY,
3     Record_Date DATE,
4     Record_Price_Pool DECIMAL(10, 2),
5     Tournament_ID INT,
6     FOREIGN KEY (Tournament_ID) REFERENCES Tournament (Tournament_ID)
7 );

```

Create Record table

Results	Explain	Describe	Saved SQL	History					
Object Type TABLE ? Object RECORD ?									
Table	Column	Data Type	Length	Precision	Scale	Primary Key	Nullable	Default	Comment
RECORD	RECORD_ID	NUMBER	22	-	0	1	-	-	-
	RECORD_DATE	DATE	7	-	-	-	✓	-	-
	RECORD_PRICE_POOL	NUMBER	-	10	2	-	✓	-	-
	TOURNAMENT_ID	NUMBER	22	-	0	-	✓	-	-

Record table description

```

1 CREATE TABLE Game (
2     Game_ID INT PRIMARY KEY,
3     Game_Name VARCHAR(100),
4     Game_Icon VARCHAR(100),
5     Game_ReleaseDate DATE,
6     Game_Platform VARCHAR(100),
7     Game_Price_Pool DECIMAL(10, 2),
8     Game_Genre VARCHAR(100),
9     Game_Publisher VARCHAR(100)
10 );

```

Create Game table

Results	Explain	Describe	Saved SQL	History					
Object Type			TABLE ?	Object		GAME ?			
Table	Column	Data Type	Length	Precision	Scale	Primary Key	Nullable	Default	Comment
GAME	GAME_ID	NUMBER	22	-	0	1	-	-	-
	GAME_NAME	VARCHAR2	100	-	-	-	✓	-	-
	GAME_ICON	VARCHAR2	100	-	-	-	✓	-	-
	GAME_RELEASEDATE	DATE	7	-	-	-	✓	-	-
	GAME_PLATFORM	VARCHAR2	100	-	-	-	✓	-	-
	GAME_PRICE_POOL	NUMBER	-	10	2	-	✓	-	-
	GAME_GENRE	VARCHAR2	100	-	-	-	✓	-	-
	GAME_PUBLISHER	VARCHAR2	100	-	-	-	✓	-	-

Game table description

```

1 CREATE TABLE Tournament_Game (
2   Tournament_ID INT,
3   Game_ID INT,
4   PRIMARY KEY (Tournament_ID, Game_ID),
5   FOREIGN KEY (Tournament_ID) REFERENCES Tournament (Tournament_ID),
6   FOREIGN KEY (Game_ID) REFERENCES Game (Game_ID)
7 );

```

Create Tournament Game table

Results	Explain	Describe	Saved SQL History						
Object Type		TABLE ?	Object		TOURNAMENT_GAME ?				
Table	Column	Data Type	Length	Precision	Scale	Primary Key	Nullable	Default	Comment
TOURNAMENT_GAME	TOURNAMENT_ID	NUMBER	22	-	0	1	-	-	-
	GAME_ID	NUMBER	22	-	0	2	-	-	-

Tournament Game table description

```

1 CREATE TABLE Organization_Tournament (
2   Organization_ID INT,
3   Tournament_ID INT,
4   PRIMARY KEY (Organization_ID, Tournament_ID),
5   FOREIGN KEY (Organization_ID) REFERENCES Organization (Organization_ID),
6   FOREIGN KEY (Tournament_ID) REFERENCES Tournament (Tournament_ID)
7 );

```

Create Organization Tournament table

Results	Explain	Describe	Saved SQL	History					
Object Type		TABLE ?	Object ORGANIZATION_TOURNAMENT ?						
Table	Column	Data Type	Length	Precision	Scale	Primary Key	Nullable	Default	Comment
ORGANIZATION_TOURNAMENT	ORGANIZATION_ID	NUMBER	22	-	0	1	-	-	-
	TOURNAMENT_ID	NUMBER	22	-	0	2	-	-	-

Organization Tournament table description

```

1 CREATE TABLE Team_Game (
2     Team_ID INT,
3     Game_ID INT,
4     PRIMARY KEY (Team_ID, Game_ID),
5     FOREIGN KEY (Team_ID) REFERENCES Team (Team_ID),
6     FOREIGN KEY (Game_ID) REFERENCES Game (Game_ID)
7 );

```

Create Team Game table

Results	Explain	Describe	Saved SQL	History					
Object Type TABLE ? Object TEAM_GAME ?									
Table	Column	Data Type	Length	Precision	Scale	Primary Key	Nullable	Default	Comment
TEAM_GAME	TEAM_ID	NUMBER	22	-	0	1	-	-	-
	GAME_ID	NUMBER	22	-	0	2	-	-	-

Team Game table description

```

1 CREATE TABLE Company (
2     Company_ID INT PRIMARY KEY,
3     Company_Name VARCHAR(100),
4     Company_Email VARCHAR(100),
5     Company_Picture VARCHAR(100),
6     Company_Phone VARCHAR(20),
7     Company_Location VARCHAR(100)
8 );

```

Create Company table

Results	Explain	Describe	Saved SQL	History					
Object Type TABLE ? Object COMPANY ?									
Table	Column	Data Type	Length	Precision	Scale	Primary Key	Nullable	Default	Comment
COMPANY	COMPANY_ID	NUMBER	22	-	0	1	-	-	-
	COMPANY_NAME	VARCHAR2	100	-	-	-	✓	-	-
	COMPANY_EMAIL	VARCHAR2	100	-	-	-	✓	-	-
	COMPANY_PICTURE	VARCHAR2	100	-	-	-	✓	-	-
	COMPANY_PHONE	VARCHAR2	20	-	-	-	✓	-	-
	COMPANY_LOCATION	VARCHAR2	100	-	-	-	✓	-	-

Company table description

```

1 CREATE TABLE Company_Phone (
2     Company_ID INT,
3     Company_Phone VARCHAR(20),
4     PRIMARY KEY (Company_ID, Company_Phone),
5     FOREIGN KEY (Company_ID) REFERENCES Company (Company_ID)
6 );

```

Create Company Phone table

Results	Explain	Describe	Saved SQL	History					
Object Type TABLE ? Object COMPANY_PHONE ?									
Table	Column	Data Type	Length	Precision	Scale	Primary Key	Nullable	Default	Comment
COMPANY_PHONE	COMPANY_ID	NUMBER	22	-	0	1	-	-	-
	COMPANY_PHONE	VARCHAR2	20	-	-	2	-	-	-

Company Phone table description

```

1 CREATE TABLE Organization_Company (
2   Organization_ID INT,
3   Company_ID INT,
4   PRIMARY KEY (Organization_ID, Company_ID),
5   FOREIGN KEY (Organization_ID) REFERENCES Organization (Organization_ID),
6   FOREIGN KEY (Company_ID) REFERENCES Company (Company_ID)
7 );

```

Create Organization Company table

Results	Explain	Describe	Saved SQL	History					
Object Type TABLE ? Object ORGANIZATION_COMPANY ?									
Table	Column	Data Type	Length	Precision	Scale	Primary Key	Nullable	Default	Comment
ORGANIZATION_COMPANY	ORGANIZATION_ID	NUMBER	22	-	0	1	-	-	-
	COMPANY_ID	NUMBER	22	-	0	2	-	-	-

Organization Company table description

```

1 CREATE TABLE Team_Company (
2   Team_ID INT,
3   Company_ID INT,
4   PRIMARY KEY (Team_ID, Company_ID),
5   FOREIGN KEY (Team_ID) REFERENCES Team (Team_ID),
6   FOREIGN KEY (Company_ID) REFERENCES Company (Company_ID)
7 );

```

Create Team Company table

Results	Explain	Describe	Saved SQL	History					
Object Type		TABLE ?	Object		TEAM_COMPANY ?				
Table	Column	Data Type	Length	Precision	Scale	Primary Key	Nullable	Default	Comment
TEAM_COMPANY	TEAM_ID	NUMBER	22	-	0	1	-	-	-
	COMPANY_ID	NUMBER	22	-	0	2	-	-	-

Team Company table description

5.2 Sequence Creation

```
1  -- Create sequence for Manager table
2  CREATE SEQUENCE seq_manager_id START WITH 1 INCREMENT BY 1;
3  -- Create sequence for Admin table
4  CREATE SEQUENCE seq_admin_id START WITH 1 INCREMENT BY 1;
5  -- Create sequence for Manager_Phone table
6  CREATE SEQUENCE seq_mp_id START WITH 1 INCREMENT BY 1;
7  -- Create sequence for Finance table
8  CREATE SEQUENCE seq_finance_id START WITH 1 INCREMENT BY 1;
9
10 -- Create sequence for Team table
11 CREATE SEQUENCE seq_team_id START WITH 1 INCREMENT BY 1;
12 -- Create sequence for Team_Winning table
13 CREATE SEQUENCE seq_tw_id START WITH 1 INCREMENT BY 1;
14 -- Create sequence for SocialMedia table
15 CREATE SEQUENCE seq_socialmedia_id START WITH 1 INCREMENT BY 1;
16 -- Create sequence for ContentCreator table
17 CREATE SEQUENCE seq_contentcreator_id START WITH 1 INCREMENT BY 1;
18 -- Create sequence for ContentCreator_SocialMedia table
19 CREATE SEQUENCE seq_ccs_id START WITH 1 INCREMENT BY 1;
20 -- Create sequence for ContentCreator_Address table
21 CREATE SEQUENCE seq_cca_id START WITH 1 INCREMENT BY 1;
22 -- Create sequence for ContentCreator_Phone table
23 CREATE SEQUENCE seq_ccp_id START WITH 1 INCREMENT BY 1;
24
25 -- Create sequence for SocialMedia_Phone table
26 CREATE SEQUENCE seq_smp_id START WITH 1 INCREMENT BY 1;
27 -- Create sequence for Organization table
28 CREATE SEQUENCE seq_organization_id START WITH 1 INCREMENT BY 1;
29 -- Create sequence for Organization_Phone table
30 CREATE SEQUENCE seq_op_id START WITH 1 INCREMENT BY 1;
31 -- Create sequence for Player table
32 CREATE SEQUENCE seq_player_id START WITH 1 INCREMENT BY 1;
33 -- Create sequence for Player_Address table
34 CREATE SEQUENCE seq_pa_id START WITH 1 INCREMENT BY 1;
35 -- Create sequence for Player_Social_Link table
36 CREATE SEQUENCE seq_psl_id START WITH 1 INCREMENT BY 1;
37
38 -- Create sequence for Player_Phone table
39 CREATE SEQUENCE seq_pp_id START WITH 1 INCREMENT BY 1;
40 -- Create sequence for Player_Winning table
41 CREATE SEQUENCE seq_pw_id START WITH 1 INCREMENT BY 1;
42 -- Create sequence for Record table
43 CREATE SEQUENCE seq_record_id START WITH 1 INCREMENT BY 1;
44 -- Create sequence for Tournament table
45 CREATE SEQUENCE seq_tournament_id START WITH 1 INCREMENT BY 1;
46 -- Create sequence for Game table
47 CREATE SEQUENCE seq_game_id START WITH 1 INCREMENT BY 1;
48 -- Create sequence for Company table
49 CREATE SEQUENCE seq_company_id START WITH 1 INCREMENT BY 1;
50 -- Create sequence for Company_Phone table
51 CREATE SEQUENCE seq_cp_id START WITH 1 INCREMENT BY 1;
52 -- Create sequence for Organization_Company table
53 CREATE SEQUENCE seq_oc_id START WITH 1 INCREMENT BY 1;
54 --
```

Sequence Creation

5.3 Index for Table

```
1  -- Create index for Manager table
2  CREATE INDEX idx_manager_email ON Manager (Manager_Email);
3  -- Create index for Admin table
4  CREATE INDEX idx_admin_email ON Admin (Admin_Email);
5  -- Create index for Manager_Phone table
6  CREATE INDEX idx_manager_phone_manager_id ON Manager_Phone (Manager_ID);
7  -- Create index for Finance table
8  CREATE INDEX idx_finance_manager_id ON Finance (Manager_ID);
9  -- Create index for Team table
10 CREATE INDEX idx_team_manager_id ON Team (Manager_ID);
11
12 -- Create index for Team_Winning table
13 CREATE INDEX idx_team_winning_team_id ON Team_Winning (Team_ID);
14 -- Create index for SocialMedia table
15 CREATE INDEX idx_socialmedia_name ON SocialMedia (SocialMedia_Name);
16 -- Create index for ContentCreator table
17 CREATE INDEX idx_contentcreator_name ON ContentCreator (ContentCreator_Name);
18 -- Create index for ContentCreator_SocialMedia table
19 CREATE INDEX idx_ccs_contentcreator_id ON ContentCreator_SocialMedia (ContentCreator_ID)
20 ;
21 -- Create index for ContentCreator_Address table
22 CREATE INDEX idx_cca_contentcreator_id ON ContentCreator_Address (ContentCreator_ID);
23 -- Create index for ContentCreator_Phone table
24 CREATE INDEX idx_ccp_contentcreator_id ON ContentCreator_Phone (ContentCreator_ID);
25 -- Create index for SocialMedia_Phone table
26 CREATE INDEX idx_smp_socialmedia_id ON SocialMedia_Phone (SocialMedia_ID);
27 -- Create index for Organization table
28 CREATE INDEX idx_organization_name ON Organization (Organization_Name);
29 -- Create index for Organization_Phone table
30 CREATE INDEX idx_op_organization_id ON Organization_Phone (Organization_ID);
31 -- Create index for Player table
32 CREATE INDEX idx_player_name ON Player (Player_Name);
33
34 -- Create index for Player_Address table
35 CREATE INDEX idx_pa_player_id ON Player_Address (Player_ID);
36 -- Create index for Player_Social_Link table
37 CREATE INDEX idx_psl_player_id ON Player_Social_Link (Player_ID);
38 -- Create index for Player_Phone table
39 CREATE INDEX idx_pp_player_id ON Player_Phone (Player_ID);
40 -- Create index for Player_Winning table
41 CREATE INDEX idx_pw_player_id ON Player_Winning (Player_ID);
42 -- Create index for Record table
43 CREATE INDEX idx_record_date ON Record (Record_Date);
44
45 -- Create index for Tournament table
46 CREATE INDEX idx_tournament_name ON Tournament (Tournament_Name);
47 -- Create index for Game table
48 CREATE INDEX idx_game_name ON Game (Game_Name);
49 -- Create index for Company table
50 CREATE INDEX idx_company_name ON Company (Company_Name);
51 -- Create index for Company_Phone table
52 CREATE INDEX idx_cp_company_id ON Company_Phone (Company_ID);
53 -- Create index for Organization_Company table
54 CREATE INDEX idx_oc_organization_id ON Organization_Company (Organization_ID);
```

Index for Table

5.4 Alter Table for effective indexing

```
1  -- Alter Manager table to add index
2  ALTER TABLE Manager ADD CONSTRAINT idx_manager_email UNIQUE (Manager_Email);
3  -- Alter Admin table to add index
4  ALTER TABLE Admin ADD CONSTRAINT idx_admin_email UNIQUE (Admin_Email);
5  -- Alter Manager_Phone table to add index
6  ALTER TABLE Manager_Phone ADD CONSTRAINT idx_manager_phone_manager_id UNIQUE (Manager_ID
7  );
8  -- Alter Finance table to add index
9  ALTER TABLE Finance ADD CONSTRAINT idx_finance_manager_id UNIQUE (Manager_ID);
10 -- Alter Team table to add index
11 ALTER TABLE Team ADD CONSTRAINT idx_team_manager_id UNIQUE (Manager_ID);
12 -- Alter Team_Winning table to add index
13 ALTER TABLE Team_Winning ADD CONSTRAINT idx_team_winning_team_id UNIQUE (Team_ID);
14
15 -- Alter SocialMedia table to add index
16 ALTER TABLE SocialMedia ADD CONSTRAINT idx_socialmedia_name UNIQUE (SocialMedia_Name);
17 -- Alter ContentCreator table to add index
18 ALTER TABLE ContentCreator ADD CONSTRAINT idx_contentcreator_name UNIQUE (
19   ContentCreator_Name);
20 -- Alter ContentCreator_SocialMedia table to add index
21 ALTER TABLE ContentCreator_SocialMedia ADD CONSTRAINT idx_ccs_contentcreator_id UNIQUE (
22   ContentCreator_ID);
23 -- Alter ContentCreator_Address table to add index
24 ALTER TABLE ContentCreator_Address ADD CONSTRAINT idx_cca_contentcreator_id UNIQUE (
25   ContentCreator_ID);
26 -- Alter ContentCreator_Phone table to add index
27 ALTER TABLE ContentCreator_Phone ADD CONSTRAINT idx_ccp_contentcreator_id UNIQUE (
28   ContentCreator_ID);
29 -- Alter SocialMedia_Phone table to add index
30 ALTER TABLE SocialMedia_Phone ADD CONSTRAINT idx_smp_socialmedia_id UNIQUE (
31   SocialMedia_ID);
32 -- Alter Organization table to add index
33 ALTER TABLE Organization ADD CONSTRAINT idx_organization_name UNIQUE (Organization_Name)
34 ;
35 -- Alter Organization_Phone table to add index
36 ALTER TABLE Organization_Phone ADD CONSTRAINT idx_op_organization_id UNIQUE (
37   Organization_ID);
38
39 -- Alter Player table to add index
40 ALTER TABLE Player ADD CONSTRAINT idx_player_name UNIQUE (Player_Name);
41 -- Alter Player_Address table to add index
42 ALTER TABLE Player_Address ADD CONSTRAINT idx_pa_player_id UNIQUE (Player_ID);
43 -- Alter Player_Social_Link table to add index
44 ALTER TABLE Player_Social_Link ADD CONSTRAINT idx_psl_player_id UNIQUE (Player_ID);
45 -- Alter Player_Phone table to add index
46 ALTER TABLE Player_Phone ADD CONSTRAINT idx_pp_player_id UNIQUE (Player_ID);
47 -- Alter Player_Winning table to add index
48 ALTER TABLE Player_Winning ADD CONSTRAINT idx_pw_player_id UNIQUE (Player_ID);
49 -- Alter Record table to add index
50 ALTER TABLE Record ADD CONSTRAINT idx_record_date UNIQUE (Record_Date);
51
52 -- Alter Tournament table to add index
53 ALTER TABLE Tournament ADD CONSTRAINT idx_tournament_name UNIQUE (Tournament_Name);
54 -- Alter Game table to add index
55 ALTER TABLE Game ADD CONSTRAINT idx_game_name UNIQUE (Game_Name);
56 -- Alter Company table to add index
57 ALTER TABLE Company ADD CONSTRAINT idx_company_name UNIQUE (Company_Name);
58 -- Alter Company_Phone table to add index
59 ALTER TABLE Company_Phone ADD CONSTRAINT idx_cp_company_id UNIQUE (Company_ID);
60 -- Alter Organization_Company table to add index
61 ALTER TABLE Organization_Company ADD CONSTRAINT idx_oc_organization_id UNIQUE (
62   Organization_ID);
63 --
```

Alter Table

5.5 Data Insertion

```
1 INSERT INTO Admin (Admin_ID, Admin_Name, Admin_Email, Admin_Password, Admin_Picture)
2 VALUES (seq_admin_id.NEXTVAL, 'Admin 1', 'admin1@example.com', 'adminpass1', 'admin1.jpg');
3
4 INSERT INTO Admin (Admin_ID, Admin_Name, Admin_Email, Admin_Password, Admin_Picture)
5 VALUES (seq_admin_id.NEXTVAL, 'Admin 2', 'admin2@example.com', 'adminpass2', 'admin2.jpg');
6
7 INSERT INTO Admin (Admin_ID, Admin_Name, Admin_Email, Admin_Password, Admin_Picture)
8 VALUES (seq_admin_id.NEXTVAL, 'Admin 3', 'admin3@example.com', 'adminpass3', 'admin3.jpg');
9
10 INSERT INTO Admin (Admin_ID, Admin_Name, Admin_Email, Admin_Password, Admin_Picture)
11 VALUES (seq_admin_id.NEXTVAL, 'Admin 4', 'admin4@example.com', 'adminpass4', 'admin4.jpg');
12
13 INSERT INTO Admin (Admin_ID, Admin_Name, Admin_Email, Admin_Password, Admin_Picture)
14 VALUES (seq_admin_id.NEXTVAL, 'Admin 5', 'admin5@example.com', 'adminpass5', 'admin5.jpg');
```

Inserting data into Admin table

Results	Explain	Describe	Saved SQL	History
ADMIN_ID	ADMIN_NAME	ADMIN_EMAIL	ADMIN_PASSWORD	ADMIN_PICTURE
1	Admin 1	admin1@example.com	adminpass1	admin1.jpg
2	Admin 2	admin2@example.com	adminpass2	admin2.jpg
3	Admin 3	admin3@example.com	adminpass3	admin3.jpg
4	Admin 4	admin4@example.com	adminpass4	admin4.jpg
5	Admin 5	admin5@example.com	adminpass5	admin5.jpg

5 rows returned in 0.00 seconds

Inserted data of Admin table

```
1 INSERT INTO Manager (Manager_ID, Manager_Name, Manager_Email, Manager_Password,
2   Manager_Picture, Manager_Hiredate, Admin_ID)
3 VALUES (seq_manager_id.NEXTVAL, 'John Doe', 'john.doe@example.com', 'password123', 'profile.
4   jpg', TO_DATE('2022-01-01', 'YYYY-MM-DD'), 1);
5
6 INSERT INTO Manager (Manager_ID, Manager_Name, Manager_Email, Manager_Password,
7   Manager_Picture, Manager_Hiredate, Admin_ID)
8 VALUES (seq_manager_id.NEXTVAL, 'Jane Smith', 'jane.smith@example.com', 'password456', '
9   profile2.jpg', TO_DATE('2022-02-01', 'YYYY-MM-DD'), 2);
10
11 INSERT INTO Manager (Manager_ID, Manager_Name, Manager_Email, Manager_Password,
12   Manager_Picture, Manager_Hiredate, Admin_ID)
13 VALUES (seq_manager_id.NEXTVAL, 'Mike Johnson', 'mike.johnson@example.com', 'password789', '
14   profile3.jpg', TO_DATE('2022-03-01', 'YYYY-MM-DD'), 1);
15
16 INSERT INTO Manager (Manager_ID, Manager_Name, Manager_Email, Manager_Password,
17   Manager_Picture, Manager_Hiredate, Admin_ID)
18 VALUES (seq_manager_id.NEXTVAL, 'Sarah Williams', 'sarah.williams@example.com', 'password123
19   ', 'profile4.jpg', TO_DATE('2022-04-01', 'YYYY-MM-DD'), 2);
20
21 INSERT INTO Manager (Manager_ID, Manager_Name, Manager_Email, Manager_Password,
22   Manager_Picture, Manager_Hiredate, Admin_ID)
23 VALUES (seq_manager_id.NEXTVAL, 'Robert Davis', 'robert.davis@example.com', 'password456', '
24   profile5.jpg', TO_DATE('2022-05-01', 'YYYY-MM-DD'), 1);
```

Inserting data into manager tables

Results

Explain

Describe

Saved SQL

History

MANAGER_ID	MANAGER_NAME	MANAGER_EMAIL	MANAGER_PASSWORD	MANAGER_PICTURE	MANAGER_HIREDATE	ADMIN_ID
1	John Doe	john.doe@example.com	password123	profile.jpg	01-JAN-22	1
2	Jane Smith	jane.smith@example.com	password456	profile2.jpg	01-FEB-22	2
3	Mike Johnson	mike.johnson@example.com	password789	profile3.jpg	01-MAR-22	1
4	Sarah Williams	sarah.williams@example.com	password123	profile4.jpg	01-APR-22	2
5	Robert Davis	robert.davis@example.com	password456	profile5.jpg	01-MAY-22	1

5 rows returned in 0.00 seconds

Inserted data of manager table

```

1 INSERT INTO Manager_Phone (Mp_ID, Manager_ID, Manager_Phone)
2 VALUES (seq_mp_id.NEXTVAL, 1, '1234567890');
3
4 INSERT INTO Manager_Phone (Mp_ID, Manager_ID, Manager_Phone)
5 VALUES (seq_mp_id.NEXTVAL, 2, '0987654321');
6
7 INSERT INTO Manager_Phone (Mp_ID, Manager_ID, Manager_Phone)
8 VALUES (seq_mp_id.NEXTVAL, 3, '1112223333');
9
10 INSERT INTO Manager_Phone (Mp_ID, Manager_ID, Manager_Phone)
11 VALUES (seq_mp_id.NEXTVAL, 4, '4445556666');
12
13 INSERT INTO Manager_Phone (Mp_ID, Manager_ID, Manager_Phone)
14 VALUES (seq_mp_id.NEXTVAL, 5, '7778889999');

```

Inserting data into manager phone tables

Results

Explain

Describe

Saved SQL

History

MP_ID	MANAGER_ID	MANAGER_PHONE
1	1	1234567890
2	2	0987654321
3	3	1112223333
4	4	4445556666
5	5	7778889999

5 rows returned in 0.00 seconds

Inserted data of manager phone table

```

1 INSERT INTO Finance (Finance_ID, Finance_Account_Number, Finance_Balance, Manager_ID)
2 VALUES (seq_finance_id.NEXTVAL, 'ABC123456', 10000, 1);
3
4 INSERT INTO Finance (Finance_ID, Finance_Account_Number, Finance_Balance, Manager_ID)
5 VALUES (seq_finance_id.NEXTVAL, 'DEF789012', 20000, 2);
6
7 INSERT INTO Finance (Finance_ID, Finance_Account_Number, Finance_Balance, Manager_ID)
8 VALUES (seq_finance_id.NEXTVAL, 'GHI345678', 15000, 3);
9
10 INSERT INTO Finance (Finance_ID, Finance_Account_Number, Finance_Balance, Manager_ID)
11 VALUES (seq_finance_id.NEXTVAL, 'JKL901234', 18000, 4);
12
13 INSERT INTO Finance (Finance_ID, Finance_Account_Number, Finance_Balance, Manager_ID)
14 VALUES (seq_finance_id.NEXTVAL, 'MNO567890', 22000, 5);

```

Inserting data into Finance tables

Results	Explain	Describe	Saved SQL	History
FINANCE_ID	FINANCE_ACCOUNT_NUMBER		FINANCE_BALANCE	MANAGER_ID
1	ABC123456		10000	1
2	DEF789012		20000	2
3	GHI345678		15000	3
4	JKL901234		18000	4
5	MNO567890		22000	5

5 rows returned in 0.00 seconds

Inserted data of Finance table

```

1
2 INSERT INTO Team (Team_ID, Team_Name, Team_Icon, Team_Established_Date, Team_Country,
3   Total_Price_Money, Manager_ID)
4 VALUES (seq_team_id.NEXTVAL, 'Team A', 'teamA.png', TO_DATE('2022-01-01', 'YYYY-MM-DD'), '
5   USA', 50000, 1);
6
7 INSERT INTO Team (Team_ID, Team_Name, Team_Icon, Team_Established_Date, Team_Country,
8   Total_Price_Money, Manager_ID)
9 VALUES (seq_team_id.NEXTVAL, 'Team B', 'teamB.png', TO_DATE('2022-02-01', 'YYYY-MM-DD'), 'UK
10  ', 60000, 2);
11
12 INSERT INTO Team (Team_ID, Team_Name, Team_Icon, Team_Established_Date, Team_Country,
13   Total_Price_Money, Manager_ID)
14 VALUES (seq_team_id.NEXTVAL, 'Team C', 'teamC.png', TO_DATE('2022-03-01', 'YYYY-MM-DD'), '
15   Australia', 45000, 3);
16
17 INSERT INTO Team (Team_ID, Team_Name, Team_Icon, Team_Established_Date, Team_Country,
18   Total_Price_Money, Manager_ID)
19 VALUES (seq_team_id.NEXTVAL, 'Team D', 'teamD.png', TO_DATE('2022-04-01', 'YYYY-MM-DD'), '
20   Canada', 55000, 4);
21
22 INSERT INTO Team (Team_ID, Team_Name, Team_Icon, Team_Established_Date, Team_Country,
23   Total_Price_Money, Manager_ID)
24 VALUES (seq_team_id.NEXTVAL, 'Team E', 'teamE.png', TO_DATE('2022-05-01', 'YYYY-MM-DD'), '
25   Germany', 70000, 5);

```

Inserting data into Team tables

Results

Explain

Describe

Saved SQL

History

TEAM_ID	TEAM_NAME	TEAM_ICON	TEAM_ESTABLISHED_DATE	TEAM_COUNTRY	TOTAL_PRICE_MONEY	MANAGER_ID
1	Team A	teamA.png	01-JAN-22	USA	50000	1
2	Team B	teamB.png	01-FEB-22	UK	60000	2
3	Team C	teamC.png	01-MAR-22	Australia	45000	3
4	Team D	teamD.png	01-APR-22	Canada	55000	4
5	Team E	teamE.png	01-MAY-22	Germany	70000	5

5 rows returned in 0.00 seconds

Inserted data of Team table

```

1
2 INSERT INTO Team_Winning (Tw_ID, Team_ID, Team_Winning)
3 VALUES (seq_tw_id.NEXTVAL, 1, 'Championship 2022');
4
5 INSERT INTO Team_Winning (Tw_ID, Team_ID, Team_Winning)
6 VALUES (seq_tw_id.NEXTVAL, 2, 'Tournament 2023');
7
8 INSERT INTO Team_Winning (Tw_ID, Team_ID, Team_Winning)
9 VALUES (seq_tw_id.NEXTVAL, 3, 'Cup 2022');
10
11 INSERT INTO Team_Winning (Tw_ID, Team_ID, Team_Winning)
12 VALUES (seq_tw_id.NEXTVAL, 4, 'League 2022');
13
14 INSERT INTO Team_Winning (Tw_ID, Team_ID, Team_Winning)
15 VALUES (seq_tw_id.NEXTVAL, 5, 'Championship 2023');

```

Inserting data into Team_Winning tables

Results	Explain	Describe	Saved SQL	History
TW_ID	TEAM_ID	TEAM_WINNING		
1	1	Championship 2022		
2	2	Tournament 2023		
3	3	Cup 2022		
4	4	League 2022		
5	5	Championship 2023		

5 rows returned in 0.00 seconds

Inserted data of Team Winning table

```

1
2 INSERT INTO SocialMedia (SocialMedia_ID, SocialMedia_Name, SocialMedia_Email,
  SocialMedia_Password, SocialMedia_Picture, SocialMedia_Hiredate, SocialMedia_Salary,
  MANAGER_ID)
3 VALUES (seq_socialmedia_id.NEXTVAL, 'SocialMediaUser221', 'social.user1@example.com', '
  socialpass1', 'social1.jpg', TO_DATE('2022-01-01', 'YYYY-MM-DD'), 5000, 1);
4
5 INSERT INTO SocialMedia (SocialMedia_ID, SocialMedia_Name, SocialMedia_Email,
  SocialMedia_Password, SocialMedia_Picture, SocialMedia_Hiredate, SocialMedia_Salary,
  MANAGER_ID)
6 VALUES (seq_socialmedia_id.NEXTVAL, 'SocialMediaUser442', 'social.user2@example.com', '
  socialpass2', 'social2.jpg', TO_DATE('2022-02-01', 'YYYY-MM-DD'), 6000, 2);
7
8 INSERT INTO SocialMedia (SocialMedia_ID, SocialMedia_Name, SocialMedia_Email,
  SocialMedia_Password, SocialMedia_Picture, SocialMedia_Hiredate, SocialMedia_Salary,
  MANAGER_ID)
9 VALUES (seq_socialmedia_id.NEXTVAL, 'SocialMediaUser423', 'social.user3@example.com', '
  socialpass3', 'social3.jpg', TO_DATE('2022-03-01', 'YYYY-MM-DD'), 7000, 3);
10
11 INSERT INTO SocialMedia (SocialMedia_ID, SocialMedia_Name, SocialMedia_Email,
  SocialMedia_Password, SocialMedia_Picture, SocialMedia_Hiredate, SocialMedia_Salary,
  MANAGER_ID)
12 VALUES (seq_socialmedia_id.NEXTVAL, 'SocialMediaUser4234', 'social.user4@example.com', '
  socialpass4', 'social4.jpg', TO_DATE('2022-04-01', 'YYYY-MM-DD'), 8000, 4);
13
14 INSERT INTO SocialMedia (SocialMedia_ID, SocialMedia_Name, SocialMedia_Email,
  SocialMedia_Password, SocialMedia_Picture, SocialMedia_Hiredate, SocialMedia_Salary,
  MANAGER_ID)
15 VALUES (seq_socialmedia_id.NEXTVAL, 'SocialMediaUser5523', 'social.user5@example.com', '
  socialpass5', 'social5.jpg', TO_DATE('2022-05-01', 'YYYY-MM-DD'), 9000, 5);

```

Inserting data into SocialMedia tables

Results

Explain

Describe

Saved SQL

History

SOCIALMEDIA_ID	SOCIALMEDIA_NAME	SOCIALMEDIA_EMAIL	SOCIALMEDIA_PASSWORD	SOCIALMEDIA_PICTURE	SOCIALMEDIA_HIREDATE	SOCIALMEDIA_SALARY	MANAGER_ID
1	SocialMediaUser221	social.user1@example.com	socialpass1	social1.jpg	01-JAN-22	5000	1
2	SocialMediaUser442	social.user2@example.com	socialpass2	social2.jpg	01-FEB-22	6000	2
3	SocialMediaUser423	social.user3@example.com	socialpass3	social3.jpg	01-MAR-22	7000	3
4	SocialMediaUser4234	social.user4@example.com	socialpass4	social4.jpg	01-APR-22	8000	4
5	SocialMediaUser5523	social.user5@example.com	socialpass5	social5.jpg	01-MAY-22	9000	5

5 rows returned in 0.00 seconds

Inserted data of Social Media table

```

1 INSERT INTO ContentCreator (ContentCreator_ID, ContentCreator_Name, ContentCreator_Email,
  ContentCreator_Password, ContentCreator_Picture, ContentCreator_Hiredate,
  ContentCreator_Salary, SOCIALMEDIA_ID)
2 VALUES (seq_contentcreator_id.NEXTVAL, 'ContentCreator 1', 'cc1@example.com', 'ccpass1', '
  cc1.jpg', TO_DATE('2022-01-01', 'YYYY-MM-DD'), 3000, 1)
3
4 INSERT INTO ContentCreator (ContentCreator_ID, ContentCreator_Name, ContentCreator_Email,
  ContentCreator_Password, ContentCreator_Picture, ContentCreator_Hiredate,
  ContentCreator_Salary, SOCIALMEDIA_ID)
5 VALUES (seq_contentcreator_id.NEXTVAL, 'ContentCreator 2', 'cc2@example.com', 'ccpass2', '
  cc2.jpg', TO_DATE('2022-02-01', 'YYYY-MM-DD'), 3500, 2)
6
7 INSERT INTO ContentCreator (ContentCreator_ID, ContentCreator_Name, ContentCreator_Email,
  ContentCreator_Password, ContentCreator_Picture, ContentCreator_Hiredate,
  ContentCreator_Salary, SOCIALMEDIA_ID)
8 VALUES (seq_contentcreator_id.NEXTVAL, 'ContentCreator 3', 'cc3@example.com', 'ccpass3', '
  cc3.jpg', TO_DATE('2022-03-01', 'YYYY-MM-DD'), 4000, 3)
9
10 INSERT INTO ContentCreator (ContentCreator_ID, ContentCreator_Name, ContentCreator_Email,
  ContentCreator_Password, ContentCreator_Picture, ContentCreator_Hiredate,
  ContentCreator_Salary, SOCIALMEDIA_ID)
11 VALUES (seq_contentcreator_id.NEXTVAL, 'ContentCreator 4', 'cc4@example.com', 'ccpass4', '
  cc4.jpg', TO_DATE('2022-04-01', 'YYYY-MM-DD'), 4500, 4)
12
13 INSERT INTO ContentCreator (ContentCreator_ID, ContentCreator_Name, ContentCreator_Email,
  ContentCreator_Password, ContentCreator_Picture, ContentCreator_Hiredate,
  ContentCreator_Salary, SOCIALMEDIA_ID)
14 VALUES (seq_contentcreator_id.NEXTVAL, 'ContentCreator 5', 'cc5@example.com', 'ccpass5', '
  cc5.jpg', TO_DATE('2022-05-01', 'YYYY-MM-DD'), 5000, 5)

```

Inserting data into ContentCreator tables

Results

Explain

Describe

Saved SQL

History

CONTENTCREATOR_ID	CONTENTCREATOR_NAME	CONTENTCREATOR_EMAIL	CONTENTCREATOR_PASSWORD	CONTENTCREATOR_PICTURE	CONTENTCREATOR_HIREDATE	CONTENTCREATOR_SALARY	SOCIALMEDIA_ID
1	ContentCreator 1	cc1@example.com	ccpass1	cc1.jpg	01-JAN-22	3000	1
2	ContentCreator 2	cc2@example.com	ccpass2	cc2.jpg	01-FEB-22	3500	2
3	ContentCreator 3	cc3@example.com	ccpass3	cc3.jpg	01-MAR-22	4000	3
4	ContentCreator 4	cc4@example.com	ccpass4	cc4.jpg	01-APR-22	4500	4
5	ContentCreator 5	cc5@example.com	ccpass5	cc5.jpg	01-MAY-22	5000	5

5 rows returned in 0.00 seconds

Inserted data of Content Creator table

```

1 INSERT INTO ContentCreator_SocialMedia (Ccs_ID, ContentCreator_ID,
  ContentCreator_Facebook_Link, ContentCreator_Twitter_Link, ContentCreator_Instagram_Link
  , ContentCreator_Youtube_Link)
2 VALUES (seq_ccs_id.NEXTVAL, 1, 'https://facebook.com/cc1', 'https://twitter.com/cc1', 'https
  ://instagram.com/cc1', 'https://youtube.com/cc1');
3
4 INSERT INTO ContentCreator_SocialMedia (Ccs_ID, ContentCreator_ID,
  ContentCreator_Facebook_Link, ContentCreator_Twitter_Link, ContentCreator_Instagram_Link
  , ContentCreator_Youtube_Link)
5 VALUES (seq_ccs_id.NEXTVAL, 2, 'https://facebook.com/cc2', 'https://twitter.com/cc2', 'https
  ://instagram.com/cc2', 'https://youtube.com/cc2');
6
7 INSERT INTO ContentCreator_SocialMedia (Ccs_ID, ContentCreator_ID,
  ContentCreator_Facebook_Link, ContentCreator_Twitter_Link, ContentCreator_Instagram_Link
  , ContentCreator_Youtube_Link)
8 VALUES (seq_ccs_id.NEXTVAL, 3, 'https://facebook.com/cc3', 'https://twitter.com/cc3', 'https
  ://instagram.com/cc3', 'https://youtube.com/cc3');
9
10 INSERT INTO ContentCreator_SocialMedia (Ccs_ID, ContentCreator_ID,
  ContentCreator_Facebook_Link, ContentCreator_Twitter_Link, ContentCreator_Instagram_Link
  , ContentCreator_Youtube_Link)
11 VALUES (seq_ccs_id.NEXTVAL, 4, 'https://facebook.com/cc4', 'https://twitter.com/cc4', 'https
  ://instagram.com/cc4', 'https://youtube.com/cc4');
12
13 INSERT INTO ContentCreator_SocialMedia (Ccs_ID, ContentCreator_ID,
  ContentCreator_Facebook_Link, ContentCreator_Twitter_Link, ContentCreator_Instagram_Link
  , ContentCreator_Youtube_Link)
14 VALUES (seq_ccs_id.NEXTVAL, 5, 'https://facebook.com/cc5', 'https://twitter.com/cc5', 'https
  ://instagram.com/cc5', 'https://youtube.com/cc5');

```

Inserting data into ContentCreator_SocialMedia tables

Results

Explain

Describe

Saved SQL

History

CCS_ID	CONTENTCREATOR_ID	CONTENTCREATOR_FACEBOOK_LINK	CONTENTCREATOR_TWITTER_LINK	CONTENTCREATOR_INSTAGRAM_LINK	CONTENTCREATOR_YOUTUBE_LINK
1	1	https://facebook.com/cc1	https://twitter.com/cc1	https://instagram.com/cc1	https://youtube.com/cc1
2	2	https://facebook.com/cc2	https://twitter.com/cc2	https://instagram.com/cc2	https://youtube.com/cc2
3	3	https://facebook.com/cc3	https://twitter.com/cc3	https://instagram.com/cc3	https://youtube.com/cc3
4	4	https://facebook.com/cc4	https://twitter.com/cc4	https://instagram.com/cc4	https://youtube.com/cc4
5	5	https://facebook.com/cc5	https://twitter.com/cc5	https://instagram.com/cc5	https://youtube.com/cc5

5 rows returned in 0.00 seconds

Inserted data of Content Creator Social Media table

```

1 INSERT INTO ContentCreator_Address (Cca_ID, ContentCreator_ID, ContentCreator_Country,
2   ContentCreator_City, ContentCreator_Street, ContentCreator_Zip_Code)
3 VALUES (seq_cca_id.NEXTVAL, 1, 'USA', 'New York', '123 Street', '10001');
4 INSERT INTO ContentCreator_Address (Cca_ID, ContentCreator_ID, ContentCreator_Country,
5   ContentCreator_City, ContentCreator_Street, ContentCreator_Zip_Code)
6 VALUES (seq_cca_id.NEXTVAL, 2, 'USA', 'Los Angeles', '456 Avenue', '90001');
7 INSERT INTO ContentCreator_Address (Cca_ID, ContentCreator_ID, ContentCreator_Country,
8   ContentCreator_City, ContentCreator_Street, ContentCreator_Zip_Code)
9 VALUES (seq_cca_id.NEXTVAL, 3, 'UK', 'London', '789 Road', 'SW1A 1AA');
10 INSERT INTO ContentCreator_Address (Cca_ID, ContentCreator_ID, ContentCreator_Country,
11   ContentCreator_City, ContentCreator_Street, ContentCreator_Zip_Code)
12 VALUES (seq_cca_id.NEXTVAL, 4, 'Canada', 'Toronto', '321 Boulevard', 'M5V 2T3');
13 INSERT INTO ContentCreator_Address (Cca_ID, ContentCreator_ID, ContentCreator_Country,
14   ContentCreator_City, ContentCreator_Street, ContentCreator_Zip_Code)
15 VALUES (seq_cca_id.NEXTVAL, 5, 'Germany', 'Berlin', '987 Strasse', '12345');

```

Inserting data into ContentCreator_Address tables

Results

Explain

Describe

Saved SQL

History

CCA_ID	CONTENTCREATOR_ID	CONTENTCREATOR_COUNTRY	CONTENTCREATOR_CITY	CONTENTCREATOR_STREET	CONTENTCREATOR_ZIP_CODE
1	1	USA	New York	123 Street	10001
2	2	USA	Los Angeles	456 Avenue	90001
3	3	UK	London	789 Road	SW1A 1AA
4	4	Canada	Toronto	321 Boulevard	M5V 2T3
5	5	Germany	Berlin	987 Strasse	12345

5 rows returned in 0.00 seconds

Inserted data of Content Creator Address table

```

1 INSERT INTO ContentCreator_Phone (Ccp_ID, ContentCreator_ID, ContentCreator_Phone)
2 VALUES (seq_ccp_id.NEXTVAL, 1, '9876543210');
3
4 INSERT INTO ContentCreator_Phone (Ccp_ID, ContentCreator_ID, ContentCreator_Phone)
5 VALUES (seq_ccp_id.NEXTVAL, 2, '1234567890');
6
7 INSERT INTO ContentCreator_Phone (Ccp_ID, ContentCreator_ID, ContentCreator_Phone)
8 VALUES (seq_ccp_id.NEXTVAL, 3, '5551234567');
9
10 INSERT INTO ContentCreator_Phone (Ccp_ID, ContentCreator_ID, ContentCreator_Phone)
11 VALUES (seq_ccp_id.NEXTVAL, 4, '7775558888');
12
13 INSERT INTO ContentCreator_Phone (Ccp_ID, ContentCreator_ID, ContentCreator_Phone)
14 VALUES (seq_ccp_id.NEXTVAL, 5, '9990001111');

```

Inserting data into ContentCreator_Phone tables

Results	Explain	Describe	Saved SQL	History
CCP_ID	CONTENTCREATOR_ID		CONTENTCREATOR_PHONE	
1	1		9876543210	
2	2		1234567890	
3	3		5551234567	
4	4		7775558888	
5	5		9990001111	

5 rows returned in 0.00 seconds

Inserted data of Content Creator Phone table

```

1 INSERT INTO SocialMedia_Phone (Smp_ID, SocialMedia_ID, SocialMedia_Phone)
2 VALUES (seq_smp_id.NEXTVAL, 1, '5551234567');
3
4 INSERT INTO SocialMedia_Phone (Smp_ID, SocialMedia_ID, SocialMedia_Phone)
5 VALUES (seq_smp_id.NEXTVAL, 2, '6669876543');
6
7 INSERT INTO SocialMedia_Phone (Smp_ID, SocialMedia_ID, SocialMedia_Phone)
8 VALUES (seq_smp_id.NEXTVAL, 3, '7774561230');
9
10 INSERT INTO SocialMedia_Phone (Smp_ID, SocialMedia_ID, SocialMedia_Phone)
11 VALUES (seq_smp_id.NEXTVAL, 4, '8887890123');
12
13 INSERT INTO SocialMedia_Phone (Smp_ID, SocialMedia_ID, SocialMedia_Phone)
14 VALUES (seq_smp_id.NEXTVAL, 5, '9996547890');

```

Inserting data into SocialMedia_Phone tables

Results	Explain	Describe	Saved SQL	History
SMP_ID	SOCIALMEDIA_ID		SOCIALMEDIA_PHONE	
1	1		5551234567	
2	2		6669876543	
3	3		7774561230	
4	4		8887890123	
5	5		9996547890	

5 rows returned in 0.00 seconds

Inserted data of Social Media Phone table

```

1 INSERT INTO Organization (Organization_ID, Organization_Name, Organization_Email,
2   Organization_Password, Organization_Picture, Organization_Phone, Finance_ID)
3 VALUES (seq_organization_id.NEXTVAL, 'Organization XYZ', 'info@xyz.com', 'orgpass', 'org.jpg',
4   '1234567890', 1);
5
6 INSERT INTO Organization (Organization_ID, Organization_Name, Organization_Email,
7   Organization_Password, Organization_Picture, Organization_Phone, Finance_ID)
8 VALUES (seq_organization_id.NEXTVAL, 'Organization ABC', 'info@abc.com', 'orgpass', 'org2.
9   jpg', '0987654321', 2);
10
11 INSERT INTO Organization (Organization_ID, Organization_Name, Organization_Email,
12   Organization_Password, Organization_Picture, Organization_Phone, Finance_ID)
13 VALUES (seq_organization_id.NEXTVAL, 'Organization DEF', 'info@def.com', 'orgpass', 'org3.
14   jpg', '1112223333', 3);
15
16 INSERT INTO Organization (Organization_ID, Organization_Name, Organization_Email,
17   Organization_Password, Organization_Picture, Organization_Phone, Finance_ID)
18 VALUES (seq_organization_id.NEXTVAL, 'Organization GHI', 'info@ghi.com', 'orgpass', 'org4.
19   jpg', '4445556666', 4);
20
21 INSERT INTO Organization (Organization_ID, Organization_Name, Organization_Email,
22   Organization_Password, Organization_Picture, Organization_Phone, Finance_ID)
23 VALUES (seq_organization_id.NEXTVAL, 'Organization JKL', 'info@jkl.com', 'orgpass', 'org5.
24   jpg', '7778889999', 5);

```

Inserting data into Organization tables

Results

Explain

Describe

Saved SQL

History

ORGANIZATION_ID	ORGANIZATION_NAME	ORGANIZATION_EMAIL	ORGANIZATION_PASSWORD	ORGANIZATION_PICTURE	ORGANIZATION_PHONE	FINANCE_ID
1	Organization XYZ	info@xyz.com	orgpass	org.jpg	1234567890	1
2	Organization ABC	info@abc.com	orgpass	org2.jpg	0987654321	2
3	Organization DEF	info@def.com	orgpass	org3.jpg	1112223333	3
4	Organization GHI	info@ghi.com	orgpass	org4.jpg	4445556666	4
5	Organization JKL	info@jkl.com	orgpass	org5.jpg	7778889999	5

5 rows returned in 0.00 seconds

5 rows returned in 0.00 seconds

Inserted data of Organization table

```

1 INSERT INTO Organization_Phone (Op_ID, Organization_ID, Organization_Phone)
2 VALUES (seq_op_id.NEXTVAL, 1, '9998887777');
3
4 INSERT INTO Organization_Phone (Op_ID, Organization_ID, Organization_Phone)
5 VALUES (seq_op_id.NEXTVAL, 2, '8887776666');
6
7 INSERT INTO Organization_Phone (Op_ID, Organization_ID, Organization_Phone)
8 VALUES (seq_op_id.NEXTVAL, 3, '7776665555');
9
10 INSERT INTO Organization_Phone (Op_ID, Organization_ID, Organization_Phone)
11 VALUES (seq_op_id.NEXTVAL, 4, '6665554444');
12
13 INSERT INTO Organization_Phone (Op_ID, Organization_ID, Organization_Phone)
14 VALUES (seq_op_id.NEXTVAL, 5, '5554443333');
```

Inserting data into Organization_Phone tables

Results

Explain

Describe

Saved SQL

History

OP_ID	ORGANIZATION_ID	ORGANIZATION_PHONE
1	1	9998887777
2	2	8887776666
3	3	7776665555
4	4	6665554444
5	5	5554443333

5 rows returned in 0.00 seconds

Inserted data of Organization Phone table

```

1 INSERT INTO Player (Player_ID, Player_Name, Player_Email, Player_Password, Player_Picture,
2   Player_JoinDate, Player_Salary, Player_Play_Hours, Player_DOB)
3 VALUES (seq_player_id.NEXTVAL, 'Player 1', 'player1@example.com', 'playerpass', 'player1.jpg',
4   TO_DATE('2022-01-01', 'YYYY-MM-DD'), 5000, 100, TO_DATE('1990-01-01', 'YYYY-MM-DD'));
5
6 INSERT INTO Player (Player_ID, Player_Name, Player_Email, Player_Password, Player_Picture,
7   Player_JoinDate, Player_Salary, Player_Play_Hours, Player_DOB)
8 VALUES (seq_player_id.NEXTVAL, 'Player 2', 'player2@example.com', 'playerpass', 'player2.jpg',
9   TO_DATE('2022-02-01', 'YYYY-MM-DD'), 6000, 200, TO_DATE('1992-05-10', 'YYYY-MM-DD'));
10
11 INSERT INTO Player (Player_ID, Player_Name, Player_Email, Player_Password, Player_Picture,
12   Player_JoinDate, Player_Salary, Player_Play_Hours, Player_DOB)
13 VALUES (seq_player_id.NEXTVAL, 'Player 3', 'player3@example.com', 'playerpass', 'player3.jpg',
14   TO_DATE('2022-03-01', 'YYYY-MM-DD'), 7000, 150, TO_DATE('1994-09-20', 'YYYY-MM-DD'));
15
16 INSERT INTO Player (Player_ID, Player_Name, Player_Email, Player_Password, Player_Picture,
17   Player_JoinDate, Player_Salary, Player_Play_Hours, Player_DOB)
18 VALUES (seq_player_id.NEXTVAL, 'Player 4', 'player4@example.com', 'playerpass', 'player4.jpg',
19   TO_DATE('2022-04-01', 'YYYY-MM-DD'), 8000, 120, TO_DATE('1996-12-05', 'YYYY-MM-DD'));
20
21 INSERT INTO Player (Player_ID, Player_Name, Player_Email, Player_Password, Player_Picture,
22   Player_JoinDate, Player_Salary, Player_Play_Hours, Player_DOB)
23 VALUES (seq_player_id.NEXTVAL, 'Player 5', 'player5@example.com', 'playerpass', 'player5.jpg',
24   TO_DATE('2022-05-01', 'YYYY-MM-DD'), 9000, 180, TO_DATE('1998-03-15', 'YYYY-MM-DD'));
```

Inserting data into Player tables

Results

Explain

Describe

Saved SQL

History

PLAYER_ID	PLAYER_NAME	PLAYER_EMAIL	PLAYER_PASSWORD	PLAYER_PICTURE	PLAYER_JOINDATE	PLAYER_SALARY	PLAYER_PLAY_HOURS	PLAYER_DOB
1	Player 1	player1@example.com	playerpass	player1.jpg	01-JAN-22	5000	100	01-JAN-90
2	Player 2	player2@example.com	playerpass	player2.jpg	01-FEB-22	6000	200	10-MAY-92
3	Player 3	player3@example.com	playerpass	player3.jpg	01-MAR-22	7000	150	20-SEP-94
4	Player 4	player4@example.com	playerpass	player4.jpg	01-APR-22	8000	120	05-DEC-96
5	Player 5	player5@example.com	playerpass	player5.jpg	01-MAY-22	9000	180	15-MAR-98

5 rows returned in 0.00 seconds

Inserted data of Player table

```

1 INSERT INTO Player_Address (Pa_ID, Player_ID, Player_Country, Player_City, Player_Street,
2   Player_Zip_Code)
3 VALUES (seq_pa_id.NEXTVAL, 1, 'USA', 'New York', '123 Street', '10001');
4 INSERT INTO Player_Address (Pa_ID, Player_ID, Player_Country, Player_City, Player_Street,
5   Player_Zip_Code)
6 VALUES (seq_pa_id.NEXTVAL, 2, 'USA', 'Los Angeles', '456 Avenue', '90001');
7 INSERT INTO Player_Address (Pa_ID, Player_ID, Player_Country, Player_City, Player_Street,
8   Player_Zip_Code)
9 VALUES (seq_pa_id.NEXTVAL, 3, 'UK', 'London', '789 Road', 'SW1A 1AA');
10 INSERT INTO Player_Address (Pa_ID, Player_ID, Player_Country, Player_City, Player_Street,
11   Player_Zip_Code)
12 VALUES (seq_pa_id.NEXTVAL, 4, 'Canada', 'Toronto', '321 Boulevard', 'M5V 2T3');
13 INSERT INTO Player_Address (Pa_ID, Player_ID, Player_Country, Player_City, Player_Street,
14   Player_Zip_Code)
15 VALUES (seq_pa_id.NEXTVAL, 5, 'Germany', 'Berlin', '987 Strasse', '12345');

```

Inserting data into Player_Address tables

Results

Explain

Describe

Saved SQL

History

PA_ID	PLAYER_ID	PLAYER_COUNTRY	PLAYER_CITY	PLAYER_STREET	PLAYER_ZIP_CODE
1	1	USA	New York	123 Street	10001
2	2	USA	Los Angeles	456 Avenue	90001
3	3	UK	London	789 Road	SW1A 1AA
4	4	Canada	Toronto	321 Boulevard	M5V 2T3
5	5	Germany	Berlin	987 Strasse	12345

5 rows returned in 0.00 seconds

Inserted data of Player Address table

```

1 INSERT INTO PLAYER_SOCIAL_LINK (Psl_ID, Player_ID, Player_Facebook_Link,
2   Player_Instagram_Link, Player_Twitter_Link, Player_Youtube_Link)
3 VALUES (seq_psl_id.NEXTVAL, 1, 'https://facebook.com/player1', 'https://instagram.com/
4   player1', 'https://twitter.com/player1', 'https://youtube.com/player1');
5 INSERT INTO PLAYER_SOCIAL_LINK (Psl_ID, Player_ID, Player_Facebook_Link,
6   Player_Instagram_Link, Player_Twitter_Link, Player_Youtube_Link)
7 VALUES (seq_psl_id.NEXTVAL, 2, 'https://facebook.com/player2', 'https://instagram.com/
8   player2', 'https://twitter.com/player2', 'https://youtube.com/player2');
9 INSERT INTO PLAYER_SOCIAL_LINK (Psl_ID, Player_ID, Player_Facebook_Link,
10   Player_Instagram_Link, Player_Twitter_Link, Player_Youtube_Link)
11 VALUES (seq_psl_id.NEXTVAL, 3, 'https://facebook.com/player3', 'https://instagram.com/
12   player3', 'https://twitter.com/player3', 'https://youtube.com/player3');
13 INSERT INTO PLAYER_SOCIAL_LINK (Psl_ID, Player_ID, Player_Facebook_Link,
14   Player_Instagram_Link, Player_Twitter_Link, Player_Youtube_Link)
15 VALUES (seq_psl_id.NEXTVAL, 4, 'https://facebook.com/player4', 'https://instagram.com/
16   player4', 'https://twitter.com/player4', 'https://youtube.com/player4');
17 INSERT INTO PLAYER_SOCIAL_LINK (Psl_ID, Player_ID, Player_Facebook_Link,
18   Player_Instagram_Link, Player_Twitter_Link, Player_Youtube_Link)
19 VALUES (seq_psl_id.NEXTVAL, 5, 'https://facebook.com/player5', 'https://instagram.com/
20   player5', 'https://twitter.com/player5', 'https://youtube.com/player5');

```

Inserting data into Player_SocialLink tables

Results

Explain

Describe

Saved SQL

History

PSL_ID	PLAYER_ID	PLAYER_FACEBOOK_LINK	PLAYER_INSTAGRAM_LINK	PLAYER_TWITTER_LINK	PLAYER_YOUTUBE_LINK
1	1	https://facebook.com/player1	https://instagram.com/player1	https://twitter.com/player1	https://youtube.com/player1
2	2	https://facebook.com/player2	https://instagram.com/player2	https://twitter.com/player2	https://youtube.com/player2
3	3	https://facebook.com/player3	https://instagram.com/player3	https://twitter.com/player3	https://youtube.com/player3
4	4	https://facebook.com/player4	https://instagram.com/player4	https://twitter.com/player4	https://youtube.com/player4
5	5	https://facebook.com/player5	https://instagram.com/player5	https://twitter.com/player5	https://youtube.com/player5

5 rows returned in 0.00 seconds

Inserted data of Player Social Link table

```

1 INSERT INTO Player_Phone (Pp_ID, Player_ID, Player_Phone)
2 VALUES (seq_pp_id.NEXTVAL, 1, '1112223333');
3
4 INSERT INTO Player_Phone (Pp_ID, Player_ID, Player_Phone)
5 VALUES (seq_pp_id.NEXTVAL, 2, '2223334444');
6
7 INSERT INTO Player_Phone (Pp_ID, Player_ID, Player_Phone)
8 VALUES (seq_pp_id.NEXTVAL, 3, '3334445555');
9
10 INSERT INTO Player_Phone (Pp_ID, Player_ID, Player_Phone)
11 VALUES (seq_pp_id.NEXTVAL, 4, '4445556666');
12
13 INSERT INTO Player_Phone (Pp_ID, Player_ID, Player_Phone)
14 VALUES (seq_pp_id.NEXTVAL, 5, '5556667777');

```

Inserting data into Player_Phone tables

Results

Explain

Describe

Saved SQL

History

PP_ID	PLAYER_ID	PLAYER_PHONE
1	1	1112223333
2	2	2223334444
3	3	3334445555
4	4	4445556666
5	5	5556667777

5 rows returned in 0.00 seconds

Inserted data of Player Phone table

```

1 INSERT INTO Player_Winning (Pw_ID, Player_ID, Player_Winning)
2 VALUES (seq_pw_id.NEXTVAL, 1, 'Tournament 2022');
3
4 INSERT INTO Player_Winning (Pw_ID, Player_ID, Player_Winning)
5 VALUES (seq_pw_id.NEXTVAL, 2, 'Championship 2023');
6
7 INSERT INTO Player_Winning (Pw_ID, Player_ID, Player_Winning)
8 VALUES (seq_pw_id.NEXTVAL, 3, 'Cup 2022');
9
10 INSERT INTO Player_Winning (Pw_ID, Player_ID, Player_Winning)
11 VALUES (seq_pw_id.NEXTVAL, 4, 'Tournament 2023');
12
13 INSERT INTO Player_Winning (Pw_ID, Player_ID, Player_Winning)
14 VALUES (seq_pw_id.NEXTVAL, 5, 'League 2022');

```

Inserting data into Player_Winning tables

Results

Explain

Describe

Saved SQL

History

PW_ID	PLAYER_ID	PLAYER_WINNING
1	1	Tournament 2022
2	2	Championship 2023
3	3	Cup 2022
4	4	Tournament 2023
5	5	League 2022

5 rows returned in 0.00 seconds

Inserted data of Player Winning table

```

1 INSERT INTO Player_Team (Pt_ID, Player_ID, Team_ID)
2 VALUES (seq_pt_id.NEXTVAL, 1, 1);
3
4 INSERT INTO Player_Team (Pt_ID, Player_ID, Team_ID)
5 VALUES (seq_pt_id.NEXTVAL, 2, 2);
6
7 INSERT INTO Player_Team (Pt_ID, Player_ID, Team_ID)
8 VALUES (seq_pt_id.NEXTVAL, 3, 3);
9
10 INSERT INTO Player_Team (Pt_ID, Player_ID, Team_ID)
11 VALUES (seq_pt_id.NEXTVAL, 4, 4);
12
13 INSERT INTO Player_Team (Pt_ID, Player_ID, Team_ID)
14 VALUES (seq_pt_id.NEXTVAL, 5, 5);

```

Inserting data into Player_Team tables

Results

Explain

Describe

Saved SQL

History

PT_ID	PLAYER_ID	TEAM_ID
1	1	1
2	2	2
3	3	3
4	4	4
5	5	5

5 rows returned in 0.00 seconds

Inserted data of Player Team table

5.6 Single Row Functions

- Retrieve the email domain for the admin with Admin_ID = 1

```
1 SELECT Admin_Email, SUBSTR(Admin_Email, INSTR(Admin_Email, '@') + 1) AS Email_Domain
2 FROM Admin
3 WHERE Admin_ID = 1;
```

Query 1

Results	Explain	Describe	Saved SQL	History
ADMIN_EMAIL			EMAIL_DOMAIN	
admin1@example.com			example.com	
1 rows returned in 0.00 seconds Download				

Result of Query 1

- Get the hire date of the manager named 'John Doe' formatted in a specific way

```
1 SELECT Manager_Name, TO_CHAR(Manager_Hiredate, 'DD-Mon-YYYY') AS Hire_Date
2 FROM Manager
3 WHERE Manager_Name = 'John Doe';
```

Query 2

Results	Explain	Describe	Saved SQL	History
MANAGER_NAME			HIRE_DATE	
John Doe			01-Jan-2022	
1 rows returned in 0.00 seconds Download				

Result of Query 2

- Concatenate the first and last name of the content creator with ContentCreator_ID = 1

```
1 SELECT ContentCreator_Name, CONCAT(CONCAT(SUBSTR(ContentCreator_Name, 1, INSTR(
   ContentCreator_Name, ' ') - 1), ' '), SUBSTR(ContentCreator_Name, INSTR(
   ContentCreator_Name, ' ') + 1)) AS Full_Name
2 FROM ContentCreator
3 WHERE ContentCreator_ID = 1;
```

Query 3

Results

Explain

Describe

Saved SQL

History

CONTENTCREATOR_NAME	FULL_NAME
ContentCreator 1	ContentCreator 1

1 rows returned in 0.00 seconds

[Download](#)

Result of Query 3

5.7 Group Functions

- Calculate the average balance for all finance records

```
1 SELECT AVG(Finance_Balance) AS Average_Balance
2 FROM Finance;
```

Query 1

Results	Explain	Describe	Saved SQL	History
AVERAGE_BALANCE				
17000				
1 rows returned in 0.00 seconds Download				

Result of Query 1

- Count the number of teams established in each country

```
1 SELECT Team_Country, COUNT(*) AS Team_Count
2 FROM Team
3 GROUP BY Team_Country;
```

Query 2

Results

Explain

Describe

Saved SQL

History

TEAM_COUNTRY	TEAM_COUNT
USA	1
Germany	1
Australia	1
Canada	1
UK	1

5 rows returned in 0.10 seconds [Download](#)

Result of Query 2

- Calculate the total salary expense for content creators

```
1 SELECT SUM(ContentCreator_Salary) AS Total_Salary_Expense
2 FROM ContentCreator;
```

Query 3

Results	Explain	Describe	Saved SQL	History
TOTAL_SALARY_EXPENSE				
20000				
1 rows returned in 0.00 seconds Download				

Result of Query 3

5.8 SubQuery

- Retrieve the managers associated with teams established before a specific date

```
1  SELECT Manager_Name
2  FROM Manager
3  WHERE Manager_ID IN (
4      SELECT Manager_ID
5      FROM Team
6      WHERE Team_Established_Date < TO_DATE('2022-03-01', 'YYYY-MM-DD')
7  );
```

Query 1

Results	Explain	Describe	Saved SQL	History
MANAGER_NAME				
John Doe				
Jane Smith				
2 rows returned in 0.00 seconds Download				

Result of Query 1

- Get the content creators who have a higher salary than the average salary of all content creators

```
1  SELECT ContentCreator_Name
2  FROM ContentCreator
3  WHERE ContentCreator_Salary > (
4      SELECT AVG(ContentCreator_Salary)
5      FROM ContentCreator
6  );
```

Query 2

Results	Explain	Describe	Saved SQL	History
CONTENTCREATOR_NAME				
ContentCreator 4				
ContentCreator 5				
2 rows returned in 0.00 seconds Download				

Result of Query 2

- Retrieve the teams managed by managers who have won a championship

```
1  SELECT Team_Name
2  FROM Team
3  WHERE Manager_ID IN (
4  SELECT Manager_ID
5  FROM Manager
6  WHERE Manager_ID IN (
7      SELECT DISTINCT Manager_ID
8      FROM Team_Winning
9      WHERE Team_Winning LIKE '%Championship%'
10 )
11 );
```

Query 3

Results	Explain	Describe	Saved SQL	History
TEAM_NAME				
Team A				
Team B				
Team D				
Team E				
Team C				

5 rows returned in 0.15 seconds [Download](#)

Result of Query 3

5.9 Join Queries

- Get the team name and manager name for each team

```
1 SELECT t.Team_Name , m.Manager_Name
2 FROM Team t
3 JOIN Manager m ON t.Manager_ID = m.Manager_ID;
```

Query 1

Results	Explain	Describe	Saved SQL	History
TEAM_NAME		MANAGER_NAME		
Team A		John Doe		
Team B		Jane Smith		
Team C		Mike Johnson		
Team D		Sarah Williams		
Team E		Robert Davis		

5 rows returned in 0.00 seconds [Download](#)

Result of Query 1

- Retrieve the player name, team name, and country for each player

```
1 SELECT p.Player_Name , t.Team_Name , t.Team_Country
2 FROM Player p
3 JOIN Player_Team pt ON p.Player_ID = pt.Player_ID
4 JOIN Team t ON pt.Team_ID = t.Team_ID;
```

Query 2

Results	Explain	Describe	Saved SQL	History
PLAYER_NAME	TEAM_NAME	TEAM_COUNTRY		
Player 1	Team A	USA		
Player 2	Team B	UK		
Player 3	Team C	Australia		
Player 4	Team D	Canada		
Player 5	Team E	Germany		

5 rows returned in 0.00 seconds [Download](#)

Result of Query 2

- Get the content creator name, social media name, and email for each content creator

```
1 SELECT cc.ContentCreator_Name, sm.SocialMedia_Name, sm.SocialMedia_Email
2 FROM ContentCreator cc
3 JOIN SocialMedia sm ON cc.SOCIALMEDIA_ID = sm.SocialMedia_ID;
```

Query 3

Results

Explain

Describe

Saved SQL

History

CONTENTCREATOR_NAME	SOCIALMEDIA_NAME	SOCIALMEDIA_EMAIL
ContentCreator 1	SocialMediaUser221	social.user1@example.com
ContentCreator 2	SocialMediaUser442	social.user2@example.com
ContentCreator 3	SocialMediaUser423	social.user3@example.com
ContentCreator 4	SocialMediaUser4234	social.user4@example.com
ContentCreator 5	SocialMediaUser5523	social.user5@example.com

5 rows returned in 0.01 seconds

[Download](#)

Result of Query 3

5.10 Creating View

- Create a view to display the details of managers and their associated teams

```
1 CREATE VIEW ManagerTeamView AS
2 SELECT m.Manager_Name, t.Team_Name, t.Team_Country
3 FROM Manager m
4 JOIN Team t ON m.Manager_ID = t.Manager_ID;
```

ManagerTeamView

Results	Explain	Describe	Saved SQL	History
MANAGER_NAME				
Team A				
Team B				
Team C				
Team D				
Team E				
USA				
UK				
Australia				
Canada				
Germany				

5 rows returned in 0.00 seconds [Download](#)

Result of ManagerTeamView

- Create a view to show the average salary of content creators

```
1 CREATE VIEW AverageSalaryView AS
2 SELECT AVG(ContentCreator_Salary) AS Average_Salary
3 FROM ContentCreator;
```

AvgSalaryView

Results	Explain	Describe	Saved SQL	History
AVERAGE_SALARY				
4000				

1 rows returned in 0.00 seconds [Download](#)

Result of AverageSalaryView

- Create a view to list the players and their corresponding teams

```
1 CREATE VIEW PlayerTeamView AS
2 JOIN Team t ON pt.Team_ID = t.Team_ID;
3 SELECT p.Player_Name, t.Team_Name
4 FROM Player p
5 JOIN Player_Team pt ON p.Player_ID = pt.Player_ID
```

PlayerTeamView

Results	Explain	Describe	Saved SQL	History
PLAYER_NAME		TEAM_NAME		
Player 1		Team A		
Player 2		Team B		
Player 3		Team C		
Player 4		Team D		
Player 5		Team E		

5 rows returned in 0.00 seconds [Download](#)

Result of PlayerTeamView

5.11 Synonyms

```

1 -- Create synonym for the ORGANIZATION_TOURNAMENT table
2 CREATE SYNONYM org_tour FOR Organization_Tournament;
3
4 -- Create synonym for the CONTENTCREATOR_SOCIALMEDIA table
5 CREATE SYNONYM cc_sm FOR ContentCreator_SocialMedia;
6
7 -- Create synonym for the CONTENTCREATOR_PHONE table
8 CREATE SYNONYM cc_ph FOR ContentCreator_Phone;

```

Synonyms

Results	Explain	Describe	Saved SQL	History
OWNER	SYNONYM_NAME	TABLE_OWNER	TABLE_NAME	DB_LINK
ESPORTFTW	CC_PH	ESPORTFTW	CONTENTCREATOR_PHONE	-
ESPORTFTW	CC_SM	ESPORTFTW	CONTENTCREATOR_SOCIALMEDIA	-
ESPORTFTW	ORG_TOUR	ESPORTFTW	ORGANIZATION_TOURNAMENT	-

3 rows returned in 1.38 seconds [Download](#)

List of Synonyms

Relational Algebra

1. Find the name of the manager whose manager id is 5.

$$\Pi_{\text{Manager_Name}}(\sigma_{\text{Manager_ID}=5}(\text{Manager}))$$

2. Find the Salary of 'Player 1'.

$$\Pi_{\text{Player_Salary}}(\sigma_{\text{name}=\text{'Player 1'}}(\text{Player}))$$

3. Find Player id whose birthday is on 1992-05-10.

$$\Pi_{\text{Player_ID}}(\sigma_{\text{Player_DOB}=\text{'1992-05-10'}}(\text{Player}))$$

4. Find the Country, City, Street, and Zip code where Content Creator ID is equal to 4.

$$\Pi_{\text{ContentCreator_Country}, \text{ContentCreator_City}, \text{ContentCreator_Street}, \text{ContentCreator_Zip_Code}} \\ (\sigma_{\text{ContentCreator_ID}=4}(\text{ContentCreator_Address}))$$

5. Find the Team ID that won the Championship 2023.

$$\Pi_{\text{Team_ID}}(\sigma_{\text{Team_Winning}=\text{'Championship 2023'}}(\text{Team_Winning}))$$

Conclusion

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetur id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.

Nulla malesuada porttitor diam. Donec felis erat, congue non, volutpat at, tincidunt tristique, libero. Vivamus viverra fermentum felis. Donec nonummy pellentesque ante. Phasellus adipiscing semper elit. Proin fermentum massa ac quam. Sed diam turpis, molestie vitae, placerat a, molestie nec, leo. Maecenas lacinia. Nam ipsum ligula, eleifend at, accumsan nec, suscipit a, ipsum. Morbi blandit ligula feugiat magna. Nunc eleifend consequat lorem. Sed lacinia nulla vitae enim. Pellentesque tincidunt purus vel magna. Integer non enim. Praesent euismod nunc eu purus. Donec bibendum quam in tellus. Nullam cursus pulvinar lectus. Donec et mi. Nam vulputate metus eu enim. Vestibulum pellentesque felis eu massa.

Quisque ullamcorper placerat ipsum. Cras nibh. Morbi vel justo vitae lacus tincidunt ultrices. Lorem ipsum dolor sit amet, consectetur adipiscing elit. In hac habitasse platea dictumst. Integer tempus convallis augue. Etiam facilisis. Nunc elementum fermentum wisi. Aenean placerat. Ut imperdiet, enim sed gravida sollicitudin, felis odio placerat quam, ac pulvinar elit purus eget enim. Nunc vitae tortor. Proin tempus nibh sit amet nisl. Vivamus quis tortor vitae risus porta vehicula.

Fusce mauris. Vestibulum luctus nibh at lectus. Sed bibendum, nulla a faucibus semper, leo velit ultricies tellus, ac venenatis arcu wisi vel nisl. Vestibulum diam. Aliquam pellentesque, augue quis sagittis posuere, turpis lacus congue quam, in hendrerit risus eros eget felis. Maecenas eget erat in sapien mattis porttitor. Vestibulum porttitor. Nulla facilisi. Sed a turpis eu lacus commodo facilisis. Morbi fringilla, wisi in dignissim interdum, justo lectus sagittis dui, et vehicula libero dui cursus dui. Mauris tempor ligula sed lacus. Duis cursus enim ut augue. Cras ac magna. Cras nulla. Nulla egestas. Curabitur a leo. Quisque egestas wisi eget nunc. Nam feugiat lacus vel est. Curabitur consectetur.