

Kristianstad University SE-291 88 Kristianstad Sweden +46 44 250 30 00 www.hkr.se

Agile Working - Project idea Pineapple Planner

Max Sellick, Varvara Aladyina, Deinoras Krasauskas, Azhaf Kahn, Simon Ostini

February 2025

Title

Agile Working - Project idea

Programme

Software Development

Authors

Max Sellick, Varvara Aladyina, Deinoras Krasauskas, Azhaf Khan, Simon Ostini

Keywords

Agile, Scrum, Project idea

Contents

1	Task 1	4
2	Task 2	4
3	Task 3	4
4	Task 4	6
5	Task 5	7
6	References	8

1 Task 1

Time management is a challenge for individuals that have multiple responsibilities across work, studies, and personal life, that leads to increased stress and decreased productivity. Traditional calendars and to-do lists, while useful, may not provide the comprehensive support needed to manage these demands effectively [1]. The desktop application "Pineapple Planner" is a task management tool with integrated calendar, to-do list which aims to minimize stress to help completing daily tasks and improves personal productivity. The app will include drag-and-drop scheduling, custom task categories, and reminders. Dependencies between tasks will be displayed visually, helping users understand how their tasks relate to one another. The application aims to contribute to structure people's lives and to help them achieve their daily goals.

2 Task 2

Considering ethical aspects and social responsibility in the development of the Pineapple Planner desktop application is crucial to ensure fairness, accessibility, and user trust. Ethical principles help create a product that respects user privacy and promotes inclusivity.

One key consideration is data privacy and security. Task management applications often store sensitive personal information, so implementing strong data protection measures aligns with ethical guidelines such as the General Data Protection Regulation. Ensuring that user data is stored securely in a Firebase store and not exploited for commercial gain fosters trust and transparency. [2]

Additionally, our application should avoid manipulative design and addictive features that pressure users. Dark patterns, such as misleading notifications, excessive reminders, or barriers to account deletion, must be eliminated to ensure user control. Instead, the design should promote productivity without fostering dependency. To support ethical use, the application should offer customizable notifications, break reminders, and transparent data policies. Clearly explaining data usage and providing simple consent options will reinforce trust and align with ethical standards. [3]

3 Task 3

- a) We plan to develop the Pineapple Planner app with scalability and usability in mind. By using Domain-Driven Design (DDD) with C#, WPF, and Blazor, the system will be modular and easy to maintain, allowing the integration of new features over time if required. The combination of WPF for desktop and Blazor for web components will ensure a user-friendly and responsive interface. Technically, our infrastructure allows easy migration to cross-platform usage. With C#'s strong type safety and GitHub's CI/CD pipelines, the app will maintain data integrity and deliver stable updates. Lastly, we will strongly profit from JIRA's structured project and task management.
- b) We intend to build a C# WPF application that integrates a Blazor web appplication as an external assembly. The Blazor app accesses data from a database




Figure 1: Infrastructure proposal

through queries and commands (CQRS) which are implemented in the application layer assembly. The application layer accesses our entities that are defined in the domain layer. Generally, it can be said that we plan to use a microservice architecture according to the Domain-Driven-Design (DDD) infrastructure pattern also known as the *Onion architecture*.

4 Task 4

Nr	Requirement item	Priority (High/Medium/Low)
R1	The user shall be able to inspect their tasks.	High
R2	The user shall be able to manage their tasks.	High
R3	The user link their task data to their account.	High
R4	The user shall be able to prioritize tasks.	Medium
R5	The user shall be able to set recurring tasks.	Medium
R6	The user shall be able to set reminders for tasks.	Low

Table 1: Requirement items

\mathbf{Nr}	Requirement item	Priority (High/Medium/Low)
D1	Task items are listed in a todo list view and visible	High
	in a calendar view.	
$\overline{D2}$	A task form allows the users to create, edit and	High
	delete their tasks.	
D3	The application saves a users' tasks in a database	High
D4	Tasks can be assigned priority levels (e.g., High-	High
	/Medium/Low) with visual indicators (e.g. color-	
	coding) in the todo list and calendar views.	
D5	Tasks can be set to repeat daily, weekly, monthly, or	Medium
	custom intervals.	
D6	A notification system alerts users via desktop noti-	Low
	fications.	

Table 2: Design items

Task 5

Sprint	Sprint 1	Sprint 2	Sprint 3	Sprint 4
Scrum master	Varvara Alady-	Deinoras	Azhaf Khan	Max Sellick,
	ina	Krasauskas		Simon Ostini
Developers	Max Sellick,	Varvara Alady-	Deinoras	Azhaf Khan
	Simon Ostini	ina	Krasauskas	
Tester	Deinoras	Azhaf Khan	Max Sellick,	Varvara Alady-
	Krasauskas		Simon Ostini	ina
Support	Azhaf Khan	Max Sellick,	Varvara Alady-	Deinoras
		Simon Ostini	ina	Krasauskas

Table 3: Sprint role planning

6 References

- [1] A. M. Bek, P. A. Nielsen, and T. K. Nielsen, "A study on how notes and lists integrates with a group calendar,"
- [2] C. J. Hoofnagle, B. Van Der Sloot, and F. Z. Borgesius, "The european union general data protection regulation: What it is and what it means," *Information & Communications Technology Law*, vol. 28, no. 1, pp. 65–98, 2019.
- [3] C. Montag, B. Lachmann, M. Herrlich, and K. Zweig, "Addictive features of social media/messenger platforms and freemium games against the background of psychological and economic theories," *International journal of environmental research and public health*, vol. 16, no. 14, p. 2612, 2019.