

Mind, Brain, Body

Emily Towner, Kristen Chu

2020-07-09

Contents

1	Introduction	5
2	Wave 1	7
2.1	Checklists	7
2.2	Child/Teen & Parent General Protocols	14
2.3	Child/Teen Protocols	30
2.4	Parent Protocols	50
2.5	Post-Lab Protocols	58
3	Wave 1 Online	71
3.1	Checklists Online	71
3.2	Pre-Online Session Protocols	76
3.3	Online Session Protocols	87
3.4	Post-Online Session Protocols	106
4	SONA Collection	119
4.1	SONA Collection Summary	119
4.2	SONA Collection Measures	119
5	References	121
5.1	Questionnaire References	122

Chapter 1

Introduction

The Mind, Brain, Body study looks at how early caregiving experiences influence the emotional, cognitive, and brain development, as well as physical health and wellness.

The study also explores how the bacteria that live inside us (the microbiome) are connected to the development of our brains and bodies.

Chapter 2

Wave 1

2.1 Checklists

2.1.1 Initial Checklist

Scheduling and Confirmation

- Schedule lab session
- Send confirmation email (in templates)
 - Attach Next Steps

Enrollment

- Create participant Box folder using MBB_template (delete blank README from newly created folder)
- Enroll participant in Wave 1 on REDCap
- Fill participant instrument on REDCap
- Fill counterbalance order on REDCap (Checklist - Lab Session Child Instrument)

Calendar

- Create MBB calendar event lab session and invite researchers
- Create DBS calendar event (SAND calendar)
- Create MBB calendar event lab session reminder 1 (email) (1 week prior)
- Create MBB calendar event lab session reminder 2 (email and call) (3 days prior)
- Create MBB calendar event to send home session reminder 1 (email) (1 week after lab session)
- Create MBB calendar event to make home session reminder 1 (call) (8 days after lab session)

- Create MBB calendar event to send home session reminder 2 (email) (10 days after lab session)
- Create MBB calendar event to send home session reminder 3 email (14 days after lab session)

Reminders

- Send lab session reminder 1 email (in templates - attach next steps, consent/assent)
 - Send lab session reminder 2 email (in templates - attach previous and parking info)
 - Confirm participant
 - Preferably by phone
 - Update lab session calendar status
-

2.1.2 Pre-Lab Session Checklist

2.1.2.1 Lab Session Setup - 1 Day Prior

- Create participant manila folder
- Print assent/consent forms (Check IRB expiration)
 - Parent consent
 - Assent - Child or Teen (None if under 7 years)
 - Referral consent
 - Contact list
 - DBS consent
- Print MBB Lab-Session Checklist-Child (Enter counterbalance order)
- Print MBB Lab-Session Checklist-Parent
- Print KSADS Summary Diagnostic Checklists (Write participant ID on all pages)
- Print and prepare WASI Form (Enter starting point; write participant ID on all pages)
- Print and prepare WIAT Form & Booklet (Enter starting point; Write participant ID on all pages)
- Print Memory Intrusion Scratch Paper
- Print and insert Bristol Stool Scale (MBB Specific Version)
- Print and fill in codes on Participant Info Brochure
- File participant manila folder in front section of file cabinet (Upcoming)
- Charge
 - iPads
 - iPad pencils
 - Biopac transmitters
 - VR headset (Check remote battery)
 - Audio recorders
- Make sure audio recorder batteries have enough charge
- Label electrodes with color stickers

- Blue=EGG
 - Yellow=ECG
 - Make participant name tags
 - Print Payment Receipt Template
 - Assemble home kit
 - Insert gut kit
 - Insert toilet hat
 - Insert oral kit
 - Insert biohazard bag
 - Insert Bristol Stool Scale
 - Label all items with participant ID (in sharpie)
 - Insert MBB info cards
 - Attach FedEx slip to mailer
 - Label mailer with “Exempt human specimen” (in sharpie)
-

2.1.2.2 Lab Session Setup - 1 Hour Prior

- Place in Rainbow Room
 - Consent/assent/DBS/contact on clipboard with pens
 - Consent protocol
 - Pleasant Events Checklist and Issues Checklist
 - Place WASI & books (2)/WIAT & card/protocol in testing room
 - Place audio recorders in testing rooms
 - Attach researcher documents to clipboards
 - Child - Checklist, Memory Intrusion notes
 - Parent - Checklist, KSADS summary
 - Turn iPads on airplane mode and WiFi off
 - Clear and setup KSADS on iPad (duplicate blanks)
 - Photograph FedEx slip
 - Pre-load questionnaires on computers
 - (Parent and Child; under 8-laminated faces)
 - Pre-load physiology data templates (8)
 - Move physiology station near Rainbow Room
 - Move iPad and iPad stand near Rainbow Room
 - Insert Participant Info Brochure in home kit
 - Assemble hair sample materials
 - Prep blood spot kit
-

2.1.3 Lab Session Checklist

2.1.3.1 Child

- Assent

- Physiology setup
- Parent-child observation (video record)
- Drink bottle of water
- Memory intrusion (audio record)
- Halloween training
- Characters (monsters/aliens)
- Halloween test
- Discrimination (run 1 of 3) *no physio
- Conditioning (sound)
- Discrimination (run 2 of 3) *no physio
- Height
- Hair sample
- Weight
- Saliva sample
- Memory generalization training (audio record)
- Extinction
- Discrimination (run 3 of 3) *no physio
- Memory generalization test
- Waist circumference
- Snack and water break
- WASI (audio record)
- WIAT (audio record)
- Blood sample
- Questionnaires
- Prize

2.1.3.2 Parent

- Consent
- Parent-child observation (video record)
- KSADS (audio record)
- Transfer observation video/KSADS audio recording
- Questionnaires
 - Parent Proxy or Parent Self
- Home kit issues and explained
 - Take photo of Fedex label
- Payment issued and signed
 - Take photo of receipt

2.1.4 Post-Lab Session Checklist

2.1.4.1 Clean Up

- Tidy lab
- Disinfectant spray

- Disinfectant wipe

2.1.4.2 Notes

- Make note in Trello of issues to discuss (if needed) (titled: MBB#### Lab Session Discussion)

2.1.4.3 Sample Storage

- Label and leave blood sample to dry
- Store blood sample
- Label and store hair sample
- Label and store saliva sample
- Create and assign Trello reminder to store blood sample
- Update sample storage log on Box (after lab session)

2.1.4.4 Filing

- File consent and assent forms in filing cabinet (consent manila folder)
- File contact list in filing cabinet (contact list manila folder)
- Log participant payment in reimbursement log book
- File payment receipt photo in Box payment folder
- File FedEx tracking photo in Box folder

2.1.4.5 Data Entry

- Transfer and rename video recordings to external hard drive (delete originals)
 - Transfer and rename audio recordings to external hard drive (delete originals)
 - Copy behavioral task data to participant folder (raw)
 - Copy physiology task data to participant folder
 - Save and upload KSADS screen from iPad to participant Box folder
 - Save and upload any KSADS supplements from iPad to participant Box folder
-

2.1.5 Final Checklist

2.1.5.1 Scoring

- Fill out KSADS Summary Diagnostic Checklists
- Score WASI
- Score WIAT

2.1.5.2 Filing

- Scan DBS consent and file in participant Box folder
- Scan Memory Intrusion Notes and file in participant Box folder
- Scan KSADS Summary Diagnostic Checklist and file in participant Box folder
- Scan lab session checklists (parent & child) and file in participant Box folder
- Scan WASI/WIAT (once scored) and file in participant Box folder
- Make low-res parent-child interaction video and save on BABLab Drive
- Burn all audio and video (low res) files to CD and label/store CD in binder
- Check video transfer and delete original
- Check audio transfers and delete originals

2.1.5.3 Data Entry

- Enter contact list information into recruitment database
- Enter KSADS Summary Diagnostic Checklist data to REDCap
- Enter height, weight, waist to REDCap
- Score and enter WASI data to REDCap
- Score and enter WIAT data to REDCap
- Enter Memory Intrusion Notes to REDCap
- Enter lab session checklist - Child data to REDCap
- Enter lab session checklist - Parent data to REDCap

2.1.5.4 Reminders

- Home session reminder 1 email sent
- Reminder 1 phone call made
- Home session reminder 2 email sent
- Home session reminder 3 email sent

2.1.5.5 Home Session

- Halloween test delay
- Memory Generalization test delay
- Stool kit received
- Bristol Stool Scale data received
- ASA

2.1.5.6 Data Entry

- Enter home session checklist child data to REDCap
- Download and upload ASA data to participant Box folder
- Scan and upload Bristol Stool Scale to Box
- Enter Bristol Stool Scale data to REDCap

2.1.5.7 Sample Storage

- Label and store stool sample (add data quality to REDCap)
- Update sample storage log on Box (once all received)
- Upload sample photo to Box

2.1.5.8 Reimbursement

- Send thank you email (in templates)
 - Attach letter, certificate, and parent report
- Mail gift card
 - Include thank you letter, certificates, and any additional stool kits if needed

2.1.5.9 Data Quality

- Data quality check 1
- Data quality check 2
- Data audit

2.1.5.10 Retention

- Prep report card
 - Send report card email (in templates - attach report card)
 - Update participant Wave 2 status
1. Open a participant data folder




Figure 2.1:

2. Navigate to the report card folder and rename the template file - MBB999 to the relevant participant - and open the file




Figure 2.2:

3. If an ASA nutrition report has been generated for this participant, delete page 4 of the pdf. If no ASA nutrition report has been generated, delete page 3 of the pdf.
 4. Navigate to the last pge of the pdf, and fill in the scores for this participant. You can type directly on the page - it is a fillable form.
 5. After you have entered the data, it should look like this
 6. If there are any comments, enter them on the comments page.
 - For example, if any NA's are present due to less than 70% of data for that subset being available to calculate a score - note that here. Or, for example if the child was too young to receive a grade based score, you could note the aged based reading of the table here.
 - If there are no comments, delete this page.
 7. **Important** - Once you have completed the edits to the pdf, you must follow these steps to "lock" the data so that it is no longer editable before sending to the participant. To do so, click file/print/PDF/Save as PDF. Save the PDF to your desktop, then replace the original PDF with the desktop version.
 8. The report card is now ready to be sent to the participant.
-

2.2 Child/Teen & Parent General Protocols

2.2.1 Consent & Assent

Once the parent and child/teen come into the lab, seat them in the Rainbow Room on the couch for consenting (parent) and assenting (child aged 7+ or teen).

Make some small talk - Ask the participant how they got here. If they have




Figure 2.3:



Figure 2.4:

CHILD REPORT			
WAVE 1 - MIND, BRAIN, BODY STUDY			
WECHSLER ABBREVIATED SCALE OF INTELLIGENCE - II			
Vocabulary T-Score			56
Matrix Reasoning T-Score			32
Estimated IQ			89
IQ Confidence Interval			83-97
Percentile			23%
WECHSLER INDIVIDUAL ACHIEVEMENT TEST-III		WORD READING	NUMERICAL OPERATIONS
Standard Score			106
Standard Score Confidence Interval		101-111	81-101
Percentile			66% 27%
Grade Equivalent			5.2 3.7
CHILD BEHAVIOR CHECKLIST		T-SCORE	PERCENTILE
Anxious/Depressed		50	50% Normal
Withdrawn/Depressed		52	58% Normal
Somatic Complaints		50	50% Normal
Social Problems		52	58% Normal
Thought Problems		50	50% Normal
Attention Problems		51	50% Normal
Rule-breaking Behavior		55	69% Normal
Aggressive Behavior		50	50% Normal
Internalizing		39	14% Normal
Externalizing		44	27% Normal
Total Difficulties		40	16% Normal

Figure 2.5:




Figure 2.6:




Figure 2.7:

participated before in research. Offer them a bottle of water. Thank them for coming and for giving up their weekend to help science.

Tell the parent and child that the first thing you are going to do is go over all of the things they will do today, and have them sign the consent and assent forms.

Speak to them and direct them through the whole process.

2.2.1.1 Things you will do in the lab

- Stick stickers on you to measure heart rate, sweat, stomach muscles.
- Sit with parent and talk about fun things and hard things (filming).
- Parent stays in room and answers more questions.
- Child goes next door to play computer games (look at pictures, watch movies). Some of the movies and pictures will be a little bit scary, others sad, others boring.
- One of the games involves a loud annoying noise, we will adjust it for you.
- You will also do some other games on paper and pencil - like puzzle and word games
- You will answer some questionnaires
- We will also measure your height, weight, and waist circumference.
- We will take three biological samples:
 - Hair - stress hormones
 - Saliva - microbiome
 - Blood - immune - wear goggles
- Do you get sick or dizzy when you see blood or hurt yourself?
- If we need to, can we prick two fingers?
- When you are done with all of that, you will get a big prize, then we will pay you and you will go home.
- You will get \$45 for the work you put in today.

2.2.1.2 Things you will do at home

Child

- Poop sample - microbiome
- Stool scale
- Memory game - to see what you remember from lab.

Parent

- 24 hour food recall

When you complete the poop sample and the games at home, we will pay you another \$20 in the form of a giftcard.

2.2.1.3 Things to know

You are a volunteer, which means that you do not have to do anything, or say anything that makes you uncomfortable. We would like you to try everything

you can, and to do your best, but if there are things you absolutely do not want to do, just tell us, that is o.k.

We keep your participation confidential - ID number.

We want you to come in again in the future, so we will ask for some information so we can contact you in the future.


Sign consent/assent forms including DBS form and Contact Sheet

2.2.2 Recruitment

2.2.2.1 Pre-Screening

1. Check if participant is in Recruitment Database
 - If not, add them to the Recruitment Database
2. Check if participant is in ID Drive
 - If yes, check if they have a Screener ID
 - If not, assign them a Screener ID once contact has been established based on the next available Screener ID # in REDCap and proceed with screening
 - If yes, proceed with screening under existing Screener ID in REDCap

2.2.2.2 Screening



The screenshot shows the REDCap project interface with the following sections visible:

- Project Home:** Logged in as emilytowner@ucla.edu, Log out, My Projects, Project Home or Project Setup, REDCap Messenger, Project status: Development.
- Data Collection:** Edit instruments, Survey Distribution Tools (Get a public survey link or build a participant list for inviting respondents), Scheduling (Generate schedules for the calendar using your defined events), Record Status Dashboard (View data collection status of all records), Add / Edit Records (Create new records or edit existing ones).
- Applications:** Calendar, Data Exports, Reports, and Stats, Data Import Tool, Data Comparison Tool, Logging, Field Comment Log, File Repository, DAGs, Record Locking Customization, E-signature and Locking Mgmt, Data Quality, API and API Playground.
- Reports:** Search, Organize, Edit, run_sheet.
- Help & Information:** Help & FAQ, Video Tutorials, Suggest a New Feature.
- Mind, Brain, Body:** Project status: Development, Main project settings (Disable survey in this project, Use longitudinal data collection with defined events), Design your data collection instruments & enable your surveys, Define your events and designate instruments for them, Enable optional modules and customizations, Set up project bookmarks (optional).

1. To screen a new participant click “Add / Edit Records”

2. Click to enter a new Subject ID
 - Make sure Arm 1: Recruitment is selected
3. Type “SMBB#” (Screener ID) to create a record and hit “Enter”
 - Make sure to link the participants Screener ID and their name on the **ID Drive ONLY**
 - Before creating a new record, be sure to check the ID Drive to see if the participant already has an existing Screener ID
 - If a record exists, add a new instance of the screen instead of creating

Mind, Brain, Body

Add / Edit Records

You may view an existing record/response by selecting it from the drop-down lists below. To create a new record/response, new value in the text box below and hit Tab or Enter. To quickly find a record without using the drop-downs, the text box will populate with existing record names as you begin to type in it, allowing you to select it.

NOTICE: This project is currently in Development status. Real data should NOT be entered until the project has been moved to Production status.

Total records: 24

Choose an existing Subject ID	Arm 1: screening ↗	-- select record -- ↗
Enter a new or existing Subject ID	Arm 1: screening ↗	[Text Input Field]

Data Search

Choose a field to search (excludes multiple choice fields)	All fields ↗
Search query Begin typing to search the project data, then click an item in the list to navigate to that record.	[Text Input Field]

a new record

4. The screening arm contains two parts
 - The screen
 - The wave1_status
 - The wave1_status is to be updated after the first and each subsequent contact

Record Home Page

Record "PP6" is a new Subject ID. To create the record and begin entering data for it, click any gray status icon below.

The grid below displays the form-by-form progress of data entered for the currently selected record. You may click on the colored status icons to access that form/event. If you wish, you may modify the events below by navigating to the [Define My Events](#) page.

Legend for status icons:

● Incomplete	● Incomplete (no data saved) ↗
○ Unverified	○ Partial Survey Response ↗
● Complete	○ Completed Survey Response ↗
● Many statuses (mixed)	● Many statuses (all same) ↗

NEW Subject ID PP6
Arm 1: screening

Data Collection Instrument	screener
screen	<input checked="" type="radio"/>
screen_status	<input type="radio"/>

5. Click on the radio button in the “screen” row to screen the participant

The screenshot shows a REDCap form titled "screen". The top bar indicates "Adding new Subject ID PP6". The form has several sections:

- Subject ID:** PP6
- Date and time of screening:** A date input field set to "Now".
- Starting the phone call:**
 - Are you:** Options include "Answering a call" (radio button), "Returning a call" (radio button, selected), and "Leaving a message" (radio button).
 - A message to the participant: "Hello, this is [researcher name] calling from the Brain and Body Lab at UCLA. Can I speak to [name of potential participant]?".
 - Participant response options: "Yes" (radio button) and "No" (radio button).
- Will this be all right?**
- Researcher:** A large text area for notes.
- Notes:** A text area with a "H" icon and a "Notes" label.
- Form Status:**
 - Complete?**: Shows "Incomplete".
 - Lock this record for this form?**: Includes a "Lock" button and a note: "If locked, no user will be able to edit this record on this form until someone with Lock/Unlock privileges unlocks it."
- Action Buttons:** "Save & Exit Form", "Save & Stay", and a "Cancel" button.

6. Click “Now” to enter today’s date and time
7. Select the appropriate choice to start the phone call and follow the skip logic
8. Follow the skip logic to the end
 - For items without a text field, write the information down in the Recruitment database (This identifying information cannot be on REDCap)
9. Once done, select “Complete” and “Save & Exit Form”
 - The screen can be entered multiple times - for instance if there are multiple phone calls or contacts
 - It is important to keep a record of all instances of contact

Record Home Page

The grid below displays the form-by-form progress of data entered for the currently selected record. You may click on the colored status icons to access that form/event. If you wish, you may modify the events below by navigating to the [Define My Events](#) page.

Choose action for record ▾

Subject ID PP5 successfully added

Subject ID PP5
Arm 1: screening

Data Collection Instrument	screener
screen	
screen_status	

Repeating Instruments

screen	screener (Arm 1: screening)
1	
+ Add new	

Legend for status icons:

- Incomplete
- Unverified
- Complete
- Many statuses (mixed)
- Incomplete (no data saved) ?
- Partial Survey Response
- Completed Survey Response
- Many statuses (all same)

screen_status

[Editing existing Subject ID PP5](#)

Event Name: screener (Arm 1: screening)

Subject ID	PP5
Status	
Form Status	
Complete?	
Lock this record for this form? <small>If locked, no user will be able to edit this record on this form until someone with Lock/Unlock privileges unlocks it.</small>	
<input type="checkbox"/> Lock	
Save & Exit Form Save & Stay	
-- Cancel --	

10. Click the screen_status radio button
11. Select the appropriate option
 - Contact - Participant needs to be re-contacted (add Recruitment Database & ID Drive)
 - Ineligible - Participant not eligible for study
 - To Enroll - Participant to enroll (need to create subject ID, enter subject info, schedule participant, add to Recruitment Database, add to ID Drive)
 - Enrolled - Participant has been enrolled (all above have been completed)
 - To Remove - Participant wants to be removed
12. Be sure to update the screen status after each contact
 - After 3 contacts (with no response) - review (time of day, contact method, etc.)
13. If enrolled, proceed to pre-session checklist in the participant log

2.2.2.3 Other Screening Information

Accessing Lists

To find out where participants are in the recruitment process, there are several lists.

The screenshot shows the REDCap web application interface. On the left, a sidebar menu includes 'My Projects', 'Project Home', 'REDCap Messenger', 'Data Collection' (with 'Survey Distribution Tools' and 'Scheduling' sub-options), 'Record Status Dashboard' (which is highlighted with a black arrow), and 'Add / Edit Records'. The main area has two tabs: 'Recruitment - To Contact' and 'Enrollment - Wave 1'. The 'Recruitment' tab displays a table with columns 'Subject ID', 'screener', 'screen', and 'screen status'. The 'Enrollment' tab shows a list of 20 records. A legend on the right explains status icons: red for Incomplete, yellow for Unverified, green for Complete, blue for Many statuses (mixed), and a multi-colored icon for Many statuses (all same). A tooltip for the 'Record Status Dashboard' link provides a detailed description of its function.

1. Click on “Record Status Dashboard”
2. Participants who have been enrolled will be listed in the Enrollment - Wave 1 list
3. Participants in the process of recruitment will be listed in one of the 4 Recruitment lists - *These lists are populated based on the individuals “Screen Status” so be sure to update after each contact!

List Types

- Contact - List of individuals who need to be contacted or re-contacted (also includes waitlist)
- Ineligible - Participants are ineligible but interested
- To Enroll - Participants who have been screened and are eligible to enroll
- To Remove - Participants who were not interested in being contacted for this or future research

2.2.3 Addressing Concerns

If a parent has a concern about the study before the session, send the email template:

- [MBB - CONCERN]

2.2.4 Parent/Child Observation

The parent and child will be in the Rainbow Room for 15 minutes. During that time they will be filmed while planning a conflict event, and then again while discussing a pleasant event. The conflict event will always go first, followed by the pleasant event. We did this to ensure that the parents were not thinking of the negative interaction upon answering the questionnaires about their child, which they did immediately after the observation interaction. If participants indicate that they prefer to speak in a language other than English, they may do so.

Step 1:

Parent and child will be situated on the grey couch in the Rainbow Room. The iPad video camera will be placed about 4 feet away from the dyad, on a tripod stand. The screen of the iPad will be facing away from the parent and child.



Figure 2.8:

Step 2:

The researcher will give the parent and child the Pleasant Events Checklist

(PEC) on a piece of paper.

Researcher: Next we are going to take some film of you while you discuss a source of conflict (or something you disagree on) and try to resolve it. On this piece of paper is a list of things that parents and children sometimes have disagreements about. Please take a moment to read the list and think about some that you would like to discuss together. When I knock on the door, please start discussing the things you have selected from the list and try to resolve the areas of conflict you have chosen from the list. You do not need to tell us what you chose to discuss, and it does not matter if you chose something from the list, or decide to choose something else not included on the list. I will give you five minutes to discuss the event, then I will come back and give you further instructions.

Step 3:

Researcher press record on the iPad and leave the room. Start timer for 1 minute, then knock on the door and ask the dyad to begin discussing their event. Start timer for 5 minutes. At the end of 5 minutes, again knock on the door and enter the Rainbow Room.

Researcher: Thank you for taking the time to discuss the source of conflict and try to resolve it. Next we are going to take some film of you while you discuss a pleasant event you could do together. On this piece of paper is a list of events that parents and children sometimes find pleasant to do together. Please take a moment to read the list of events and think about what you would like to plan to do together. When I knock on the door, please start discussing the event you would like to do together and make a plan for how you could do it. You do not need to tell us what you chose to discuss, and it does not matter if you chose something from the list, or decide to choose something else not included on the list. I will give you five minutes to discuss the event, then I will come back and give you further instructions.

Step 4:

Researcher press record on the iPad and leave the room. Start timer for 1 minute, then knock on the door and ask the dyad to begin discussing their event. Start timer for 5 minutes. At the end of 5 minutes, again knock on the door and enter the Rainbow Room.

Step 5:

Researcher reenter the room, switch the iPad off and move the child/adolescent to their next session.

Pleasant Events Checklist	Issues Checklist
Being in the country	Telephone calls
Talking about sports	Bedtime
Going to a concert	Cleaning bedroom

Pleasant Events Checklist	Issues Checklist
Planning trips or vacations	Doing homework
Being at the beach	Putting away clothes
Doing art work (painting, sculpture, drawing, movie-making)	Using the television
Rock climbing or mountaineering	Cleanliness (washing, showers, brushing teeth)
Playing golf	Which clothes to wear
Re-arranging or redecorating my room or house	How neat clothes look
Going to a sports event	Making too much noise at home
Reading stories, novels, poems, or plays	Table manners
Making music together	Fighting with siblings (brothers and sisters)
Boating (canoeing, kyaking, motorboating, sailing, etc)	Cursing
Watching TV	How money is spent
Camping	Picking books or movies
Playing cards	Allowance
Completing a difficult task	Going places without parents (shopping, movies, etc)
Laughing	Playing stereo or radio too loudly
Solving a problem, puzzle, crossword	Turning off lights in house
Playing tennis	Taking care of records, games
Driving long distances	Buying records, games, toys, and other things
Woodworking, carpentry	Going on dates
Writing stories, novels, plays or poetry	Who friends should be
Being with animals	Selecting new clothes
Riding in an airplane	Coming home on time
Exploring (hiking away from known routes)	Getting to school on time
Going to a party	Getting low grades in school
Playing a musical instrument	Getting in trouble at school
Making snacks	Lying
Snow skiing	Helping out around the house
Doing craft work (pottery, jewelry, leather, beads, weaving, etc)	Talking back to parents
	Getting up in the morning
	Bothering parents when they want to be left alone
	Bothering child/adolescent when they want to be left alone
	Putting feet on furniture
	Messing up the house

Pleasant Events Checklist	Issues Checklist
	What time to have meals
	How to spend free time
	Earning money away from the house
	What child/adolescent eats

2.2.4.1 Coding the Interview

- After the interviews are collected, videos will be coded by two observers blind to the caregiving group of the child (adversity or comparison).
- Our original plan was to follow the LIFE coding system developed by Hops:
 - Hops H, Davis B, Longoria N. Methodological issues in direct observation – Illustrations with the Living in Familial Environments (LIFE) coding system. *Journal of Clinical Child Psychology*. 1995;24:193–203. Google Scholar
- However, this system is prohibitively expensive and very training intensive. Instead we decided to go with either of the following two coding schedules:
 - 1. Family Interaction Macrocoding Schedule (FIMS) Holmbeck, Zebracki, Johnson, Belvedere, & Hommeyer, 2007.
 - 2. CIB Training with Ruth Feldman.
- We ultimately decided to go with FIMS for several reasons:
 - Expense - Sarah Whittle paid approximately \$ 1000USD for a 10 hour skype training session with one of Holmbeck's team), whereas CIB training is /\$2500 and also involves flights and accommodation at Yale.
 - Validation in age range - I like CIB for younger children, but FIMS was designed for older children and adolescents, and Sarah Whittle has validated it in a community sample of 8 year olds and their mothers.
 - FIMS is a less intensive coding schedule, producing global codes, rather than micro coded (i.e., minute to minute) scales - which makes more intuitive sense in the age range for MBB.
 - FIMS has a peer version that we might branch out to in the future (but likely not needing further training): <https://psycnet.apa.org/record/2014-24011-001>
 - Sarah Whittle's group looked at the component structure for the FIMS and found components that seemed close to what they were finding with the Hops LIFE system - namely: negative maternal affect during pleasant event, negative maternal

during conflict discussion, and pleasant maternal affect across both tasks (warmth). The negative maternal during pleasant event was the most predictive of child behavior problems. Overall, the correlations they report in their paper are all very sensible and convinced me that we should use the FIMS. <https://journals.sagepub.com/doi/full/10.1177/1073191118796557>

2.3 Child/Teen Protocols

2.3.1 BioPac Electrode Hookup

2.3.1.1 Electrode Placement/Preparation

- Wheel the cart into the Rainbow Room
- Prep 2 electrodes with Gel 101. Stick to the participant's ring and middle fingers on their non-dominant hand (we want to keep the pointer finger free so they can use it for tasks)
- Wrap medical tape around these to secure them, but ensure that the metal poles are still accessible
- Look at the skeleton diagram and use the EL-PREP Gel to abrade the skin around the remaining electrode sites (below the collarbones, below the sternum, on the left lower ribs, and in the remaining two positions on the stomach and left ribs)
- Clean the remaining EL-PREP off with a tissue or baby wipe
- Prep 8 electrodes with Gel 100. Stick to the locations indicated on the skeleton diagram
- Let all electrodes sit for the duration of the interaction filming task

2.3.1.2 GSR

- Put on gloves
- Ensure that the finger electrodes are properly adhered and have had time to rest
- Make sure the lead wire module is connected to the transmitter (PPGED, blue sticker) in the "EDA" channel
- Take the transmitter and secure it around the participant's wrist as shown below
- Hook up the lead wires so that the black wire connects to the middle finger and the red wire connects to the ring finger
- Ask the participant to wear a glove over the whole setup to secure it throughout the tasks
- To check if the GSR is working properly, ask the participant to briefly hold his/her breath - you should see a rise in the signal on the graph

2.3.1.3 ECG

- Ensure that the chest electrodes are properly adhered and have had time to rest.
- Make sure the lead wire module is connected to the transmitter (RSPEC-R, yellow sticker) in the ECG channel.
- Take the transmitter and secure it around the participant’s stomach as shown below.
- Hook up the lead wires so that the white lead connects to the Right Collarbone electrode, the black lead connects to the Left Collarbone electrode, and the red lead connects to the lowest Left Rib electrode.

2.3.1.4 EGG

- Ensure that the chest electrodes are properly adhered and have had time to rest.
- Make sure the lead wires are connected to the transmitter (EGG2-R, red sticker). The lead module labelled “A” (3 short leads) should be in the EGG A channel, while the lead module labelled “B” (2 long leads) should be in the EGG B channel.
- Take the transmitter and secure it around the participant’s stomach as show below.
- Hook up the lead wires so that the “A” and “B” channel white leads connect to the sternum electrodes (which goes to which does not matter), the “A” and “B” channel red leads connects to the upper left rib electrode and stomach electrode, and the “B” channel black lead connects to the remaining lower left rib electrode.

2.3.1.5 AcqKnowledge

- Turn off the wifi on the Mac Mini and turn on the BioPac/transmitters
- Open AcqKnowledge
- Choose the graph template file
- Once it loads, make sure all of the transmitters are connected
- Press run and click through all of the dialog boxes that are generated

2.3.2 Memory Intrusion/Movie Watching

- There are 4 counterbalanced versions of this task:
 - DRM_A_incongruent_first.psyexp
 - DRM_A_congruent_first.psyexp
 - DRM_B_congruent_first.psyexp
 - DRM_B_incongruent_first.psyexp
- Choose the counterbalanced version that is correct for the participant

- First open the task, add the participant ID number and press start
- Read the instructions to the participant:

Welcome to the movie game. First you will watch some movies. Then you will hear a list of words. Try to remember the words on the list.

- Press the space bar to progress to the next screen and read the instructions:
Get ready, to watch the movie. Turn to the laptop to watch.
- Open up the first movie for the participant. It will depend on the counterbalancing condition what movie goes first.
- For the two files that start with “DRM_A”:
 - DRM_A_congruent_first.psyexp
 - DRM_A_incongruent_first.psyexp

The order will be: Sad → Neutral → Scary

- For the two files that start with “DRM_B”:
 - DRM_B_congruent_first.psyexp
 - DRM_B_incongruent_first.psyexp

The order will be: Scary → Neutral → Sad

- Simultaneously press play on the movie on the laptop while also pressing the spacebar on the psychopy task. This will start the physiology and the movie at about the same time. While the movie is playing there will be a box of popcorn on the computer screen.
- When the movie is done, press spacebar on the psychopy computer to progress to the next screen. Read the instructions for the participant:
- Click on the face that shows how you feel after watching the movies.
- Participants can use a mouse to click on the face that matches the way they feel after watching the movie. The faces range in valence (negative to positive) across the X axis, and arousal (low to high) up the Y axis.
- After the participant has selected a face, you will be taken to the next screen where you can read the instructions for the participants:

Listen to the list of words and try to remember all of them.

- When the participant indicates that they have understood the instructions, press the spacebar and progress to the next screen. Make sure that the computer volume is up and the participant can hear the words being pronounced on the computer screen. After the participant hears all the words the distractor task will start.
- Read the distractor task instructions to the participant:

Count backwards from the number 25 out loud for the researcher.

Note: Whether the participant completes the distractor task correctly or not doesn't matter. The only purpose of the distractor task is to distract the participant for a brief period of time. Listen while they count backwards. If they can't count backwards, ask them to count forwards.

- When the participant is finished counting backwards from 25, or after approximately 30s has passed (whatever comes first), progress to the next screen by pressing the spacebar.
- Read the instructions out loud to the participant:

Recall 1. Please tell the researcher all the words that you can remember from the list.

- Before the participant starts to tell you what they remember, start a new voice recording and then tell them to start while you record what they say (on the talk setting). Also write what they say on a piece of paper. Make sure to note that this is 'Recall 1' (as there is a second recall later on). When the participant has told you all the words they can remember, or after 60s, progress to the next screen (instructions for the next word list).

- Make one recording for all of the memory intrusion task
- Read the instructions aloud for the participant.

Now you will hear another word list. Get ready!

- Press the spacebar to hear the word list. After the word list, move to the distractor task (counting backwards from 25). After the distractor task, move to the second recall task and record the participant like the first. When the second recall task is complete, a new loop will begin. Read the instructions to the participant then start the next movie (which will always be neutral). Repeat everything again for the final loop after they watch the final movie, which will either be sad or scary.

- Physiology Marks:
 - We have inserted start and stop times for the physiology for the movie component of the task, which will be used for one of the analyses. We have also inserted physiology marks for the start and stop times for each of the word lists, and finally for the recall phases. Note: be careful using physiology during the recall phase, as the participant is talking during that phase.


2.3.3 Halloween

- Check master counterbalance sheet and fill out the participant's ID # in the group which you assigned them.


- Seat the participant at the computer desk in the Bear's Den. Close the door to ensure privacy and freedom from distractions.

- Set up the task:
 - a. Navigate through the Finder to get to the task following this path: Dropbox/BAB/Studies/Mind_Brain_Body/Tasks/Wave1/04_halloween_pilot


- b. Start by going into the folder titled “01_training” and selecting “Halloween_training_day1.psyexp” if the participant is in the “day first” group or “Halloween_training_night1.psyexp” if the participant is in the “night first” group.



- When the task pulls up and the participant is situated and ready, select the run button indicated below:




- When prompted, fill in the participant's ID # in the "participant" field:




- Guide the participant through the instructional slides by pressing the space bar every time [s] shows up on the screen. Make sure to remind the participant to read all of the instructions carefully.
- Once the training task starts, sit quietly and do not disturb the participant. It is important for them to pay their undivided attention to the images on screen during the training.
- When the break slide appears, ask them to let you know when they are ready to continue. Press the space bar to proceed on to the next set of images.

- Once the task is complete, you can exit out by pressing any key and then closing the the PsychoPy file.
- Prompt the testing phase of the exercise by saying something along the lines of: “*And now we want to see how much of your trick-or-treating adventure you remember.*”
- Go into the “02_test” file and select the “Halloween_day1.psyexp” file if the participant is in the “day first” group or “Halloween_night1.psyexp” if the participant is in the “night first” group.



the participant is in the “night first” group.

- When the task pulls up and the participant is situated and ready, select the run button indicated below:



- Guide the participant through the instructional slides by pressing the space bar every time [s] shows up on the screen. Make sure to remind the participant to read all of the instructions carefully. Remind them that they need to click the words for the answer they want to provide.
- When the break slide appears, ask them to let you know when they are ready to continue. Press the space bar to proceed on to the next tests.
- Guide the participant through the instructional slides by pressing the space bar every time [s] shows up on the screen. Make sure to remind the participant to read all of the instructions carefully. Remind them that they need to click the item for the answer they want to provide, and then click which quadrant of the scene image they want to pick.
- Once the task is complete, you can exit out by pressing any key and then closing the PsychoPy file.
- Data is saved automatically in the data folder. You do not need to save anything before exiting out of the psychopy folder

Troubleshooting:

If the task exits due to an error, take a screenshot of the error screen and message Emily, Kristen, or Bridget for assistance. Move onto the next task in the meantime.

2.3.4 Disc/Cond/Ext

2.3.4.1 Discrimination

- Click into the discrimination folder
- Right click on either discrimination_horiz.py or discrimination_vert.py (depending on counterbalancing) and open in PsychoPy
 - This task was not created in Builder view, so does not have a .psyexp file.
- Click the green running man and enter the Participant ID
 - Make sure to enter the correct run number
 - Discrimination will be repeated 3 times (run 1, run 2, and run 3)
- Move the keyboard over so that the you, the researcher, can control it
 - You will press the buttons for the participant in this task (it is difficult to do and pay attention to on one's own)
- Read the instructions for the participant
- Ask the participant to tell you which line was more tilted, the first or second and press the corresponding button for them

2.3.4.2 Conditioning

- Click into the conditioning folder

- Test the sound file on the laptop - screech.ogg
- Set so that the sound is loud and uncomfortable, but not hurting
- Record the volume setting on the session checklist
- Open the .psyexp file for the appropriate counterbalance by right clicking and opening in PsychoPy
- Click the green running man icon and enter the Participant ID

2.3.4.3 Extinction

- Click into the extinction folder
 - Open the .psyexp file
 - Click the green running man icon and enter the Participant ID
-

2.3.5 Height

- Place participant directly against wall/frame
 - Advise participant to stand up straight
 - Make sure heels of participant are up against the wall/frame
 - Use a flat object (booklet, ruler, sheet of paper, etc.) to accurately measure height in inches
 - Record height on Lab Session Checklist
-

2.3.6 Hair Sample

2.3.6.1 Set Up Hair-Sample Station

- Ensure the hair-sample station is set up accordingly:
 - 1 sheet of aluminum foil
 - 1 small ziplock bag with participant ID
 - 1 salon grade scissor
 - 1 wide and narrow tooth parting comb
 - 1 alcohol swab
 - Painter-tape
 - 1 permanent marker
 - 1 pair of gloves
 - 2 alligator curl clips
 - 1 hair claw clip (for long hair)
 - 1 printed copy of the Hair-Care Practice Questionnaire
 - Sample hair amount taken from wig

2.3.6.2 Prior to Getting Hair Sample

- With the parent present in the room, explain to both the child and parent that we will be collecting 30-50 strands of hair. The amount of hair to

be collected is less hair than is lost in normal everyday-brushing from the back of the head.

- Inform them how the site for the sampling is hidden by the surrounding hair, therefore not visible after collection.
- Explain how the sample is used to measure a hormone called cortisol that is present in the hair.
- Show the hair sample taken from the wig to illustrate the amount of hair that will be collected (30-50 strands).
- Complete the Hair-Care Practice Questionnaire.

2.3.6.3 Hair Sample Prep

- Ask the parent to be present in the room when we collect the child's hair sample.
- Put on a pair of gloves.
- Wipe down the hair scissor/comb/clips with an alcohol swab.

2.3.6.4 Hair Length

- For short hair (less than 3cm), follow the Short-Hair Protocol below.
- For medium-length hair (3-6cm), follow the Medium-Hair Protocol below.
- For long hair (more than 6cm), follow the Long-Hair Protocol below.
- Ideally, all hair sample should be at least 3cm long. If the hair is less than 1cm long, the sample cannot be used.

Short-Hair Protocol (1-3cm)

- Take the comb and part the hair horizontally between the tips of the ears.
- After parting, ask the participant to hold the parted hair close to the scalp.
- Hold the loose hair tightly with index finger and thumb, and cut the hair along the part.
- Place loose hairs in foil and fold it securely. Do not tape the hair to the foil.
- Fold the foil without bending the hair, and ensure that the hair does not fall out of the foil.
- Label the root-end on the aluminum foil and place it in the ziplock bag.
- Label the ziplock bag with the participant's ID.
- Store the sample in a dry area at room temperature.

Medium-Hair Protocol (3-6cm)

- Take the comb and part the hair horizontally between the tips of the ears.
- Take a clip to clip away the hair from the top of the parting.
- Place another clip at the bottom to expose a 5x10cm rectangle of loose hair between the two clips.
- Ask if the child prefers the wide or narrow tooth comb to comb through the loose hair.

- Ask if it is ok to discard any loose hair from the comb.
- Grasp approx. 30-50 strands of hair to the right of the rectangle.
- Gently pull and twist the hair away from the scalp in a rolling motion between the fingers.
- Collect the sample as close to scalp as possible, but be careful to not cut the scalp.
- Attach the hair to the center of the aluminum foil by taping with painter's tape - do not cover the root end.
- Label the root end on the tape.
- Fold the foil without bending the hair, and ensure that the hair does not fall out of the foil.
- Label the root-end on the aluminum foil and place it in the ziplock bag.
- Label the ziplock bag with the participant's ID.
- Store the sample in a dry area at room temperature.

Long-Hair Protocol (>6cm)

- Part the hair left to right at the posterior vertex.
 - Clip away any extra hair, then create a twist of hair and hold tightly with index finger and thumb.
 - Make a clean cut as close to scalp as possible.
 - If the hair is thin, cut 2-3 small areas (1cm apart) across the posterior vertex to conceal the site of the cut.
 - Attach the hair to the center of the aluminum foil by taping with painter's tape - do not cover the root end.
 - Label the root end on the tape.
 - Fold the foil without bending the hair, and ensure that the hair does not fall out of the foil.
 - Label the root-end on the aluminum foil and place it in the ziplock bag.
 - Label the ziplock bag with the participant's ID.
 - Store the sample in a dry area at room temperature.
-

2.3.7 Weight

- Instruct participant to step on weight scale
 - Measure weight
 - Record weight on Lab Session Checklist
-

2.3.8 Saliva Sample

Sample Storage:

- Screw lids on very tight (to prevent evaporation)
- Log the location (grid) on the sample storage log

2.3.9 Memory Generalization

2.3.9.1 Training protocol

- There are two versions of this task (They differ in the pictures that are used for training):
 - memory_generalization_beta.psyexp
 - memory_generalization_beta_B.psyexp
- Run the task on PsychoPy.
- Read the instructions out loud to the participant.
- When you see “[s]” it means that you can progress to the next screen.
- There will be 60 photographs the participant has to see. They are presented in random order.
- There are 10 red triangles. The participant is asked to press a button when they see the red triangles so that we can later on gauge their attention in the task.
- After the 60 photographs are shown, the participant is asked to recall all of the photos they just saw. Press record on the recorder (on talk setting). Make one recording for the whole memory generalization task.
- They will go through this photo viewing and recall phase another 2 times.
- When the task is complete, save the PsychoPy output file, as well as the recorded responses to the participant folder on the Dropbox.

2.3.9.2 Test Protocol

- Immediately after the memory generalization training, administer the memory generalization test.
- There is only one version of the memory generalization test: memory_test.psyexp
- Read the instructions to the participant, emphasizing that we only want them to respond YES if the picture is EXACTLY the same as the one they just saw in the training task.
- If the participant responds “Yes” or “No” they will progress to a confidence rating screen, asking them how sure they are in their response.
- If the participant responds “I Don’t Know” they will skip the confidence rating screen.
- When the task is complete, save the participants data output from PsychoPy into their participant folder on the server.

2.3.9.3 Physiology Marks

Markers for physiology have been included for each trial type (object neutral, object negative, scene neutral, scene negative). For the test, physiology markers are entered for every trial. That way, we might be able to go back and look at GSR for the times they got the item correct.

2.3.10 Waist Measurement

- Stand and hold tape measure at the participant's belly button and bring it around their waist, over their t-shirt
 - Make sure measuring tape is horizontal around the waist and even in the front and back
 - Keep the tape snug around the waist, but not compressing the skin
 - Have participant breathe in
 - Measure the participant's waist just after they breathe out
-

2.3.11 WASI & WIAT

- Ensure that you have all of the following materials in the testing room:
 - WASI Stimulus Book
 - WASI Manual
 - WASI Score Sheet (should be in participant folder)
 - WIAT Word Reading List
 - WIAT Math Booklet (should be in participant folder)
 - WIAT Score Sheet (should be in participant folder)
 - Pens and Pencils
 - Recording device
- Sit the child diagonally from you at the table
- Start your recording device (using the talk setting)
- Make one recording for the WASI and one for the WIAT
- Say the following:

“We’re going to be doing a few things today, like playing some word games and answering some math questions. Some of these things might be really easy for you, but some might be hard. Most people do not answer every question correctly or finish every item, but please try your best. Do you have any questions?”

2.3.11.1 WASI

- Open the WASI Stimulus Book to Vocabulary
- Say the following:

“First, I am going to say some words. Tell me what each word means. If there’s one you don’t know, we can skip it. Are you ready?”

- For ALL of our participants, we will skip the visual stimuli and go straight to the words (they are all ages 6+). Point to the words and say them aloud to the participant, asking

“What does _____ mean?” or “What is _____?”

- Record answers in the WASI Score Sheet. Score by comparing their response with the Manual’s response criteria. If
 - Once the end criteria are met (3 consecutive 0’s) OR the participant hits the max score for their age group (for age 6, item 22; for ages 7-11, item 25; for ages 12-14, after item 28), say:

“Okay, we are going to stop there and move on to the next task.”

- Open the WASI Stimulus Book to Matrix Reasoning
- Say the following:

“Now we’re going to look at some patterns, and I want you to tell me which picture completes the pattern. If there’s one you don’t know, we can skip it.”

- Flip to Sample Item A and ask “Which one of these items here (motion to the bottom row) goes here (motion to the blank space)?” Correct and teach if the participant gets the question wrong.
- Repeat for Sample Item B.
- If the child is 6-8 years old, start at Item 1. If the child is 9+, start at item 4. For each item, ask the same question as above, but do not give feedback or teach if they got the question wrong. Record answers in the WASI Score Sheet.
- Once the end criteria (3 consecutive 0’s) are met OR the participant hits the max score for their age group (for ages 6-8, item 24), say:

“Okay, we are going to stop there and move on to the next task.”

2.3.11.2 WIAT

- Next, get the WIAT Word Reading List and the WIAT Score Sheet
- Say the following:

“Now you’re going to read some words out loud for me. Please read off of this list left to right, top to bottom just like a book (motion along with the directions as you say them). If you read all of the words on the front, flip over to the back and continue the same way. Go at your own pace, and say the words as clearly as you can. If there’s one you don’t know, we can skip it. Any questions?”

- Hand the word card to the participant and begin recording their answers in the WIAT Score Sheet. Keep track of self-corrections, responses taking longer than 3 seconds, and ask for repeat pronunciations if they are sounding out the word or ambiguous.

- Once the end criteria (4 consecutive 0's) are met, say:

"Okay, we are going to stop there and move on to the next task."

- Lastly, get the WIAT Math Booklet
- Ask the participant what grade they are in in school
- Say the following:

"Now, I want you to solve some math problems. Start here (motion to the appropriate item, item 1 for Grade 1, Item 14 for Grades 2-4, Item 18 for Grades 5+) and work left to right, top to bottom. If you get to a problem you don't know, just skip it. Continue on and let me know when you're finished. Any questions?"

- When they have indicated they're complete, take all of their materials and put them back in their folder. Congratulate them and let them know they did well.
-

2.3.12 Blood Sample (DBS)

2.3.12.1 DBS Prep

- Label Whatman Protein cards with subject ID, date and time, and card number.
 - Use cards in the order you have numbered them.
- Check DBS Collection Consent
 - Only proceed if no illness, phobia, bleeding disorder, blood thinners taken.
- Experimenter must wash hands.
- Participant must wash hands.
 - Use water as hot as participant can stand and interlace fingers and rub together while washing as shown in photo to increase circulation in the hands.
- Prepare collection area. It should look like this:

2.3.12.2 VR Headset Setup

- Put VR goggles on for participant.
- Ensure the headset has been charged before it needs to be used.
- Bring the headset and the remote to the DBS Collection room.



Palm to palm with fingers interlaced

Figure 2.9:




Figure 2.10:

- Ask the subject if they are familiar with VR headsets, if they make them feel motion sick, and if they want to use the headset during the DBS protocol.
- One of the RA's should pre-load the BABLab Youtube page:
 - Power on the headset (top center button on headset)
 - Go to Library
 - Select Youtube VR
 - Go to the “Account” tab
 - Go to the “Liked Videos” tab
- Show the child how the controller works:
 - moving your hand acts as the pointer/cursor
 - to make selections, use the large bumper button on the back or press down the touchpad at the top of the controller



Touchpad



Back bumper

- to scroll, move your finger up and down on the touch pad
- to go back to the movie selection list, press the upper round button below the touchpad



button

Back

- To put on the headset, loosen the side velcro straps and ask the child to hold the goggles in a comfortable position on their face. If the child wears glasses, they should be fine to use the headset while wearing them.
- Tighten the straps so that the headset stays on its own but isn't uncomfortable for the child to wear.
- Tell them they can watch any of the videos on the playlist.
- Periodically check in with the child to ensure they aren't feeling motion sick or uncomfortable in any way.
- After the DBS is completed, take the headset off the child and power it down.

2.3.12.3 Blood Sample Administration

- Place heating pad on participant's hand, making sure to cover fingers. Set to low or medium heat.
 - Check to make sure it does not get too hot.
 - Set timer for 10 minutes.
- When 10 minutes are up, put on gloves. Have participant pull up heating pad and hold it with their free hand on the upper arm. Make sure the heating pad cable is not in the way of collection.
- Clean middle or ring finger with alcohol and wipe with gauze.
- Prick finger pad slightly off-center toward the side closest to the pinky finger and immediately dispose of lancet in sharps container.
- Wipe first drop with gauze then start collecting on Whatman Protein cards in numbered order.
- When finished, wipe with gauze, put pressure to stop bleeding and apply bandage.

- Remove gloves, use hand sanitizer immediately, then wash hands ASAP.

2.3.12.4 Precautions

- Before, during and after the procedure, ask if the participant is feeling lightheaded.
- Check the participant's complexion - turning pale is a warning sign for impeding faintness.
- If participant feels faint/lightheaded, terminate the procedure, ask them to bend forward, and place their head between their knees. You may apply a cold compression to the back of the neck to speed up recovery.
- Stay with them for at least 15 minutes until they feel completely fine.
- Report the incident to Bridget.

2.3.12.5 SOP for Fainting Emergency

- In case of fainting or any warning symptoms, lay the participant down flat on a surface on their back and elevate their feet if possible (to a level higher than their heart, about 30cm).
- Loosen any constrictive clothing/belts etc.
- Symptoms usually disappear after a short rest.
- If the participant does not regain consciousness within 1 minute, call 911.
- If the participant regains consciousness, avoid having him/her get up too quickly.
- Have them sit for at least 15 minutes until they feel completely fine.
- Offer water or warm sweet drinks.
- Report the incident to Bridget.

2.3.12.6 SOP for Biohazard Spill Emergency

- Equipments:
 - Disinfectant (Sodium Hypochlorite (Bleach))
 - Absorbent materials sufficient to completely cover spilled liquid and can be disposed (e.g. paper towels)
 - Physical tools that allow safe handling of sharp materials (e.g. tongs, forceps, broom/dustpan)
 - Warning signs to notify others that a spill occurred in the area
- Check self for contamination and change PPE if necessary.
- Put on new PPE to proceed with clean up.
- Pick up broken glass/sharps with available physical tools and dispose as biohazardous sharps.
- Place absorbent materials on and around spill.
- Put disinfectant on paper towels and let it sit for at least 5 minutes.
- Dispose of absorbent materials as biohazardous waste.
- Repeat step 4-6 as necessary.
- Remove PPE and wash hands with soap and water.
- Report all spills to Bridget.

Note: Only proceed with biohazardous spill cleanup if you feel comfortable; Always use physical tools for handling sharps.

2.3.12.7 SOP for Incident Response and Reporting

An exposure incident is specific contact with hazardous agents. Exposure incidents at UCLA must be reported, investigated, and documented by UCLA Insurance & Risk Management; Environment, Health & Safety; and/or the supervisor of the facility.

- Notify all personnel in the room of the incident.
- Move exposed individual(s) to a safe location, taking care to not spread biohazardous materials.
- Remove contaminated clothing, turn exposed areas inward, and place in a leak-proof bag or container for future decontamination.
- Wash skin with soap and water for 15 minutes.
- Go directly to the Occupational Health Facility at 67-120 CHS (M-F, 7am-4pm) or the RRM ER.
- Notify Bridget ASAP.
- Report the incident to EH&S within 8 hours (24-hour hotline: 310-825-9797).
- Record the incident in the Incident and Near Miss Log in the Biosafety Manual.

Note: Keep an extra set of clothes or shoes available to replace contaminated items.

2.3.13 Storage of Protein Cards

- Using a new drape, place the protein cards along the long horizontal midline of the drape.
- Lightly fold the drape in half along the midline, covering the protein cards but ensure no contact between the drape and the blood spots (i.e. ensure complete exposure of the blood spots).
- Leave the protein cards to dry for 8-24 hours.
- After drying, close the protein cards with the flap (make sure each one is labeled with participant ID, date and card number), and place each card in a separate ziplock bag with a silica gel pack.
- Place the bags in the BABLab freezer box in the -80 °C freezer in room C454 (key in BABLab lockbox).

2.3.14 Child Questionnaires

- Ask the participant how comfortable they are reading and comprehending in English
- If not fully comfortable, read the questionnaires for the participant

- Read the first questionnaire - the SS - to all participants

2.3.14.1 Children 8 & Under

- The researcher will need to read all questions to child
 - PEDSQL GI & PEDSQL F need the laminated face sheet
-

2.4 Parent Protocols

2.4.1 KSADS

2.4.1.1 Audio Recording

- Make a separate recording for each KSADS administered if there is more than one child in one session.

Step-by-step guide on how to use recorder:

Step 1: Press and hold highlighted Power button to turn recorder.



Figure 2.11:

Step 2: Press highlighted button until “TALK” appears on the screen. Now you are on the “Talk” setting.

Step 3: Push highlighted button up to start recording. Push down to stop recording.

2.4.1.2 Using the iPad for KSADS Summary Checklist

- Before the start of every session, be sure to duplicate and rename all the KSADS documents in Acrobat (25 documents per participant) and rename them (MBBXXX_KSADS_suppX_XXX).




Figure 2.12:




Figure 2.13:

- *Note 1:* This may take a while, especially if there are more than one participant, so be sure to do it ahead of time.
- *Note 2:* With multiple participants in one session, keep them all on the same iPad as the same iPad will be used to administer all KSADS.
- Follow instructions below on how to duplicate and rename the documents:
 - Turn on iPad and go to the “Acrobat” app.
 - Your screen should look like this. If it does not, tap on “Files” at the bottom, and ensure that the Locations is set to “On This iPad”.




- For each document, tap the three horizontal dot to the right, and se-



lect “Duplicate”.

- The duplicated document should appear right below the original document.
- Tape the three horizontal dot to the right of the duplicated document,



and select “Rename”.

- Replace the word “Blank” with the participant ID, and remove the “(1) at the end of the name. For example, if the participant ID is MBB001, the name of the duplicated document should be: MBB001_KSADS_screen
 - Do the same for all 25 documents (Duplicate, Rename).
-

2.4.2 Home Kit

Please refer to the diagram below for the complete list of items in a home kit:

- Take a white paper gift bag and paste a BABLab sticker at the center of



Figure 2.14:

the bag (one side only).


- Take a blue mailer and paste a FedEx slip on the front. Label the mailer with “Exempt Human Specimen” and the participant ID.
- Label the following 4 items with the participant ID and put them in the blue mailer:
 - a gut kit
 - a toilet hat
 - an oral kit
 - a biohazard bag
- Put two MBB note cards (one biological and one adoption) in the gift bag.
- Print and insert the Bristol Stool Scale.
- Print, fill-out and insert MBB brochure.

2.4.3 Participant Payment

Participant Reimbursement Signature

2.4.3.1 Setting up the iPad

- To obtain participant's signature for payment receipt form, log into the BABLab iPad 1 or 2 with the password "0719".
- Make sure the Apple Pencil is paired with the iPad by going into "Settings" and then selecting "Bluetooth", ensuring that "Apple Pencil" is connected.



- If the Apple Pencil is not connected, remove the cap of the pencil and insert it into the charging port of the iPad. A pop-up should appear to ask you to "pair" the devices.




Figure 2.15:

2.4.3.2 To Obtain Signature

- Click the “Acrobat” app on the iPad.
- Select the file “Payment Receipt Signature Form BABLab”.
- Double tap the screen with the pencil. Ensure the pen icon is selected and fill in the payment receipt number. Now the form is ready to be filled out by the participant.
- Ask the participant to fill out every highlighted spaces (except for the payment receipt #).
- After every space has been completed, click “Done” on the top left corner.

2.4.3.3 To Save the Filled-Out Form

- Click the “share” icon.
- Click “Share a Copy” at the bottom.
- Click “AirDrop” to send the file to “Brain’s MacBook Air”.
- Save the file to a folder named “Reimbursement_signed” on the MacBook Air.
- Return to the iPad and tap the screen once. A box should appear that selects all the participant’s input. Clear the input by clicking on the trash icon on the top right.
- Now the file in Acrobat on the iPad is ready to be used for the next participant.

2.5 Post-Lab Protocols

2.5.1 Stool Sample

2.5.1.1 Sample Quality

- Put on gloves.
- Open the mailer to ensure that it contains both the stool sample (in bio-hazard bag) and the Bristol Stool Scale.
- Check for quality of the stool sample by shaking it up and down vigorously (keep the sample in the biohazard bag), then check for its consistency and color - It should be a dark-brown liquid.
- If stool sample does not meet requirement (e.g. sample is in solid form or amount collected is too little), contact the family to see if they would be willing to send another sample with compensation.
- Contact family if the Bristol Stool Scale is missing in the mailer.



Figure 2.16:




Figure 2.17:



Payment Receipt #  Date: 

Amount Received From: The Brain and Body Lab at University of California, Los Angeles (UCLA)

Amount: \$ 

Paid by Cash
 Gift Card

This receipt acknowledges that a payment of \$  has been received from the Brain and Body Lab by 
(*First, Last*) for their participation in the research study.



Signature (Participant)

Figure 2.18:




Figure 2.19:

The screenshot shows a mobile browser window with the following details:

- Header: 4:03 PM · Wed Oct 30
- Header: Payment Receipt Signature Form BABLab.pdf · PDF
- Header: 29%

The main content of the receipt is as follows:

Payment Receipt # 1 Date: 10 / 30 / 2019

Amount Received From: The Brain and Body Lab at University of California, Los Angeles (UCLA)

Amount: \$ 50 Paid by Cash
 Gift Card

This receipt acknowledges that a payment of \$ 50 has been received from the Brain and Body Lab by BAB Lab (*First, Last*) for their participation in the research study.


Signature (Participant)

A blue circular icon with a white pen nib is located in the bottom right corner.

Figure 2.20:




Figure 2.21:




Figure 2.22:




Figure 2.23:

2.5.1.2 Sample Transfer

- Wear appropriate PPE:
 - Gloves
 - Lab coat
 - Safety glasses
 - Surgical Mask
 - Closed-toe shoes
 - Long pants
 - Hair tied back
- Prepare your station and ensure that you have the following:
 - Drape
 - 2.0mL cryogenic vials
 - Stool samples in biohazard bag
 - Test tube racks
 - Transport box with divider
 - Sharpie for labeling

Steps:

- Lay a new drape on the work station and keep all equipments and sample on the drape throughout the transfer process.
- With the stool sample collection vial still in the biohazard bag, shake it up and down vigorously.
- Take the stool sample out of the bag and put it on the test tube rack.
- Untwist two 2.0mL vials and place them on the test tube rack.
- Untwist the stool sample collection vial, and carefully pour the sample into the first 2.0mL vial. (It's okay if the ball does or does not get transferred)
- Stop pouring when solution reached the 1.8mL line to prevent overflow, and pour the remaining sample (if any) in a second 2.0mL vial.
- Cap the 2.0mL vials tightly to prevent spills.
- Label the 2.0mL vials with a sharpie, ensure it has the participant ID and vial number.
- Place the labeled 2.0mL vials in the transport box with divider.
- Close the now-empty stool sample collection vial, put it back in the biohazard bag, and dispose it in the biohazard waste bin.
- Clean up work station, dispose the drape, and wipe down the table top with disinfectant wipe.
- Remove PPE and wash hands with soap and water thoroughly.
- Bring the transport box to C454 where the -80 °C freezer is located (key in BABLab Lock Box).
- Place the 2.0mL vials in their designated space in the freezer box (in accordance to the Sample Storage Log Diagram).
- Log the sample in the Sample Storage Log.

2.5.2 Data Review & Audit

2.5.2.1 Follow-Up (completed by Scheduling Coordinator)

- Before sending Home Reminder 3, make sure RA's have completed Data Entry, Data Quality Check 1, and Data Quality Check 2.
- After sending Home Reminder 3 - create blank Trello card for participant on *In Data Review* list.

2.5.2.2 Data Review (completed by Lab Manager #1)

- Once card has been created, do Data Review.
- After completing Data Review, move card to *Good Sample*, *Bad Sample*, or *No Sample* list based on the stool sample.

2.5.2.3 Data Audit (completed by Lab Manager #2)

If Good Sample:

- Send payment, thank you letter, and certificate via mail.
- Send [MBB - PAID] email and attach thank you letter, certificate, and parent report (including outstanding items).
- Move to *Paid* list.
- One week after payment is sent, check outstanding items do Audit Call #1.
- One week following Audit Call #1, check outstanding items do Audit Call #2.
- Within 2 days, check outstanding items and do Audit Call #3.
- After Audit Call #3 (or all items completed), send [MBB - DONE] email and move to *Done* list.

If Bad Sample:

- Send payment, thank you letter, and certificate via mail. Include a new stool sample kit.
- Send [MBB - PAID] email and attach thank you letter, certificate, and parent report (including outstanding items - emphasize stool sample kit).
- Move to *Paid* list in Trello.
- One week after payment is sent, check outstanding items do Audit Call #1.
- One week following Audit Call #1, check outstanding items do Audit Call #2.
- Within 2 days, check outstanding items and do Audit Call #3.
- After Audit Call #3 (or all items completed), send [MBB - DONE] email and move to *Done* list.

If No Sample:

- Send [MBB - UNPAID] email and attach thank you letter, certificate, and parent report (including outstanding items - emphasize stool sample kit).

- Leave participant on Unpaid list.
- If stool sample received - send payment, thank you letter, and certificate via mail and move to *Paid* list.
- If stool sample not received, one week after email is sent, check outstanding items do Audit Call #1.
- One week following Audit Call #1, check outstanding items do Audit Call #2.
- Within 2 days of Audit Call #2, check outstanding items and do Audit Call #3.
- After Audit Call #3 (or all items completed), send [MBB - DONE] email and move to *Done* list.

Chapter 3

Wave 1 Online

3.1 Checklists Online

3.1.1 Initial Online Checklist

Scheduling and Confirmation

- Schedule lab session 2 weeks in advance from “package mailing day” (see package preparation in pre-session checklist)
- Make Zoom link with scheduled session time and save to google calendar
- Send confirmation email (in templates)
 - Attach Next Steps, Computer Zoom Download Instructions, and Phone Zoom Download Instructions

Enrollment

- Create participant Box folder using MBB_template (delete blank README from newly created folder)
- Enroll participant in Wave 1 on REDCap
- Fill participant instrument on REDCap
- Fill counterbalance order on REDCap (Checklist - Lab Session Child Instrument)

Calendar

- Create MBB calendar event lab session and invite researcher
- Create MBB calendar event to mail study package to participant
- Create MBB calendar event lab session reminder 1 (email) (1 week prior)
- Create MBB calendar event lab session reminder 2 (email and call) (3 days prior)

- Create MBB calendar event to send home session reminder 1 (email) (on the day that home session is scheduled)
- Create MBB calendar event to make home session reminder 1 (call) (2 days after scheduled home session)
- Create MBB calendar event to send home session reminder 2 (email) (4 days after scheduled home session)
- Create MBB calendar event to send home session reminder 3 (email) (6 days after scheduled home session)

Reminders

- Send lab session reminder 1 email (in templates - attach next steps, consent/assent, zoom instructions, confirm if package is received)
 - Send lab session reminder 2 email (in templates - attach previous, confirm if package is received)
 - Confirm package is delivered and received
 - Confirm participant
 - Preferably by phone
 - Update lab session calendar status
-

3.1.2 Pre-Online Session Checklist

3.1.2.1 Package preparation

(prepare and send from all scheduled participants in the last week, to be mailed 2 weeks prior to session)

- Print [What is in this package?]
- Print Reward Board (plus gold star stickers)
- Print/Staple Parent Questionnaire Booklet (in this order)
 1. Parent Questionnaire Cover Page/Parent Proxy Intro
 2. pedsq_gi_parentproxy
 3. pedsq_wb_parentproxy
 4. peds11_f_parentproxy
 5. easy_revised
 6. cshq_revised
 7. mb_metadat
 8. med_check
 9. pds
 10. dhws
 11. hpq
 12. cssi (for children under 8)
 13. fci
 14. iai
 15. Demographics
 16. financial

- 17. Parent Self Intro
 - 18. bdi
 - 19. parent_stress
 - 20. COVID_objective
 - Print/Staple Child Questionnaire Booklet (in this order)
 1. Child Questionnaire Cover Page
 2. ss
 3. cpic
 4. alexithymia
 5. cssi (for children over 8)
 6. bce_revised
 - Print/Staple Online Session Booklet (in this order)
 1. Online Session Cover page
 2. Fill in codes on Participant Info Brochure
 3. Pleasant/Unpleasant Events Checklist
 4. Anthropomorphic measurement sheets
 5. Saliva Sample Instructions Sheet
 6. Hair Sample Instructions Sheet
 - Print/Staple Home Session Booklet (in this order)
 1. Home Session Cover Page
 2. Contact List and label with participant ID
 3. Stool Sample Instructions Sheet
 4. Bristol Stool Scale and label with participant ID (MBB Specific Version)
 - Prepare 2 sharpened pencils
 - Prepare paper measuring tape (for waist and height measurements)
 - Label 2 biohazard bags (with 2 cotton balls in each bag)
 - Label 1 cardboard box (for samples)
 - Label hair sample kit (aluminum foil 7"x7", painter's tape with "root end" labeled, 1 ziplock bag pre-labeled with participant ID)
 - Label stool sample collection kit (collection tube, toilet hat)
 - Label saliva sample collection kit (collection tube)
 - Insert MBB info cards
 - Attach FedEx slip to return mailer
 - Label return mailer with "exempt human specimen" (in sharpie)
 - Take picture of prepaid blue return mailer (marked with MBB number) and file in participant data folder on Box
 - Insert all labeled items and forms into blue return mailer
 - Insert blue return mailer into study package
 - Tape package closed and put BABLAB sticker on (if enough supplies)
 - Take a picture of study package with tracking information to file on Box
 - Mail package to participant
-

3.1.2.2 Online Session Setup - 1 Hour Prior

- Prepare session scripts/protocol
 - Prepare session checklist with counterbalance order
 - Have the Participant's MBB and secondary MBB number on hand
 - Preload the following tabs on researcher's computer:
 - Consent/Assent picture slideshow
 - Hair Sample Collection video
 - REDCap with child questionnaire codes ready
 - Prepare biological sample kits for demonstration during session
 - hair sample, saliva sample, stool sample
 - Ensure researcher's Zoom security settings are set for study session
-

3.1.3 Online Session Checklist

- Session walk-through/package explanation
 - Consent/Assent
 - Parent-child observation (note recording via Zoom or pre-recording)
 - If pre-recorded, instruct participant how to upload to Box
 - Explain Questionnaires Parent Proxy or Parent self on second device if available (for parent to complete during Halloween training, Halloween test, and Child Questionnaires)
 - Halloween training
 - Height
 - Weight
 - Waist circumference
 - Halloween test
 - Saliva sample
 - Hair sample
 - Child Questionnaires
 - Stool Sample explanation
 - Contact list explanation
 - Confirm mailing address for payment
 - Schedule time to complete post-session tasks ~1 week post-session
 - Qualitative parent and child free responses (optional)
-

3.1.4 Post-Online Session Checklist

3.1.4.1 Notes

- Make note of issues to discuss (if needed) in Boxnote for next core meeting

3.1.4.2 Filing

- “Scan” online session checklist and file in participant folder
 - Transfer and rename Zoom recording to Box
-

3.1.5 Final Online Checklist

3.1.5.1 Filing

- Make low-res parent child interaction video and save on BABLab External Hard Drive
- Burn all audio and video (low res) files to CD and label/store CD in binder
- Make manila folder for participants to file all hard copies

3.1.5.2 Data Entry

- Enter online session checklist data to REDCap
- Enter height, weight, waist to REDCap

3.1.5.3 Reminders

- Home session reminder 1 email sent
- Reminder 1 phone call made
- Home session reminder 2 email sent
- Home session reminder 3 email sent

3.1.5.4 Home Session

- Halloween test delay completed
- Hair sample received
- Saliva sample received
- Stool sample received
- Bristol Stool Scale data received
- Questionnaires received (if paper versions were sent)
- Consent/Accent forms received (if paper versions were sent)
- Contact information sheet received

After package has been received...

3.1.5.5 Data Entry

- Enter contact list information into recruitment database
- Enter questionnaires data (if paper versions were sent)
- Scan and upload Bristol Stool Scale to Box
- Enter Bristol Stool Scale data to REDCap

3.1.5.6 Filing

- File Consent/Accent forms in filing cabinet (consent manila folder)
- File contact list in filing cabinet (contact list manila folder)
- File Bristol Stool Scale in filing cabinet (participant folder)
- File questionnaires in filing cabinet if paper versions were sent (participant folder)

3.1.5.7 Sample Storage

- Label and store stool sample (add data quality to REDCap)
- Label and store saliva sample
- Label and store hair sample
- Update sample storage log on Box (once all received)
- Upload all sample photos to Box

3.1.5.8 Data Quality

- Data quality check 1
- Data quality check 2
- Data review
- Data audit

3.1.5.9 Retention

- Prep report card
- Send report card email (in templates - attach report card)
- Update participant Wave 2 status

3.1.5.10 Reimbursement

- Mail payment with science kits
 - Take a picture of tracking information and upload to Box
 - Log participant payment in reimbursement log book
 - Log participant payment in reimbursement spreadsheet
-

3.2 Pre-Online Session Protocols**3.2.1 Recruitment Online****3.2.1.1 Pre-Screening**

1. Check if participant is in Recruitment Database
 - If not, add them to the Recruitment Database
2. Check if participant is in ID Drive
 - If yes, check if they have a Screener ID

- If not, assign them a Screener ID once contact has been established based on the next available Screener ID # in REDCap and proceed with screening
- If yes, proceed with screening under existing Screener ID in REDCap

3.2.1.2 Screening

The screenshot shows the REDCap project home page for the "Mind, Brain, Body" project. The top navigation bar includes links for Project Home, Project Setup, Other Functionality, and Project Review. The main content area displays project status: "Development" (Not started for Main project settings, In progress for Design your data collection instruments & enable your survey, Define your events and designate instruments for them, and Enable optional modules and customizations; In progress for Set up project bookmarks (optional)). The left sidebar lists Data Collection tools (Survey Distribution Tools, Scheduling, Record Status Dashboard, Add / Edit Records), Applications (Calendar, Data Exports, Reports, and Stats, Data Import Tool, etc.), and Help & Information (Help & FAQ, Video Tutorials).

1. To screen a new participant click “Add / Edit Records”
2. Click to enter a new Subject ID
 - Make sure Arm 1: Recruitment is selected
3. Type “SMBB#” (Screener ID) to create a record and hit “Enter”
 - Make sure to link the participants Screener ID and their name on the **ID Drive ONLY**
 - Before creating a new record, be sure to check the ID Drive to see if the participant already has an existing Screener ID
 - If a record exists, add a new instance of the screen instead of creating

Mind, Brain, Body

Add / Edit Records

You may view an existing record/response by selecting it from the drop-down lists below. To create a new record/response, new value in the text box below and hit Tab or Enter. To quickly find a record without using the drop-downs, the text box will populate with existing record names as you begin to type in it, allowing you to select it.

NOTICE: This project is currently in Development status. Real data should NOT be entered until the project has been moved to Production status.

Total records: 24	
Choose an existing Subject ID	Arm 1: screening <input type="button" value="-- select record --"/>
Enter a new or existing Subject ID	Arm 1: screening <input type="text"/> <input type="button" value=""/>

Data Search

Choose a field to search (excludes multiple choice fields)	All fields <input type="button" value=""/>
Search query Begin typing to search the project data, then click an item in the list to navigate to that record.	<input type="text"/>

a new record

4. The screening arm contains two parts
 - The screen
 - The wave1_status
 - The wave1_status is to be updated after the first and each subsequent contact

Record Home Page

Record "PP6" is a new Subject ID. To create the record and begin entering data for it, click any gray status icon below.

The grid below displays the form-by-form progress of data entered for the currently selected record. You may click on the colored status icons to access that form/event. If you wish, you may modify the events below by navigating to the [Define My Events](#) page.

Legend for status icons:

	Incomplete		Incomplete (no data saved) <input type="button" value="?"/>
	Unverified		Partial Survey Response
	Complete		Completed Survey Response
	Many statuses (mixed)		Many statuses (all same)

NEW Subject ID PP6
Arm 1: screening

Data Collection Instrument	screener
screen	<input checked="" type="radio"/>
screen_status	<input type="radio"/>

quent contact

5. Click on the radio button in the “screen” row to screen the participant

The screenshot shows a REDCap form titled "screen". The subject ID is set to "PP6". The date and time of screening is set to "Now". Under "Starting the phone call", the option "Returning a call" is selected. The message to the participant reads: "Hello, this is [researcher name] calling from the Brain and Body Lab at UCLA. Can I speak to [name of potential participant]? I would like to tell you a little more about the research we are conducting. Then if you are still interested, I would like to ask you some questions to see if you are eligible for the study." Below this, there are "Yes" and "No" radio buttons, with "Yes" selected. The "Notes" section is empty. The "Form Status" is marked as "Incomplete". There is a "Lock" button with a checked checkbox. At the bottom, there are buttons for "Save & Exit Form", "Save & Stay", and "-- Cancel --".

6. Click “Now” to enter today’s date and time
7. Select the appropriate choice to start the phone call and follow the skip logic
8. Follow the skip logic to the end
 - For items without a text field, write the information down in the Recruitment database (This identifying information cannot be on REDCap)
9. Once done, select “Complete” and “Save & Exit Form”
 - The screen can be entered multiple times - for instance if there are multiple phone calls or contacts
 - It is important to keep a record of all instances of contact

Record Home Page

The grid below displays the form-by-form progress of data entered for the currently selected record. You may click on the colored status icons to access that form/event. If you wish, you may modify the events below by navigating to the [Define My Events](#) page.

Choose action for record ▾

✓ Subject ID PP5 successfully added

Subject ID PP5
Arm 1: screening

Data Collection Instrument	screener
screen	● +
screen_status	○ ←

Repeating Instruments

screen	screener (Arm 1: screening)
1	● +
+ Add new	

screen_status

Editing existing Subject ID PP5

Event Name: **screener (Arm 1: screening)**

Subject ID	PP5
Status	<input checked="" type="checkbox"/> Enrolled <input type="checkbox"/> Enroll <input type="checkbox"/> Contact <input type="checkbox"/> Waitlist <input type="checkbox"/> Remove
Form Status	
Complete?	
Lock this record for this form? <small>If locked, no user will be able to edit this record on this form until someone with Lock/Unlock privileges unlocks it.</small>	
<input type="checkbox"/> Lock	
Save & Exit Form Save & Stay	
-- Cancel --	


10. Click the screen_status radio button
11. Select the appropriate option
 - Contact - Participant needs to be re-contacted (add Recruitment Database & ID Drive)
 - Ineligible - Participant not eligible for study
 - To Enroll - Participant to enroll (need to create subject ID, enter subject info, schedule participant, add to Recruitment Database, add to ID Drive)
 - Enrolled - Participant has been enrolled (all above have been completed)
 - To Remove - Participant wants to be removed
12. Be sure to update the screen status after each contact
 - After 3 contacts (with no response) - review (time of day, contact method, etc.)
13. If enrolled, proceed to pre-session checklist in the participant log

3.2.1.3 Scheduling

1. Open BabLab google calendar and note availability for designated data collection research team.
2. Check-in with the Lab Manager to see what the designated “package mailing day” of the week is. Participants must be scheduled 2 weeks or more in advance from the “package mailing day”, to ensure appropriate time for the package to be received by the participant.
3. Create event on google calendar for 2 hours. Notify the participant that sessions may not last the full indicated time, however, we like to designate additional time just in case.
4. As soon as the participant has been scheduled, create/add to a google calendar event for the designated “package mailing day” of the week the participant ID (MBB number).
5. This will notify the Lab Manager to create a package for this participant with session and post-session materials when they go into the lab for “package mailing day.”

Making a Zoom link

1. Log onto <https://zoom.us>



2. Click to “Meetings” and “Schedule a new meeting”
3. Title the meeting with the Participant’s MBB number, set scheduled time,


The screenshot shows the Zoom web interface for scheduling a meeting. The 'Meetings' tab is selected in the sidebar. The main form is titled 'Edit "MBB TEST"'. The 'Topic' field contains 'MBB999' with a red arrow pointing to it. The 'When' section shows a date of '06/04/2020', a time of '2:00 PM', and a duration of '1 hr 0 min', both highlighted with red arrows. The 'Duration' section also has a red arrow pointing to it. The 'Registration' section has a red arrow pointing to it. At the bottom, there are checkboxes for 'Meeting Password' (unchecked), 'Require meeting password' (checked), 'Video' (unchecked), 'Host' (unchecked), 'Participant' (unchecked), and a 'Meeting ID' field showing 'Generated ID 937 5405 3294'.

indicate 3 hours


- Set setting with password and turn host/participant on

The screenshot shows the Zoom web interface for managing a meeting. The 'Meetings' tab is selected in the sidebar. The main form is titled 'Manage "MBB TEST"'. The 'Time' section shows a date of 'Jun 4, 2020 02:00 PM Pacific Time (US and Canada)' and a 'Add to Google Calendar' button with a red arrow pointing to it. The 'Meeting ID' field shows '937 5405 3294'. The 'Meeting Password' field shows '*****' with a 'Show' link. The 'Invite Link' field shows a URL starting with 'https://ucla.zoom.us/j/93754053294'. The 'Video' section shows 'Host' (unchecked), 'Participant' (unchecked), and 'Off'. The 'Audio' section shows 'Telephone and Computer Audio'. The 'Dial from United States of America' section is at the bottom.


- Save and click to add Zoom meeting to google calendar




6. Click on the bablab.ucla@gmail.com



7. Click allow





8. Copy the Zoom link from the Description section and save
9. Paste Zoom link into the “confirmation email” you send to the participant with their session confirmation, Zoom instruction sheet, and Next Steps sheet

3.2.1.4 Other Screening Information

Accessing Lists

To find out where participants are in the recruitment process, there are several lists.

Recruitment - To Contact

Dashboard displayed: Recruitment - To Contact Modify Create custom dashboard

Displaying record 0 of 0 records ALL (0) records per page

Displaying: Instrument status only | Lock status only | All status types

Subject ID	screener
	No records were returned

Enrollment - Wave 1

Legend for status icons:

- Incomplete
- Unverified
- Complete
- Many statuses (mixed)

Dashboard displayed: ✓ Enrollment - Wave 1 Modify Create custom dashboard

Displaying record 1 of 20 records ALL (20) records per page

[Default dashboard]

Enrollment - Wave 1
Recruitment - To Contact
Recruitment - To Enroll
Recruitment - To Remove
Recruitment - Waitlist

All status types

1. Click on “Record Status Dashboard”
2. Participants who have been enrolled will be listed in the Enrollment - Wave 1 list
3. Participants in the process of recruitment will be listed in one of the 4

Recruitment lists - *These lists are populated based on the individuals “Screen Status” so be sure to update after each contact!

List Types

- Contact - List of individuals who need to be contacted or re-contacted (also includes waitlist)
 - Ineligible - Participants are ineligible but interested
 - To Enroll - Participants who have been screened and are eligible to enroll
 - To Remove - Participants who were not interested in being contacted for this or future research
-

3.2.2 Concerns

If a parent has a concern about the study before the session, send the email template:

- [MBB_online - CONCERNS]
-

3.2.3 Online Session Preparation


3.2.3.1 Package creation

- There will be a designated “package mailing day” one day a week in which the Lab Manager will go into the lab to prepare necessary materials and send out packages from scheduled participants in the last week, on the same package mailing day.
- Once the package has been created and sealed, it is time to bring the package down to Tyler’s office in the Psychology building.
- To mail the package to the participant, you will need the following information:
 - Recharge ID
 - Participant name
 - Participant mailing address
- From Tyler’s office, you will receive a FedEx label in which you can write this information
- Take a picture of the FedEx label and upload to Box
- Leave the package in Tyler’s office for FedEx pickup

3.2.3.2 Zoom security Settings

1. Require Encryption for 3rd Party Endpoints*
2. Prevent participants from saving chat

3. Click on the “security” button and ensure the following items are checked




and all other items unchecked

- a. “Enable Waiting room”
- b. “Lock Meeting” after participant has entered
- c. Allow participant to “Unmute Themselves”

4. Disable Cloud recording*


5. Host-only screen-sharing

- a. click on the arrow next to “screen sharing” and click on “Advanced”



sharing options”

- b. Ensure “one participant can share at a time” and “only host” options



*Note that #1 and #4 are the default settings (so those don't have to be changed).

3.3 Online Session Protocols

3.3.1 Consent & Assent Online

Once the parent and child/teen have connected with the researcher via Zoom, the researcher may begin the consenting (parent) and assenting (child aged 7+ or teen) process.

Make some small talk - Ask the participant how they got here. If they have participated before in research. Thank them for joining you via video call and for giving up their weekend to help science.

Tell the parent and child that the first thing you are going to do is go over all of the things they will do today, and have them fill out the consent and assent forms online.

Speak to them and direct them through the whole process.

Things you will do during the online session:

- Sit with parent and talk about fun things and hard things (filming).
- Parent stays in room and answers more questions while child is working.
- Child will play a computer game (look at pictures). Some of the pictures will be a little bit scary, others sad, others boring.
- Parent will help child measure height, weight, and waist circumference.
- Child will answer some questionnaires with researcher
- Parent will help take two biological samples during the session:
 - Hair - stress hormones
 - Saliva - microbiome

- You will get \$45 for the work you put in today

Things you will do at home (after the online session):

- Child Poop sample - microbiome
- Stool scale
- Memory game - to see what you remember from the session today
- When you complete the poop sample and the game at home, we will pay you another \$20.

Things to know:

You are a volunteer, which means that you do not have to do anything, or say anything that makes you uncomfortable. We would like you to try everything you can, and to do your best, but if there are things you absolutely do not want to do, just tell us, that is o.k.

We keep your participation confidential - ID number.

We want you to come in again in the future, so we will ask for some information so we can contact you in the future.


Have the participant indicate consent/assent on REDCap consent form.

3.3.2 Parent Child Observation Online


The parent and child will be seated together in view on the Zoom camera. During that time they will be filmed while planning a conflict event, and then again while discussing a pleasant event. The conflict event will always go first, followed by the pleasant event. We did this to ensure that the parents were not thinking of the negative interaction upon answering the questionnaires about their child, which they did immediately after the observation interaction.

Step 1: Researcher will ensure Zoom security settings are set up for the video.

- Parent and child will be situated side-by-side in view on the Zoom camera.
- Researcher will rename the participant's name to the participant Sec-




ondary MBB ID number.




- Researcher will “hide self view”

Step 2: The researcher will ask the parent to find the Pleasant/Unpleasant Events Checklist piece of paper from their session package.

Researcher: Next we are going to take some film of you while you discuss a source of conflict (or something you disagree on) and try to resolve it. On this piece of paper is a list of things that parents and children sometimes have disagreements about. Please take a moment to read the list and think about some that you would like to discuss together. In about one minute, please start discussing the things you have selected from the list and try to resolve the areas of conflict you have chosen from the list. You do not need to tell us what you chose to discuss, and it does not matter if you chose something from the list, or decide to choose something else not included on the list. I am going to step out out of the room and away from the camera view, and silence my computer so I do not have a “virtual presence” during your conversation. I will give you five minutes to discuss the event, then I will come back into the video call and give you further instructions.



Step 3: Researcher press record on the Zoom application.
Wait to hear the audio Zoom confirmation "*this meeting is now being recorded*" and view recording in progress at top left of screen to ensure recording is live.




Researcher turn down the volume on the computer and leave the room. Start timer for 6 minutes. At the end of 6 minutes, reenter camera view and turn up volume on researcher's computer.


Researcher: Thank you for taking the time to discuss the source of conflict and try to resolve it. Next we are going to take some film of you while you discuss a pleasant event you could do together. On your piece of paper is a list of events that parents and children sometimes find pleasant to do together. Please take a moment to read the list of events and think about what you would like to plan to do together. You do not need to tell us what you chose to discuss, and it does not matter if you chose something from the list, or decide to choose something else not included on the list. I am going to step out of the room and away from the camera view once again, and silence my computer so I do not have a "virtual presence" during your conversation. I will give you five minutes to discuss the event, then I will come back into the video call and give you further instructions.

Step 4: Researcher keeps the recording going on Zoom and turns down the volume on the computer before leaving the room.

Step 5: Researcher reenter the room and back into camera view, turn up volume




on the computer, and stops the recording on Zoom. You will view this notification in the upper right hand corner that states the recorded file will be converted to mp4 once the meeting ends.



Move the child/adolescent and parent onto the next task in the session, as the video will not be saved until after the session is complete.


POST SESSION

Step 6: When the session is complete, click the bottom right hand button to end




the meeting.

You will immediately see this window pop up to indicate the recording is being




converted and saving to your computer.

Step 7: When the video conversion is complete, the video files will be saved in a folder titled “Zoom” on your computer, wherever your current automatic work-




ing directory is saved.

Step 8: There will be three files in the folder- find the mp4 file and click open to ensure you have captured and converted the file successfully.



Rename the file to the participant's secondary ID number, and upload to Box.



3.3.3 Parent Questionnaires Online

If the family has a second device available (smartphone, second computer, etc.) for the parent to begin questionnaires, advise the parent to REDCap and continue on these questionnaires during Child Halloween training and test, and Child questionnaires.

3.3.3.1 Parent Self Questionnaires

Title	Description	Reference
Beck Depression Inventory – II (BDI-II) – 13-18 years.	Parent self-report. Domain assessed: mental health/affective functioning. Developed for the assessment of symptoms corresponding to criteria for diagnosing depressive disorders listed in the DSM IV.	(ABC, XXXX)

Title	Description	Reference
COVID-19 Objective Questionnaire (covid_objective)	Parent self-report. Domains assessed: COVID-19 objective measures. This questionnaire consists of 12 items to identify health changes and lifestyle changes made From the impacts of the COVID-19 outbreak.	(ABC, XXXX)
Parenting Stress	Parent self-report. Domain assessed: parenting and family structure. The PSI designed to evaluate the magnitude of stress in the parent-child system, focusing on three major domains of stress: 1) child/adolescent characteristics, 2) parent characteristics, and 3) situational/demographic life stress. Revised questionnaire focuses on stress in the context of COVID-19.	(ABC, XXXX)

Title	Description	Reference
COVID-19 Written Response- parent (optional)	Domain assessed: Emotional impacts of COVID-19. This self-report measure consists of one long-form qualitative response, prompting a parent to write continuously for five minutes about the impacts of COVID-19 on their life and family. This qualitative response was adapted from previous prompts in writing about emotional experiences, and seeks to assess the emotional and behavioral impacts of the Pandemic on children and families.	(ABC, XXXX)

3.3.3.2 Parent Proxy Questionnaires

Title	Description	Reference
Demographic Questionnaire	Parent proxy and self-report. Domain assessed: demographics. The project developed questionnaire asks parents about their household income, their own and their child's/adolescent's race/ethnicity, the parent age, education, and marital status, and contact details.	(ABC, XXXX)

coming soon...

3.3.4 Halloween Online

coming soon...

3.3.5 Height Online

- Researcher will be walking the parent through how to measure their child's height via Zoom video call. Ask parent if they have a full length measurement tape. If not, we will proceed with the paper measurement tape.
 - Ask parent to place child/adolescent directly against wall/frame
 - Advise child/adolescent to stand up straight
 - Have parent ensure heels of child/adolescent are up against the wall/frame
 - Use a flat object (booklet, ruler, sheet of paper, etc.) to accurately mark the height on the wall/frame
 - Use the paper measuring tape to scale up the wall and measure the height marking
 - Record height on Lab Session Checklist
-

3.3.6 Weight Online

- Instruct parent to have child/adolescent to step on weight scale
 - Measure weight
 - Record weight on Lab Session Checklist
-

3.3.7 Waist Measurement Online

- Advise parent to hold tape measure at the child/adolescent's belly button and bring it around their waist, over their t-shirt
 - Make sure measuring tape is horizontal around the waist and even in the front and back
 - Keep the tape snug around the waist, but not compressing the skin
 - Have participant breathe in
 - Measure the participant's waist just after they breathe out
 - Record waist measurement on Lab Session Checklist
-

3.3.8 Saliva Sample Collection Online

- Researcher has saliva "spit tube" example for explanation to participants
- Advise parents to have child/adolescent fill spit tube to indicated line
- Do not count the bubbles at the top, ensure that the saliva reaches the line

- Close the cap on the saliva tube, to release the stabilizing solution and seal the sample
 - Put the sample in the biohazard bag with the two cotton balls inside
 - Put the biohazard bag with sample inside the rigid box and set aside for now
-

3.3.9 Hair Sample Collection Online

3.3.9.1 Set Up Hair-Sample Station

- Ask parent to gather the following materials for their “hair-sample station”:
 - 1 sheet of aluminum foil (provided)
 - 1 small ziplock bag with participant ID (provided)
 - 1 alcohol swab (provided)
 - Painter-tape (provided)
 - 1 pair of gloves (provided)
 - 1 scissor (salon grade if they have)
 - 1 parting comb
 - 2 alligator curl clips (optional)
 - 1 hair claw clip (optional- for long hair)
 - Hair sample picture directions
- Researcher set up the following materials (to help explain hair sample collection):
 - 1 sheet of aluminum foil
 - 1 small ziplock bag with participant ID
 - 1 salon grade scissor
 - 1 wide and narrow tooth parting comb
 - 1 alcohol swab
 - Painter-tape
 - 1 pair of gloves
 - 2 alligator curl clips
 - 1 hair claw clip (for long hair)
 - Sample hair amount taken from wig

3.3.9.2 Prior to Getting Hair Sample Collection

- Explain to both the child and parent that they will be collecting 30-50 strands of hair. The amount of hair to be collected is less hair than is lost in normal everyday-brushing from the back of the head.
- Inform them how the site for the sampling is hidden by the surrounding hair, therefore not visible after collection.
- Explain how the sample is used to measure a hormone called cortisol that is present in the hair.

- Show on the hair sample picture directions sheet the hair sample taken from the wig to illustrate the amount of hair that will be collected (30-50 strands).
- Offer to show our hair sample collection video

3.3.9.3 Hair Sample Prep

- Have parent use provided pair of gloves.
- Wipe down the hair scissor/comb/clips with an alcohol swab.

3.3.9.4 Hair Length

- For short hair (less than 3cm), follow the Short-Hair Protocol below.
- For medium-length hair (3-6cm), follow the Medium-Hair Protocol below.
- For long hair (more than 6cm), follow the Long-Hair Protocol below.
- Ideally, all hair sample should be at least 3cm long. If the hair is less than 1cm long, the sample cannot be used.

Short-Hair Protocol (1-3cm)- advise parent to:

- Take the comb and part the hair horizontally between the tips of the ears.
- After parting, ask the participant to hold the parted hair close to the scalp.
- Hold the loose hair tightly with index finger and thumb, and cut the hair along the part.
- Place loose hairs in foil and fold it securely. Do NOT tape the hair to the foil.
- Fold the foil without bending the hair, and ensure that the hair does not fall out of the foil.
- Ensure the root-end on the aluminum foil is labeled and place it in the ziplock bag.
- Ensure the ziplock bag is labeled with the participant's ID.

Medium-Hair Protocol (3-6cm)- advise parent to:

- Take the comb and part the hair horizontally between the tips of the ears.
- Take a clip to clip away the hair from the top of the parting.
- Place another clip at the bottom to expose a 5x10cm rectangle of loose hair between the two clips.
- Ask if the child prefers the wide or narrow tooth comb to comb through the loose hair.
- Ask if it is ok to discard any loose hair from the comb.
- Grasp approx. 30-50 strands of hair to the right of the rectangle.
- Gently pull and twist the hair away from the scalp in a rolling motion between the fingers.
- Collect the sample as close to scalp as possible, but be careful to not cut the scalp.


- Attach the hair to the center of the aluminum foil by taping with painter's tape - do not cover the root end.
- Label the root end on the tape.
- Fold the foil without bending the hair, and ensure that the hair does not fall out of the foil.
- Ensure the root-end on the aluminum foil is labeled and place it in the ziplock bag.
- Ensure the ziplock bag is labeled with the participant's ID.

Long-Hair Protocol (> 6cm)- advise parent to:


- Part the hair left to right at the posterior vertex.
 - Clip away any extra hair, then create a twist of hair and hold tightly with index finger and thumb.
 - Make a clean cut as close to scalp as possible.
 - If the hair is thin, cut 2-3 small areas (1cm apart) across the posterior vertex to conceal the site of the cut.
 - Attach the hair to the center of the aluminum foil by taping with painter's tape - do not cover the root end.
 - Label the root end on the tape.
 - Fold the foil without bending the hair, and ensure that the hair does not fall out of the foil.
 - Ensure the root-end on the aluminum foil is labeled and place it in the ziplock bag.
 - Ensure the ziplock bag is labeled with the participant's ID.
-

3.3.10 Child Questionnaires Online**3.3.10.1 Sharing Your Screen**

- Researcher will open REDCap on their computer and enter in child code



- On Zoom, click “share screen” with the participant
- Be sure to indicate the correct screen to share, NOT sharing full desktop



- Researcher will read through all questionnaires with children and indicate their responses on REDCap

3.3.10.2 Child Self Questionnaires

Title	Description	Reference
Alexithymia	Child/adolescent self-report. Domain assessed: mental health/affective function. This questionnaire asks youth to endorse a number of items falling within three factors (1) Difficulty identifying feelings, (2) difficulty describing feelings, (3) externally oriented thinking.	(Rieffe, Oosterveld, & Terwogt, 2006)
Children's Perception of Interparental Conflict Scale (cpic)- 6-18 years	Child/adolescent self-report. Domains assessed: parenting and family structure. The CPIC assesses children's/adolescent's experience of parental conflict, including subscales (Conflict Properties, Threat, Self-Blame).	(ABC, XXXX)
Child Somatization Symptom Inventory (cssi)- 6-17 years	Child/adolescent self-report. Parent report for children under 8 years. Domain assessed: physical symptoms. The CSSI assesses a variety of nonspecific somatic symptoms.	(ABC, XXXX)

Title	Description	Reference
Security Scale (ss) – 8-18 years	Child/adolescent self-report. Domain assessed: attachment. This measure asks children/adolescents to endorse statements about their feelings towards their parents (in the positive or negative) and how much each endorsed statement is characteristic of them. Statements assess domains of being able to rely on parents in times of need, feelings of closeness with parent etc.	(ABC, XXXX)
Benevolent Childhood Experiences Scale-Revised (bce)	Child/adolescent self-report. Domain assessed: benevolent childhood experiences. This child/adolescent self-report questionnaire consists of 10 items used to identify favorable childhood experiences, with regards to potential child adversity.	(ABC, XXXX)

Title	Description	Reference
COVID-19 Written Response- child (optional)	Domain assessed: Emotional impacts of COVID-19. This self-report measure consists of one long-form qualitative response, prompting a child to write continuously for five minutes about the impacts of COVID-19 on their life and family (for children who cannot write or do not feel comfortable writing, children can dictate and parent can write). This qualitative response was adapted from previous prompts in writing about emotional experiences, and seeks to assess the emotional and behavioral impacts of the Pandemic on children and families.	(ABC, XXXX)

3.3.11 Home Session/Last Checks

- BSS sheet
- Stool Sample explanation
 - There is a toilet hat and a gut kit in the session package
- Contact list explanation
 - *In a longitudinal study, information may change in time and we want to ensure we have a way to recontact you for the next wave if you are still interested in joining*
- Schedule time to complete post-session tasks ~1 week post-session
 - Create MBB calendar event to send home session reminder 1 (email) (on the day that home session is scheduled)
 - Create MBB calendar event to make home session reminder 1 (call) (2 days after scheduled home session)
 - Create MBB calendar event to send home session reminder 2 (email) (4 days after scheduled home session)

- Create MBB calendar event to send home session reminder 3 (email)
(6 days after scheduled home session)
 - Payment
 - Confirm mailing address
 - Explain that once the return mailer has been received to the lab, we will send payment through the mail along with a few educational science kits
-

3.3.12 Qualitative Responses

- Two qualitative free responses on REDCap are optional, and should be offered to parents and children to complete if they are interested
 - These qualitative responses require five minutes of continued writing to capture the impacts of COVID-19 on families, caregivers, and children
 - If interested, researcher will send the REDCap link and codes for parent and child to complete
-

3.4 Post-Online Session Protocols

3.4.1 Parent Child Observation Online Coding

3.4.1.1 Coding the interview

- After the interviews are collected, videos will be coded by two observers blind to the caregiving group of the child (adversity or comparison).
- Our original plan was to follow the LIFE coding system developed by Hops:
 - Hops H, Davis B, Longoria N. Methodological issues in direct observation – Illustrations with the Living in Familial Environments (LIFE) coding system. Journal of Clinical Child Psychology. 1995;24:193–203. Google Scholar
- However, this system is prohibitively expensive and very training intensive. Instead we decided to go with either of the following two coding schedules:
 - 1. Family Interaction Macrocoding Schedule (FIMS) Holmbeck, Zebracki, Johnson, Belvedere, & Hommeyer, 2007.
 - 2. CIB Training with Ruth Feldman.
- We ultimately decided to go with FIMS for several reasons:
 - Expense - Sarah Whittle paid approximately \$ 1000USD for a 10 hour skype training session with one of Holmbeck's team), whereas

CIB training is /\$2500 and also involves flights and accommodation at Yale.

- Validation in age range - I like CIB for younger children, but FIMS was designed for older children and adolescents, and Sarah Whittle has validated it in a community sample of 8 year olds and their mothers.
 - FIMS is a less intensive coding schedule, producing global codes, rather than micro coded (i.e., minute to minute) scales - which makes more intuitive sense in the age range for MBB.
 - FIMS has a peer version that we might branch out to in the future (but likely not needing further training): <https://psycnet.apa.org/record/2014-24011-001>
 - Sarah Whittle's group looked at the component structure for the FIMS and found components that seemed close to what they were finding with the Hops LIFE system - namely: negative maternal affect during pleasant event, negative maternal during conflict discussion, and pleasant maternal affect across both tasks (warmth). The negative maternal during pleasant event was the most predictive of child behavior problems. Overall, the correlations they report in their paper are all very sensible and convinced me that we should use the FIMS. <https://journals.sagepub.com/doi/full/10.1177/1073191118796557>
-

3.4.2 Saliva Sample Storage

- Screw lids on very tight (to prevent evaporation)
 - Log the location (grid) on the sample storage log
-

3.4.3 Hair Sample Storage

- Store the sample in a dry area at room temperature
-

3.4.4 Stool Sample Storage

3.4.4.1 Sample Quality

- Put on gloves.
- Open the mailer to ensure that it contains both the stool sample (in bio-hazard bag) and the Bristol Stool Scale.
- Check for quality of the stool sample by shaking it up and down vigorously (keep the sample in the biohazard bag), then check for its consistency and color - It should be a dark-brown liquid.

- If stool sample does not meet requirement (e.g. sample is in solid form or amount collected is too little), contact the family to see if they would be willing to send another sample with compensation.
- Contact family if the Bristol Stool Scale is missing in the mailer.

3.4.4.2 Sample Transfer

- Wear appropriate PPE:
 - Gloves
 - Lab coat
 - Safety glasses
 - Surgical Mask
 - Closed-toe shoes
 - Long pants
 - Hair tied back
- Prepare your station and ensure that you have the following:
 - Drape
 - 2.0mL cryogenic vials
 - Stool samples in biohazard bag
 - Test tube racks
 - Transport box with divider
 - Sharpie for labeling

Steps:

- Lay a new drape on the work station and keep all equipments and sample on the drape throughout the transfer process.
- With the stool sample collection vial still in the biohazard bag, shake it up and down vigorously.
- Take the stool sample out of the bag and put it on the test tube rack.
- Untwist two 2.0mL vials and place them on the test tube rack.
- Untwist the stool sample collection vial, and carefully pour the sample into the first 2.0mL vial. (It's okay if the ball does or does not get transferred)
- Stop pouring when solution reached the 1.8mL line to prevent overflow, and pour the remaining sample (if any) in a second 2.0mL vial.
- Cap the 2.0mL vials tightly to prevent spills.
- Label the 2.0mL vials with a sharpie, ensure it has the participant ID and vial number.
- Place the labeled 2.0mL vials in the transport box with divider.
- Close the now-empty stool sample collection vial, put it back in the biohazard bag, and dispose it in the biohazard waste bin.
- Clean up work station, dispose the drape, and wipe down the table top with disinfectant wipe.
- Remove PPE and wash hands with soap and water thoroughly.
- Bring the transport box to C454 where the -80 °C freezer is located (key in BABLab Lock Box).
- Place the 2.0mL vials in their designated space in the freezer box (in

accordance to the Sample Storage Log Diagram).

- Log the sample in the Sample Storage Log.
-

3.4.5 Data Entry & Quality

3.4.5.1 Data Entry

3.4.5.2 Data Quality

3.4.6 Data Review & Audit Online

3.4.6.1 Follow-Up (completed by Scheduling Coordinator)

- Before sending Home Reminder 3, make sure RA's have completed Data Entry, Data Quality Check 1, and Data Quality Check 2.
- After sending Home Reminder 3 - create blank Trello card for participant on "In Data Review" list of Data Audit Board.

3.4.6.2 Data Review

- Once card has been created, do Data Review.
- Checking for completion of:
 - child questionnaires (see child questionnaire table)
 - parent proxy questionnaires (see parentproxy questionnaire table)
 - parent self questionnaires (see parentsself questionnaire table)
 - hair sample
 - saliva sample
 - stool sample
 - bss sheet
 - contact sheet
 - halloween delay test
 - height, weight, waist
 - PC interaction video
 - halloween training and test data captured
- After completing Data Review, move card to Good Sample, Bad Sample, or No Sample list based on the stool sample.

3.4.6.3 Data Audit

If Good Sample:

- Send payment, thank you letter, certificate, and science kits via mail
- Send [MBB - PAID] email and attach thank you letter, certificate, and parent report (including outstanding items).
- Move to Paid list.

- One week after payment is sent, check outstanding items and do Audit Call #1.
- One week following Audit Call #1, check outstanding items do Audit Call #2.
- Within 2 days, check outstanding items and do Audit Call #3.
- After Audit Call #3 (or all items completed), send [MBB - DONE] email and move to Done list.

If Bad Sample:

- Send payment, thank you letter, certificate, and science kits via mail. Include a new stool sample kit.
- Send [MBB - PAID] email and attach thank you letter, certificate, and parent report (including outstanding items - emphasize stool sample kit).
- Move to Paid list in Trello.
- One week after payment is sent, check outstanding items do Audit Call #1.
- One week following Audit Call #1, check outstanding items do Audit Call #2.
- Within 2 days, check outstanding items and do Audit Call #3.
- After Audit Call #3 (or all items completed), send [MBB - DONE] email and move to Done list.

If No Sample:

- Send [MBB - UNPAID] email and attach thank you letter, certificate, and parent report (including outstanding items - emphasize stool sample kit).
- Leave participant on Unpaid list.
- If stool sample received - send payment, thank you letter, certificate, and science kits via mail and move to Paid list.
- If stool sample not received, one week after email is sent, check outstanding items do Audit Call #1.
- One week following Audit Call #1, check outstanding items do Audit Call #2.
- Within 2 days of Audit Call #2, check outstanding items and do Audit Call #3.
- After Audit Call #3 (or all items completed), send [MBB - DONE] email and move to Done list.

3.4.6.4 Getting A Code From REDCap

1. Log onto REDCap and click on “record status dashboard”

The screenshot shows the REDCap Online Designer interface. At the top, it displays the project status as "Production". Below this, there is a message about changes not being made in real time. The main area shows a table of instruments with columns for "Instrument name", "Fields", "View PDF", "Enabled as survey", and "Instrument actions". The instruments listed are: participant, screen, wave1_status, wave2_status, wave3_status, checklist_lab_session_child, and checklist_lab_session_parent. Each instrument has a row of buttons for managing its status and actions.

2. Click on designated participant

The screenshot shows the REDCap Data Collection interface. It displays a list of participants with their IDs: MBB011, MBB012, MBB013, MBB014, MBB015, MBB016, MBB017, and MBB018. Each participant has a row of status indicators under the "info" column, including "participant", "checklist_lab_session_child", "checklist_lab_session_parent", and "checklist_home_session_child". The status indicators are represented by green circles for active and grey circles for inactive or incomplete.

3. Click on the first incomplete questionnaire for the parentself, parentproxy, or child questionnaire sets

Data Collection Instrument	consent	info	lab_child	lab_parentproxy	lab_parentself	home_child
memory_invasion			green	orange		
wasi			green	green		
wiat			green	green		
intro_parentproxy (survey)				green	orange	
acuteillness_parentproxy (survey)				red	red	
pedsql_gi_parentproxy (survey)				red	red	
pedsql_wb_parentproxy (survey)				red	red	
pedsql_f_parentproxy (survey)				red	red	
easy_parentproxy (survey)				red	red	
radc_parentproxy (survey)				red	red	
leq_parentproxy (survey)				red	red	
tesl_parentproxy (survey)				red	red	
scared_parentproxy (survey)				red	red	
rcads_parentproxy (survey)				red	red	
cbcl_parentproxy (survey)				red	red	
cshq_parentproxy (survey)				red	red	
bmcmriscreen_parentproxy (survey)				red	red	
mb_metadata_parentproxy (survey)				red	red	
med_check_parentproxy (survey)				red	red	
pds_parentproxy (survey)				red	red	
dhws_parentproxy (survey)				red	red	
hpq_parentproxy (survey)				red	red	
cssl_parentproxy (survey)				green	red	
fri_parentproxy (survey)						

4. Click on Survey Options

ALLIOTS: [Download PDF of instrument\(s\)](#) [Share instrument in the Library](#) [VIDEO: Basic Data Entry](#) [-- Cancel --](#)

acuteillness_parentproxy

Invitation status: [Email](#)

Editing existing Participant ID MBB014

Event Name: **lab_parentproxy (Arm 2: wave_1)**

Participant ID MBB014

Has your child been sick in the past two weeks? Yes No

Form Status

Complete? [Incomplete](#)

Lock this record for this form?
If locked, no user will be able to edit this record on this form until someone with Lock/Unlock privileges unlocks it. [Lock](#)


[Save & Exit Form](#) [Save & ...](#) [-- Cancel --](#)

Survey options

- [Open survey](#)
- [Log out + Open survey](#)
- [Compose survey invitation](#)
- [Survey Access Code and QR Code](#)

[reset](#)

5. Click Survey Access Code and QR Code



6. Copy and paste web address and code + send to email to participant

3.4.6.5 Report Card Instructions

1. Open a participant data folder




Figure 3.1:

2. Navigate to the report card folder and rename the template file - MBB999 to the relevant participant - and open the file




Figure 3.2:

3. Navigate to the last pge of the pdf and fill in the scores for this participant.
You can type directly on the page- it is a fillable form.

4. After you have entered teh data, it should look like this:

photo coming soon

5. If there are any comments, enter them on the comments page.

- For example, if any NA's are present due to less than 70% of data for that subset being available to calculate a score - note that here.




Figure 3.3:

COMMENTS

- If there are no comments, delete this page.
6. **Important-** Once you have completed the edits to the pdf, you must follow these steps to “lock” the data so that it is no longer editable before sending to the participant. To do so, click file/print/PDF/Save as PDF. Save the PDF to your desktop, then replace the original PDF with the desktop version.
7. The report card is now ready to be sent to the participant.

3.4.7 Payment

Payment package contents:




Figure 3.4:

- Payment box
- Type in participant's name and print copy of certificate
- Print thank you letter
- Include \$65 Amazon gift card
- Check stool sample quality- if poor, send another stool kit
- Science kit- Neuron
 - 4 pipe cleaners
 - Pipe Cleaner Neuron photo directions quarter sheets
 - goodie bag + tie
- Science kit- Brain hat
 - left + right side brain hat sheet
 - Brain hat photo directions quarter sheets
 - plastic sheet cover
- Science kit- Petri Dish
 - petri dish sheet
 - Microbiome photo directions quarter sheets
 - plastic sheet cover
 - virus stickers

Mailing payment package

- Once the package has been created and sealed, it is time to bring the package down to Tyler's office in the Psychology building.
- To mail the package to the participant, you will need the following information:
 - Recharge ID
 - Participant name
 - Participant mailing address
- From Tyler's office, you will receive a FedEx label in which you can write this information
- Take a picture of the FedEx label and upload to Box
- Leave the package in Tyler's office for FedEx pickup

Recording Payment

- Log participant payment in reimbursement log book
 - Log participant payment in reimbursement spreadsheet
-

Chapter 4

SONA Collection

4.1 SONA Collection Summary

Additional data collection of the 2 part Halloween task (for immediate and delayed testing of the memory task) will be taken with participants aged 18+. We project collecting from 250 participants (due to potential attrition of the 2 part task) and will compensate participants with school credit on the SONA system.

4.2 SONA Collection Measures

4.2.1 SONA Questionnaires

Title	Description	Reference
Demographic Questionnaire	Adult self-report. Domain assessed: demographics. The project developed questionnaire asks participants about their household income, their race/ethnicity, the parent age, education, and marital status, and contact details.	(ABC, XXXX)

Title	Description	Reference
Revised Childhood Traumatic Experiences Survey (cte_revised) – 18+ years of age.	Adult report. Domain assessed: Traumatic Experiences. The Childhood Trauma Questionnaire is a brief 6 item survey of retrospectively-reported traumatic experiences (death, divorce, violence, sexual abuse, illness, and upheaval).	(ABC, XXXX)

Chapter 5

References

- Callaghan, B. L., Fields, A., Gee, D. G., Gabard-Durnam, L., Caldera, C., Humphreys, K. L., Goff, B., Flannery, J., Telzer, E. H., Shapiro, M., & Tottenham, N. (2020). Mind and gut: Associations between mood and gastrointestinal distress in children exposed to adversity. *Development and Psychopathology*, 32(1), 309–328. <https://doi.org/10.1017/S0954579419000087>
- Callaghan, Dandesh, ... Whittle. Amygdala Resting Connectivity Mediates Association Between Maternal Aggression and Adolescent Major Depression: A 7-Year Longitudinal Study. *JACPP* Google Scholar
- Hops H., Davis B., Longoria N. (1995) Methodological issues in direct observation – Illustrations with the Living in Familial Environments (LIFE) coding system. *Journal of Clinical Child Psychology*, 24:193–203.
- MacPhillamy D. J., & Lewinsohn P. M. Manual for the Pleasant Events Schedule. Eugene, OR: University of Oregon; 1976. Google Scholar
- Robin A. L. (1975). Communication Training: A Problem Solving Approach to Parent-Adolescent Conflict. Unpublished doctoral dissertation. State University of New York, Stony Brook.
- Robin A. L., & Foster S. L. (1989). *Negotiating Parent-Adolescent Conflict: A Behavioral-Family Systems Approach*. New York, NY: Guilford Press.
- Whittle, S., Yap, M. B. H., [...], & Allen, N. B. (2009) Maternal responses to adolescent positive affect are associated with adolescents' reward neuroanatomy. *Social Cognitive and Affective Neuroscience*. Google Scholar
- Whittle, S., Simmons, J. G., [...], & Allen, N. B. (2014). Positive parenting predicts the development of adolescent brain structure: A longitudinal study. *Developmental Cognitive Neuroscience*. Google Scholar

Xie, Yihui. 2015. Dynamic Documents with R and Knitr. 2nd ed. Boca Raton, Florida: Chapman; Hall/CRC. <http://yihui.name/knitr/>.

<https://www.brightfutures.org/mentalhealth/pdf/professionals/ad/issues.pdf>

5.1 Questionnaire References

Rieffe, C., Oosterveld, P., & Terwogt, M. M. (2006). An alexithymia questionnaire for children: Factorial and concurrent validation results. *Personality and individual differences*, 40(1), 123-133. Google Scholar