Markdown to Jupyter notebook example

Here is a SugarTeX example with eq. 1 and fig. 1.

See PDF of this source if you do not have excellent Unicode support.

$$\nabla \times \mathbf{B} - \frac{1}{c} \frac{\partial \mathbf{E}}{\partial t} = \frac{4\pi}{c} \mathbf{j}$$

$$\nabla \cdot \mathbf{E} = 4\pi \rho$$

$$\nabla \times \mathbf{E} + \frac{1}{c} \frac{\partial \mathbf{B}}{\partial t} = 0$$

$$\nabla \cdot \mathbf{B} = 0$$
(1)

where $B\,,\,E\,,\,j\,:\,R^4\to R^3$ – vector functions of the form $(t,x,y,z)\mapsto\,f(t,x,y,z),\,\,f=\,(f_x,f_y,f_z).$



Figure 1: Sample image with cross-references.

In this version of Pandoc image caption fig. 1 works.

```
from IPython.display import Markdown
import pandas as pd
import numpy as np
import tabulatehelper as th

df = pd.DataFrame(np.random.random(16).reshape(4, 4))

Markdown(f'''
{th.md_table(df)}
: Table {{#tbl:table1}}
'''')
```

Table 1: Table

0	1	2	3
0.410207	0.535913	0.668349	0.255712
0.0910057	0.0366409	0.982968	0.527691
0.274813	0.879026	0.919827	0.259246
0.987648	0.659129	0.780792	0.335395

Text and tbl. 1

```
import pandas as pd
import numpy as np
df = pd.DataFrame(np.random.random(16).reshape(4, 4))
df
```

Title

Table 2: Table

а	b	С	d
1	2	3	4

print('Hello!')