# SPIKE Relase Notes

# 0.99.2 - January 2019

- added number of local peaks in bucketing
- improved Bruker importer and added support for NEO/TopSpin 4.0 files
- improved the .set\_unit() method
- improved importing DOSY processed with TopSpin
- corrected a bug for min value in bucketing
- changed pylint/QC defaults -> new values (and corrected a bad bug)
- cleaned the code a little

#### 0.99.1 - November 2018

- added the sane algorithm
- added the pg-sane algorithm
- added the NPKData.set\_unit(unit) method for pipelining
- added the NPKData.load\_sampling(axis) method for pipelining
- improved spinit support
- corrected a few bugs
- NPKData.save\_csv() now works in python 3
- NPKData.copy() is now more robust

#### 0.99 - April 2018 - temp release branch

We have been developping a lot this last year, and published quite a few results. The program is now quite stable in most of its features. Additions and improvements were added to the repository in the devel branch, however we neglected updating the more official default branch. This release is an effort to bring everything into normal mode, and hopefully, preparing a 1.0 version!

### New in 0.99:

- SPIKE is now fully compatible with python 2 AND python 3
- added the SANE noise denoising algorithm and plugin.
  - an improvement to urQRd
  - more faithfull to small signal intensity
  - slightly different optimum parameters (optimal rank slightly smaller, less iterations needed)
- added the handling of NUS 2D FTICR acquisition
- added the PALMA DOSY processing algo and plugin (NMR).
- added a Linear Prediction plugin
- added the first trial for a m/z calibration plugin (MS)

- added import from SpinIt (NMR)
- added a primitive set of interactive tools to be used in Jupyter notebooks ( INTER.py )
- added the possibility to pass a complete dictionary to matplotlib in the .display() method
- added the .center() method for NPKData
- added a plugin implementing a subset of Topspin commands: xf1, xf2, xfb. (NMR)
- added an line fitter, still very exploratory, only 1D Lorentzian for the moment
- added more controls on plots (new\_fig and mpldic arguments of .display())
- added a Spinit importer (preliminary) (NMR)
- added a compress mode in Solarix importer (MS)
- added new automatic tests
- improved and extended the Bucketing plugin, with extended features
- improved the baseline correction code
- improved import/export to Topspin/Bruker NMR files
- improved automatic phaser .apmin() (NMR)
- improved the plugin mechanism with added documentation
- corrected the extract() method which was broken
- corrected a bug when importing Topspin/Bruker NMR datasets, where \$NC was not used. (NMR)
- corrected a bug and improved 3 parameters FT-ICR calibration (MS)
- corrected the extract function for NPKData
- corrected a bug with contour plots and matplotlib version > 1.5.0
- modified (improved?) plugin loading code, with additional plugin documentation
- $\bullet\,$  modified the way None values are stored into hdf5 files
- modified .extract() code to work in current axis unit
- modified .mean() to return complex value is axis is complex
- improved python 3 compatibility. It is not finished yet, but most of the program is python 2/python 3 independent, some parts are still missing,

- · known bugs
- NPKData.extract() method not fully tested
- NPKData.save\_csv() is buggy in python 3

## 0.9 - 8 sept 2016

never reached the normal distribution - doc partly redundant with 0.8.3

- added a baseline correction plugins, already quite developed, with 3 different methods
- added an automatic phasing plugin, .apmin() still exploratory (NMR)
- added a wavelet filtering plugin (requires the PyWavelet library)
- added a 3D zoom plugin (requires the Mayavi library)
- added export to Topspin/Bruker files, and added import of processed Topspin files (NMR)
- added the upgrade of files from previous version
- added the d.axis?.cpxsize: the size of an axis expressed in spectroscopic points (real of complex) different from d.axis?.size which is the size of an axis expressed in data points so
- d.axis?.cpxsize == d.axis?.size is axis is real
- d.axis?.cpxsize == d.axis?.size/2 is axis is complex
- improved the Peak-Picker (mostly the output capabilities)
- improved processing.py for nicer spectra, and possibly faster processing (MS)
- improved visu2D.py, for a greater stability and improved selection syntax
- corrected a bug in .conv\_n\_p() (NMR)
- and many small bugs as well

# 0.8.3 - April 2016

- ALL spectro.
  - added a new cpxsize property, associated to axes and dataset, which counts complex and real entries
  - added: display and peak display now accept a color and markersize arguments
  - improved plugins, plugins with a filename starting with \_ do not load
  - improved: automatic baseline correction algorithms have been improved (Algo/BC.py)
  - finnoiselevel() set of functions has been rewritten (util/signal\_tools.py
    )
  - standard test now includes testing for multiprocessing DOES NOT WORK ON ALL DISTRIBUTION if it is your case, set use\_multiprocessing = False in test.mscf
- NMR
  - added: BrukerNMR now imports TopSpin processed dataset (1r, 2rr)

- improved: and corrected Laplace axes for a new DOSY module to come. . .
- corrected: conv n p() was wrong and has been corrected
- corrected: gm\_apod() was wrong and has been corrected
- corrected: an error in GifaFile access under Windows
- MS
- processing.py (2D FTMS) now includes parallel processing in F2 (helping in certain cases)
- and gives sharper lineshape thanks to kaiser() apodisation
- files from the previous program version (0.7.x) can now be upgraded and read. just do python -m spike.File.HDF5File update your\_file.msh5
- improved .report() for FTMS datasets

#### 0.8.2 - 2 Feb 2016

- corrected a bug in processing when running under MPI parallel
- added warning in set\_col() and set\_row() if type do not match.
- starting to work on the documentation

#### 0.8.1 - 24 Jan 2016

• corrected a bug for Orbitrap related to offsetfreq.

## 0.8.0 - 23 Jan 2016

- first clean version using the new HDF5 file set-up WARNING
  - HDF5 files created with this version cannot be read with previous versions
  - HDF5 files created with previous versions cannot be read with this version - this should be fixed later - File now contains acquisition parameters files in the attached hdf5 sub-group
- datasets now carry store and retrieve the parmeters imported from manufacturers file in d.params
- improved FTMS calibration using 1, 2, and 3 parameters calibration : calibA calibB calibC, retrieve by Import from experimental file
- improved FTMS Hz unit, added the d.axis.offsetfreq parameter
- corrected fine details of F1 demodulation and added the parameter freq f1demodu
- unittests extended, in particular in visu2D
- Starting with this version
  - a stable version will be maintained, downloadable as a zip file in the download page https://bitbucket.org/delsuc/spike/downloads

 Two developpement branches will be used, the default for the stable version - improved for bugs, and the devel branche, used for developping the new features.

## 0.7.1 - 5 Jan 2016

- greatly improved internal compression of msh5 files and speed of processing.pv
- many small corrections and bug fixes.

#### 0.7.0 - November 2015

- a plugin mechanism has been created which allows to add very simply new features to the program
  - most new features are implemented through this mechanism
- the organisation of the spectral axes has been complete modified, with the introduction of a Unit class
  - each axis holds its own series of possible units (called .units)
  - and the current unit used for display and selection
  - many commands now have a zoom= ketword that works in the current unit
  - additionally, there are itoc and ctoi unit converters
- Thanks to this, NMR data-sets are now correctly handled, DOSY are still in progress and should come soon
  - additionally a plugin for Bruker NMR processing is now implemented
- A complete 1D and 2D peak-picker is now implemented, with many controls and features
- New baseline correction algo have been implemented
- the sane algorithm, which is an evolution from urQrd has been separated from urQRd, so both algo can now be used independently
- Tests have been reorganized and improved
- Importers have been extended parameters are now brought back to the user
- many others

# 0.6.4 - march 2015

- added Bruker NMR import
- clean-up of the module, still going on
- Tests improved

#### 0.6.3 - march 2015

• first installeable release

# 0.6.0 - dec 2014

- Fork to SPIKE
- Large improvements of the display program, renamed visu2D
- Corrected a bug in the hypercomplex modulus, resulting in splitting in 2D-FT-ICR
- many improvements everywhere

#### 0.5.1 - 26 mar 2014

- source code reorganized by folders

## 0.5.0 - 24 mar 2014

- starting new devl effort
- published! version of urQRd

# 0.4.1 - 27 Sep 2012

- final (?) version of urQRd
- added data arithmetic
- many other optimisation

## 0.4.0 - 20 apr 2012 -

new version processing 2.py (temporary name) this one

- processing is performed in steps, F2 from infile to interfile (intermediate file) and F1 from interfile to outfile
- steps are optionnal, F2 or F1 can be performed alone allowing denoising on the interfile
- processing is faster and mpi enabled speed-up are better for very large files
- has a better way of computing the smaller spectra done by downsampling faster and nicer
- vignette is now 1024x1024 can be changed using SIZEMIN in config file

#### 0.3.11 - 29 mar 2012

Small tools have been added to modify configuration files and to mix processing.py and ipython visualisation

# 0.3.10 - 22 jan 2012

processing is now (hopefully) bug free and RAPID!

# 0.3.9 - 18 jan 2012

fticrvisu.py, processing working, getting all parameters correctly from FTICR-Data and  ${\rm Apex}$ 

## 0.3.8 - 13 jan 2012

fticrvisu.py, processing working, corrected after Marie came

## 0.3.7 - 12 dec 2011

correction of Gifa file bug, bug in Apex for narrow band data-sets, changes in msh5 file format

#### 0.3.6

3 Oct 2011 - added HDF5 file format (.msh5), multiresolution files, configuration files (.mscf), fticrvisu

# 0.3.5

 $5~\mathrm{Sept}~2011$  - added cadzow in MPI / savitsky-golay / HDF5 still in progress

# 0.3.4

 $26~\mathrm{July}~2011$  - added autotests / savehdf5 first version

# 0.3.3

12 July 2011 - first reliable/taged FTICR version