

# Xena2889 Test Report

## Test Summary

Test company: Xena Networks  
 Customer: Xena Networks  
 Test Date and Time: 2016-07-04, 03:46  
 Test Duration: 05:17:06 (h:m:s)  
 Generated By: Xena2889 v1.17, running on 'Microsoft Windows 7 Enterprise'

## Test Setup

### Test Configuration

#### Subtest Selection

Rate Test: Full Mesh Enabled  
 - Throughput Enabled  
 - Forwarding Enabled

Rate Test: Part.Mesh, 1:N Enabled  
 - Throughput Enabled  
 - Forwarding Enabled

Rate Test: Part.Mesh, N->N Enabled  
 - Throughput Enabled  
 - Forwarding Enabled

Congestion Control: Enabled  
 Forward Pressure: Enabled  
 Maximum Forwarding Rate: Enabled  
 Address Caching Capacity: Enabled  
 Address Learning Rate: Enabled  
 Errored Frames Filtering: Enabled  
 Broadcast Forwarding: Enabled

#### Test Options

Packet Sizes Used: 64,128,256,512,1024,1280,1518

Rate Type: Fraction  
 Fraction per Port: 100,00%

Latency Measurement Mode: Last-To-Last  
 Toggle Port Sync States: Yes

## Traffic Configuration

### Used Chassis

Chassis ID	Chassis Name	Address
C-0	New chassis	140.181.139.228:22606

### Used Ports

Port ID	Interface Type	Speed	IP Address & Gateway	Protocol Segment Profile
P-0-0-0	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-0-1	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-0-2	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-0-3	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-0-4	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-0-5	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet

P-0-2-0	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-2-1	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-2-2	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-2-3	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-2-4	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-2-5	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-4-0	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-4-1	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-4-2	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-4-3	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-4-4	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-4-5	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet

## Rate Test: Full Mesh Results

### Test Setup

Duration: 30 seconds  
 Iteration: 1  
 Topology: Mesh  
 Direction: Bidirectional

### Throughput Options

Initial Rate: 10,00%  
 Maximum Rate: 100,00%  
 Minimum Rate: 10,00%  
 Resolution: 10,00%

### Used Ports

Port ID
P-0-0-0
P-0-0-1
P-0-0-2
P-0-0-3
P-0-0-4
P-0-0-5
P-0-2-0
P-0-2-1
P-0-2-2
P-0-2-3
P-0-2-4
P-0-2-5
P-0-4-0
P-0-4-1
P-0-4-2
P-0-4-3
P-0-4-4
P-0-4-5

### Throughput Test Results

Frame Size	64	128	256	512	1024	1280
Result State	FAIL	FAIL	FAIL	FAIL	FAIL	FAIL
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	10 %	10 %	10 %	10 %	10 %	10 %
Tx Rate (L1) (Bit/s)	1,62 G	1,62 G	1,62 G	1,62 G	1,62 G	1,62 G
Tx Rate (Fps)	2.410.709	1.368.238	733.686	380.633	193.963	155.764
Rx Rate (Percent)	9,92 %	9,97 %	9,97 %	9,97 %	9,98 %	9,98 %
Rx Rate (L1) (Bit/s)	1,61 G	1,62 G	1,62 G	1,62 G	1,62 G	1,62 G
Rx Rate (Fps)	2,39 M	1,36 M	731,71 K	379,67 K	193,54 K	155,47 K
Loss Rate (Percent)	0,78 %	0,27 %	0,27 %	0,25 %	0,22 %	0,19 %
Loss (Frames)	560.543	111.996	59.381	28.981	12.636	8.886
P-0-0-0						
- Tx (Frames)	4.017.848	2.280.397	1.222.810	634.389	323.272	259.607
- Tx Rate (L1) (Bit/s)	90 M	90 M	90 M	90 M	90 M	90 M
- Tx Rate (Fps)	133.928	76.013	40.760	21.146	10.776	8.654
- Rx (Frames)	3.999.496	2.278.124	1.220.760	633.375	322.933	259.353
- Rx Rate (L1) (Bit/s)	89,59 M	89,91 M	89,85 M	89,85 M	89,9 M	89,91 M
- Rx Rate (Fps)	133.317	75.937	40.692	21.113	10.764	8.645
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-1						
- Tx (Frames)	4.017.848	2.280.397	1.222.810	634.389	323.272	259.607
- Tx Rate (L1) (Bit/s)	90 M	90 M	90 M	90 M	90 M	90 M
- Tx Rate (Fps)	133.928	76.013	40.760	21.146	10.776	8.654
- Rx (Frames)	3.998.934	2.278.783	1.221.278	633.571	323.027	259.457
- Rx Rate (L1) (Bit/s)	89,58 M	89,94 M	89,89 M	89,88 M	89,93 M	89,95 M
- Rx Rate (Fps)	133.298	75.959	40.709	21.119	10.768	8.649

- Flood Count (Frames)	92	94	94	93	94	91
P-0-0-2						
- Tx (Frames)	4.017.848	2.280.397	1.222.810	634.389	323.272	259.607
- Tx Rate (L1) (Bit/s)	90 M	90 M	90 M	90 M	90 M	90 M
- Tx Rate (Fps)	133.928	76.013	40.760	21.146	10.776	8.654
- Rx (Frames)	3.998.510	2.278.596	1.221.202	633.912	323.016	259.429
- Rx Rate (L1) (Bit/s)	89,57 M	89,93 M	89,88 M	89,93 M	89,93 M	89,94 M
- Rx Rate (Fps)	133.284	75.953	40.707	21.130	10.767	8.648
- Flood Count (Frames)	92	93	95	93	92	92
P-0-0-3						
- Tx (Frames)	4.017.848	2.280.397	1.222.810	634.389	323.272	259.607
- Tx Rate (L1) (Bit/s)	90 M	90 M	90 M	90 M	90 M	90 M
- Tx Rate (Fps)	133.928	76.013	40.760	21.146	10.776	8.654
- Rx (Frames)	3.998.994	2.278.786	1.221.366	633.758	323.000	259.416
- Rx Rate (L1) (Bit/s)	89,58 M	89,94 M	89,89 M	89,91 M	89,92 M	89,93 M
- Rx Rate (Fps)	133.300	75.960	40.712	21.125	10.767	8.647
- Flood Count (Frames)	90	95	96	91	94	92
P-0-0-4						
- Tx (Frames)	4.017.848	2.280.397	1.222.810	634.389	323.272	259.607
- Tx Rate (L1) (Bit/s)	90 M	90 M	90 M	90 M	90 M	90 M
- Tx Rate (Fps)	133.928	76.013	40.760	21.146	10.776	8.654
- Rx (Frames)	3.997.741	2.278.870	1.221.266	633.342	322.900	259.325
- Rx Rate (L1) (Bit/s)	89,55 M	89,94 M	89,89 M	89,85 M	89,9 M	89,9 M
- Rx Rate (Fps)	133.258	75.962	40.709	21.111	10.763	8.644
- Flood Count (Frames)	92	93	95	91	93	90
P-0-0-5						
- Tx (Frames)	4.017.848	2.280.397	1.222.810	634.389	323.272	259.607
- Tx Rate (L1) (Bit/s)	90 M	90 M	90 M	90 M	90 M	90 M
- Tx Rate (Fps)	133.928	76.013	40.760	21.146	10.776	8.654
- Rx (Frames)	3.997.872	2.278.564	1.220.595	633.201	322.821	259.230
- Rx Rate (L1) (Bit/s)	89,55 M	89,93 M	89,84 M	89,83 M	89,87 M	89,87 M
- Rx Rate (Fps)	133.262	75.952	40.687	21.107	10.761	8.641
- Flood Count (Frames)	95	91	93	93	92	92
P-0-2-0						
- Tx (Frames)	4.017.848	2.280.397	1.222.810	634.389	323.272	259.607
- Tx Rate (L1) (Bit/s)	90 M	90 M	90 M	90 M	90 M	90 M
- Tx Rate (Fps)	133.928	76.013	40.760	21.146	10.776	8.654
- Rx (Frames)	3.942.965	2.255.576	1.212.713	628.589	320.954	257.660
- Rx Rate (L1) (Bit/s)	88,32 M	89,02 M	89,26 M	89,18 M	89,35 M	89,32 M
- Rx Rate (Fps)	131.432	75.186	40.424	20.953	10.698	8.589
- Flood Count (Frames)	90	92	92	91	89	90
P-0-2-1						
- Tx (Frames)	4.017.848	2.280.397	1.222.810	634.389	323.272	259.607
- Tx Rate (L1) (Bit/s)	90 M	90 M	90 M	90 M	90 M	90 M
- Tx Rate (Fps)	133.928	76.013	40.760	21.146	10.776	8.654
- Rx (Frames)	3.937.219	2.256.777	1.210.629	628.345	321.041	258.063
- Rx Rate (L1) (Bit/s)	88,19 M	89,07 M	89,1 M	89,14 M	89,38 M	89,46 M
- Rx Rate (Fps)	131.241	75.226	40.354	20.945	10.701	8.602
- Flood Count (Frames)	91	90	93	91	86	93
P-0-2-2						
- Tx (Frames)	4.017.848	2.280.397	1.222.810	634.389	323.272	259.607
- Tx Rate (L1) (Bit/s)	90 M	90 M	90 M	90 M	90 M	90 M
- Tx Rate (Fps)	133.928	76.013	40.760	21.146	10.776	8.654
- Rx (Frames)	3.940.261	2.254.775	1.209.608	628.007	320.421	257.656
- Rx Rate (L1) (Bit/s)	88,26 M	88,99 M	89,03 M	89,09 M	89,21 M	89,32 M
- Rx Rate (Fps)	131.342	75.159	40.320	20.934	10.681	8.589
- Flood Count (Frames)	91	90	92	91	95	90
P-0-2-3						
- Tx (Frames)	4.017.848	2.280.397	1.222.810	634.389	323.272	259.607
- Tx Rate (L1) (Bit/s)	90 M	90 M	90 M	90 M	90 M	90 M
- Tx Rate (Fps)	133.928	76.013	40.760	21.146	10.776	8.654
- Rx (Frames)	3.939.541	2.253.123	1.209.302	628.809	320.335	257.725
- Rx Rate (L1) (Bit/s)	88,25 M	88,92 M	89 M	89,21 M	89,18 M	89,34 M
- Rx Rate (Fps)	131.318	75.104	40.310	20.960	10.678	8.591
- Flood Count (Frames)	91	95	92	94	93	90
P-0-2-4						
- Tx (Frames)	4.017.848	2.280.397	1.222.810	634.389	323.272	259.607
- Tx Rate (L1) (Bit/s)	90 M	90 M	90 M	90 M	90 M	90 M
- Tx Rate (Fps)	133.928	76.013	40.760	21.146	10.776	8.654
- Rx (Frames)	3.999.099	2.280.397	1.222.810	634.389	323.224	259.565
- Rx Rate (L1) (Bit/s)	89,58 M	90 M	90 M	90 M	89,99 M	89,98 M

- Rx Rate (Fps)	133.303	76.013	40.760	21.146	10.774	8.652
- Flood Count (Frames)	91	89	92	93	93	90
P-0-2-5						
- Tx (Frames)	4.017.848	2.280.397	1.222.810	634.389	323.272	259.607
- Tx Rate (L1) (Bit/s)	90 M	90 M	90 M	90 M	90 M	90 M
- Tx Rate (Fps)	133.928	76.013	40.760	21.146	10.776	8.654
- Rx (Frames)	3.994.203	2.280.397	1.222.810	634.389	323.207	259.601
- Rx Rate (L1) (Bit/s)	89,47 M	90 M	90 M	90 M	89,98 M	90 M
- Rx Rate (Fps)	133.140	76.013	40.760	21.146	10.774	8.653
- Flood Count (Frames)	90	89	93	90	92	91
P-0-4-0						
- Tx (Frames)	4.017.848	2.280.397	1.222.810	634.389	323.272	259.607
- Tx Rate (L1) (Bit/s)	90 M	90 M	90 M	90 M	90 M	90 M
- Tx Rate (Fps)	133.928	76.013	40.760	21.146	10.776	8.654
- Rx (Frames)	3.997.531	2.280.397	1.222.810	634.389	323.232	259.596
- Rx Rate (L1) (Bit/s)	89,54 M	90 M	90 M	90 M	89,99 M	89,99 M
- Rx Rate (Fps)	133.251	76.013	40.760	21.146	10.774	8.653
- Flood Count (Frames)	89	88	91	93	94	92
P-0-4-1						
- Tx (Frames)	4.017.848	2.280.397	1.222.810	634.389	323.272	259.607
- Tx Rate (L1) (Bit/s)	90 M	90 M	90 M	90 M	90 M	90 M
- Tx Rate (Fps)	133.928	76.013	40.760	21.146	10.776	8.654
- Rx (Frames)	3.999.777	2.280.397	1.222.810	634.389	323.249	259.578
- Rx Rate (L1) (Bit/s)	89,6 M	90 M	90 M	90 M	89,99 M	89,99 M
- Rx Rate (Fps)	133.326	76.013	40.760	21.146	10.775	8.653
- Flood Count (Frames)	92	92	93	93	93	91
P-0-4-2						
- Tx (Frames)	4.017.848	2.280.397	1.222.810	634.389	323.272	259.607
- Tx Rate (L1) (Bit/s)	90 M	90 M	90 M	90 M	90 M	90 M
- Tx Rate (Fps)	133.928	76.013	40.760	21.146	10.776	8.654
- Rx (Frames)	4.000.393	2.280.397	1.222.810	634.389	323.228	259.600
- Rx Rate (L1) (Bit/s)	89,61 M	90 M	90 M	90 M	89,99 M	89,99 M
- Rx Rate (Fps)	133.346	76.013	40.760	21.146	10.774	8.653
- Flood Count (Frames)	93	92	95	92	92	88
P-0-4-3						
- Tx (Frames)	4.017.848	2.280.397	1.222.810	634.389	323.272	259.607
- Tx Rate (L1) (Bit/s)	90 M	90 M	90 M	90 M	90 M	90 M
- Tx Rate (Fps)	133.928	76.013	40.760	21.146	10.776	8.654
- Rx (Frames)	4.006.881	2.280.397	1.222.810	634.389	323.225	259.597
- Rx Rate (L1) (Bit/s)	89,75 M	90 M	90 M	90 M	89,99 M	89,99 M
- Rx Rate (Fps)	133.563	76.013	40.760	21.146	10.774	8.653
- Flood Count (Frames)	95	91	92	94	90	92
P-0-4-4						
- Tx (Frames)	4.017.848	2.280.397	1.222.810	634.389	323.272	259.607
- Tx Rate (L1) (Bit/s)	90 M	90 M	90 M	90 M	90 M	90 M
- Tx Rate (Fps)	133.928	76.013	40.760	21.146	10.776	8.654
- Rx (Frames)	4.005.338	2.280.397	1.222.810	634.389	323.211	259.598
- Rx Rate (L1) (Bit/s)	89,72 M	90 M	90 M	90 M	89,98 M	89,99 M
- Rx Rate (Fps)	133.511	76.013	40.760	21.146	10.774	8.653
- Flood Count (Frames)	95	90	90	93	90	95
P-0-4-5						
- Tx (Frames)	4.017.848	2.280.397	1.222.810	634.389	323.272	259.607
- Tx Rate (L1) (Bit/s)	90 M	90 M	90 M	90 M	90 M	90 M
- Tx Rate (Fps)	133.928	76.013	40.760	21.146	10.776	8.654
- Rx (Frames)	4.005.966	2.280.397	1.222.810	634.389	323.236	259.591
- Rx Rate (L1) (Bit/s)	89,73 M	90 M	90 M	90 M	89,99 M	89,99 M
- Rx Rate (Fps)	133.532	76.013	40.760	21.146	10.775	8.653
- Flood Count (Frames)	92	92	92	93	90	92


<b>Frame Size</b>	<b>1518</b>
Result State	<b>FAIL</b>
Iter. #	1
Tx Rate (Percent)	10 %
Tx Rate (L1) (Bit/s)	1,62 G
Tx Rate (Fps)	131.662
Rx Rate (Percent)	9,98 %
Rx Rate (L1) (Bit/s)	1,62 G
Rx Rate (Fps)	131,34 K
Loss Rate (Percent)	<b>0,25 %</b>
Loss (Frames)	<b>9.710</b>

P-0-0-0	
- Tx (Frames)	219.436
- Tx Rate (L1) (Bit/s)	90 M
- Tx Rate (Fps)	7.315
- Rx (Frames)	219.245
- Rx Rate (L1) (Bit/s)	89,92 M
- Rx Rate (Fps)	7.308
- Flood Count (Frames)	0
P-0-0-1	
- Tx (Frames)	219.436
- Tx Rate (L1) (Bit/s)	90 M
- Tx Rate (Fps)	7.315
- Rx (Frames)	219.225
- Rx Rate (L1) (Bit/s)	89,91 M
- Rx Rate (Fps)	7.308
- Flood Count (Frames)	87
P-0-0-2	
- Tx (Frames)	219.436
- Tx Rate (L1) (Bit/s)	90 M
- Tx Rate (Fps)	7.315
- Rx (Frames)	219.189
- Rx Rate (L1) (Bit/s)	89,9 M
- Rx Rate (Fps)	7.306
- Flood Count (Frames)	90
P-0-0-3	
- Tx (Frames)	219.436
- Tx Rate (L1) (Bit/s)	90 M
- Tx Rate (Fps)	7.315
- Rx (Frames)	219.115
- Rx Rate (L1) (Bit/s)	89,87 M
- Rx Rate (Fps)	7.304
- Flood Count (Frames)	91
P-0-0-4	
- Tx (Frames)	219.436
- Tx Rate (L1) (Bit/s)	90 M
- Tx Rate (Fps)	7.315
- Rx (Frames)	219.111
- Rx Rate (L1) (Bit/s)	89,86 M
- Rx Rate (Fps)	7.304
- Flood Count (Frames)	93
P-0-0-5	
- Tx (Frames)	219.436
- Tx Rate (L1) (Bit/s)	90 M
- Tx Rate (Fps)	7.315
- Rx (Frames)	219.034
- Rx Rate (L1) (Bit/s)	89,83 M
- Rx Rate (Fps)	7.301
- Flood Count (Frames)	92
P-0-2-0	
- Tx (Frames)	219.436
- Tx Rate (L1) (Bit/s)	90 M
- Tx Rate (Fps)	7.315
- Rx (Frames)	218.014
- Rx Rate (L1) (Bit/s)	89,41 M
- Rx Rate (Fps)	7.267
- Flood Count (Frames)	87
P-0-2-1	
- Tx (Frames)	219.436
- Tx Rate (L1) (Bit/s)	90 M
- Tx Rate (Fps)	7.315
- Rx (Frames)	217.978
- Rx Rate (L1) (Bit/s)	89,4 M
- Rx Rate (Fps)	7.266
- Flood Count (Frames)	90
P-0-2-2	
- Tx (Frames)	219.436
- Tx Rate (L1) (Bit/s)	90 M
- Tx Rate (Fps)	7.315
- Rx (Frames)	217.912
- Rx Rate (L1) (Bit/s)	89,37 M
- Rx Rate (Fps)	7.264

- Flood Count (Frames)	89
P-0-2-3	
- Tx (Frames)	219.436
- Tx Rate (L1) (Bit/s)	90 M
- Tx Rate (Fps)	7.315
- Rx (Frames)	216.762
- Rx Rate (L1) (Bit/s)	88,9 M
- Rx Rate (Fps)	7.225
- Flood Count (Frames)	89
P-0-2-4	
- Tx (Frames)	219.436
- Tx Rate (L1) (Bit/s)	90 M
- Tx Rate (Fps)	7.315
- Rx (Frames)	219.324
- Rx Rate (L1) (Bit/s)	89,95 M
- Rx Rate (Fps)	7.311
- Flood Count (Frames)	95
P-0-2-5	
- Tx (Frames)	219.436
- Tx Rate (L1) (Bit/s)	90 M
- Tx Rate (Fps)	7.315
- Rx (Frames)	219.279
- Rx Rate (L1) (Bit/s)	89,93 M
- Rx Rate (Fps)	7.309
- Flood Count (Frames)	92
P-0-4-0	
- Tx (Frames)	219.436
- Tx Rate (L1) (Bit/s)	90 M
- Tx Rate (Fps)	7.315
- Rx (Frames)	219.281
- Rx Rate (L1) (Bit/s)	89,93 M
- Rx Rate (Fps)	7.309
- Flood Count (Frames)	92
P-0-4-1	
- Tx (Frames)	219.436
- Tx Rate (L1) (Bit/s)	90 M
- Tx Rate (Fps)	7.315
- Rx (Frames)	219.292
- Rx Rate (L1) (Bit/s)	89,94 M
- Rx Rate (Fps)	7.310
- Flood Count (Frames)	94
P-0-4-2	
- Tx (Frames)	219.436
- Tx Rate (L1) (Bit/s)	90 M
- Tx Rate (Fps)	7.315
- Rx (Frames)	219.386
- Rx Rate (L1) (Bit/s)	89,98 M
- Rx Rate (Fps)	7.313
- Flood Count (Frames)	93
P-0-4-3	
- Tx (Frames)	219.436
- Tx Rate (L1) (Bit/s)	90 M
- Tx Rate (Fps)	7.315
- Rx (Frames)	219.327
- Rx Rate (L1) (Bit/s)	89,95 M
- Rx Rate (Fps)	7.311
- Flood Count (Frames)	93
P-0-4-4	
- Tx (Frames)	219.436
- Tx Rate (L1) (Bit/s)	90 M
- Tx Rate (Fps)	7.315
- Rx (Frames)	219.345
- Rx Rate (L1) (Bit/s)	89,96 M
- Rx Rate (Fps)	7.312
- Flood Count (Frames)	92
P-0-4-5	
- Tx (Frames)	219.436
- Tx Rate (L1) (Bit/s)	90 M
- Tx Rate (Fps)	7.315
- Rx (Frames)	219.319
- Rx Rate (L1) (Bit/s)	89,95 M

- Rx Rate (Fps)	7.311
- Flood Count (Frames)	89

Note: One or more of the rate tests did not pass the test criteria!



## Forwarding Test Results

### Results for 10,00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	10 %	10 %	10 %	10 %	10 %	10 %
Tx Rate (L1) (Bit/s)	1,62 G	1,62 G	1,62 G	1,62 G	1,62 G	1,62 G
Tx Rate (Fps)	2.410.709	1.368.238	733.686	380.633	193.963	155.764
Rx Rate (Percent)	9,9 %	9,98 %	9,97 %	9,98 %	9,98 %	9,98 %
Rx Rate (L1) (Bit/s)	1,6 G	1,62 G	1,61 G	1,62 G	1,62 G	1,62 G
Rx Rate (Fps)	2,39 M	1,37 M	731,16 K	379,86 K	193,61 K	155,42 K
Loss Rate (Percent)	1,03 %	0,23 %	0,34 %	0,2 %	0,18 %	0,22 %
Loss (Frames)	742.761	95.667	75.925	23.234	10.580	10.201
P-0-0-0						
- Tx (Frames)	4.017.848	2.280.397	1.222.810	634.389	323.272	259.607
- Tx Rate (L1) (Bit/s)	90 M	90 M	90 M	90 M	90 M	90 M
- Tx Rate (Fps)	133.928	76.013	40.760	21.146	10.776	8.654
- Rx (Frames)	3.989.297	2.279.295	1.220.418	633.447	323.272	259.277
- Rx Rate (L1) (Bit/s)	89,36 M	89,96 M	89,82 M	89,87 M	90 M	89,88 M
- Rx Rate (Fps)	132.977	75.977	40.681	21.115	10.776	8.643
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-1						
- Tx (Frames)	4.017.848	2.280.397	1.222.810	634.389	323.272	259.607
- Tx Rate (L1) (Bit/s)	90 M	90 M	90 M	90 M	90 M	90 M
- Tx Rate (Fps)	133.928	76.013	40.760	21.146	10.776	8.654
- Rx (Frames)	3.989.620	2.279.508	1.220.958	633.949	323.247	259.301
- Rx Rate (L1) (Bit/s)	89,37 M	89,96 M	89,86 M	89,94 M	89,99 M	89,89 M
- Rx Rate (Fps)	132.987	75.984	40.699	21.132	10.775	8.643
- Flood Count (Frames)	92	91	86	90	90	92
P-0-0-2						
- Tx (Frames)	4.017.848	2.280.397	1.222.810	634.389	323.272	259.607
- Tx Rate (L1) (Bit/s)	90 M	90 M	90 M	90 M	90 M	90 M
- Tx Rate (Fps)	133.928	76.013	40.760	21.146	10.776	8.654
- Rx (Frames)	3.987.142	2.279.650	1.221.326	633.869	323.269	259.354
- Rx Rate (L1) (Bit/s)	89,31 M	89,97 M	89,89 M	89,92 M	90 M	89,91 M
- Rx Rate (Fps)	132.905	75.988	40.711	21.129	10.776	8.645
- Flood Count (Frames)	93	92	90	93	94	96




P-0-0-3						
- Tx (Frames)	4.017.848	2.280.397	1.222.810	634.389	323.272	259.607
- Tx Rate (L1) (Bit/s)	90 M	90 M	90 M	90 M	90 M	90 M
- Tx Rate (Fps)	133.928	76.013	40.760	21.146	10.776	8.654
- Rx (Frames)	3.986.254	2.279.593	1.220.896	633.819	323.264	259.367
- Rx Rate (L1) (Bit/s)	89,29 M	89,97 M	89,86 M	89,92 M	90 M	89,91 M
- Rx Rate (Fps)	132.875	75.986	40.697	21.127	10.775	8.646
- Flood Count (Frames)	91	92	92	93	97	93
P-0-0-4						
- Tx (Frames)	4.017.848	2.280.397	1.222.810	634.389	323.272	259.607
- Tx Rate (L1) (Bit/s)	90 M	90 M	90 M	90 M	90 M	90 M
- Tx Rate (Fps)	133.928	76.013	40.760	21.146	10.776	8.654
- Rx (Frames)	3.985.087	2.279.662	1.221.071	633.776	323.264	259.230
- Rx Rate (L1) (Bit/s)	89,27 M	89,97 M	89,87 M	89,91 M	90 M	89,87 M
- Rx Rate (Fps)	132.836	75.989	40.702	21.126	10.775	8.641
- Flood Count (Frames)	93	94	88	91	91	93
P-0-0-5						
- Tx (Frames)	4.017.848	2.280.397	1.222.810	634.389	323.272	259.607
- Tx Rate (L1) (Bit/s)	90 M	90 M	90 M	90 M	90 M	90 M
- Tx Rate (Fps)	133.928	76.013	40.760	21.146	10.776	8.654
- Rx (Frames)	3.981.839	2.279.351	1.220.234	633.436	323.266	259.117
- Rx Rate (L1) (Bit/s)	89,19 M	89,96 M	89,81 M	89,86 M	90 M	89,83 M
- Rx Rate (Fps)	132.728	75.978	40.674	21.115	10.776	8.637
- Flood Count (Frames)	95	91	90	92	91	92
P-0-2-0						
- Tx (Frames)	4.017.848	2.280.397	1.222.810	634.389	323.272	259.607
- Tx Rate (L1) (Bit/s)	90 M	90 M	90 M	90 M	90 M	90 M
- Tx Rate (Fps)	133.928	76.013	40.760	21.146	10.776	8.654
- Rx (Frames)	3.932.967	2.259.934	1.207.640	629.251	320.832	257.439
- Rx Rate (L1) (Bit/s)	88,1 M	89,19 M	88,88 M	89,27 M	89,32 M	89,25 M
- Rx Rate (Fps)	131.099	75.331	40.255	20.975	10.694	8.581
- Flood Count (Frames)	93	84	88	90	93	89
P-0-2-1						
- Tx (Frames)	4.017.848	2.280.397	1.222.810	634.389	323.272	259.607
- Tx Rate (L1) (Bit/s)	90 M	90 M	90 M	90 M	90 M	90 M
- Tx Rate (Fps)	133.928	76.013	40.760	21.146	10.776	8.654
- Rx (Frames)	3.925.876	2.259.407	1.207.351	629.671	320.901	257.708
- Rx Rate (L1) (Bit/s)	87,94 M	89,17 M	88,86 M	89,33 M	89,34 M	89,34 M
- Rx Rate (Fps)	130.863	75.314	40.245	20.989	10.697	8.590
- Flood Count (Frames)	90	89	90	94	92	85
P-0-2-2						
- Tx (Frames)	4.017.848	2.280.397	1.222.810	634.389	323.272	259.607
- Tx Rate (L1) (Bit/s)	90 M	90 M	90 M	90 M	90 M	90 M
- Tx Rate (Fps)	133.928	76.013	40.760	21.146	10.776	8.654
- Rx (Frames)	3.928.024	2.257.103	1.207.721	629.642	320.544	258.466
- Rx Rate (L1) (Bit/s)	87,99 M	89,08 M	88,89 M	89,33 M	89,24 M	89,6 M
- Rx Rate (Fps)	130.934	75.237	40.257	20.988	10.685	8.616
- Flood Count (Frames)	88	93	91	93	90	92
P-0-2-3						
- Tx (Frames)	4.017.848	2.280.397	1.222.810	634.389	323.272	259.607
- Tx Rate (L1) (Bit/s)	90 M	90 M	90 M	90 M	90 M	90 M
- Tx Rate (Fps)	133.928	76.013	40.760	21.146	10.776	8.654
- Rx (Frames)	3.913.837	2.254.800	1.204.560	629.796	320.521	257.660
- Rx Rate (L1) (Bit/s)	87,67 M	88,99 M	88,66 M	89,35 M	89,23 M	89,32 M
- Rx Rate (Fps)	130.461	75.160	40.152	20.993	10.684	8.589
- Flood Count (Frames)	91	88	93	93	91	92
P-0-2-4						
- Tx (Frames)	4.017.848	2.280.397	1.222.810	634.389	323.272	259.607
- Tx Rate (L1) (Bit/s)	90 M	90 M	90 M	90 M	90 M	90 M
- Tx Rate (Fps)	133.928	76.013	40.760	21.146	10.776	8.654
- Rx (Frames)	3.991.350	2.280.397	1.222.810	634.389	323.230	259.450
- Rx Rate (L1) (Bit/s)	89,41 M	90 M	90 M	90 M	89,99 M	89,94 M
- Rx Rate (Fps)	133.045	76.013	40.760	21.146	10.774	8.648
- Flood Count (Frames)	90	88	91	95	93	89
P-0-2-5						
- Tx (Frames)	4.017.848	2.280.397	1.222.810	634.389	323.272	259.607
- Tx Rate (L1) (Bit/s)	90 M	90 M	90 M	90 M	90 M	90 M
- Tx Rate (Fps)	133.928	76.013	40.760	21.146	10.776	8.654
- Rx (Frames)	3.990.164	2.280.397	1.222.810	634.389	323.236	259.509
- Rx Rate (L1) (Bit/s)	89,38 M	90 M	90 M	90 M	89,99 M	89,96 M
- Rx Rate (Fps)	133.005	76.013	40.760	21.146	10.775	8.650

- Flood Count (Frames)	91	92	93	91	92	91
P-0-4-0						
- Tx (Frames)	4.017.848	2.280.397	1.222.810	634.389	323.272	259.607
- Tx Rate (L1) (Bit/s)	90 M	90 M	90 M	90 M	90 M	90 M
- Tx Rate (Fps)	133.928	76.013	40.760	21.146	10.776	8.654
- Rx (Frames)	3.992.144	2.280.397	1.222.810	634.389	323.225	259.485
- Rx Rate (L1) (Bit/s)	89,42 M	90 M	90 M	90 M	89,99 M	89,95 M
- Rx Rate (Fps)	133.071	76.013	40.760	21.146	10.774	8.650
- Flood Count (Frames)	94	89	92	94	93	86
P-0-4-1						
- Tx (Frames)	4.017.848	2.280.397	1.222.810	634.389	323.272	259.607
- Tx Rate (L1) (Bit/s)	90 M	90 M	90 M	90 M	90 M	90 M
- Tx Rate (Fps)	133.928	76.013	40.760	21.146	10.776	8.654
- Rx (Frames)	3.992.640	2.280.397	1.222.810	634.389	323.256	259.449
- Rx Rate (L1) (Bit/s)	89,44 M	90 M	90 M	90 M	89,99 M	89,94 M
- Rx Rate (Fps)	133.088	76.013	40.760	21.146	10.775	8.648
- Flood Count (Frames)	94	89	89	92	94	90
P-0-4-2						
- Tx (Frames)	4.017.848	2.280.397	1.222.810	634.389	323.272	259.607
- Tx Rate (L1) (Bit/s)	90 M	90 M	90 M	90 M	90 M	90 M
- Tx Rate (Fps)	133.928	76.013	40.760	21.146	10.776	8.654
- Rx (Frames)	3.993.604	2.280.397	1.222.810	634.389	323.249	259.452
- Rx Rate (L1) (Bit/s)	89,46 M	90 M	90 M	90 M	89,99 M	89,94 M
- Rx Rate (Fps)	133.120	76.013	40.760	21.146	10.775	8.648
- Flood Count (Frames)	90	90	88	91	93	90
P-0-4-3						
- Tx (Frames)	4.017.848	2.280.397	1.222.810	634.389	323.272	259.607
- Tx Rate (L1) (Bit/s)	90 M	90 M	90 M	90 M	90 M	90 M
- Tx Rate (Fps)	133.928	76.013	40.760	21.146	10.776	8.654
- Rx (Frames)	3.997.988	2.280.397	1.222.810	634.389	323.258	259.513
- Rx Rate (L1) (Bit/s)	89,55 M	90 M	90 M	90 M	90 M	89,96 M
- Rx Rate (Fps)	133.266	76.013	40.760	21.146	10.775	8.650
- Flood Count (Frames)	92	92	88	92	95	90
P-0-4-4						
- Tx (Frames)	4.017.848	2.280.397	1.222.810	634.389	323.272	259.607
- Tx Rate (L1) (Bit/s)	90 M	90 M	90 M	90 M	90 M	90 M
- Tx Rate (Fps)	133.928	76.013	40.760	21.146	10.776	8.654
- Rx (Frames)	3.997.648	2.280.397	1.222.810	634.389	323.245	259.484
- Rx Rate (L1) (Bit/s)	89,55 M	90 M	90 M	90 M	89,99 M	89,95 M
- Rx Rate (Fps)	133.255	76.013	40.760	21.146	10.775	8.649
- Flood Count (Frames)	92	93	93	93	93	92
P-0-4-5						
- Tx (Frames)	4.017.848	2.280.397	1.222.810	634.389	323.272	259.607
- Tx Rate (L1) (Bit/s)	90 M	90 M	90 M	90 M	90 M	90 M
- Tx Rate (Fps)	133.928	76.013	40.760	21.146	10.776	8.654
- Rx (Frames)	4.003.022	2.280.397	1.222.810	634.389	323.237	259.464
- Rx Rate (L1) (Bit/s)	89,67 M	90 M	90 M	90 M	89,99 M	89,95 M
- Rx Rate (Fps)	133.434	76.013	40.760	21.146	10.775	8.649
- Flood Count (Frames)	90	92	88	95	92	92

<b>Frame Size</b>	<b>1518</b>
Result State	PASS
Iter. #	1
Tx Rate (Percent)	10 %
Tx Rate (L1) (Bit/s)	1,62 G
Tx Rate (Fps)	131.662
Rx Rate (Percent)	9,92 %
Rx Rate (L1) (Bit/s)	1,61 G
Rx Rate (Fps)	130,57 K
Loss Rate (Percent)	0,83 %
Loss (Frames)	32.691
P-0-0-0	
- Tx (Frames)	219.436
- Tx Rate (L1) (Bit/s)	90 M
- Tx Rate (Fps)	7.315
- Rx (Frames)	217.839
- Rx Rate (L1) (Bit/s)	89,34 M
- Rx Rate (Fps)	7.261
- Flood Count (Frames)	0
P-0-0-1	

- Tx (Frames)	219.436
- Tx Rate (L1) (Bit/s)	90 M
- Tx Rate (Fps)	7.315
- Rx (Frames)	218.167
- Rx Rate (L1) (Bit/s)	89,48 M
- Rx Rate (Fps)	7.272
- Flood Count (Frames)	94
P-0-0-2	
- Tx (Frames)	219.436
- Tx Rate (L1) (Bit/s)	90 M
- Tx Rate (Fps)	7.315
- Rx (Frames)	217.812
- Rx Rate (L1) (Bit/s)	89,33 M
- Rx Rate (Fps)	7.260
- Flood Count (Frames)	93
P-0-0-3	
- Tx (Frames)	219.436
- Tx Rate (L1) (Bit/s)	90 M
- Tx Rate (Fps)	7.315
- Rx (Frames)	217.333
- Rx Rate (L1) (Bit/s)	89,14 M
- Rx Rate (Fps)	7.244
- Flood Count (Frames)	93
P-0-0-4	
- Tx (Frames)	219.436
- Tx Rate (L1) (Bit/s)	90 M
- Tx Rate (Fps)	7.315
- Rx (Frames)	217.884
- Rx Rate (L1) (Bit/s)	89,36 M
- Rx Rate (Fps)	7.263
- Flood Count (Frames)	94
P-0-0-5	
- Tx (Frames)	219.436
- Tx Rate (L1) (Bit/s)	90 M
- Tx Rate (Fps)	7.315
- Rx (Frames)	217.169
- Rx Rate (L1) (Bit/s)	89,07 M
- Rx Rate (Fps)	7.239
- Flood Count (Frames)	93
P-0-2-0	
- Tx (Frames)	219.436
- Tx Rate (L1) (Bit/s)	90 M
- Tx Rate (Fps)	7.315
- Rx (Frames)	216.988
- Rx Rate (L1) (Bit/s)	88,99 M
- Rx Rate (Fps)	7.233
- Flood Count (Frames)	90
P-0-2-1	
- Tx (Frames)	219.436
- Tx Rate (L1) (Bit/s)	90 M
- Tx Rate (Fps)	7.315
- Rx (Frames)	217.309
- Rx Rate (L1) (Bit/s)	89,13 M
- Rx Rate (Fps)	7.244
- Flood Count (Frames)	90
P-0-2-2	
- Tx (Frames)	219.436
- Tx Rate (L1) (Bit/s)	90 M
- Tx Rate (Fps)	7.315
- Rx (Frames)	216.678
- Rx Rate (L1) (Bit/s)	88,87 M
- Rx Rate (Fps)	7.223
- Flood Count (Frames)	90
P-0-2-3	
- Tx (Frames)	219.436
- Tx Rate (L1) (Bit/s)	90 M
- Tx Rate (Fps)	7.315
- Rx (Frames)	216.805
- Rx Rate (L1) (Bit/s)	88,92 M
- Rx Rate (Fps)	7.227
- Flood Count (Frames)	86

P-0-2-4	
- Tx (Frames)	219.436
- Tx Rate (L1) (Bit/s)	90 M
- Tx Rate (Fps)	7.315
- Rx (Frames)	217.784
- Rx Rate (L1) (Bit/s)	89,32 M
- Rx Rate (Fps)	7.259
- Flood Count (Frames)	89
P-0-2-5	
- Tx (Frames)	219.436
- Tx Rate (L1) (Bit/s)	90 M
- Tx Rate (Fps)	7.315
- Rx (Frames)	217.772
- Rx Rate (L1) (Bit/s)	89,32 M
- Rx Rate (Fps)	7.259
- Flood Count (Frames)	90
P-0-4-0	
- Tx (Frames)	219.436
- Tx Rate (L1) (Bit/s)	90 M
- Tx Rate (Fps)	7.315
- Rx (Frames)	217.623
- Rx Rate (L1) (Bit/s)	89,25 M
- Rx Rate (Fps)	7.254
- Flood Count (Frames)	92
P-0-4-1	
- Tx (Frames)	219.436
- Tx Rate (L1) (Bit/s)	90 M
- Tx Rate (Fps)	7.315
- Rx (Frames)	217.436
- Rx Rate (L1) (Bit/s)	89,18 M
- Rx Rate (Fps)	7.248
- Flood Count (Frames)	92
P-0-4-2	
- Tx (Frames)	219.436
- Tx Rate (L1) (Bit/s)	90 M
- Tx Rate (Fps)	7.315
- Rx (Frames)	217.868
- Rx Rate (L1) (Bit/s)	89,35 M
- Rx Rate (Fps)	7.262
- Flood Count (Frames)	91
P-0-4-3	
- Tx (Frames)	219.436
- Tx Rate (L1) (Bit/s)	90 M
- Tx Rate (Fps)	7.315
- Rx (Frames)	217.822
- Rx Rate (L1) (Bit/s)	89,34 M
- Rx Rate (Fps)	7.261
- Flood Count (Frames)	92
P-0-4-4	
- Tx (Frames)	219.436
- Tx Rate (L1) (Bit/s)	90 M
- Tx Rate (Fps)	7.315
- Rx (Frames)	218.137
- Rx Rate (L1) (Bit/s)	89,47 M
- Rx Rate (Fps)	7.271
- Flood Count (Frames)	92
P-0-4-5	
- Tx (Frames)	219.436
- Tx Rate (L1) (Bit/s)	90 M
- Tx Rate (Fps)	7.315
- Rx (Frames)	218.731
- Rx Rate (L1) (Bit/s)	89,71 M
- Rx Rate (Fps)	7.291
- Flood Count (Frames)	95



## Results for 20,00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	20 %	20 %	20 %	20 %	20 %	20 %
Tx Rate (L1) (Bit/s)	3,24 G	3,24 G	3,24 G	3,24 G	3,24 G	3,24 G
Tx Rate (Fps)	4.821.428	2.736.476	1.467.382	761.277	387.926	311.528
Rx Rate (Percent)	11,55 %	19,13 %	19,16 %	19,18 %	19,13 %	19,11 %
Rx Rate (L1) (Bit/s)	1,87 G	3,1 G	3,1 G	3,11 G	3,1 G	3,1 G
Rx Rate (Fps)	2,78 M	2,62 M	1,41 M	729,97 K	371,05 K	297,72 K
Loss Rate (Percent)	42,26 %	4,37 %	4,22 %	4,11 %	4,35 %	4,43 %
Loss (Frames)	61.125.390	3.588.622	1.859.381	939.327	506.159	414.249
P-0-0-0						
- Tx (Frames)	8.035.713	4.560.794	2.445.637	1.268.795	646.544	519.214
- Tx Rate (L1) (Bit/s)	180 M	180 M	180 M	180 M	180 M	179,99 M
- Tx Rate (Fps)	267.857	152.026	81.521	42.293	21.551	17.307
- Rx (Frames)	4.639.599	4.284.749	2.296.015	1.191.290	608.184	488.256
- Rx Rate (L1) (Bit/s)	103,93 M	169,1 M	168,99 M	169 M	169,32 M	169,26 M
- Rx Rate (Fps)	154.653	142.825	76.534	39.710	20.273	16.275
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-1						
- Tx (Frames)	8.035.713	4.560.794	2.445.637	1.268.795	646.544	519.214
- Tx Rate (L1) (Bit/s)	180 M	180 M	180 M	180 M	180 M	179,99 M
- Tx Rate (Fps)	267.857	152.026	81.521	42.293	21.551	17.307
- Rx (Frames)	4.625.193	4.315.600	2.315.780	1.203.440	609.752	490.861
- Rx Rate (L1) (Bit/s)	103,6 M	170,32 M	170,44 M	170,73 M	169,75 M	170,17 M
- Rx Rate (Fps)	154.173	143.853	77.193	40.115	20.325	16.362
- Flood Count (Frames)	93	89	92	89	89	85
P-0-0-2						
- Tx (Frames)	8.035.713	4.560.794	2.445.637	1.268.795	646.544	519.214
- Tx Rate (L1) (Bit/s)	180 M	180 M	180 M	180 M	180 M	179,99 M
- Tx Rate (Fps)	267.857	152.026	81.521	42.293	21.551	17.307
- Rx (Frames)	4.652.918	4.311.647	2.317.969	1.204.128	610.006	489.848
- Rx Rate (L1) (Bit/s)	104,23 M	170,17 M	170,6 M	170,83 M	169,83 M	169,81 M
- Rx Rate (Fps)	155.097	143.722	77.266	40.138	20.334	16.328
- Flood Count (Frames)	90	87	90	87	92	89
P-0-0-3						
- Tx (Frames)	8.035.713	4.560.794	2.445.637	1.268.795	646.544	519.214
- Tx Rate (L1) (Bit/s)	180 M	180 M	180 M	180 M	180 M	179,99 M
- Tx Rate (Fps)	267.857	152.026	81.521	42.293	21.551	17.307
- Rx (Frames)	4.679.539	4.311.652	2.318.098	1.200.901	613.835	492.159
- Rx Rate (L1) (Bit/s)	104,82 M	170,17 M	170,61 M	170,37 M	170,89 M	170,62 M
- Rx Rate (Fps)	155.985	143.722	77.270	40.030	20.461	16.405
- Flood Count (Frames)	96	89	87	90	89	90
P-0-0-4						
- Tx (Frames)	8.035.713	4.560.794	2.445.637	1.268.795	646.544	519.214

- Tx Rate (L1) (Bit/s)	180 M	180 M	180 M	180 M	180 M	179.99 M
- Tx Rate (Fps)	267.857	152.026	81.521	42.293	21.551	17.307
- Rx (Frames)	4.706.998	4.315.545	2.319.454	1.206.282	613.865	490.542
- Rx Rate (L1) (Bit/s)	105,44 M	170,32 M	170,71 M	171,13 M	170,9 M	170,05 M
- Rx Rate (Fps)	156.900	143.852	77.315	40.209	20.462	16.351
- Flood Count (Frames)	95	87	91	89	87	86
P-0-0-5						
- Tx (Frames)	8.035.713	4.560.794	2.445.637	1.268.795	646.544	519.214
- Tx Rate (L1) (Bit/s)	180 M	180 M	180 M	180 M	180 M	179.99 M
- Tx Rate (Fps)	267.857	152.026	81.521	42.293	21.551	17.307
- Rx (Frames)	4.654.184	4.295.321	2.305.658	1.199.639	606.906	490.062
- Rx Rate (L1) (Bit/s)	104,25 M	169,52 M	169,7 M	170,19 M	168,96 M	169,89 M
- Rx Rate (Fps)	155.139	143.177	76.855	39.988	20.230	16.335
- Flood Count (Frames)	93	91	91	92	86	91
P-0-2-0						
- Tx (Frames)	8.035.713	4.560.794	2.445.637	1.268.795	646.544	519.214
- Tx Rate (L1) (Bit/s)	180 M	180 M	180 M	180 M	180 M	179.99 M
- Tx Rate (Fps)	267.857	152.026	81.521	42.293	21.551	17.307
- Rx (Frames)	3.003.208	4.308.902	2.312.427	1.200.740	609.983	491.115
- Rx Rate (L1) (Bit/s)	67,27 M	170,06 M	170,19 M	170,34 M	169,82 M	170,25 M
- Rx Rate (Fps)	100.107	143.630	77.081	40.025	20.333	16.371
- Flood Count (Frames)	92	89	90	93	87	89
P-0-2-1						
- Tx (Frames)	8.035.713	4.560.794	2.445.637	1.268.795	646.544	519.214
- Tx Rate (L1) (Bit/s)	180 M	180 M	180 M	180 M	180 M	179.99 M
- Tx Rate (Fps)	267.857	152.026	81.521	42.293	21.551	17.307
- Rx (Frames)	2.526.778	4.313.233	2.313.742	1.203.000	610.097	490.313
- Rx Rate (L1) (Bit/s)	56,6 M	170,23 M	170,29 M	170,67 M	169,85 M	169,98 M
- Rx Rate (Fps)	84.226	143.774	77.125	40.100	20.337	16.344
- Flood Count (Frames)	90	92	89	85	91	88
P-0-2-2						
- Tx (Frames)	8.035.713	4.560.794	2.445.637	1.268.795	646.544	519.214
- Tx Rate (L1) (Bit/s)	180 M	180 M	180 M	180 M	180 M	179.99 M
- Tx Rate (Fps)	267.857	152.026	81.521	42.293	21.551	17.307
- Rx (Frames)	2.414.222	4.307.162	2.312.514	1.202.299	611.424	489.264
- Rx Rate (L1) (Bit/s)	54,08 M	169,99 M	170,2 M	170,57 M	170,22 M	169,61 M
- Rx Rate (Fps)	80.474	143.572	77.084	40.077	20.381	16.309
- Flood Count (Frames)	93	84	89	85	80	85
P-0-2-3						
- Tx (Frames)	8.035.713	4.560.794	2.445.637	1.268.795	646.544	519.214
- Tx Rate (L1) (Bit/s)	180 M	180 M	180 M	180 M	180 M	179.99 M
- Tx Rate (Fps)	267.857	152.026	81.521	42.293	21.551	17.307
- Rx (Frames)	2.383.429	4.299.394	2.313.830	1.200.657	608.303	489.081
- Rx Rate (L1) (Bit/s)	53,39 M	169,68 M	170,3 M	170,33 M	169,35 M	169,55 M
- Rx Rate (Fps)	79.448	143.313	77.128	40.022	20.277	16.303
- Flood Count (Frames)	88	83	88	86	85	92
P-0-2-4						
- Tx (Frames)	8.035.713	4.560.794	2.445.637	1.268.795	646.544	519.214
- Tx Rate (L1) (Bit/s)	180 M	180 M	180 M	180 M	180 M	179.99 M
- Tx Rate (Fps)	267.857	152.026	81.521	42.293	21.551	17.307
- Rx (Frames)	5.664.012	4.418.987	2.374.633	1.234.522	628.951	504.887
- Rx Rate (L1) (Bit/s)	126,87 M	174,4 M	174,77 M	175,14 M	175,1 M	175,03 M
- Rx Rate (Fps)	188.800	147.300	79.154	41.151	20.965	16.830
- Flood Count (Frames)	92	92	92	93	93	92
P-0-2-5						
- Tx (Frames)	8.035.713	4.560.794	2.445.637	1.268.795	646.544	519.214
- Tx Rate (L1) (Bit/s)	180 M	180 M	180 M	180 M	180 M	179.99 M
- Tx Rate (Fps)	267.857	152.026	81.521	42.293	21.551	17.307
- Rx (Frames)	5.571.455	4.436.792	2.383.817	1.235.324	627.834	504.688
- Rx Rate (L1) (Bit/s)	124,8 M	175,11 M	175,45 M	175,25 M	174,79 M	174,96 M
- Rx Rate (Fps)	185.715	147.893	79.461	41.177	20.928	16.823
- Flood Count (Frames)	93	94	91	93	92	93
P-0-4-0						
- Tx (Frames)	8.035.713	4.560.794	2.445.637	1.268.795	646.544	519.214
- Tx Rate (L1) (Bit/s)	180 M	180 M	180 M	180 M	180 M	179.99 M
- Tx Rate (Fps)	267.857	152.026	81.521	42.293	21.551	17.307
- Rx (Frames)	5.552.901	4.429.968	2.379.162	1.229.614	627.436	501.982
- Rx Rate (L1) (Bit/s)	124,38 M	174,84 M	175,11 M	174,44 M	174,68 M	174,02 M
- Rx Rate (Fps)	185.097	147.666	79.305	40.987	20.915	16.733
- Flood Count (Frames)	91	91	89	91	92	94
P-0-4-1						

- Tx (Frames)	8.035.713	4.560.794	2.445.637	1.268.795	646.544	519.214
- Tx Rate (L1) (Bit/s)	180 M	180 M	180 M	180 M	180 M	179,99 M
- Tx Rate (Fps)	267.857	152.026	81.521	42.293	21.551	17.307
- Rx (Frames)	5.546.093	4.438.534	2.375.074	1.238.171	628.187	502.556
- Rx Rate (L1) (Bit/s)	124,23 M	175,17 M	174,81 M	175,66 M	174,89 M	174,22 M
- Rx Rate (Fps)	184.870	147.951	79.169	41.272	20.940	16.752
- Flood Count (Frames)	91	92	89	94	90	92
P-0-4-2						
- Tx (Frames)	8.035.713	4.560.794	2.445.637	1.268.795	646.544	519.214
- Tx Rate (L1) (Bit/s)	180 M	180 M	180 M	180 M	180 M	179,99 M
- Tx Rate (Fps)	267.857	152.026	81.521	42.293	21.551	17.307
- Rx (Frames)	5.644.540	4.434.299	2.383.434	1.236.699	629.302	502.013
- Rx Rate (L1) (Bit/s)	126,44 M	175,01 M	175,42 M	175,45 M	175,2 M	174,03 M
- Rx Rate (Fps)	188.151	147.810	79.448	41.223	20.977	16.734
- Flood Count (Frames)	96	93	93	90	95	93
P-0-4-3						
- Tx (Frames)	8.035.713	4.560.794	2.445.637	1.268.795	646.544	519.214
- Tx Rate (L1) (Bit/s)	180 M	180 M	180 M	180 M	180 M	179,99 M
- Tx Rate (Fps)	267.857	152.026	81.521	42.293	21.551	17.307
- Rx (Frames)	5.742.306	4.430.506	2.388.085	1.240.367	630.063	504.242
- Rx Rate (L1) (Bit/s)	128,63 M	174,86 M	175,76 M	175,97 M	175,41 M	174,8 M
- Rx Rate (Fps)	191.410	147.684	79.603	41.346	21.002	16.808
- Flood Count (Frames)	92	95	93	91	91	90
P-0-4-4						
- Tx (Frames)	8.035.713	4.560.794	2.445.637	1.268.795	646.544	519.214
- Tx Rate (L1) (Bit/s)	180 M	180 M	180 M	180 M	180 M	179,99 M
- Tx Rate (Fps)	267.857	152.026	81.521	42.293	21.551	17.307
- Rx (Frames)	5.774.196	4.431.365	2.377.601	1.233.592	628.857	504.974
- Rx Rate (L1) (Bit/s)	129,34 M	174,89 M	174,99 M	175,01 M	175,07 M	175,06 M
- Rx Rate (Fps)	192.473	147.712	79.253	41.120	20.962	16.832
- Flood Count (Frames)	93	94	94	96	90	92
P-0-4-5						
- Tx (Frames)	8.035.713	4.560.794	2.445.637	1.268.795	646.544	519.214
- Tx Rate (L1) (Bit/s)	180 M	180 M	180 M	180 M	180 M	179,99 M
- Tx Rate (Fps)	267.857	152.026	81.521	42.293	21.551	17.307
- Rx (Frames)	5.735.873	4.422.014	2.374.792	1.238.318	628.648	504.760
- Rx Rate (L1) (Bit/s)	128,48 M	174,52 M	174,78 M	175,68 M	175,02 M	174,98 M
- Rx Rate (Fps)	191.196	147.400	79.160	41.277	20.955	16.825
- Flood Count (Frames)	91	92	93	93	92	92

<b>Frame Size</b>	<b>1518</b>
Result State	<b>PASS</b>
Iter. #	1
Tx Rate (Percent)	20 %
Tx Rate (L1) (Bit/s)	3,24 G
Tx Rate (Fps)	263.323
Rx Rate (Percent)	18,75 %
Rx Rate (L1) (Bit/s)	3,04 G
Rx Rate (Fps)	246,92 K
Loss Rate (Percent)	<b>6,23 %</b>
Loss (Frames)	<b>492.184</b>
P-0-0-0	
- Tx (Frames)	438.872
- Tx Rate (L1) (Bit/s)	180 M
- Tx Rate (Fps)	14.629
- Rx (Frames)	404.219
- Rx Rate (L1) (Bit/s)	165,78 M
- Rx Rate (Fps)	13.474
- Flood Count (Frames)	0
P-0-0-1	
- Tx (Frames)	438.872
- Tx Rate (L1) (Bit/s)	180 M
- Tx Rate (Fps)	14.629
- Rx (Frames)	405.460
- Rx Rate (L1) (Bit/s)	166,29 M
- Rx Rate (Fps)	13.515
- Flood Count (Frames)	87
P-0-0-2	
- Tx (Frames)	438.872
- Tx Rate (L1) (Bit/s)	180 M




- Tx Rate (Fps)	14.629
- Rx (Frames)	404.172
- Rx Rate (L1) (Bit/s)	165,76 M
- Rx Rate (Fps)	13.472
- Flood Count (Frames)	82
P-0-0-3	
- Tx (Frames)	438.872
- Tx Rate (L1) (Bit/s)	180 M
- Tx Rate (Fps)	14.629
- Rx (Frames)	405.613
- Rx Rate (L1) (Bit/s)	166,36 M
- Rx Rate (Fps)	13.520
- Flood Count (Frames)	91
P-0-0-4	
- Tx (Frames)	438.872
- Tx Rate (L1) (Bit/s)	180 M
- Tx Rate (Fps)	14.629
- Rx (Frames)	406.352
- Rx Rate (L1) (Bit/s)	166,66 M
- Rx Rate (Fps)	13.545
- Flood Count (Frames)	87
P-0-0-5	
- Tx (Frames)	438.872
- Tx Rate (L1) (Bit/s)	180 M
- Tx Rate (Fps)	14.629
- Rx (Frames)	402.412
- Rx Rate (L1) (Bit/s)	165,04 M
- Rx Rate (Fps)	13.414
- Flood Count (Frames)	88
P-0-2-0	
- Tx (Frames)	438.872
- Tx Rate (L1) (Bit/s)	180 M
- Tx Rate (Fps)	14.629
- Rx (Frames)	405.452
- Rx Rate (L1) (Bit/s)	166,29 M
- Rx Rate (Fps)	13.515
- Flood Count (Frames)	90
P-0-2-1	
- Tx (Frames)	438.872
- Tx Rate (L1) (Bit/s)	180 M
- Tx Rate (Fps)	14.629
- Rx (Frames)	407.106
- Rx Rate (L1) (Bit/s)	166,97 M
- Rx Rate (Fps)	13.570
- Flood Count (Frames)	89
P-0-2-2	
- Tx (Frames)	438.872
- Tx Rate (L1) (Bit/s)	180 M
- Tx Rate (Fps)	14.629
- Rx (Frames)	408.421
- Rx Rate (L1) (Bit/s)	167,51 M
- Rx Rate (Fps)	13.614
- Flood Count (Frames)	90
P-0-2-3	
- Tx (Frames)	438.872
- Tx Rate (L1) (Bit/s)	180 M
- Tx Rate (Fps)	14.629
- Rx (Frames)	410.904
- Rx Rate (L1) (Bit/s)	168,53 M
- Rx Rate (Fps)	13.697
- Flood Count (Frames)	86
P-0-2-4	
- Tx (Frames)	438.872
- Tx Rate (L1) (Bit/s)	180 M
- Tx Rate (Fps)	14.629
- Rx (Frames)	421.264
- Rx Rate (L1) (Bit/s)	172,77 M
- Rx Rate (Fps)	14.042
- Flood Count (Frames)	89
P-0-2-5	
- Tx (Frames)	438.872



- Tx Rate (L1) (Bit/s)	180 M
- Tx Rate (Fps)	14.629
- Rx (Frames)	419.114
- Rx Rate (L1) (Bit/s)	171,89 M
- Rx Rate (Fps)	13.970
- Flood Count (Frames)	91
P-0-4-0	
- Tx (Frames)	438.872
- Tx Rate (L1) (Bit/s)	180 M
- Tx Rate (Fps)	14.629
- Rx (Frames)	418.492
- Rx Rate (L1) (Bit/s)	171,64 M
- Rx Rate (Fps)	13.950
- Flood Count (Frames)	90
P-0-4-1	
- Tx (Frames)	438.872
- Tx Rate (L1) (Bit/s)	180 M
- Tx Rate (Fps)	14.629
- Rx (Frames)	419.448
- Rx Rate (L1) (Bit/s)	172,03 M
- Rx Rate (Fps)	13.982
- Flood Count (Frames)	89
P-0-4-2	
- Tx (Frames)	438.872
- Tx Rate (L1) (Bit/s)	180 M
- Tx Rate (Fps)	14.629
- Rx (Frames)	419.069
- Rx Rate (L1) (Bit/s)	171,87 M
- Rx Rate (Fps)	13.969
- Flood Count (Frames)	92
P-0-4-3	
- Tx (Frames)	438.872
- Tx Rate (L1) (Bit/s)	180 M
- Tx Rate (Fps)	14.629
- Rx (Frames)	418.034
- Rx Rate (L1) (Bit/s)	171,45 M
- Rx Rate (Fps)	13.934
- Flood Count (Frames)	93
P-0-4-4	
- Tx (Frames)	438.872
- Tx Rate (L1) (Bit/s)	180 M
- Tx Rate (Fps)	14.629
- Rx (Frames)	416.278
- Rx Rate (L1) (Bit/s)	170,73 M
- Rx Rate (Fps)	13.876
- Flood Count (Frames)	88
P-0-4-5	
- Tx (Frames)	438.872
- Tx Rate (L1) (Bit/s)	180 M
- Tx Rate (Fps)	14.629
- Rx (Frames)	415.702
- Rx Rate (L1) (Bit/s)	170,49 M
- Rx Rate (Fps)	13.857
- Flood Count (Frames)	91

Part.Mesh, N->N: Loss by Frame Size at 20,00% Rate



### Results for 30,00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	30 %	30 %	30 %	30 %	30 %	30 %
Tx Rate (L1) (Bit/s)	4,86 G	4,86 G	4,86 G	4,86 G	4,86 G	4,86 G
Tx Rate (Fps)	7.232.137	4.104.725	2.201.078	1.141.910	581.890	467.303
Rx Rate (Percent)	12,7 %	22,96 %	23,2 %	23,24 %	22,72 %	23,29 %
Rx Rate (L1) (Bit/s)	2,06 G	3,72 G	3,76 G	3,77 G	3,68 G	3,77 G
Rx Rate (Fps)	3,06 M	3,14 M	1,7 M	884,74 K	440,76 K	362,78 K
Loss Rate (Percent)	57,66 %	23,46 %	22,67 %	22,52 %	24,25 %	22,37 %
Loss (Frames)	125.106.377	28.883.760	14.966.239	7.715.047	4.234.029	3.135.668
P-0-0-0						
- Tx (Frames)	12.053.561	6.841.208	3.668.464	1.903.184	969.816	778.838
- Tx Rate (L1) (Bit/s)	270 M	270 M	270 M	270 M	270 M	270 M
- Tx Rate (Fps)	401.785	228.040	122.282	63.439	32.327	25.961
- Rx (Frames)	5.521.180	5.333.621	2.912.375	1.485.923	750.951	600.707
- Rx Rate (L1) (Bit/s)	123,67 M	210,5 M	214,35 M	210,8 M	209,06 M	208,25 M
- Rx Rate (Fps)	184.039	177.787	97.079	49.531	25.032	20.024
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-1						
- Tx (Frames)	12.053.561	6.841.208	3.668.464	1.903.184	969.816	778.838
- Tx Rate (L1) (Bit/s)	270 M	270 M	270 M	270 M	270 M	270 M
- Tx Rate (Fps)	401.785	228.040	122.282	63.439	32.327	25.961
- Rx (Frames)	5.504.184	5.346.323	2.923.933	1.476.855	769.993	590.281
- Rx Rate (L1) (Bit/s)	123,29 M	211 M	215,2 M	209,52 M	214,37 M	204,63 M
- Rx Rate (Fps)	183.473	178.211	97.464	49.229	25.666	19.676
- Flood Count (Frames)	92	93	90	82	91	90
P-0-0-2						
- Tx (Frames)	12.053.561	6.841.208	3.668.464	1.903.184	969.816	778.838
- Tx Rate (L1) (Bit/s)	270 M	270 M	270 M	270 M	270 M	270 M
- Tx Rate (Fps)	401.785	228.040	122.282	63.439	32.327	25.961
- Rx (Frames)	5.270.183	5.320.468	2.864.133	1.502.165	789.222	591.869
- Rx Rate (L1) (Bit/s)	118,05 M	209,98 M	210,8 M	213,11 M	219,72 M	205,18 M
- Rx Rate (Fps)	175.673	177.349	95.471	50.072	26.307	19.729
- Flood Count (Frames)	92	84	87	88	89	92
P-0-0-3						
- Tx (Frames)	12.053.561	6.841.208	3.668.464	1.903.184	969.816	778.838
- Tx Rate (L1) (Bit/s)	270 M	270 M	270 M	270 M	270 M	270 M
- Tx Rate (Fps)	401.785	228.040	122.282	63.439	32.327	25.961
- Rx (Frames)	5.100.619	5.256.385	2.819.573	1.499.545	776.932	628.355
- Rx Rate (L1) (Bit/s)	114,25 M	207,45 M	207,52 M	212,74 M	216,3 M	217,83 M
- Rx Rate (Fps)	170.021	175.213	93.986	49.985	25.898	20.945
- Flood Count (Frames)	90	89	82	79	92	88
P-0-0-4						
- Tx (Frames)	12.053.561	6.841.208	3.668.464	1.903.184	969.816	778.838

- Tx Rate (L1) (Bit/s)	270 M	270 M	270 M	270 M	270 M	270 M
- Tx Rate (Fps)	401.785	228.040	122.282	63.439	32.327	25.961
- Rx (Frames)	5.219.705	5.101.326	2.769.679	1.472.236	736.021	611.814
- Rx Rate (L1) (Bit/s)	116,92 M	201,33 M	203,85 M	208,86 M	204,91 M	212,1 M
- Rx Rate (Fps)	173.990	170.044	92.323	49.075	24.534	20.394
- Flood Count (Frames)	92	90	84	90	91	89
P-0-0-5						
- Tx (Frames)	12.053.561	6.841.208	3.668.464	1.903.184	969.816	778.838
- Tx Rate (L1) (Bit/s)	270 M	270 M	270 M	270 M	270 M	270 M
- Tx Rate (Fps)	401.785	228.040	122.282	63.439	32.327	25.961
- Rx (Frames)	5.325.230	5.000.162	2.738.765	1.437.626	711.463	603.756
- Rx Rate (L1) (Bit/s)	119,29 M	197,34 M	201,57 M	203,95 M	198,07 M	209,3 M
- Rx Rate (Fps)	177.508	166.672	91.292	47.921	23.715	20.125
- Flood Count (Frames)	90	93	87	88	87	89
P-0-2-0						
- Tx (Frames)	12.053.561	6.841.208	3.668.464	1.903.184	969.816	778.838
- Tx Rate (L1) (Bit/s)	270 M	270 M	270 M	270 M	270 M	270 M
- Tx Rate (Fps)	401.785	228.040	122.282	63.439	32.327	25.961
- Rx (Frames)	2.128.175	4.977.365	2.716.451	1.351.982	623.641	556.708
- Rx Rate (L1) (Bit/s)	47,67 M	196,44 M	199,93 M	191,8 M	173,62 M	192,99 M
- Rx Rate (Fps)	70.939	165.912	90.548	45.066	20.788	18.557
- Flood Count (Frames)	95	88	83	77	77	83
P-0-2-1						
- Tx (Frames)	12.053.561	6.841.208	3.668.464	1.903.184	969.816	778.838
- Tx Rate (L1) (Bit/s)	270 M	270 M	270 M	270 M	270 M	270 M
- Tx Rate (Fps)	401.785	228.040	122.282	63.439	32.327	25.961
- Rx (Frames)	2.127.595	4.891.903	2.699.651	1.376.748	619.870	542.253
- Rx Rate (L1) (Bit/s)	47,66 M	193,07 M	198,69 M	195,31 M	172,57 M	187,98 M
- Rx Rate (Fps)	70.920	163.063	89.988	45.892	20.662	18.075
- Flood Count (Frames)	94	88	84	88	80	85
P-0-2-2						
- Tx (Frames)	12.053.561	6.841.208	3.668.464	1.903.184	969.816	778.838
- Tx Rate (L1) (Bit/s)	270 M	270 M	270 M	270 M	270 M	270 M
- Tx Rate (Fps)	401.785	228.040	122.282	63.439	32.327	25.961
- Rx (Frames)	2.127.476	4.826.445	2.564.291	1.353.282	604.422	579.939
- Rx Rate (L1) (Bit/s)	47,66 M	190,48 M	188,73 M	191,99 M	168,27 M	201,05 M
- Rx Rate (Fps)	70.916	160.882	85.476	45.109	20.147	19.331
- Flood Count (Frames)	90	88	88	90	89	89
P-0-2-3						
- Tx (Frames)	12.053.561	6.841.208	3.668.464	1.903.184	969.816	778.838
- Tx Rate (L1) (Bit/s)	270 M	270 M	270 M	270 M	270 M	270 M
- Tx Rate (Fps)	401.785	228.040	122.282	63.439	32.327	25.961
- Rx (Frames)	2.128.213	4.713.938	2.560.079	1.334.419	580.876	554.587
- Rx Rate (L1) (Bit/s)	47,67 M	186,04 M	188,42 M	189,31 M	161,72 M	192,26 M
- Rx Rate (Fps)	70.940	157.131	85.336	44.481	19.363	18.486
- Flood Count (Frames)	93	86	84	89	75	78
P-0-2-4						
- Tx (Frames)	12.053.561	6.841.208	3.668.464	1.903.184	969.816	778.838
- Tx Rate (L1) (Bit/s)	270 M	270 M	270 M	270 M	270 M	270 M
- Tx Rate (Fps)	401.785	228.040	122.282	63.439	32.327	25.961
- Rx (Frames)	6.556.476	5.646.994	3.064.945	1.522.088	812.605	651.713
- Rx Rate (L1) (Bit/s)	146,87 M	222,87 M	225,58 M	215,93 M	226,23 M	225,93 M
- Rx Rate (Fps)	218.549	188.233	102.165	50.736	27.087	21.724
- Flood Count (Frames)	94	91	94	89	92	92
P-0-2-5						
- Tx (Frames)	12.053.561	6.841.208	3.668.464	1.903.184	969.816	778.838
- Tx Rate (L1) (Bit/s)	270 M	270 M	270 M	270 M	270 M	270 M
- Tx Rate (Fps)	401.785	228.040	122.282	63.439	32.327	25.961
- Rx (Frames)	6.328.147	5.522.843	3.101.626	1.541.582	800.899	659.119
- Rx Rate (L1) (Bit/s)	141,75 M	217,97 M	228,28 M	218,7 M	222,97 M	228,49 M
- Rx Rate (Fps)	210.938	184.095	103.388	51.386	26.697	21.971
- Flood Count (Frames)	93	89	91	93	92	91
P-0-4-0						
- Tx (Frames)	12.053.561	6.841.208	3.668.464	1.903.184	969.816	778.838
- Tx Rate (L1) (Bit/s)	270 M	270 M	270 M	270 M	270 M	270 M
- Tx Rate (Fps)	401.785	228.040	122.282	63.439	32.327	25.961
- Rx (Frames)	5.949.254	5.302.969	2.855.656	1.516.585	802.372	610.607
- Rx Rate (L1) (Bit/s)	133,26 M	209,29 M	210,18 M	215,15 M	223,38 M	211,68 M
- Rx Rate (Fps)	198.308	176.766	95.189	50.553	26.746	20.354
- Flood Count (Frames)	94	87	90	91	94	93
P-0-4-1						


- Tx (Frames)	12.053.561	6.841.208	3.668.464	1.903.184	969.816	778.838
- Tx Rate (L1) (Bit/s)	270 M	270 M	270 M	270 M	270 M	270 M
- Tx Rate (Fps)	401.785	228.040	122.282	63.439	32.327	25.961
- Rx (Frames)	5.957.918	5.515.297	2.987.160	1.519.425	773.049	613.475
- Rx Rate (L1) (Bit/s)	133,46 M	217,67 M	219,85 M	215,56 M	215,22 M	212,67 M
- Rx Rate (Fps)	198.597	183.843	99.572	50.648	25.768	20.449
- Flood Count (Frames)	91	90	85	92	91	92
P-0-4-2						
- Tx (Frames)	12.053.561	6.841.208	3.668.464	1.903.184	969.816	778.838
- Tx Rate (L1) (Bit/s)	270 M	270 M	270 M	270 M	270 M	270 M
- Tx Rate (Fps)	401.785	228.040	122.282	63.439	32.327	25.961
- Rx (Frames)	6.663.652	5.385.780	2.900.203	1.535.112	769.943	588.989
- Rx Rate (L1) (Bit/s)	149,27 M	212,56 M	213,45 M	217,78 M	214,35 M	204,18 M
- Rx Rate (Fps)	222.122	179.526	96.673	51.170	25.665	19.633
- Flood Count (Frames)	91	87	93	94	93	94
P-0-4-3						
- Tx (Frames)	12.053.561	6.841.208	3.668.464	1.903.184	969.816	778.838
- Tx Rate (L1) (Bit/s)	270 M	270 M	270 M	270 M	270 M	270 M
- Tx Rate (Fps)	401.785	228.040	122.282	63.439	32.327	25.961
- Rx (Frames)	6.538.538	5.418.105	2.782.137	1.532.499	775.398	628.365
- Rx Rate (L1) (Bit/s)	146,46 M	213,83 M	204,77 M	217,41 M	215,87 M	217,83 M
- Rx Rate (Fps)	217.951	180.604	92.738	51.083	25.847	20.946
- Flood Count (Frames)	93	92	95	95	91	95
P-0-4-4						
- Tx (Frames)	12.053.561	6.841.208	3.668.464	1.903.184	969.816	778.838
- Tx Rate (L1) (Bit/s)	270 M	270 M	270 M	270 M	270 M	270 M
- Tx Rate (Fps)	401.785	228.040	122.282	63.439	32.327	25.961
- Rx (Frames)	6.686.247	5.298.721	2.882.824	1.526.501	756.298	652.756
- Rx Rate (L1) (Bit/s)	149,77 M	209,12 M	212,18 M	216,56 M	210,55 M	226,29 M
- Rx Rate (Fps)	222.875	176.624	96.094	50.883	25.210	21.759
- Flood Count (Frames)	96	93	89	93	94	92
P-0-4-5						
- Tx (Frames)	12.053.561	6.841.208	3.668.464	1.903.184	969.816	778.838
- Tx Rate (L1) (Bit/s)	270 M	270 M	270 M	270 M	270 M	270 M
- Tx Rate (Fps)	401.785	228.040	122.282	63.439	32.327	25.961
- Rx (Frames)	6.724.929	5.399.339	2.922.632	1.557.692	768.704	618.123
- Rx Rate (L1) (Bit/s)	150,64 M	213,09 M	215,11 M	220,98 M	214,01 M	214,28 M
- Rx Rate (Fps)	224.164	179.978	97.421	51.923	25.623	20.604
- Flood Count (Frames)	95	92	96	95	93	93

<b>Frame Size</b>	<b>1518</b>
Result State	<b>PASS</b>
Iter. #	1
Tx Rate (Percent)	30 %
Tx Rate (L1) (Bit/s)	4,86 G
Tx Rate (Fps)	394.985
Rx Rate (Percent)	20,77 %
Rx Rate (L1) (Bit/s)	3,36 G
Rx Rate (Fps)	273,46 K
Loss Rate (Percent)	<b>30,77 %</b>
Loss (Frames)	<b>3.645.712</b>
P-0-0-0	
- Tx (Frames)	658.308
- Tx Rate (L1) (Bit/s)	269,99 M
- Tx Rate (Fps)	21.944
- Rx (Frames)	399.841
- Rx Rate (L1) (Bit/s)	163,99 M
- Rx Rate (Fps)	13.328
- Flood Count (Frames)	0
P-0-0-1	
- Tx (Frames)	658.308
- Tx Rate (L1) (Bit/s)	269,99 M
- Tx Rate (Fps)	21.944
- Rx (Frames)	397.453
- Rx Rate (L1) (Bit/s)	163,01 M
- Rx Rate (Fps)	13.248
- Flood Count (Frames)	84
P-0-0-2	
- Tx (Frames)	658.308
- Tx Rate (L1) (Bit/s)	269,99 M

- Tx Rate (Fps)	21.944
- Rx (Frames)	414.995
- Rx Rate (L1) (Bit/s)	170,2 M
- Rx Rate (Fps)	13.833
- Flood Count (Frames)	79
P-0-0-3	
- Tx (Frames)	658.308
- Tx Rate (L1) (Bit/s)	269,99 M
- Tx Rate (Fps)	21.944
- Rx (Frames)	395.734
- Rx Rate (L1) (Bit/s)	162,3 M
- Rx Rate (Fps)	13.191
- Flood Count (Frames)	81
P-0-0-4	
- Tx (Frames)	658.308
- Tx Rate (L1) (Bit/s)	269,99 M
- Tx Rate (Fps)	21.944
- Rx (Frames)	384.897
- Rx Rate (L1) (Bit/s)	157,86 M
- Rx Rate (Fps)	12.830
- Flood Count (Frames)	78
P-0-0-5	
- Tx (Frames)	658.308
- Tx Rate (L1) (Bit/s)	269,99 M
- Tx Rate (Fps)	21.944
- Rx (Frames)	377.385
- Rx Rate (L1) (Bit/s)	154,78 M
- Rx Rate (Fps)	12.580
- Flood Count (Frames)	80
P-0-2-0	
- Tx (Frames)	658.308
- Tx Rate (L1) (Bit/s)	269,99 M
- Tx Rate (Fps)	21.944
- Rx (Frames)	413.045
- Rx Rate (L1) (Bit/s)	169,4 M
- Rx Rate (Fps)	13.768
- Flood Count (Frames)	71
P-0-2-1	
- Tx (Frames)	658.308
- Tx Rate (L1) (Bit/s)	269,99 M
- Tx Rate (Fps)	21.944
- Rx (Frames)	411.267
- Rx Rate (L1) (Bit/s)	168,67 M
- Rx Rate (Fps)	13.709
- Flood Count (Frames)	76
P-0-2-2	
- Tx (Frames)	658.308
- Tx Rate (L1) (Bit/s)	269,99 M
- Tx Rate (Fps)	21.944
- Rx (Frames)	408.205
- Rx Rate (L1) (Bit/s)	167,42 M
- Rx Rate (Fps)	13.607
- Flood Count (Frames)	77
P-0-2-3	
- Tx (Frames)	658.308
- Tx Rate (L1) (Bit/s)	269,99 M
- Tx Rate (Fps)	21.944
- Rx (Frames)	386.160
- Rx Rate (L1) (Bit/s)	158,38 M
- Rx Rate (Fps)	12.872
- Flood Count (Frames)	77
P-0-2-4	
- Tx (Frames)	658.308
- Tx Rate (L1) (Bit/s)	269,99 M
- Tx Rate (Fps)	21.944
- Rx (Frames)	541.678
- Rx Rate (L1) (Bit/s)	222,16 M
- Rx Rate (Fps)	18.056
- Flood Count (Frames)	97
P-0-2-5	
- Tx (Frames)	658.308

- Tx Rate (L1) (Bit/s)	269,99 M
- Tx Rate (Fps)	21.944
- Rx (Frames)	526.946
- Rx Rate (L1) (Bit/s)	216,12 M
- Rx Rate (Fps)	17.565
- Flood Count (Frames)	95
P-0-4-0	
- Tx (Frames)	658.308
- Tx Rate (L1) (Bit/s)	269,99 M
- Tx Rate (Fps)	21.944
- Rx (Frames)	530.433
- Rx Rate (L1) (Bit/s)	217,55 M
- Rx Rate (Fps)	17.681
- Flood Count (Frames)	95
P-0-4-1	
- Tx (Frames)	658.308
- Tx Rate (L1) (Bit/s)	269,99 M
- Tx Rate (Fps)	21.944
- Rx (Frames)	523.728
- Rx Rate (L1) (Bit/s)	214,8 M
- Rx Rate (Fps)	17.458
- Flood Count (Frames)	93
P-0-4-2	
- Tx (Frames)	658.308
- Tx Rate (L1) (Bit/s)	269,99 M
- Tx Rate (Fps)	21.944
- Rx (Frames)	523.226
- Rx Rate (L1) (Bit/s)	214,59 M
- Rx Rate (Fps)	17.441
- Flood Count (Frames)	94
P-0-4-3	
- Tx (Frames)	658.308
- Tx Rate (L1) (Bit/s)	269,99 M
- Tx Rate (Fps)	21.944
- Rx (Frames)	516.947
- Rx Rate (L1) (Bit/s)	212,02 M
- Rx Rate (Fps)	17.232
- Flood Count (Frames)	93
P-0-4-4	
- Tx (Frames)	658.308
- Tx Rate (L1) (Bit/s)	269,99 M
- Tx Rate (Fps)	21.944
- Rx (Frames)	525.809
- Rx Rate (L1) (Bit/s)	215,65 M
- Rx Rate (Fps)	17.527
- Flood Count (Frames)	91
P-0-4-5	
- Tx (Frames)	658.308
- Tx Rate (L1) (Bit/s)	269,99 M
- Tx Rate (Fps)	21.944
- Rx (Frames)	526.083
- Rx Rate (L1) (Bit/s)	215,76 M
- Rx Rate (Fps)	17.536
- Flood Count (Frames)	91

Part.Mesh, N->N: Loss by Frame Size at 30,00% Rate



## Results for 40,00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	40 %	40 %	40 %	40 %	40 %	40 %
Tx Rate (L1) (Bit/s)	6,48 G	6,48 G	6,48 G	6,48 G	6,48 G	6,48 G
Tx Rate (Fps)	9.642.856	5.472.963	2.934.775	1.522.554	775.853	623.067
Rx Rate (Percent)	11,75 %	25,63 %	25,85 %	25,8 %	25,47 %	25,24 %
Rx Rate (L1) (Bit/s)	1,9 G	4,15 G	4,19 G	4,18 G	4,13 G	4,09 G
Rx Rate (Fps)	2,83 M	3,51 M	1,9 M	982,08 K	493,96 K	393,16 K
Loss Rate (Percent)	70,62 %	35,93 %	35,37 %	35,5 %	36,33 %	36,9 %
Loss (Frames)	204.292.321	58.988.723	31.139.471	16.214.212	8.456.757	6.897.202
P-0-0-0						
- Tx (Frames)	16.071.426	9.121.605	4.891.291	2.537.590	1.293.088	1.038.445
- Tx Rate (L1) (Bit/s)	360 M	360 M	360 M	360 M	360 M	359,99 M
- Tx Rate (Fps)	535.714	304.054	163.043	84.586	43.103	34.615
- Rx (Frames)	5.000.589	5.954.603	3.216.681	1.584.652	868.708	679.243
- Rx Rate (L1) (Bit/s)	112,01 M	235,01 M	236,75 M	224,81 M	241,85 M	235,47 M
- Rx Rate (Fps)	166.686	198.487	107.223	52.822	28.957	22.641
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-1						
- Tx (Frames)	16.071.426	9.121.605	4.891.291	2.537.590	1.293.088	1.038.445
- Tx Rate (L1) (Bit/s)	360 M	360 M	360 M	360 M	360 M	359,99 M
- Tx Rate (Fps)	535.714	304.054	163.043	84.586	43.103	34.615
- Rx (Frames)	4.771.452	5.894.179	3.240.301	1.580.552	867.782	673.309
- Rx Rate (L1) (Bit/s)	106,88 M	232,62 M	238,49 M	224,23 M	241,59 M	233,41 M
- Rx Rate (Fps)	159.048	196.473	108.010	52.685	28.926	22.444
- Flood Count (Frames)	85	90	90	90	84	84
P-0-0-2						
- Tx (Frames)	16.071.426	9.121.605	4.891.291	2.537.590	1.293.088	1.038.445
- Tx Rate (L1) (Bit/s)	360 M	360 M	360 M	360 M	360 M	359,99 M
- Tx Rate (Fps)	535.714	304.054	163.043	84.586	43.103	34.615
- Rx (Frames)	4.513.139	5.787.626	3.087.771	1.619.073	813.303	659.627
- Rx Rate (L1) (Bit/s)	101,09 M	228,42 M	227,26 M	229,69 M	226,42 M	228,67 M
- Rx Rate (Fps)	150.438	192.921	102.926	53.969	27.110	21.988
- Flood Count (Frames)	86	90	86	90	82	86
P-0-0-3						
- Tx (Frames)	16.071.426	9.121.605	4.891.291	2.537.590	1.293.088	1.038.445
- Tx Rate (L1) (Bit/s)	360 M	360 M	360 M	360 M	360 M	359,99 M
- Tx Rate (Fps)	535.714	304.054	163.043	84.586	43.103	34.615
- Rx (Frames)	4.459.162	5.735.240	3.186.326	1.622.867	818.343	648.944
- Rx Rate (L1) (Bit/s)	99,89 M	226,35 M	234,51 M	230,23 M	227,83 M	224,97 M
- Rx Rate (Fps)	148.639	191.175	106.211	54.096	27.278	21.631
- Flood Count (Frames)	87	84	90	87	88	89
P-0-0-4						
- Tx (Frames)	16.071.426	9.121.605	4.891.291	2.537.590	1.293.088	1.038.445

- Tx Rate (L1) (Bit/s)	360 M	360 M	360 M	360 M	360 M	359.99 M
- Tx Rate (Fps)	535.714	304.054	163.043	84.586	43.103	34.615
- Rx (Frames)	4.482.827	5.779.922	3.144.790	1.719.868	831.852	667.865
- Rx Rate (L1) (Bit/s)	100,42 M	228,11 M	231,46 M	243,99 M	231,59 M	231,53 M
- Rx Rate (Fps)	149.428	192.664	104.826	57.329	27.728	22.262
- Flood Count (Frames)	93	87	92	86	89	87
P-0-0-5						
- Tx (Frames)	16.071.426	9.121.605	4.891.291	2.537.590	1.293.088	1.038.445
- Tx Rate (L1) (Bit/s)	360 M	360 M	360 M	360 M	360 M	359.99 M
- Tx Rate (Fps)	535.714	304.054	163.043	84.586	43.103	34.615
- Rx (Frames)	4.743.537	5.789.635	3.010.092	1.670.690	814.565	676.398
- Rx Rate (L1) (Bit/s)	106,26 M	228,5 M	221,54 M	237,02 M	226,77 M	234,48 M
- Rx Rate (Fps)	158.118	192.988	100.336	55.690	27.152	22.547
- Flood Count (Frames)	87	88	85	87	92	91
P-0-2-0						
- Tx (Frames)	16.071.426	9.121.605	4.891.291	2.537.590	1.293.088	1.038.445
- Tx Rate (L1) (Bit/s)	360 M	360 M	360 M	360 M	360 M	359.99 M
- Tx Rate (Fps)	535.714	304.054	163.043	84.586	43.103	34.615
- Rx (Frames)	2.555.699	5.324.423	2.772.372	1.509.548	668.519	575.174
- Rx Rate (L1) (Bit/s)	57,25 M	210,14 M	204,05 M	214,15 M	186,12 M	199,39 M
- Rx Rate (Fps)	85.190	177.481	92.412	50.318	22.284	19.172
- Flood Count (Frames)	92	85	82	90	65	78
P-0-2-1						
- Tx (Frames)	16.071.426	9.121.605	4.891.291	2.537.590	1.293.088	1.038.445
- Tx Rate (L1) (Bit/s)	360 M	360 M	360 M	360 M	360 M	359.99 M
- Tx Rate (Fps)	535.714	304.054	163.043	84.586	43.103	34.615
- Rx (Frames)	2.611.263	5.449.905	2.833.727	1.449.856	690.441	565.729
- Rx Rate (L1) (Bit/s)	58,49 M	215,09 M	208,56 M	205,69 M	192,22 M	196,12 M
- Rx Rate (Fps)	87.042	181.664	94.458	48.329	23.015	18.858
- Flood Count (Frames)	93	88	86	93	83	73
P-0-2-2						
- Tx (Frames)	16.071.426	9.121.605	4.891.291	2.537.590	1.293.088	1.038.445
- Tx Rate (L1) (Bit/s)	360 M	360 M	360 M	360 M	360 M	359.99 M
- Tx Rate (Fps)	535.714	304.054	163.043	84.586	43.103	34.615
- Rx (Frames)	2.571.702	5.182.094	2.827.153	1.511.327	699.106	536.427
- Rx Rate (L1) (Bit/s)	57,61 M	204,52 M	208,08 M	214,41 M	194,63 M	185,96 M
- Rx Rate (Fps)	85.723	172.736	94.238	50.378	23.304	17.881
- Flood Count (Frames)	95	81	88	89	85	75
P-0-2-3						
- Tx (Frames)	16.071.426	9.121.605	4.891.291	2.537.590	1.293.088	1.038.445
- Tx Rate (L1) (Bit/s)	360 M	360 M	360 M	360 M	360 M	359.99 M
- Tx Rate (Fps)	535.714	304.054	163.043	84.586	43.103	34.615
- Rx (Frames)	2.606.379	5.087.043	2.866.856	1.474.338	664.253	495.188
- Rx Rate (L1) (Bit/s)	58,38 M	200,77 M	211 M	209,16 M	184,93 M	171,67 M
- Rx Rate (Fps)	86.879	169.568	95.562	49.145	22.142	16.506
- Flood Count (Frames)	89	87	84	87	88	76
P-0-2-4						
- Tx (Frames)	16.071.426	9.121.605	4.891.291	2.537.590	1.293.088	1.038.445
- Tx Rate (L1) (Bit/s)	360 M	360 M	360 M	360 M	360 M	359.99 M
- Tx Rate (Fps)	535.714	304.054	163.043	84.586	43.103	34.615
- Rx (Frames)	4.995.425	5.920.771	3.448.429	1.585.194	865.675	648.863
- Rx Rate (L1) (Bit/s)	111,9 M	233,67 M	253,8 M	224,89 M	241 M	224,94 M
- Rx Rate (Fps)	166.514	197.359	114.948	52.840	28.856	21.629
- Flood Count (Frames)	92	90	93	90	90	90
P-0-2-5						
- Tx (Frames)	16.071.426	9.121.605	4.891.291	2.537.590	1.293.088	1.038.445
- Tx Rate (L1) (Bit/s)	360 M	360 M	360 M	360 M	360 M	359.99 M
- Tx Rate (Fps)	535.714	304.054	163.043	84.586	43.103	34.615
- Rx (Frames)	4.606.688	6.071.584	3.132.775	1.559.524	876.273	671.665
- Rx Rate (L1) (Bit/s)	103,19 M	239,63 M	230,57 M	221,24 M	243,95 M	232,84 M
- Rx Rate (Fps)	153.556	202.386	104.426	51.984	29.209	22.389
- Flood Count (Frames)	92	91	92	91	90	92
P-0-4-0						
- Tx (Frames)	16.071.426	9.121.605	4.891.291	2.537.590	1.293.088	1.038.445
- Tx Rate (L1) (Bit/s)	360 M	360 M	360 M	360 M	360 M	359.99 M
- Tx Rate (Fps)	535.714	304.054	163.043	84.586	43.103	34.615
- Rx (Frames)	4.098.874	5.861.166	3.242.914	1.705.383	863.803	681.032
- Rx Rate (L1) (Bit/s)	91,81 M	231,32 M	238,68 M	241,94 M	240,48 M	236,09 M
- Rx Rate (Fps)	136.629	195.372	108.097	56.846	28.793	22.701
- Flood Count (Frames)	90	94	94	90	92	91
P-0-4-1						




- Tx (Frames)	16.071.426	9.121.605	4.891.291	2.537.590	1.293.088	1.038.445
- Tx Rate (L1) (Bit/s)	360 M	360 M	360 M	360 M	360 M	359,99 M
- Tx Rate (Fps)	535.714	304.054	163.043	84.586	43.103	34.615
- Rx (Frames)	4.042.068	5.955.792	3.290.157	1.703.776	859.493	684.769
- Rx Rate (L1) (Bit/s)	90,54 M	235,06 M	242,16 M	241,71 M	239,28 M	237,39 M
- Rx Rate (Fps)	134.736	198.526	109.672	56.793	28.650	22.826
- Flood Count (Frames)	94	91	91	95	92	92
P-0-4-2						
- Tx (Frames)	16.071.426	9.121.605	4.891.291	2.537.590	1.293.088	1.038.445
- Tx Rate (L1) (Bit/s)	360 M	360 M	360 M	360 M	360 M	359,99 M
- Tx Rate (Fps)	535.714	304.054	163.043	84.586	43.103	34.615
- Rx (Frames)	7.231.750	6.350.778	3.321.836	1.783.254	914.035	710.009
- Rx Rate (L1) (Bit/s)	161,99 M	250,64 M	244,49 M	252,98 M	254,47 M	246,14 M
- Rx Rate (Fps)	241.058	211.693	110.728	59.442	30.468	23.667
- Flood Count (Frames)	92	90	93	91	91	90
P-0-4-3						
- Tx (Frames)	16.071.426	9.121.605	4.891.291	2.537.590	1.293.088	1.038.445
- Tx Rate (L1) (Bit/s)	360 M	360 M	360 M	360 M	360 M	359,99 M
- Tx Rate (Fps)	535.714	304.054	163.043	84.586	43.103	34.615
- Rx (Frames)	7.167.599	6.220.448	3.409.501	1.808.866	901.316	730.906
- Rx Rate (L1) (Bit/s)	160,55 M	245,5 M	250,94 M	256,62 M	250,93 M	253,38 M
- Rx Rate (Fps)	238.920	207.348	113.650	60.296	30.044	24.364
- Flood Count (Frames)	93	92	92	92	93	92
P-0-4-4						
- Tx (Frames)	16.071.426	9.121.605	4.891.291	2.537.590	1.293.088	1.038.445
- Tx Rate (L1) (Bit/s)	360 M	360 M	360 M	360 M	360 M	359,99 M
- Tx Rate (Fps)	535.714	304.054	163.043	84.586	43.103	34.615
- Rx (Frames)	7.115.069	6.323.383	3.331.042	1.781.780	890.442	750.076
- Rx Rate (L1) (Bit/s)	159,38 M	249,56 M	245,16 M	252,78 M	247,9 M	260,03 M
- Rx Rate (Fps)	237.169	210.779	111.035	59.393	29.681	25.003
- Flood Count (Frames)	95	93	92	92	91	93
P-0-4-5						
- Tx (Frames)	16.071.426	9.121.605	4.891.291	2.537.590	1.293.088	1.038.445
- Tx Rate (L1) (Bit/s)	360 M	360 M	360 M	360 M	360 M	359,99 M
- Tx Rate (Fps)	535.714	304.054	163.043	84.586	43.103	34.615
- Rx (Frames)	7.420.125	6.511.575	3.541.044	1.791.860	910.918	739.584
- Rx Rate (L1) (Bit/s)	166,21 M	256,99 M	260,62 M	254,21 M	253,6 M	256,39 M
- Rx Rate (Fps)	247.338	217.053	118.035	59.729	30.364	24.653
- Flood Count (Frames)	94	95	93	92	92	94

<b>Frame Size</b>	<b>1518</b>
Result State	<b>PASS</b>
Iter. #	1
Tx Rate (Percent)	40 %
Tx Rate (L1) (Bit/s)	6,48 G
Tx Rate (Fps)	526.657
Rx Rate (Percent)	21,67 %
Rx Rate (L1) (Bit/s)	3,51 G
Rx Rate (Fps)	285,34 K
Loss Rate (Percent)	<b>45,82 %</b>
Loss (Frames)	<b>7.239.512</b>
P-0-0-0	
- Tx (Frames)	877.761
- Tx Rate (L1) (Bit/s)	360 M
- Tx Rate (Fps)	29.259
- Rx (Frames)	386.948
- Rx Rate (L1) (Bit/s)	158,7 M
- Rx Rate (Fps)	12.898
- Flood Count (Frames)	0
P-0-0-1	
- Tx (Frames)	877.761
- Tx Rate (L1) (Bit/s)	360 M
- Tx Rate (Fps)	29.259
- Rx (Frames)	391.538
- Rx Rate (L1) (Bit/s)	160,58 M
- Rx Rate (Fps)	13.051
- Flood Count (Frames)	77
P-0-0-2	
- Tx (Frames)	877.761
- Tx Rate (L1) (Bit/s)	360 M

- Tx Rate (Fps)	29.259
- Rx (Frames)	392.855
- Rx Rate (L1) (Bit/s)	161,12 M
- Rx Rate (Fps)	13.095
- Flood Count (Frames)	72
P-0-0-3	
- Tx (Frames)	877.761
- Tx Rate (L1) (Bit/s)	360 M
- Tx Rate (Fps)	29.259
- Rx (Frames)	413.137
- Rx Rate (L1) (Bit/s)	169,44 M
- Rx Rate (Fps)	13.771
- Flood Count (Frames)	83
P-0-0-4	
- Tx (Frames)	877.761
- Tx Rate (L1) (Bit/s)	360 M
- Tx Rate (Fps)	29.259
- Rx (Frames)	405.613
- Rx Rate (L1) (Bit/s)	166,36 M
- Rx Rate (Fps)	13.520
- Flood Count (Frames)	84
P-0-0-5	
- Tx (Frames)	877.761
- Tx Rate (L1) (Bit/s)	360 M
- Tx Rate (Fps)	29.259
- Rx (Frames)	380.279
- Rx Rate (L1) (Bit/s)	155,97 M
- Rx Rate (Fps)	12.676
- Flood Count (Frames)	80
P-0-2-0	
- Tx (Frames)	877.761
- Tx Rate (L1) (Bit/s)	360 M
- Tx Rate (Fps)	29.259
- Rx (Frames)	363.804
- Rx Rate (L1) (Bit/s)	149,21 M
- Rx Rate (Fps)	12.127
- Flood Count (Frames)	64
P-0-2-1	
- Tx (Frames)	877.761
- Tx Rate (L1) (Bit/s)	360 M
- Tx Rate (Fps)	29.259
- Rx (Frames)	358.702
- Rx Rate (L1) (Bit/s)	147,12 M
- Rx Rate (Fps)	11.957
- Flood Count (Frames)	68
P-0-2-2	
- Tx (Frames)	877.761
- Tx Rate (L1) (Bit/s)	360 M
- Tx Rate (Fps)	29.259
- Rx (Frames)	372.495
- Rx Rate (L1) (Bit/s)	152,77 M
- Rx Rate (Fps)	12.417
- Flood Count (Frames)	65
P-0-2-3	
- Tx (Frames)	877.761
- Tx Rate (L1) (Bit/s)	360 M
- Tx Rate (Fps)	29.259
- Rx (Frames)	383.106
- Rx Rate (L1) (Bit/s)	157,12 M
- Rx Rate (Fps)	12.770
- Flood Count (Frames)	67
P-0-2-4	
- Tx (Frames)	877.761
- Tx Rate (L1) (Bit/s)	360 M
- Tx Rate (Fps)	29.259
- Rx (Frames)	597.194
- Rx Rate (L1) (Bit/s)	244,93 M
- Rx Rate (Fps)	19.906
- Flood Count (Frames)	90
P-0-2-5	
- Tx (Frames)	877.761

- Tx Rate (L1) (Bit/s)	360 M
- Tx Rate (Fps)	29.259
- Rx (Frames)	556.839
- Rx Rate (L1) (Bit/s)	228,38 M
- Rx Rate (Fps)	18.561
- Flood Count (Frames)	93
P-0-4-0	
- Tx (Frames)	877.761
- Tx Rate (L1) (Bit/s)	360 M
- Tx Rate (Fps)	29.259
- Rx (Frames)	557.304
- Rx Rate (L1) (Bit/s)	228,57 M
- Rx Rate (Fps)	18.577
- Flood Count (Frames)	91
P-0-4-1	
- Tx (Frames)	877.761
- Tx Rate (L1) (Bit/s)	360 M
- Tx Rate (Fps)	29.259
- Rx (Frames)	547.497
- Rx Rate (L1) (Bit/s)	224,55 M
- Rx Rate (Fps)	18.250
- Flood Count (Frames)	92
P-0-4-2	
- Tx (Frames)	877.761
- Tx Rate (L1) (Bit/s)	360 M
- Tx Rate (Fps)	29.259
- Rx (Frames)	605.530
- Rx Rate (L1) (Bit/s)	248,35 M
- Rx Rate (Fps)	20.184
- Flood Count (Frames)	90
P-0-4-3	
- Tx (Frames)	877.761
- Tx Rate (L1) (Bit/s)	360 M
- Tx Rate (Fps)	29.259
- Rx (Frames)	615.261
- Rx Rate (L1) (Bit/s)	252,34 M
- Rx Rate (Fps)	20.509
- Flood Count (Frames)	91
P-0-4-4	
- Tx (Frames)	877.761
- Tx Rate (L1) (Bit/s)	360 M
- Tx Rate (Fps)	29.259
- Rx (Frames)	616.434
- Rx Rate (L1) (Bit/s)	252,82 M
- Rx Rate (Fps)	20.548
- Flood Count (Frames)	93
P-0-4-5	
- Tx (Frames)	877.761
- Tx Rate (L1) (Bit/s)	360 M
- Tx Rate (Fps)	29.259
- Rx (Frames)	615.650
- Rx Rate (L1) (Bit/s)	252,5 M
- Rx Rate (Fps)	20.522
- Flood Count (Frames)	93



### Results for 50,00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	50 %	50 %	50 %	50 %	50 %	50 %
Tx Rate (L1) (Bit/s)	8,1 G	8,1 G	8,1 G	8,1 G	8,1 G	8,1 G
Tx Rate (Fps)	12.053.564	6.841.211	3.668.471	1.903.187	969.826	778.841
Rx Rate (Percent)	7,89 %	28,28 %	28,27 %	28,37 %	26,91 %	27,2 %
Rx Rate (L1) (Bit/s)	1,28 G	4,58 G	4,58 G	4,6 G	4,36 G	4,41 G
Rx Rate (Fps)	1,9 M	3,87 M	2,07 M	1,08 M	521,99 K	423,66 K
Loss Rate (Percent)	84,23 %	43,43 %	43,46 %	43,27 %	46,18 %	45,6 %
Loss (Frames)	304.568.201	89.142.862	47.830.150	24.703.088	13.435.145	10.655.362
P-0-0-0						
- Tx (Frames)	20.089.274	11.402.019	6.114.118	3.171.979	1.616.377	1.298.069
- Tx Rate (L1) (Bit/s)	450 M	450 M	450 M	450 M	450 M	450 M
- Tx Rate (Fps)	669.642	380.067	203.804	105.733	53.879	43.269
- Rx (Frames)	31.931	6.232.259	3.335.926	1.770.440	918.886	760.371
- Rx Rate (L1) (Bit/s)	715,25 K	245,97 M	245,52 M	251,17 M	255,82 M	263,6 M
- Rx Rate (Fps)	1.064	207.742	111.198	59.015	30.630	25.346
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-1						
- Tx (Frames)	20.089.274	11.402.019	6.114.118	3.171.979	1.616.377	1.298.069
- Tx Rate (L1) (Bit/s)	450 M	450 M	450 M	450 M	450 M	450 M
- Tx Rate (Fps)	669.642	380.067	203.804	105.733	53.879	43.269
- Rx (Frames)	41.461	6.182.967	3.305.548	1.830.586	890.631	731.820
- Rx Rate (L1) (Bit/s)	928,73 K	244,02 M	243,29 M	259,7 M	247,95 M	253,7 M
- Rx Rate (Fps)	1.382	206.099	110.185	61.020	29.688	24.394
- Flood Count (Frames)	90	88	85	86	85	87
P-0-0-2						
- Tx (Frames)	20.089.274	11.402.019	6.114.118	3.171.979	1.616.377	1.298.069
- Tx Rate (L1) (Bit/s)	450 M	450 M	450 M	450 M	450 M	450 M
- Tx Rate (Fps)	669.642	380.067	203.804	105.733	53.879	43.269
- Rx (Frames)	29.206	6.356.513	3.371.447	1.834.157	918.257	741.329
- Rx Rate (L1) (Bit/s)	654,21 K	250,87 M	248,14 M	260,21 M	255,64 M	256,99 M
- Rx Rate (Fps)	974	211.884	112.382	61.139	30.609	24.711
- Flood Count (Frames)	93	89	90	81	86	82
P-0-0-3						
- Tx (Frames)	20.089.274	11.402.019	6.114.118	3.171.979	1.616.377	1.298.069
- Tx Rate (L1) (Bit/s)	450 M	450 M	450 M	450 M	450 M	450 M
- Tx Rate (Fps)	669.642	380.067	203.804	105.733	53.879	43.269
- Rx (Frames)	25.715	6.438.687	3.499.718	1.793.127	937.396	718.132
- Rx Rate (L1) (Bit/s)	576,02 K	254,11 M	257,58 M	254,38 M	260,97 M	248,95 M
- Rx Rate (Fps)	857	214.623	116.657	59.771	31.247	23.938
- Flood Count (Frames)	92	90	88	87	82	92
P-0-0-4						
- Tx (Frames)	20.089.274	11.402.019	6.114.118	3.171.979	1.616.377	1.298.069

- Tx Rate (L1) (Bit/s)	450 M	450 M	450 M	450 M	450 M	450 M
- Tx Rate (Fps)	669.642	380.067	203.804	105.733	53.879	43.269
- Rx (Frames)	21.198	6.468.109	3.565.954	1.795.040	927.151	723.314
- Rx Rate (L1) (Bit/s)	474,84 K	255,27 M	262,45 M	254,66 M	258,12 M	250,75 M
- Rx Rate (Fps)	707	215.604	118.865	59.835	30.905	24.110
- Flood Count (Frames)	94	87	90	86	85	91
P-0-0-5						
- Tx (Frames)	20.089.274	11.402.019	6.114.118	3.171.979	1.616.377	1.298.069
- Tx Rate (L1) (Bit/s)	450 M	450 M	450 M	450 M	450 M	450 M
- Tx Rate (Fps)	669.642	380.067	203.804	105.733	53.879	43.269
- Rx (Frames)	42.843	6.463.795	3.592.230	1.749.035	866.022	724.900
- Rx Rate (L1) (Bit/s)	959,68 K	255,1 M	264,39 M	248,13 M	241,1 M	251,3 M
- Rx Rate (Fps)	1.428	215.460	119.741	58.301	28.867	24.163
- Flood Count (Frames)	94	87	91	88	87	76
P-0-2-0						
- Tx (Frames)	20.089.274	11.402.019	6.114.118	3.171.979	1.616.377	1.298.069
- Tx Rate (L1) (Bit/s)	450 M	450 M	450 M	450 M	450 M	450 M
- Tx Rate (Fps)	669.642	380.067	203.804	105.733	53.879	43.269
- Rx (Frames)	51.409	6.056.630	3.073.574	1.727.456	585.607	545.885
- Rx Rate (L1) (Bit/s)	1,15 M	239,03 M	226,22 M	245,07 M	163,03 M	189,24 M
- Rx Rate (Fps)	1.714	201.888	102.452	57.582	19.520	18.196
- Flood Count (Frames)	89	83	83	82	72	76
P-0-2-1						
- Tx (Frames)	20.089.274	11.402.019	6.114.118	3.171.979	1.616.377	1.298.069
- Tx Rate (L1) (Bit/s)	450 M	450 M	450 M	450 M	450 M	450 M
- Tx Rate (Fps)	669.642	380.067	203.804	105.733	53.879	43.269
- Rx (Frames)	52.233	6.104.476	3.133.612	1.646.365	607.432	514.952
- Rx Rate (L1) (Bit/s)	1,17 M	240,92 M	230,63 M	233,56 M	169,11 M	178,52 M
- Rx Rate (Fps)	1.741	203.483	104.454	54.879	20.248	17.165
- Flood Count (Frames)	86	82	86	89	65	69
P-0-2-2						
- Tx (Frames)	20.089.274	11.402.019	6.114.118	3.171.979	1.616.377	1.298.069
- Tx Rate (L1) (Bit/s)	450 M	450 M	450 M	450 M	450 M	450 M
- Tx Rate (Fps)	669.642	380.067	203.804	105.733	53.879	43.269
- Rx (Frames)	52.905	5.914.056	3.081.234	1.487.017	549.690	495.074
- Rx Rate (L1) (Bit/s)	1,19 M	233,41 M	226,78 M	210,96 M	153,03 M	171,63 M
- Rx Rate (Fps)	1.764	197.135	102.708	49.567	18.323	16.502
- Flood Count (Frames)	90	82	87	83	67	65
P-0-2-3						
- Tx (Frames)	20.089.274	11.402.019	6.114.118	3.171.979	1.616.377	1.298.069
- Tx Rate (L1) (Bit/s)	450 M	450 M	450 M	450 M	450 M	450 M
- Tx Rate (Fps)	669.642	380.067	203.804	105.733	53.879	43.269
- Rx (Frames)	52.510	5.661.932	2.917.061	1.496.763	637.424	519.311
- Rx Rate (L1) (Bit/s)	1,18 M	223,46 M	214,7 M	212,34 M	177,46 M	180,03 M
- Rx Rate (Fps)	1.750	188.731	97.235	49.892	21.247	17.310
- Flood Count (Frames)	86	87	89	90	67	68
P-0-2-4						
- Tx (Frames)	20.089.274	11.402.019	6.114.118	3.171.979	1.616.377	1.298.069
- Tx Rate (L1) (Bit/s)	450 M	450 M	450 M	450 M	450 M	450 M
- Tx Rate (Fps)	669.642	380.067	203.804	105.733	53.879	43.269
- Rx (Frames)	6.158.525	6.043.781	3.243.960	1.655.193	898.215	686.947
- Rx Rate (L1) (Bit/s)	137,95 M	238,53 M	238,76 M	234,82 M	250,06 M	238,14 M
- Rx Rate (Fps)	205.284	201.459	108.132	55.173	29.941	22.898
- Flood Count (Frames)	93	95	92	94	94	91
P-0-2-5						
- Tx (Frames)	20.089.274	11.402.019	6.114.118	3.171.979	1.616.377	1.298.069
- Tx Rate (L1) (Bit/s)	450 M	450 M	450 M	450 M	450 M	450 M
- Tx Rate (Fps)	669.642	380.067	203.804	105.733	53.879	43.269
- Rx (Frames)	5.742.524	6.105.373	3.284.571	1.767.800	881.798	684.914
- Rx Rate (L1) (Bit/s)	128,63 M	240,96 M	241,74 M	250,79 M	245,49 M	237,44 M
- Rx Rate (Fps)	191.417	203.512	109.486	58.927	29.393	22.830
- Flood Count (Frames)	91	92	90	93	92	93
P-0-4-0						
- Tx (Frames)	20.089.274	11.402.019	6.114.118	3.171.979	1.616.377	1.298.069
- Tx Rate (L1) (Bit/s)	450 M	450 M	450 M	450 M	450 M	450 M
- Tx Rate (Fps)	669.642	380.067	203.804	105.733	53.879	43.269
- Rx (Frames)	5.912.991	6.206.089	3.501.269	1.800.991	889.903	675.290
- Rx Rate (L1) (Bit/s)	132,45 M	244,93 M	257,69 M	255,5 M	247,75 M	234,1 M
- Rx Rate (Fps)	197.100	206.870	116.709	60.033	29.663	22.510
- Flood Count (Frames)	91	91	90	95	92	95
P-0-4-1						

- Tx (Frames)	20.089.274	11.402.019	6.114.118	3.171.979	1.616.377	1.298.069
- Tx Rate (L1) (Bit/s)	450 M	450 M	450 M	450 M	450 M	450 M
- Tx Rate (Fps)	669.642	380.067	203.804	105.733	53.879	43.269
- Rx (Frames)	6.448.904	6.347.853	3.429.356	1.761.132	1.024.668	763.592
- Rx Rate (L1) (Bit/s)	144,46 M	250,53 M	252,4 M	249,85 M	285,27 M	264,71 M
- Rx Rate (Fps)	214.963	211.595	114.312	58.704	34.156	25.453
- Flood Count (Frames)	90	94	88	91	88	93
P-0-4-2						
- Tx (Frames)	20.089.274	11.402.019	6.114.118	3.171.979	1.616.377	1.298.069
- Tx Rate (L1) (Bit/s)	450 M	450 M	450 M	450 M	450 M	450 M
- Tx Rate (Fps)	669.642	380.067	203.804	105.733	53.879	43.269
- Rx (Frames)	8.165.831	7.220.411	3.794.209	1.994.766	1.031.800	840.319
- Rx Rate (L1) (Bit/s)	182,91 M	284,97 M	279,25 M	282,99 M	287,25 M	291,31 M
- Rx Rate (Fps)	272.194	240.680	126.474	66.492	34.393	28.011
- Flood Count (Frames)	90	93	92	94	92	90
P-0-4-3						
- Tx (Frames)	20.089.274	11.402.019	6.114.118	3.171.979	1.616.377	1.298.069
- Tx Rate (L1) (Bit/s)	450 M	450 M	450 M	450 M	450 M	450 M
- Tx Rate (Fps)	669.642	380.067	203.804	105.733	53.879	43.269
- Rx (Frames)	8.113.880	7.317.843	3.915.555	2.040.829	1.025.823	862.086
- Rx Rate (L1) (Bit/s)	181,75 M	288,81 M	288,18 M	289,53 M	285,59 M	298,86 M
- Rx Rate (Fps)	270.463	243.928	130.519	68.028	34.194	28.736
- Flood Count (Frames)	93	90	91	92	91	93
P-0-4-4						
- Tx (Frames)	20.089.274	11.402.019	6.114.118	3.171.979	1.616.377	1.298.069
- Tx Rate (L1) (Bit/s)	450 M	450 M	450 M	450 M	450 M	450 M
- Tx Rate (Fps)	669.642	380.067	203.804	105.733	53.879	43.269
- Rx (Frames)	8.058.201	7.434.494	4.037.282	2.103.067	1.022.987	860.450
- Rx Rate (L1) (Bit/s)	180,5 M	293,41 M	297,14 M	298,36 M	284,8 M	298,29 M
- Rx Rate (Fps)	268.607	247.816	134.576	70.102	34.100	28.682
- Flood Count (Frames)	90	94	91	93	96	89
P-0-4-5						
- Tx (Frames)	20.089.274	11.402.019	6.114.118	3.171.979	1.616.377	1.298.069
- Tx Rate (L1) (Bit/s)	450 M	450 M	450 M	450 M	450 M	450 M
- Tx Rate (Fps)	669.642	380.067	203.804	105.733	53.879	43.269
- Rx (Frames)	8.036.464	7.538.212	4.141.468	2.138.770	1.045.951	861.194
- Rx Rate (L1) (Bit/s)	180,02 M	297,51 M	304,81 M	303,42 M	291,19 M	298,55 M
- Rx Rate (Fps)	267.882	251.274	138.049	71.292	34.865	28.706
- Flood Count (Frames)	91	91	95	91	95	92


<b>Frame Size</b>	<b>1518</b>
Result State	<b>PASS</b>
Iter. #	1
Tx Rate (Percent)	50 %
Tx Rate (L1) (Bit/s)	8,1 G
Tx Rate (Fps)	658.318
Rx Rate (Percent)	23,62 %
Rx Rate (L1) (Bit/s)	3,83 G
Rx Rate (Fps)	311,02 K
Loss Rate (Percent)	<b>52,75 %</b>
Loss (Frames)	<b>10.418.804</b>
P-0-0-0	
- Tx (Frames)	1.097.197
- Tx Rate (L1) (Bit/s)	450 M
- Tx Rate (Fps)	36.573
- Rx (Frames)	482.085
- Rx Rate (L1) (Bit/s)	197,72 M
- Rx Rate (Fps)	16.070
- Flood Count (Frames)	0
P-0-0-1	
- Tx (Frames)	1.097.197
- Tx Rate (L1) (Bit/s)	450 M
- Tx Rate (Fps)	36.573
- Rx (Frames)	437.181
- Rx Rate (L1) (Bit/s)	179,3 M
- Rx Rate (Fps)	14.573
- Flood Count (Frames)	70
P-0-0-2	
- Tx (Frames)	1.097.197
- Tx Rate (L1) (Bit/s)	450 M

- Tx Rate (Fps)	36.573
- Rx (Frames)	421.084
- Rx Rate (L1) (Bit/s)	172,7 M
- Rx Rate (Fps)	14.036
- Flood Count (Frames)	71
P-0-0-3	
- Tx (Frames)	1.097.197
- Tx Rate (L1) (Bit/s)	450 M
- Tx Rate (Fps)	36.573
- Rx (Frames)	421.441
- Rx Rate (L1) (Bit/s)	172,85 M
- Rx Rate (Fps)	14.048
- Flood Count (Frames)	69
P-0-0-4	
- Tx (Frames)	1.097.197
- Tx Rate (L1) (Bit/s)	450 M
- Tx Rate (Fps)	36.573
- Rx (Frames)	459.447
- Rx Rate (L1) (Bit/s)	188,43 M
- Rx Rate (Fps)	15.315
- Flood Count (Frames)	61
P-0-0-5	
- Tx (Frames)	1.097.197
- Tx Rate (L1) (Bit/s)	450 M
- Tx Rate (Fps)	36.573
- Rx (Frames)	419.484
- Rx Rate (L1) (Bit/s)	172,04 M
- Rx Rate (Fps)	13.983
- Flood Count (Frames)	69
P-0-2-0	
- Tx (Frames)	1.097.197
- Tx Rate (L1) (Bit/s)	450 M
- Tx Rate (Fps)	36.573
- Rx (Frames)	353.937
- Rx Rate (L1) (Bit/s)	145,16 M
- Rx Rate (Fps)	11.798
- Flood Count (Frames)	61
P-0-2-1	
- Tx (Frames)	1.097.197
- Tx Rate (L1) (Bit/s)	450 M
- Tx Rate (Fps)	36.573
- Rx (Frames)	355.581
- Rx Rate (L1) (Bit/s)	145,84 M
- Rx Rate (Fps)	11.853
- Flood Count (Frames)	54
P-0-2-2	
- Tx (Frames)	1.097.197
- Tx Rate (L1) (Bit/s)	450 M
- Tx Rate (Fps)	36.573
- Rx (Frames)	341.187
- Rx Rate (L1) (Bit/s)	139,93 M
- Rx Rate (Fps)	11.373
- Flood Count (Frames)	52
P-0-2-3	
- Tx (Frames)	1.097.197
- Tx Rate (L1) (Bit/s)	450 M
- Tx Rate (Fps)	36.573
- Rx (Frames)	343.621
- Rx Rate (L1) (Bit/s)	140,93 M
- Rx Rate (Fps)	11.454
- Flood Count (Frames)	55
P-0-2-4	
- Tx (Frames)	1.097.197
- Tx Rate (L1) (Bit/s)	450 M
- Tx Rate (Fps)	36.573
- Rx (Frames)	585.555
- Rx Rate (L1) (Bit/s)	240,16 M
- Rx Rate (Fps)	19.519
- Flood Count (Frames)	92
P-0-2-5	
- Tx (Frames)	1.097.197

- Tx Rate (L1) (Bit/s)	450 M
- Tx Rate (Fps)	36.573
- Rx (Frames)	570.332
- Rx Rate (L1) (Bit/s)	233,91 M
- Rx Rate (Fps)	19.011
- Flood Count (Frames)	94
P-0-4-0	
- Tx (Frames)	1.097.197
- Tx Rate (L1) (Bit/s)	450 M
- Tx Rate (Fps)	36.573
- Rx (Frames)	605.048
- Rx Rate (L1) (Bit/s)	248,15 M
- Rx Rate (Fps)	20.168
- Flood Count (Frames)	91
P-0-4-1	
- Tx (Frames)	1.097.197
- Tx Rate (L1) (Bit/s)	450 M
- Tx Rate (Fps)	36.573
- Rx (Frames)	691.066
- Rx Rate (L1) (Bit/s)	283,43 M
- Rx Rate (Fps)	23.036
- Flood Count (Frames)	90
P-0-4-2	
- Tx (Frames)	1.097.197
- Tx Rate (L1) (Bit/s)	450 M
- Tx Rate (Fps)	36.573
- Rx (Frames)	708.341
- Rx Rate (L1) (Bit/s)	290,51 M
- Rx Rate (Fps)	23.611
- Flood Count (Frames)	93
P-0-4-3	
- Tx (Frames)	1.097.197
- Tx Rate (L1) (Bit/s)	450 M
- Tx Rate (Fps)	36.573
- Rx (Frames)	719.150
- Rx Rate (L1) (Bit/s)	294,95 M
- Rx Rate (Fps)	23.972
- Flood Count (Frames)	90
P-0-4-4	
- Tx (Frames)	1.097.197
- Tx Rate (L1) (Bit/s)	450 M
- Tx Rate (Fps)	36.573
- Rx (Frames)	710.406
- Rx Rate (L1) (Bit/s)	291,36 M
- Rx Rate (Fps)	23.680
- Flood Count (Frames)	93
P-0-4-5	
- Tx (Frames)	1.097.197
- Tx Rate (L1) (Bit/s)	450 M
- Tx Rate (Fps)	36.573
- Rx (Frames)	705.796
- Rx Rate (L1) (Bit/s)	289,47 M
- Rx Rate (Fps)	23.527
- Flood Count (Frames)	92



Part.Mesh, N->N: Loss by Frame Size at 50,00% Rate



### Results for 60,00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	60 %	60 %	60 %	60 %	60 %	60 %
Tx Rate (L1) (Bit/s)	9,72 G	9,72 G	9,72 G	9,72 G	9,72 G	9,72 G
Tx Rate (Fps)	14.464.283	8.209.450	4.402.167	2.283.831	1.163.789	934.606
Rx Rate (Percent)	6,12 %	26,29 %	30,52 %	30,56 %	28,99 %	28,79 %
Rx Rate (L1) (Bit/s)	991,4 M	4,26 G	4,94 G	4,95 G	4,7 G	4,66 G
Rx Rate (Fps)	1,48 M	3,6 M	2,24 M	1,16 M	562,32 K	448,43 K
Loss Rate (Percent)	89,8 %	56,18 %	49,13 %	49,06 %	51,68 %	52,02 %
Loss (Frames)	389.669.725	138.373.681	64.881.722	33.614.768	18.044.019	14.585.191
P-0-0-0						
- Tx (Frames)	24.107.139	13.682.416	7.336.945	3.806.385	1.939.649	1.557.676
- Tx Rate (L1) (Bit/s)	540 M	540 M	540 M	540 M	540 M	539,99 M
- Tx Rate (Fps)	803.571	456.081	244.565	126.880	64.655	51.923
- Rx (Frames)	7.359	6.448.602	3.669.390	1.899.832	1.009.624	788.193
- Rx Rate (L1) (Bit/s)	164,84 K	254,5 M	270,07 M	269,52 M	281,08 M	273,24 M
- Rx Rate (Fps)	245	214.953	122.313	63.328	33.654	26.273
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-1						
- Tx (Frames)	24.107.139	13.682.416	7.336.945	3.806.385	1.939.649	1.557.676
- Tx Rate (L1) (Bit/s)	540 M	540 M	540 M	540 M	540 M	539,99 M
- Tx Rate (Fps)	803.571	456.081	244.565	126.880	64.655	51.923
- Rx (Frames)	7.883	6.494.275	3.693.241	1.940.925	996.953	823.840
- Rx Rate (L1) (Bit/s)	176,58 K	256,31 M	271,82 M	275,35 M	277,55 M	285,6 M
- Rx Rate (Fps)	263	216.476	123.108	64.698	33.232	27.461
- Flood Count (Frames)	88	78	88	87	86	87
P-0-0-2						
- Tx (Frames)	24.107.139	13.682.416	7.336.945	3.806.385	1.939.649	1.557.676
- Tx Rate (L1) (Bit/s)	540 M	540 M	540 M	540 M	540 M	539,99 M
- Tx Rate (Fps)	803.571	456.081	244.565	126.880	64.655	51.923
- Rx (Frames)	8.060	6.480.580	3.781.594	1.949.599	1.042.555	812.993
- Rx Rate (L1) (Bit/s)	180,54 K	255,77 M	278,33 M	276,58 M	290,25 M	281,84 M
- Rx Rate (Fps)	269	216.019	126.053	64.987	34.752	27.100
- Flood Count (Frames)	90	89	88	87	89	90
P-0-0-3						
- Tx (Frames)	24.107.139	13.682.416	7.336.945	3.806.385	1.939.649	1.557.676
- Tx Rate (L1) (Bit/s)	540 M	540 M	540 M	540 M	540 M	539,99 M
- Tx Rate (Fps)	803.571	456.081	244.565	126.880	64.655	51.923
- Rx (Frames)	8.225	6.479.805	3.784.572	1.967.746	988.607	791.488
- Rx Rate (L1) (Bit/s)	184,24 K	255,74 M	278,54 M	279,16 M	275,23 M	274,38 M
- Rx Rate (Fps)	274	215.994	126.152	65.592	32.954	26.383
- Flood Count (Frames)	90	90	88	87	88	86
P-0-0-4						
- Tx (Frames)	24.107.139	13.682.416	7.336.945	3.806.385	1.939.649	1.557.676

- Tx Rate (L1) (Bit/s)	540 M	540 M	540 M	540 M	540 M	539.99 M
- Tx Rate (Fps)	803.571	456.081	244.565	126.880	64.655	51.923
- Rx (Frames)	7.644	6.476.444	3.748.031	1.987.903	981.605	801.158
- Rx Rate (L1) (Bit/s)	171,23 K	255,6 M	275,86 M	282,02 M	273,28 M	277,73 M
- Rx Rate (Fps)	255	215.881	124.934	66.263	32.720	26.705
- Flood Count (Frames)	88	75	90	85	90	83
P-0-0-5						
- Tx (Frames)	24.107.139	13.682.416	7.336.945	3.806.385	1.939.649	1.557.676
- Tx Rate (L1) (Bit/s)	540 M	540 M	540 M	540 M	540 M	539.99 M
- Tx Rate (Fps)	803.571	456.081	244.565	126.880	64.655	51.923
- Rx (Frames)	7.484	6.492.123	3.688.700	1.906.728	958.442	774.076
- Rx Rate (L1) (Bit/s)	167,64 K	256,22 M	271,49 M	270,5 M	266,83 M	268,35 M
- Rx Rate (Fps)	249	216.404	122.957	63.558	31.948	25.803
- Flood Count (Frames)	94	86	87	75	87	92
P-0-2-0						
- Tx (Frames)	24.107.139	13.682.416	7.336.945	3.806.385	1.939.649	1.557.676
- Tx Rate (L1) (Bit/s)	540 M	540 M	540 M	540 M	540 M	539.99 M
- Tx Rate (Fps)	803.571	456.081	244.565	126.880	64.655	51.923
- Rx (Frames)	7.160	2.536.062	3.494.772	1.712.461	622.520	407.806
- Rx Rate (L1) (Bit/s)	160,38 K	100,09 M	257,22 M	242,94 M	173,31 M	141,37 M
- Rx Rate (Fps)	239	84.535	116.492	57.082	20.751	13.594
- Flood Count (Frames)	89	83	87	88	65	65
P-0-2-1						
- Tx (Frames)	24.107.139	13.682.416	7.336.945	3.806.385	1.939.649	1.557.676
- Tx Rate (L1) (Bit/s)	540 M	540 M	540 M	540 M	540 M	539.99 M
- Tx Rate (Fps)	803.571	456.081	244.565	126.880	64.655	51.923
- Rx (Frames)	7.073	2.540.662	3.291.457	1.787.426	635.212	550.532
- Rx Rate (L1) (Bit/s)	158,44 K	100,27 M	242,25 M	253,58 M	176,84 M	190,85 M
- Rx Rate (Fps)	236	84.689	109.715	59.581	21.174	18.351
- Flood Count (Frames)	90	86	87	87	68	59
P-0-2-2						
- Tx (Frames)	24.107.139	13.682.416	7.336.945	3.806.385	1.939.649	1.557.676
- Tx Rate (L1) (Bit/s)	540 M	540 M	540 M	540 M	540 M	539.99 M
- Tx Rate (Fps)	803.571	456.081	244.565	126.880	64.655	51.923
- Rx (Frames)	6.814	2.529.324	3.307.075	1.736.310	653.127	499.876
- Rx Rate (L1) (Bit/s)	152,63 K	99,82 M	243,4 M	246,32 M	181,83 M	173,29 M
- Rx Rate (Fps)	227	84.311	110.236	57.877	21.771	16.663
- Flood Count (Frames)	90	90	90	88	74	58
P-0-2-3						
- Tx (Frames)	24.107.139	13.682.416	7.336.945	3.806.385	1.939.649	1.557.676
- Tx Rate (L1) (Bit/s)	540 M	540 M	540 M	540 M	540 M	539.99 M
- Tx Rate (Fps)	803.571	456.081	244.565	126.880	64.655	51.923
- Rx (Frames)	6.756	2.518.638	3.211.095	1.947.632	668.217	486.559
- Rx Rate (L1) (Bit/s)	151,33 K	99,4 M	236,34 M	276,3 M	186,03 M	168,67 M
- Rx Rate (Fps)	225	83.955	107.037	64.921	22.274	16.219
- Flood Count (Frames)	91	89	89	86	62	62
P-0-2-4						
- Tx (Frames)	24.107.139	13.682.416	7.336.945	3.806.385	1.939.649	1.557.676
- Tx Rate (L1) (Bit/s)	540 M	540 M	540 M	540 M	540 M	539.99 M
- Tx Rate (Fps)	803.571	456.081	244.565	126.880	64.655	51.923
- Rx (Frames)	4.212.024	6.530.033	3.297.716	1.741.507	916.142	785.642
- Rx Rate (L1) (Bit/s)	94,35 M	257,72 M	242,71 M	247,06 M	255,05 M	272,36 M
- Rx Rate (Fps)	140.401	217.668	109.924	58.050	30.538	26.188
- Flood Count (Frames)	90	86	90	94	90	93
P-0-2-5						
- Tx (Frames)	24.107.139	13.682.416	7.336.945	3.806.385	1.939.649	1.557.676
- Tx Rate (L1) (Bit/s)	540 M	540 M	540 M	540 M	540 M	539.99 M
- Tx Rate (Fps)	803.571	456.081	244.565	126.880	64.655	51.923
- Rx (Frames)	4.202.579	6.741.938	3.334.827	1.635.181	990.964	765.267
- Rx Rate (L1) (Bit/s)	94,14 M	266,08 M	245,44 M	231,98 M	275,88 M	265,29 M
- Rx Rate (Fps)	140.086	224.731	111.161	54.506	33.032	25.509
- Flood Count (Frames)	93	92	94	94	90	91
P-0-4-0						
- Tx (Frames)	24.107.139	13.682.416	7.336.945	3.806.385	1.939.649	1.557.676
- Tx Rate (L1) (Bit/s)	540 M	540 M	540 M	540 M	540 M	539.99 M
- Tx Rate (Fps)	803.571	456.081	244.565	126.880	64.655	51.923
- Rx (Frames)	4.193.617	6.905.473	3.776.993	1.803.432	993.692	768.844
- Rx Rate (L1) (Bit/s)	93,94 M	272,54 M	277,99 M	255,85 M	276,64 M	266,53 M
- Rx Rate (Fps)	139.787	230.182	125.900	60.114	33.123	25.628
- Flood Count (Frames)	93	93	94	95	84	93
P-0-4-1						


- Tx (Frames)	24.107.139	13.682.416	7.336.945	3.806.385	1.939.649	1.557.676
- Tx Rate (L1) (Bit/s)	540 M	540 M	540 M	540 M	540 M	539,99 M
- Tx Rate (Fps)	803.571	456.081	244.565	126.880	64.655	51.923
- Rx (Frames)	4.177.552	7.300.115	4.076.745	2.026.515	867.889	759.796
- Rx Rate (L1) (Bit/s)	93,58 M	288,11 M	300,05 M	287,49 M	241,62 M	263,4 M
- Rx Rate (Fps)	139.252	243.337	135.892	67.551	28.930	25.327
- Flood Count (Frames)	92	90	91	93	85	85
P-0-4-2						
- Tx (Frames)	24.107.139	13.682.416	7.336.945	3.806.385	1.939.649	1.557.676
- Tx Rate (L1) (Bit/s)	540 M	540 M	540 M	540 M	540 M	539,99 M
- Tx Rate (Fps)	803.571	456.081	244.565	126.880	64.655	51.923
- Rx (Frames)	7.780.656	8.044.154	4.341.544	2.117.245	1.204.162	912.673
- Rx Rate (L1) (Bit/s)	174,29 M	317,48 M	319,54 M	300,37 M	335,24 M	316,39 M
- Rx Rate (Fps)	259.355	268.138	144.718	70.575	40.139	30.422
- Flood Count (Frames)	94	94	91	95	88	91
P-0-4-3						
- Tx (Frames)	24.107.139	13.682.416	7.336.945	3.806.385	1.939.649	1.557.676
- Tx Rate (L1) (Bit/s)	540 M	540 M	540 M	540 M	540 M	539,99 M
- Tx Rate (Fps)	803.571	456.081	244.565	126.880	64.655	51.923
- Rx (Frames)	6.712.718	7.882.947	4.332.176	2.248.896	1.134.156	926.644
- Rx Rate (L1) (Bit/s)	150,36 M	311,11 M	318,85 M	319,04 M	315,75 M	321,24 M
- Rx Rate (Fps)	223.757	262.765	144.406	74.963	37.805	30.888
- Flood Count (Frames)	90	95	90	95	90	88
P-0-4-4						
- Tx (Frames)	24.107.139	13.682.416	7.336.945	3.806.385	1.939.649	1.557.676
- Tx Rate (L1) (Bit/s)	540 M	540 M	540 M	540 M	540 M	539,99 M
- Tx Rate (Fps)	803.571	456.081	244.565	126.880	64.655	51.923
- Rx (Frames)	5.997.337	7.724.802	4.216.176	2.284.127	1.110.442	903.210
- Rx Rate (L1) (Bit/s)	134,34 M	304,87 M	310,31 M	324,04 M	309,15 M	313,11 M
- Rx Rate (Fps)	199.911	257.493	140.539	76.138	37.015	30.107
- Flood Count (Frames)	90	93	93	95	91	94
P-0-4-5						
- Tx (Frames)	24.107.139	13.682.416	7.336.945	3.806.385	1.939.649	1.557.676
- Tx Rate (L1) (Bit/s)	540 M	540 M	540 M	540 M	540 M	539,99 M
- Tx Rate (Fps)	803.571	456.081	244.565	126.880	64.655	51.923
- Rx (Frames)	6.907.836	7.783.830	4.137.184	2.206.697	1.095.354	894.380
- Rx Rate (L1) (Bit/s)	154,74 M	307,2 M	304,5 M	313,06 M	304,95 M	310,05 M
- Rx Rate (Fps)	230.261	259.461	137.906	73.557	36.512	29.813
- Flood Count (Frames)	90	92	92	90	92	91

<b>Frame Size</b>	<b>1518</b>
Result State	<b>PASS</b>
Iter. #	1
Tx Rate (Percent)	60 %
Tx Rate (L1) (Bit/s)	9,72 G
Tx Rate (Fps)	789.980
Rx Rate (Percent)	24,07 %
Rx Rate (L1) (Bit/s)	3,9 G
Rx Rate (Fps)	316,9 K
Loss Rate (Percent)	<b>59,89 %</b>
Loss (Frames)	<b>14.192.463</b>
P-0-0-0	
- Tx (Frames)	1.316.633
- Tx Rate (L1) (Bit/s)	540 M
- Tx Rate (Fps)	43.888
- Rx (Frames)	447.922
- Rx Rate (L1) (Bit/s)	183,71 M
- Rx Rate (Fps)	14.931
- Flood Count (Frames)	0
P-0-0-1	
- Tx (Frames)	1.316.633
- Tx Rate (L1) (Bit/s)	540 M
- Tx Rate (Fps)	43.888
- Rx (Frames)	412.206
- Rx Rate (L1) (Bit/s)	169,06 M
- Rx Rate (Fps)	13.740
- Flood Count (Frames)	71
P-0-0-2	
- Tx (Frames)	1.316.633
- Tx Rate (L1) (Bit/s)	540 M

- Tx Rate (Fps)	43.888
- Rx (Frames)	424.385
- Rx Rate (L1) (Bit/s)	174,05 M
- Rx Rate (Fps)	14.146
- Flood Count (Frames)	69
P-0-0-3	
- Tx (Frames)	1.316.633
- Tx Rate (L1) (Bit/s)	540 M
- Tx Rate (Fps)	43.888
- Rx (Frames)	421.472
- Rx Rate (L1) (Bit/s)	172,86 M
- Rx Rate (Fps)	14.049
- Flood Count (Frames)	65
P-0-0-4	
- Tx (Frames)	1.316.633
- Tx Rate (L1) (Bit/s)	540 M
- Tx Rate (Fps)	43.888
- Rx (Frames)	434.653
- Rx Rate (L1) (Bit/s)	178,27 M
- Rx Rate (Fps)	14.488
- Flood Count (Frames)	74
P-0-0-5	
- Tx (Frames)	1.316.633
- Tx Rate (L1) (Bit/s)	540 M
- Tx Rate (Fps)	43.888
- Rx (Frames)	414.590
- Rx Rate (L1) (Bit/s)	170,04 M
- Rx Rate (Fps)	13.820
- Flood Count (Frames)	70
P-0-2-0	
- Tx (Frames)	1.316.633
- Tx Rate (L1) (Bit/s)	540 M
- Tx Rate (Fps)	43.888
- Rx (Frames)	278.899
- Rx Rate (L1) (Bit/s)	114,39 M
- Rx Rate (Fps)	9.297
- Flood Count (Frames)	56
P-0-2-1	
- Tx (Frames)	1.316.633
- Tx Rate (L1) (Bit/s)	540 M
- Tx Rate (Fps)	43.888
- Rx (Frames)	312.677
- Rx Rate (L1) (Bit/s)	128,24 M
- Rx Rate (Fps)	10.423
- Flood Count (Frames)	48
P-0-2-2	
- Tx (Frames)	1.316.633
- Tx Rate (L1) (Bit/s)	540 M
- Tx Rate (Fps)	43.888
- Rx (Frames)	361.609
- Rx Rate (L1) (Bit/s)	148,31 M
- Rx Rate (Fps)	12.054
- Flood Count (Frames)	41
P-0-2-3	
- Tx (Frames)	1.316.633
- Tx Rate (L1) (Bit/s)	540 M
- Tx Rate (Fps)	43.888
- Rx (Frames)	400.144
- Rx Rate (L1) (Bit/s)	164,11 M
- Rx Rate (Fps)	13.338
- Flood Count (Frames)	44
P-0-2-4	
- Tx (Frames)	1.316.633
- Tx Rate (L1) (Bit/s)	540 M
- Tx Rate (Fps)	43.888
- Rx (Frames)	672.715
- Rx Rate (L1) (Bit/s)	275,9 M
- Rx Rate (Fps)	22.424
- Flood Count (Frames)	77
P-0-2-5	
- Tx (Frames)	1.316.633

- Tx Rate (L1) (Bit/s)	540 M
- Tx Rate (Fps)	43.888
- Rx (Frames)	592.523
- Rx Rate (L1) (Bit/s)	243,01 M
- Rx Rate (Fps)	19.751
- Flood Count (Frames)	88
P-0-4-0	
- Tx (Frames)	1.316.633
- Tx Rate (L1) (Bit/s)	540 M
- Tx Rate (Fps)	43.888
- Rx (Frames)	582.329
- Rx Rate (L1) (Bit/s)	238,83 M
- Rx Rate (Fps)	19.411
- Flood Count (Frames)	86
P-0-4-1	
- Tx (Frames)	1.316.633
- Tx Rate (L1) (Bit/s)	540 M
- Tx Rate (Fps)	43.888
- Rx (Frames)	681.757
- Rx Rate (L1) (Bit/s)	279,61 M
- Rx Rate (Fps)	22.725
- Flood Count (Frames)	82
P-0-4-2	
- Tx (Frames)	1.316.633
- Tx Rate (L1) (Bit/s)	540 M
- Tx Rate (Fps)	43.888
- Rx (Frames)	768.004
- Rx Rate (L1) (Bit/s)	314,98 M
- Rx Rate (Fps)	25.600
- Flood Count (Frames)	92
P-0-4-3	
- Tx (Frames)	1.316.633
- Tx Rate (L1) (Bit/s)	540 M
- Tx Rate (Fps)	43.888
- Rx (Frames)	775.031
- Rx Rate (L1) (Bit/s)	317,87 M
- Rx Rate (Fps)	25.834
- Flood Count (Frames)	94
P-0-4-4	
- Tx (Frames)	1.316.633
- Tx Rate (L1) (Bit/s)	540 M
- Tx Rate (Fps)	43.888
- Rx (Frames)	761.022
- Rx Rate (L1) (Bit/s)	312,12 M
- Rx Rate (Fps)	25.367
- Flood Count (Frames)	94
P-0-4-5	
- Tx (Frames)	1.316.633
- Tx Rate (L1) (Bit/s)	540 M
- Tx Rate (Fps)	43.888
- Rx (Frames)	764.993
- Rx Rate (L1) (Bit/s)	313,75 M
- Rx Rate (Fps)	25.500
- Flood Count (Frames)	93

Part.Mesh, N->N: Loss by Frame Size at 60,00% Rate



### Results for 70,00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	70 %	70 %	70 %	70 %	70 %	70 %
Tx Rate (L1) (Bit/s)	11,34 G	11,34 G	11,34 G	11,34 G	11,34 G	11,34 G
Tx Rate (Fps)	16.874.992	9.577.698	5.135.863	2.664.464	1.357.753	1.090.380
Rx Rate (Percent)	2,74 %	22,61 %	32,67 %	32,23 %	29,66 %	31,53 %
Rx Rate (L1) (Bit/s)	444,3 M	3,66 G	5,29 G	5,22 G	4,8 G	5,11 G
Rx Rate (Fps)	661,16 K	3,09 M	2,4 M	1,23 M	575,22 K	491,15 K
Loss Rate (Percent)	96,08 %	67,71 %	53,33 %	53,96 %	57,63 %	54,96 %
Loss (Frames)	486.415.013	194.537.582	82.170.908	43.132.377	23.475.930	17.976.761
P-0-0-0						
- Tx (Frames)	28.124.987	15.962.830	8.559.772	4.440.774	2.262.921	1.817.300
- Tx Rate (L1) (Bit/s)	630 M	630 M	630 M	630 M	630 M	630 M
- Tx Rate (Fps)	937.500	532.094	285.326	148.026	75.431	60.577
- Rx (Frames)	6.342	3.424.722	3.995.687	2.050.395	1.062.444	897.783
- Rx Rate (L1) (Bit/s)	142,06 K	135,16 M	294,08 M	290,88 M	295,78 M	311,23 M
- Rx Rate (Fps)	211	114.157	133.190	68.347	35.415	29.926
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-1						
- Tx (Frames)	28.124.987	15.962.830	8.559.772	4.440.774	2.262.921	1.817.300
- Tx Rate (L1) (Bit/s)	630 M	630 M	630 M	630 M	630 M	630 M
- Tx Rate (Fps)	937.500	532.094	285.326	148.026	75.431	60.577
- Rx (Frames)	6.746	3.462.261	4.009.419	2.131.035	1.084.353	857.652
- Rx Rate (L1) (Bit/s)	151,11 K	136,64 M	295,09 M	302,32 M	301,88 M	297,32 M
- Rx Rate (Fps)	225	115.409	133.647	71.035	36.145	28.588
- Flood Count (Frames)	90	84	85	88	89	89
P-0-0-2						
- Tx (Frames)	28.124.987	15.962.830	8.559.772	4.440.774	2.262.921	1.817.300
- Tx Rate (L1) (Bit/s)	630 M	630 M	630 M	630 M	630 M	630 M
- Tx Rate (Fps)	937.500	532.094	285.326	148.026	75.431	60.577
- Rx (Frames)	6.631	3.537.335	4.015.691	2.130.601	1.087.326	857.311
- Rx Rate (L1) (Bit/s)	148,53 K	139,61 M	295,55 M	302,26 M	302,71 M	297,2 M
- Rx Rate (Fps)	221	117.911	133.856	71.020	36.244	28.577
- Flood Count (Frames)	90	84	83	93	85	81
P-0-0-3						
- Tx (Frames)	28.124.987	15.962.830	8.559.772	4.440.774	2.262.921	1.817.300
- Tx Rate (L1) (Bit/s)	630 M	630 M	630 M	630 M	630 M	630 M
- Tx Rate (Fps)	937.500	532.094	285.326	148.026	75.431	60.577
- Rx (Frames)	7.043	3.547.754	4.037.444	2.172.430	1.048.173	817.773
- Rx Rate (L1) (Bit/s)	157,76 K	140,02 M	297,16 M	308,2 M	291,81 M	283,49 M
- Rx Rate (Fps)	235	118.258	134.581	72.414	34.939	27.259
- Flood Count (Frames)	89	88	84	86	91	84
P-0-0-4						
- Tx (Frames)	28.124.987	15.962.830	8.559.772	4.440.774	2.262.921	1.817.300

- Tx Rate (L1) (Bit/s)	630 M	630 M	630 M	630 M	630 M	630 M
- Tx Rate (Fps)	937.500	532.094	285.326	148.026	75.431	60.577
- Rx (Frames)	6.660	3.457.839	3.983.732	2.117.163	1.040.918	834.640
- Rx Rate (L1) (Bit/s)	149,18 K	136,47 M	293,2 M	300,35 M	289,79 M	289,34 M
- Rx Rate (Fps)	222	115.261	132.791	70.572	34.697	27.821
- Flood Count (Frames)	92	93	87	88	90	83
P-0-0-5						
- Tx (Frames)	28.124.987	15.962.830	8.559.772	4.440.774	2.262.921	1.817.300
- Tx Rate (L1) (Bit/s)	630 M	630 M	630 M	630 M	630 M	630 M
- Tx Rate (Fps)	937.500	532.094	285.326	148.026	75.431	60.577
- Rx (Frames)	6.504	3.473.943	3.973.866	1.940.768	1.066.924	854.723
- Rx Rate (L1) (Bit/s)	145,69 K	137,1 M	292,48 M	275,33 M	297,03 M	296,3 M
- Rx Rate (Fps)	217	115.798	132.462	64.692	35.564	28.491
- Flood Count (Frames)	92	81	90	88	85	87
P-0-2-0						
- Tx (Frames)	28.124.987	15.962.830	8.559.772	4.440.774	2.262.921	1.817.300
- Tx Rate (L1) (Bit/s)	630 M	630 M	630 M	630 M	630 M	630 M
- Tx Rate (Fps)	937.500	532.094	285.326	148.026	75.431	60.577
- Rx (Frames)	6.406	2.730.410	3.576.214	1.846.261	627.213	526.282
- Rx Rate (L1) (Bit/s)	143,49 K	107,76 M	263,21 M	261,92 M	174,62 M	182,44 M
- Rx Rate (Fps)	214	91.014	119.207	61.542	20.907	17.543
- Flood Count (Frames)	92	86	84	82	69	65
P-0-2-1						
- Tx (Frames)	28.124.987	15.962.830	8.559.772	4.440.774	2.262.921	1.817.300
- Tx Rate (L1) (Bit/s)	630 M	630 M	630 M	630 M	630 M	630 M
- Tx Rate (Fps)	937.500	532.094	285.326	148.026	75.431	60.577
- Rx (Frames)	6.546	2.734.821	3.513.971	1.815.721	674.819	580.439
- Rx Rate (L1) (Bit/s)	146,63 K	107,93 M	258,63 M	257,59 M	187,87 M	201,22 M
- Rx Rate (Fps)	218	91.161	117.132	60.524	22.494	19.348
- Flood Count (Frames)	90	87	87	83	62	63
P-0-2-2						
- Tx (Frames)	28.124.987	15.962.830	8.559.772	4.440.774	2.262.921	1.817.300
- Tx Rate (L1) (Bit/s)	630 M	630 M	630 M	630 M	630 M	630 M
- Tx Rate (Fps)	937.500	532.094	285.326	148.026	75.431	60.577
- Rx (Frames)	6.406	2.715.720	3.466.758	1.876.586	591.974	642.902
- Rx Rate (L1) (Bit/s)	143,49 K	107,18 M	255,15 M	266,23 M	164,81 M	222,87 M
- Rx Rate (Fps)	214	90.524	115.559	62.553	19.732	21.430
- Flood Count (Frames)	91	86	92	83	57	60
P-0-2-3						
- Tx (Frames)	28.124.987	15.962.830	8.559.772	4.440.774	2.262.921	1.817.300
- Tx Rate (L1) (Bit/s)	630 M	630 M	630 M	630 M	630 M	630 M
- Tx Rate (Fps)	937.500	532.094	285.326	148.026	75.431	60.577
- Rx (Frames)	6.262	2.739.614	3.654.530	1.844.352	572.394	639.661
- Rx Rate (L1) (Bit/s)	140,27 K	108,12 M	268,97 M	261,65 M	159,35 M	221,75 M
- Rx Rate (Fps)	209	91.320	121.818	61.478	19.080	21.322
- Flood Count (Frames)	89	84	85	77	63	67
P-0-2-4						
- Tx (Frames)	28.124.987	15.962.830	8.559.772	4.440.774	2.262.921	1.817.300
- Tx Rate (L1) (Bit/s)	630 M	630 M	630 M	630 M	630 M	630 M
- Tx Rate (Fps)	937.500	532.094	285.326	148.026	75.431	60.577
- Rx (Frames)	7.193	7.202.044	3.780.564	1.808.151	844.681	753.276
- Rx Rate (L1) (Bit/s)	161,12 K	284,24 M	278,25 M	256,52 M	235,16 M	261,14 M
- Rx Rate (Fps)	240	240.068	126.019	60.272	28.156	25.109
- Flood Count (Frames)	94	93	90	94	82	83
P-0-2-5						
- Tx (Frames)	28.124.987	15.962.830	8.559.772	4.440.774	2.262.921	1.817.300
- Tx Rate (L1) (Bit/s)	630 M	630 M	630 M	630 M	630 M	630 M
- Tx Rate (Fps)	937.500	532.094	285.326	148.026	75.431	60.577
- Rx (Frames)	7.078	6.749.682	3.872.812	1.712.996	815.397	761.723
- Rx Rate (L1) (Bit/s)	158,55 K	266,39 M	285,04 M	243,02 M	227,01 M	264,06 M
- Rx Rate (Fps)	236	224.989	129.094	57.100	27.180	25.391
- Flood Count (Frames)	91	91	95	92	88	84
P-0-4-0						
- Tx (Frames)	28.124.987	15.962.830	8.559.772	4.440.774	2.262.921	1.817.300
- Tx Rate (L1) (Bit/s)	630 M	630 M	630 M	630 M	630 M	630 M
- Tx Rate (Fps)	937.500	532.094	285.326	148.026	75.431	60.577
- Rx (Frames)	7.040	7.172.593	3.789.691	2.062.206	1.023.576	941.405
- Rx Rate (L1) (Bit/s)	157,7 K	283,08 M	278,92 M	292,56 M	284,96 M	326,35 M
- Rx Rate (Fps)	235	239.086	126.323	68.740	34.119	31.380
- Flood Count (Frames)	92	93	95	91	85	85
P-0-4-1						




- Tx (Frames)	28.124.987	15.962.830	8.559.772	4.440.774	2.262.921	1.817.300
- Tx Rate (L1) (Bit/s)	630 M	630 M	630 M	630 M	630 M	630 M
- Tx Rate (Fps)	937.500	532.094	285.326	148.026	75.431	60.577
- Rx (Frames)	7.438	6.542.772	4.214.239	1.920.997	919.837	912.451
- Rx Rate (L1) (Bit/s)	166,61 K	258,22 M	310,17 M	272,53 M	256,08 M	316,32 M
- Rx Rate (Fps)	248	218.092	140.475	64.033	30.661	30.415
- Flood Count (Frames)	92	93	92	94	84	84
P-0-4-2						
- Tx (Frames)	28.124.987	15.962.830	8.559.772	4.440.774	2.262.921	1.817.300
- Tx Rate (L1) (Bit/s)	630 M	630 M	630 M	630 M	630 M	630 M
- Tx Rate (Fps)	937.500	532.094	285.326	148.026	75.431	60.577
- Rx (Frames)	4.943.390	8.205.692	4.441.298	2.291.579	1.258.434	1.027.058
- Rx Rate (L1) (Bit/s)	110,73 M	323,85 M	326,88 M	325,1 M	350,35 M	356,05 M
- Rx Rate (Fps)	164.780	273.523	148.043	76.386	41.948	34.235
- Flood Count (Frames)	90	95	93	95	92	91
P-0-4-3						
- Tx (Frames)	28.124.987	15.962.830	8.559.772	4.440.774	2.262.921	1.817.300
- Tx Rate (L1) (Bit/s)	630 M	630 M	630 M	630 M	630 M	630 M
- Tx Rate (Fps)	937.500	532.094	285.326	148.026	75.431	60.577
- Rx (Frames)	4.928.822	8.225.718	4.496.190	2.341.542	1.235.253	960.467
- Rx Rate (L1) (Bit/s)	110,41 M	324,64 M	330,92 M	332,19 M	343,89 M	332,96 M
- Rx Rate (Fps)	164.294	274.191	149.873	78.051	41.175	32.016
- Flood Count (Frames)	89	93	93	91	91	95
P-0-4-4						
- Tx (Frames)	28.124.987	15.962.830	8.559.772	4.440.774	2.262.921	1.817.300
- Tx Rate (L1) (Bit/s)	630 M	630 M	630 M	630 M	630 M	630 M
- Tx Rate (Fps)	937.500	532.094	285.326	148.026	75.431	60.577
- Rx (Frames)	4.935.034	8.326.953	4.519.333	2.382.646	1.153.965	941.194
- Rx Rate (L1) (Bit/s)	110,54 M	328,64 M	332,62 M	338,02 M	321,26 M	326,28 M
- Rx Rate (Fps)	164.501	277.565	150.644	79.422	38.466	31.373
- Flood Count (Frames)	91	91	95	90	90	93
P-0-4-5						
- Tx (Frames)	28.124.987	15.962.830	8.559.772	4.440.774	2.262.921	1.817.300
- Tx Rate (L1) (Bit/s)	630 M	630 M	630 M	630 M	630 M	630 M
- Tx Rate (Fps)	937.500	532.094	285.326	148.026	75.431	60.577
- Rx (Frames)	4.933.212	8.543.485	4.563.549	2.356.126	1.148.967	927.899
- Rx Rate (L1) (Bit/s)	110,5 M	337,18 M	335,88 M	334,26 M	319,87 M	321,67 M
- Rx Rate (Fps)	164.440	284.783	152.118	78.538	38.299	30.930
- Flood Count (Frames)	90	92	93	90	89	90

<b>Frame Size</b>	<b>1518</b>
Result State	<b>PASS</b>
Iter. #	1
Tx Rate (Percent)	70 %
Tx Rate (L1) (Bit/s)	11,34 G
Tx Rate (Fps)	921.641
Rx Rate (Percent)	25,97 %
Rx Rate (L1) (Bit/s)	4,21 G
Rx Rate (Fps)	341,92 K
Loss Rate (Percent)	<b>62,9 %</b>
Loss (Frames)	<b>17.391.578</b>
P-0-0-0	
- Tx (Frames)	1.536.069
- Tx Rate (L1) (Bit/s)	629,99 M
- Tx Rate (Fps)	51.202
- Rx (Frames)	537.197
- Rx Rate (L1) (Bit/s)	220,32 M
- Rx Rate (Fps)	17.907
- Flood Count (Frames)	1
P-0-0-1	
- Tx (Frames)	1.536.069
- Tx Rate (L1) (Bit/s)	629,99 M
- Tx Rate (Fps)	51.202
- Rx (Frames)	535.198
- Rx Rate (L1) (Bit/s)	219,5 M
- Rx Rate (Fps)	17.840
- Flood Count (Frames)	73
P-0-0-2	
- Tx (Frames)	1.536.069
- Tx Rate (L1) (Bit/s)	629,99 M



- Tx Rate (Fps)	51.202
- Rx (Frames)	538.719
- Rx Rate (L1) (Bit/s)	220,95 M
- Rx Rate (Fps)	17.957
- Flood Count (Frames)	79
P-0-0-3	
- Tx (Frames)	1.536.069
- Tx Rate (L1) (Bit/s)	629,99 M
- Tx Rate (Fps)	51.202
- Rx (Frames)	544.338
- Rx Rate (L1) (Bit/s)	223,25 M
- Rx Rate (Fps)	18.145
- Flood Count (Frames)	81
P-0-0-4	
- Tx (Frames)	1.536.069
- Tx Rate (L1) (Bit/s)	629,99 M
- Tx Rate (Fps)	51.202
- Rx (Frames)	547.211
- Rx Rate (L1) (Bit/s)	224,43 M
- Rx Rate (Fps)	18.240
- Flood Count (Frames)	78
P-0-0-5	
- Tx (Frames)	1.536.069
- Tx Rate (L1) (Bit/s)	629,99 M
- Tx Rate (Fps)	51.202
- Rx (Frames)	546.063
- Rx Rate (L1) (Bit/s)	223,96 M
- Rx Rate (Fps)	18.202
- Flood Count (Frames)	75
P-0-2-0	
- Tx (Frames)	1.536.069
- Tx Rate (L1) (Bit/s)	629,99 M
- Tx Rate (Fps)	51.202
- Rx (Frames)	324.265
- Rx Rate (L1) (Bit/s)	132,99 M
- Rx Rate (Fps)	10.809
- Flood Count (Frames)	61
P-0-2-1	
- Tx (Frames)	1.536.069
- Tx Rate (L1) (Bit/s)	629,99 M
- Tx Rate (Fps)	51.202
- Rx (Frames)	411.748
- Rx Rate (L1) (Bit/s)	168,87 M
- Rx Rate (Fps)	13.725
- Flood Count (Frames)	59
P-0-2-2	
- Tx (Frames)	1.536.069
- Tx Rate (L1) (Bit/s)	629,99 M
- Tx Rate (Fps)	51.202
- Rx (Frames)	431.274
- Rx Rate (L1) (Bit/s)	176,88 M
- Rx Rate (Fps)	14.376
- Flood Count (Frames)	54
P-0-2-3	
- Tx (Frames)	1.536.069
- Tx Rate (L1) (Bit/s)	629,99 M
- Tx Rate (Fps)	51.202
- Rx (Frames)	377.121
- Rx Rate (L1) (Bit/s)	154,67 M
- Rx Rate (Fps)	12.571
- Flood Count (Frames)	56
P-0-2-4	
- Tx (Frames)	1.536.069
- Tx Rate (L1) (Bit/s)	629,99 M
- Tx Rate (Fps)	51.202
- Rx (Frames)	574.607
- Rx Rate (L1) (Bit/s)	235,67 M
- Rx Rate (Fps)	19.154
- Flood Count (Frames)	78
P-0-2-5	
- Tx (Frames)	1.536.069

- Tx Rate (L1) (Bit/s)	629,99 M
- Tx Rate (Fps)	51.202
- Rx (Frames)	540.443
- Rx Rate (L1) (Bit/s)	221,65 M
- Rx Rate (Fps)	18.015
- Flood Count (Frames)	83
P-0-4-0	
- Tx (Frames)	1.536.069
- Tx Rate (L1) (Bit/s)	629,99 M
- Tx Rate (Fps)	51.202
- Rx (Frames)	585.902
- Rx Rate (L1) (Bit/s)	240,3 M
- Rx Rate (Fps)	19.530
- Flood Count (Frames)	83
P-0-4-1	
- Tx (Frames)	1.536.069
- Tx Rate (L1) (Bit/s)	629,99 M
- Tx Rate (Fps)	51.202
- Rx (Frames)	586.550
- Rx Rate (L1) (Bit/s)	240,56 M
- Rx Rate (Fps)	19.552
- Flood Count (Frames)	84
P-0-4-2	
- Tx (Frames)	1.536.069
- Tx Rate (L1) (Bit/s)	629,99 M
- Tx Rate (Fps)	51.202
- Rx (Frames)	833.359
- Rx Rate (L1) (Bit/s)	341,79 M
- Rx Rate (Fps)	27.779
- Flood Count (Frames)	93
P-0-4-3	
- Tx (Frames)	1.536.069
- Tx Rate (L1) (Bit/s)	629,99 M
- Tx Rate (Fps)	51.202
- Rx (Frames)	806.415
- Rx Rate (L1) (Bit/s)	330,74 M
- Rx Rate (Fps)	26.881
- Flood Count (Frames)	91
P-0-4-4	
- Tx (Frames)	1.536.069
- Tx Rate (L1) (Bit/s)	629,99 M
- Tx Rate (Fps)	51.202
- Rx (Frames)	772.326
- Rx Rate (L1) (Bit/s)	316,76 M
- Rx Rate (Fps)	25.744
- Flood Count (Frames)	96
P-0-4-5	
- Tx (Frames)	1.536.069
- Tx Rate (L1) (Bit/s)	629,99 M
- Tx Rate (Fps)	51.202
- Rx (Frames)	764.928
- Rx Rate (L1) (Bit/s)	313,72 M
- Rx Rate (Fps)	25.498
- Flood Count (Frames)	91



### Results for 80,00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	80 %	80 %	80 %	80 %	80 %	80 %
Tx Rate (L1) (Bit/s)	12,96 G	12,96 G	12,96 G	12,96 G	12,96 G	12,96 G
Tx Rate (Fps)	19.285.711	10.945.936	5.869.559	3.045.108	1.551.716	1.246.144
Rx Rate (Percent)	0,4 %	17,98 %	34,96 %	34,61 %	30,92 %	31,57 %
Rx Rate (L1) (Bit/s)	65,03 M	2,91 G	5,66 G	5,61 G	5,01 G	5,11 G
Rx Rate (Fps)	96,77 K	2,46 M	2,56 M	1,32 M	599,71 K	491,8 K
Loss Rate (Percent)	99,5 %	77,53 %	56,3 %	56,74 %	61,35 %	60,53 %
Loss (Frames)	575.668.197	254.590.630	99.140.886	51.835.961	28.560.262	22.630.345
P-0-0-0						
- Tx (Frames)	32.142.852	18.243.227	9.782.599	5.075.180	2.586.193	2.076.907
- Tx Rate (L1) (Bit/s)	720 M	720 M	720 M	720 M	720 M	719,99 M
- Tx Rate (Fps)	1.071.428	608.108	326.087	169.173	86.206	69.230
- Rx (Frames)	30.429	8.741	4.259.218	2.285.077	1.192.158	886.778
- Rx Rate (L1) (Bit/s)	681,61 K	344,98 K	313,48 M	324,18 M	331,9 M	307,42 M
- Rx Rate (Fps)	1.014	291	141.974	76.169	39.739	29.559
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-1						
- Tx (Frames)	32.142.852	18.243.227	9.782.599	5.075.180	2.586.193	2.076.907
- Tx Rate (L1) (Bit/s)	720 M	720 M	720 M	720 M	720 M	719,99 M
- Tx Rate (Fps)	1.071.428	608.108	326.087	169.173	86.206	69.230
- Rx (Frames)	25.501	8.772	4.316.800	2.336.959	1.128.946	900.394
- Rx Rate (L1) (Bit/s)	571,22 K	346,2 K	317,72 M	331,54 M	314,3 M	312,14 M
- Rx Rate (Fps)	850	292	143.893	77.899	37.632	30.013
- Flood Count (Frames)	92	93	83	80	89	88
P-0-0-2						
- Tx (Frames)	32.142.852	18.243.227	9.782.599	5.075.180	2.586.193	2.076.907
- Tx Rate (L1) (Bit/s)	720 M	720 M	720 M	720 M	720 M	719,99 M
- Tx Rate (Fps)	1.071.428	608.108	326.087	169.173	86.206	69.230
- Rx (Frames)	21.802	8.992	4.389.064	2.295.331	1.103.122	908.890
- Rx Rate (L1) (Bit/s)	488,36 K	354,88 K	323,04 M	325,63 M	307,11 M	315,08 M
- Rx Rate (Fps)	727	300	146.302	76.511	36.771	30.296
- Flood Count (Frames)	94	92	81	87	80	86
P-0-0-3						
- Tx (Frames)	32.142.852	18.243.227	9.782.599	5.075.180	2.586.193	2.076.907
- Tx Rate (L1) (Bit/s)	720 M	720 M	720 M	720 M	720 M	719,99 M
- Tx Rate (Fps)	1.071.428	608.108	326.087	169.173	86.206	69.230
- Rx (Frames)	17.317	8.965	4.378.984	2.204.036	1.104.239	901.113
- Rx Rate (L1) (Bit/s)	387,9 K	353,82 K	322,29 M	312,68 M	307,42 M	312,39 M
- Rx Rate (Fps)	577	299	145.966	73.468	36.808	30.037
- Flood Count (Frames)	95	94	87	86	83	88
P-0-0-4						
- Tx (Frames)	32.142.852	18.243.227	9.782.599	5.075.180	2.586.193	2.076.907


- Tx Rate (L1) (Bit/s)	720 M	720 M	720 M	720 M	720 M	719,99 M
- Tx Rate (Fps)	1.071.428	608.108	326.087	169.173	86.206	69.230
- Rx (Frames)	16.948	8.657	4.309.277	2.148.693	1.153.474	916.936
- Rx Rate (L1) (Bit/s)	379,64 K	341,66 K	317,16 M	304,83 M	321,13 M	317,87 M
- Rx Rate (Fps)	565	289	143.643	71.623	38.449	30.565
- Flood Count (Frames)	93	93	85	87	81	88
P-0-0-5						
- Tx (Frames)	32.142.852	18.243.227	9.782.599	5.075.180	2.586.193	2.076.907
- Tx Rate (L1) (Bit/s)	720 M	720 M	720 M	720 M	720 M	719,99 M
- Tx Rate (Fps)	1.071.428	608.108	326.087	169.173	86.206	69.230
- Rx (Frames)	20.491	8.458	4.225.842	2.159.241	1.177.198	899.614
- Rx Rate (L1) (Bit/s)	459 K	333,81 K	311,02 M	306,32 M	327,73 M	311,87 M
- Rx Rate (Fps)	683	282	140.861	71.975	39.240	29.987
- Flood Count (Frames)	92	93	86	85	86	87
P-0-2-0						
- Tx (Frames)	32.142.852	18.243.227	9.782.599	5.075.180	2.586.193	2.076.907
- Tx Rate (L1) (Bit/s)	720 M	720 M	720 M	720 M	720 M	719,99 M
- Tx Rate (Fps)	1.071.428	608.108	326.087	169.173	86.206	69.230
- Rx (Frames)	27.670	3.074.013	3.552.576	1.777.618	595.371	539.971
- Rx Rate (L1) (Bit/s)	619,81 K	121,32 M	261,47 M	252,18 M	165,75 M	187,19 M
- Rx Rate (Fps)	922	102.467	118.419	59.254	19.846	17.999
- Flood Count (Frames)	94	64	87	84	54	62
P-0-2-1						
- Tx (Frames)	32.142.852	18.243.227	9.782.599	5.075.180	2.586.193	2.076.907
- Tx Rate (L1) (Bit/s)	720 M	720 M	720 M	720 M	720 M	719,99 M
- Tx Rate (Fps)	1.071.428	608.108	326.087	169.173	86.206	69.230
- Rx (Frames)	35.008	3.122.186	3.905.033	1.990.881	662.205	562.226
- Rx Rate (L1) (Bit/s)	784,18 K	123,22 M	287,41 M	282,44 M	184,36 M	194,91 M
- Rx Rate (Fps)	1.167	104.073	130.168	66.363	22.074	18.741
- Flood Count (Frames)	91	55	91	83	65	66
P-0-2-2						
- Tx (Frames)	32.142.852	18.243.227	9.782.599	5.075.180	2.586.193	2.076.907
- Tx Rate (L1) (Bit/s)	720 M	720 M	720 M	720 M	720 M	719,99 M
- Tx Rate (Fps)	1.071.428	608.108	326.087	169.173	86.206	69.230
- Rx (Frames)	44.455	3.204.285	3.974.940	1.925.690	689.898	582.830
- Rx Rate (L1) (Bit/s)	995,79 K	126,46 M	292,56 M	273,19 M	192,07 M	202,05 M
- Rx Rate (Fps)	1.482	106.810	132.498	64.190	22.997	19.428
- Flood Count (Frames)	91	69	78	87	65	60
P-0-2-3						
- Tx (Frames)	32.142.852	18.243.227	9.782.599	5.075.180	2.586.193	2.076.907
- Tx Rate (L1) (Bit/s)	720 M	720 M	720 M	720 M	720 M	719,99 M
- Tx Rate (Fps)	1.071.428	608.108	326.087	169.173	86.206	69.230
- Rx (Frames)	232.562	3.209.062	3.912.899	1.862.396	670.203	511.496
- Rx Rate (L1) (Bit/s)	5,21 M	126,65 M	287,99 M	264,21 M	186,58 M	177,32 M
- Rx Rate (Fps)	7.752	106.969	130.430	62.080	22.340	17.050
- Flood Count (Frames)	91	56	75	90	62	56
P-0-2-4						
- Tx (Frames)	32.142.852	18.243.227	9.782.599	5.075.180	2.586.193	2.076.907
- Tx Rate (L1) (Bit/s)	720 M	720 M	720 M	720 M	720 M	719,99 M
- Tx Rate (Fps)	1.071.428	608.108	326.087	169.173	86.206	69.230
- Rx (Frames)	517.653	6.209.056	4.208.667	2.064.497	881.461	867.312
- Rx Rate (L1) (Bit/s)	11,6 M	245,05 M	309,76 M	292,88 M	245,4 M	300,67 M
- Rx Rate (Fps)	17.255	206.969	140.289	68.817	29.382	28.910
- Flood Count (Frames)	90	90	93	94	80	81
P-0-2-5						
- Tx (Frames)	32.142.852	18.243.227	9.782.599	5.075.180	2.586.193	2.076.907
- Tx Rate (L1) (Bit/s)	720 M	720 M	720 M	720 M	720 M	719,99 M
- Tx Rate (Fps)	1.071.428	608.108	326.087	169.173	86.206	69.230
- Rx (Frames)	499.063	6.150.556	4.064.388	2.069.999	789.019	738.821
- Rx Rate (L1) (Bit/s)	11,18 M	242,74 M	299,14 M	293,66 M	219,66 M	256,12 M
- Rx Rate (Fps)	16.635	205.019	135.480	69.000	26.301	24.627
- Flood Count (Frames)	95	92	91	93	85	79
P-0-4-0						
- Tx (Frames)	32.142.852	18.243.227	9.782.599	5.075.180	2.586.193	2.076.907
- Tx Rate (L1) (Bit/s)	720 M	720 M	720 M	720 M	720 M	719,99 M
- Tx Rate (Fps)	1.071.428	608.108	326.087	169.173	86.206	69.230
- Rx (Frames)	491.140	6.681.633	4.227.071	2.238.137	891.739	776.074
- Rx Rate (L1) (Bit/s)	11 M	263,7 M	311,11 M	317,52 M	248,26 M	269,04 M
- Rx Rate (Fps)	16.371	222.721	140.902	74.605	29.725	25.869
- Flood Count (Frames)	92	94	92	92	85	72
P-0-4-1						

- Tx (Frames)	32.142.852	18.243.227	9.782.599	5.075.180	2.586.193	2.076.907
- Tx Rate (L1) (Bit/s)	720 M	720 M	720 M	720 M	720 M	719,99 M
- Tx Rate (Fps)	1.071.428	608.108	326.087	169.173	86.206	69.230
- Rx (Frames)	433.313	6.999.322	4.257.984	2.279.741	905.569	707.008
- Rx Rate (L1) (Bit/s)	9,71 M	276,24 M	313,39 M	323,42 M	252,11 M	245,1 M
- Rx Rate (Fps)	14.444	233.311	141.933	75.991	30.186	23.567
- Flood Count (Frames)	93	90	97	94	80	84
P-0-4-2						
- Tx (Frames)	32.142.852	18.243.227	9.782.599	5.075.180	2.586.193	2.076.907
- Tx Rate (L1) (Bit/s)	720 M	720 M	720 M	720 M	720 M	719,99 M
- Tx Rate (Fps)	1.071.428	608.108	326.087	169.173	86.206	69.230
- Rx (Frames)	114.293	8.583.824	4.662.481	2.453.255	1.358.068	1.059.859
- Rx Rate (L1) (Bit/s)	2,56 M	338,77 M	343,16 M	348,04 M	378,09 M	367,42 M
- Rx Rate (Fps)	3.810	286.127	155.416	81.775	45.269	35.329
- Flood Count (Frames)	95	88	94	92	91	93
P-0-4-3						
- Tx (Frames)	32.142.852	18.243.227	9.782.599	5.075.180	2.586.193	2.076.907
- Tx Rate (L1) (Bit/s)	720 M	720 M	720 M	720 M	720 M	719,99 M
- Tx Rate (Fps)	1.071.428	608.108	326.087	169.173	86.206	69.230
- Rx (Frames)	106.310	8.818.095	4.681.077	2.510.225	1.285.700	1.009.431
- Rx Rate (L1) (Bit/s)	2,38 M	348,02 M	344,53 M	356,12 M	357,94 M	349,94 M
- Rx Rate (Fps)	3.544	293.937	156.036	83.674	42.857	33.648
- Flood Count (Frames)	93	91	92	91	94	91
P-0-4-4						
- Tx (Frames)	32.142.852	18.243.227	9.782.599	5.075.180	2.586.193	2.076.907
- Tx Rate (L1) (Bit/s)	720 M	720 M	720 M	720 M	720 M	719,99 M
- Tx Rate (Fps)	1.071.428	608.108	326.087	169.173	86.206	69.230
- Rx (Frames)	84.464	8.853.781	4.748.913	2.459.528	1.210.962	1.002.460
- Rx Rate (L1) (Bit/s)	1,89 M	349,43 M	349,52 M	348,93 M	337,13 M	347,52 M
- Rx Rate (Fps)	2.815	295.126	158.297	81.984	40.365	33.415
- Flood Count (Frames)	92	92	91	91	88	92
P-0-4-5						
- Tx (Frames)	32.142.852	18.243.227	9.782.599	5.075.180	2.586.193	2.076.907
- Tx Rate (L1) (Bit/s)	720 M	720 M	720 M	720 M	720 M	719,99 M
- Tx Rate (Fps)	1.071.428	608.108	326.087	169.173	86.206	69.230
- Rx (Frames)	184.720	8.829.058	4.870.682	2.455.975	1.191.880	982.768
- Rx Rate (L1) (Bit/s)	4,14 M	348,45 M	358,48 M	348,42 M	331,82 M	340,69 M
- Rx Rate (Fps)	6.157	294.302	162.356	81.866	39.729	32.759
- Flood Count (Frames)	93	88	93	90	91	95

<b>Frame Size</b>	<b>1518</b>
Result State	<b>PASS</b>
Iter. #	1
Tx Rate (Percent)	80 %
Tx Rate (L1) (Bit/s)	12,96 G
Tx Rate (Fps)	1.053.313
Rx Rate (Percent)	30,05 %
Rx Rate (L1) (Bit/s)	4,87 G
Rx Rate (Fps)	395,64 K
Loss Rate (Percent)	<b>62,44 %</b>
Loss (Frames)	<b>19.730.104</b>
P-0-0-0	
- Tx (Frames)	1.755.522
- Tx Rate (L1) (Bit/s)	720 M
- Tx Rate (Fps)	58.517
- Rx (Frames)	737.765
- Rx Rate (L1) (Bit/s)	302,58 M
- Rx Rate (Fps)	24.592
- Flood Count (Frames)	2
P-0-0-1	
- Tx (Frames)	1.755.522
- Tx Rate (L1) (Bit/s)	720 M
- Tx Rate (Fps)	58.517
- Rx (Frames)	691.595
- Rx Rate (L1) (Bit/s)	283,65 M
- Rx Rate (Fps)	23.053
- Flood Count (Frames)	83
P-0-0-2	
- Tx (Frames)	1.755.522
- Tx Rate (L1) (Bit/s)	720 M

- Tx Rate (Fps)	58.517
- Rx (Frames)	680.993
- Rx Rate (L1) (Bit/s)	279,3 M
- Rx Rate (Fps)	22.700
- Flood Count (Frames)	89
P-0-0-3	
- Tx (Frames)	1.755.522
- Tx Rate (L1) (Bit/s)	720 M
- Tx Rate (Fps)	58.517
- Rx (Frames)	681.765
- Rx Rate (L1) (Bit/s)	279,61 M
- Rx Rate (Fps)	22.726
- Flood Count (Frames)	87
P-0-0-4	
- Tx (Frames)	1.755.522
- Tx Rate (L1) (Bit/s)	720 M
- Tx Rate (Fps)	58.517
- Rx (Frames)	695.889
- Rx Rate (L1) (Bit/s)	285,41 M
- Rx Rate (Fps)	23.196
- Flood Count (Frames)	76
P-0-0-5	
- Tx (Frames)	1.755.522
- Tx Rate (L1) (Bit/s)	720 M
- Tx Rate (Fps)	58.517
- Rx (Frames)	722.650
- Rx Rate (L1) (Bit/s)	296,38 M
- Rx Rate (Fps)	24.088
- Flood Count (Frames)	87
P-0-2-0	
- Tx (Frames)	1.755.522
- Tx Rate (L1) (Bit/s)	720 M
- Tx Rate (Fps)	58.517
- Rx (Frames)	383.829
- Rx Rate (L1) (Bit/s)	157,42 M
- Rx Rate (Fps)	12.794
- Flood Count (Frames)	70
P-0-2-1	
- Tx (Frames)	1.755.522
- Tx Rate (L1) (Bit/s)	720 M
- Tx Rate (Fps)	58.517
- Rx (Frames)	526.817
- Rx Rate (L1) (Bit/s)	216,07 M
- Rx Rate (Fps)	17.561
- Flood Count (Frames)	58
P-0-2-2	
- Tx (Frames)	1.755.522
- Tx Rate (L1) (Bit/s)	720 M
- Tx Rate (Fps)	58.517
- Rx (Frames)	454.327
- Rx Rate (L1) (Bit/s)	186,33 M
- Rx Rate (Fps)	15.144
- Flood Count (Frames)	55
P-0-2-3	
- Tx (Frames)	1.755.522
- Tx Rate (L1) (Bit/s)	720 M
- Tx Rate (Fps)	58.517
- Rx (Frames)	457.093
- Rx Rate (L1) (Bit/s)	187,47 M
- Rx Rate (Fps)	15.236
- Flood Count (Frames)	60
P-0-2-4	
- Tx (Frames)	1.755.522
- Tx Rate (L1) (Bit/s)	720 M
- Tx Rate (Fps)	58.517
- Rx (Frames)	567.492
- Rx Rate (L1) (Bit/s)	232,75 M
- Rx Rate (Fps)	18.916
- Flood Count (Frames)	79
P-0-2-5	
- Tx (Frames)	1.755.522

- Tx Rate (L1) (Bit/s)	720 M
- Tx Rate (Fps)	58.517
- Rx (Frames)	640.527
- Rx Rate (L1) (Bit/s)	262,7 M
- Rx Rate (Fps)	21.351
- Flood Count (Frames)	81
P-0-4-0	
- Tx (Frames)	1.755.522
- Tx Rate (L1) (Bit/s)	720 M
- Tx Rate (Fps)	58.517
- Rx (Frames)	633.285
- Rx Rate (L1) (Bit/s)	259,73 M
- Rx Rate (Fps)	21.110
- Flood Count (Frames)	76
P-0-4-1	
- Tx (Frames)	1.755.522
- Tx Rate (L1) (Bit/s)	720 M
- Tx Rate (Fps)	58.517
- Rx (Frames)	677.243
- Rx Rate (L1) (Bit/s)	277,76 M
- Rx Rate (Fps)	22.575
- Flood Count (Frames)	82
P-0-4-2	
- Tx (Frames)	1.755.522
- Tx Rate (L1) (Bit/s)	720 M
- Tx Rate (Fps)	58.517
- Rx (Frames)	890.884
- Rx Rate (L1) (Bit/s)	365,38 M
- Rx Rate (Fps)	29.696
- Flood Count (Frames)	96
P-0-4-3	
- Tx (Frames)	1.755.522
- Tx Rate (L1) (Bit/s)	720 M
- Tx Rate (Fps)	58.517
- Rx (Frames)	851.710
- Rx Rate (L1) (Bit/s)	349,31 M
- Rx Rate (Fps)	28.390
- Flood Count (Frames)	91
P-0-4-4	
- Tx (Frames)	1.755.522
- Tx Rate (L1) (Bit/s)	720 M
- Tx Rate (Fps)	58.517
- Rx (Frames)	813.159
- Rx Rate (L1) (Bit/s)	333,5 M
- Rx Rate (Fps)	27.105
- Flood Count (Frames)	94
P-0-4-5	
- Tx (Frames)	1.755.522
- Tx Rate (L1) (Bit/s)	720 M
- Tx Rate (Fps)	58.517
- Rx (Frames)	762.269
- Rx Rate (L1) (Bit/s)	312,63 M
- Rx Rate (Fps)	25.409
- Flood Count (Frames)	93



### Results for 90,00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	90 %	90 %	90 %	90 %	90 %	90 %
Tx Rate (L1) (Bit/s)	14,58 G	14,58 G	14,58 G	14,58 G	14,58 G	14,58 G
Tx Rate (Fps)	21.696.420	12.314.185	6.603.256	3.425.752	1.745.689	1.401.919
Rx Rate (Percent)	0,01 %	13,63 %	36,7 %	37,08 %	32,37 %	30,91 %
Rx Rate (L1) (Bit/s)	2,23 M	2,21 G	5,94 G	6,01 G	5,24 G	5,01 G
Rx Rate (Fps)	3,32 K	1,87 M	2,69 M	1,41 M	627,79 K	481,55 K
Loss Rate (Percent)	99,98 %	84,85 %	59,23 %	58,8 %	64,04 %	65,65 %
Loss (Frames)	650.793.069	313.459.518	117.326.735	60.432.862	33.537.053	27.611.147
P-0-0-0						
- Tx (Frames)	36.160.700	20.523.641	11.005.426	5.709.586	2.909.482	2.336.531
- Tx Rate (L1) (Bit/s)	810 M	810 M	810 M	810 M	810 M	810 M
- Tx Rate (Fps)	1.205.357	684.121	366.848	190.320	96.983	77.884
- Rx (Frames)	4.466	4.716	4.561.605	2.451.392	1.288.028	986.230
- Rx Rate (L1) (Bit/s)	100,04 K	186,12 K	335,73 M	347,77 M	358,59 M	341,89 M
- Rx Rate (Fps)	149	157	152.054	81.713	42.934	32.874
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-1						
- Tx (Frames)	36.160.700	20.523.641	11.005.426	5.709.586	2.909.482	2.336.531
- Tx Rate (L1) (Bit/s)	810 M	810 M	810 M	810 M	810 M	810 M
- Tx Rate (Fps)	1.205.357	684.121	366.848	190.320	96.983	77.884
- Rx (Frames)	5.110	5.276	4.622.346	2.452.824	1.201.651	1.000.310
- Rx Rate (L1) (Bit/s)	114,46 K	208,23 K	340,2 M	347,97 M	334,54 M	346,77 M
- Rx Rate (Fps)	170	176	154.078	81.761	40.055	33.344
- Flood Count (Frames)	92	94	91	90	89	83
P-0-0-2						
- Tx (Frames)	36.160.700	20.523.641	11.005.426	5.709.586	2.909.482	2.336.531
- Tx Rate (L1) (Bit/s)	810 M	810 M	810 M	810 M	810 M	810 M
- Tx Rate (Fps)	1.205.357	684.121	366.848	190.320	96.983	77.884
- Rx (Frames)	5.260	5.374	4.628.039	2.425.773	1.201.664	987.256
- Rx Rate (L1) (Bit/s)	117,82 K	212,09 K	340,62 M	344,14 M	334,54 M	342,25 M
- Rx Rate (Fps)	175	179	154.268	80.859	40.055	32.909
- Flood Count (Frames)	90	90	90	82	84	78
P-0-0-3						
- Tx (Frames)	36.160.700	20.523.641	11.005.426	5.709.586	2.909.482	2.336.531
- Tx Rate (L1) (Bit/s)	810 M	810 M	810 M	810 M	810 M	810 M
- Tx Rate (Fps)	1.205.357	684.121	366.848	190.320	96.983	77.884
- Rx (Frames)	5.589	5.488	4.614.668	2.378.309	1.184.460	975.708
- Rx Rate (L1) (Bit/s)	125,19 K	216,59 K	339,64 M	337,4 M	329,75 M	338,25 M
- Rx Rate (Fps)	186	183	153.822	79.277	39.482	32.524
- Flood Count (Frames)	92	91	87	84	83	86
P-0-0-4						
- Tx (Frames)	36.160.700	20.523.641	11.005.426	5.709.586	2.909.482	2.336.531




- Tx Rate (L1) (Bit/s)	810 M	810 M	810 M	810 M	810 M	810 M
- Tx Rate (Fps)	1.205.357	684.121	366.848	190.320	96.983	77.884
- Rx (Frames)	5.611	5.203	4.566.012	2.329.795	1.243.601	967.400
- Rx Rate (L1) (Bit/s)	125,69 K	205,35 K	336,06 M	330,52 M	346,22 M	335,37 M
- Rx Rate (Fps)	187	173	152.200	77.660	41.453	32.247
- Flood Count (Frames)	92	93	80	84	86	85
P-0-0-5						
- Tx (Frames)	36.160.700	20.523.641	11.005.426	5.709.586	2.909.482	2.336.531
- Tx Rate (L1) (Bit/s)	810 M	810 M	810 M	810 M	810 M	810 M
- Tx Rate (Fps)	1.205.357	684.121	366.848	190.320	96.983	77.884
- Rx (Frames)	5.135	5.017	4.445.677	2.293.785	1.257.702	980.344
- Rx Rate (L1) (Bit/s)	115,02 K	198 K	327,2 M	325,41 M	350,14 M	339,85 M
- Rx Rate (Fps)	171	167	148.189	76.460	41.923	32.678
- Flood Count (Frames)	93	91	87	83	86	83
P-0-2-0						
- Tx (Frames)	36.160.700	20.523.641	11.005.426	5.709.586	2.909.482	2.336.531
- Tx Rate (L1) (Bit/s)	810 M	810 M	810 M	810 M	810 M	810 M
- Tx Rate (Fps)	1.205.357	684.121	366.848	190.320	96.983	77.884
- Rx (Frames)	4.760	5.316	3.962.222	2.041.435	578.064	431.420
- Rx Rate (L1) (Bit/s)	106,62 K	209,8 K	291,62 M	289,61 M	160,93 M	149,56 M
- Rx Rate (Fps)	159	177	132.074	68.048	19.269	14.381
- Flood Count (Frames)	92	90	92	89	68	54
P-0-2-1						
- Tx (Frames)	36.160.700	20.523.641	11.005.426	5.709.586	2.909.482	2.336.531
- Tx Rate (L1) (Bit/s)	810 M	810 M	810 M	810 M	810 M	810 M
- Tx Rate (Fps)	1.205.357	684.121	366.848	190.320	96.983	77.884
- Rx (Frames)	5.092	5.588	4.190.322	2.020.109	597.807	415.473
- Rx Rate (L1) (Bit/s)	114,06 K	220,54 K	308,41 M	286,59 M	166,43 M	144,03 M
- Rx Rate (Fps)	170	186	139.677	67.337	19.927	13.849
- Flood Count (Frames)	92	93	78	86	67	55
P-0-2-2						
- Tx (Frames)	36.160.700	20.523.641	11.005.426	5.709.586	2.909.482	2.336.531
- Tx Rate (L1) (Bit/s)	810 M	810 M	810 M	810 M	810 M	810 M
- Tx Rate (Fps)	1.205.357	684.121	366.848	190.320	96.983	77.884
- Rx (Frames)	4.906	5.317	3.978.398	2.193.023	577.704	460.889
- Rx Rate (L1) (Bit/s)	109,89 K	209,84 K	292,81 M	311,12 M	160,83 M	159,77 M
- Rx Rate (Fps)	164	177	132.613	73.101	19.257	15.363
- Flood Count (Frames)	92	95	85	81	65	59
P-0-2-3						
- Tx (Frames)	36.160.700	20.523.641	11.005.426	5.709.586	2.909.482	2.336.531
- Tx Rate (L1) (Bit/s)	810 M	810 M	810 M	810 M	810 M	810 M
- Tx Rate (Fps)	1.205.357	684.121	366.848	190.320	96.983	77.884
- Rx (Frames)	4.796	5.013	3.854.909	2.227.510	617.971	441.717
- Rx Rate (L1) (Bit/s)	107,43 K	197,85 K	283,72 M	316,01 M	172,04 M	153,13 M
- Rx Rate (Fps)	160	167	128.497	74.250	20.599	14.724
- Flood Count (Frames)	94	93	84	91	56	56
P-0-2-4						
- Tx (Frames)	36.160.700	20.523.641	11.005.426	5.709.586	2.909.482	2.336.531
- Tx Rate (L1) (Bit/s)	810 M	810 M	810 M	810 M	810 M	810 M
- Tx Rate (Fps)	1.205.357	684.121	366.848	190.320	96.983	77.884
- Rx (Frames)	5.637	5.280.899	4.229.383	2.059.639	909.182	645.550
- Rx Rate (L1) (Bit/s)	126,27 K	208,42 M	311,28 M	292,19 M	253,12 M	223,79 M
- Rx Rate (Fps)	188	176.030	140.979	68.655	30.306	21.518
- Flood Count (Frames)	92	94	94	88	81	75
P-0-2-5						
- Tx (Frames)	36.160.700	20.523.641	11.005.426	5.709.586	2.909.482	2.336.531
- Tx Rate (L1) (Bit/s)	810 M	810 M	810 M	810 M	810 M	810 M
- Tx Rate (Fps)	1.205.357	684.121	366.848	190.320	96.983	77.884
- Rx (Frames)	5.571	5.284.328	4.151.889	2.236.211	873.914	596.524
- Rx Rate (L1) (Bit/s)	124,79 K	208,55 M	305,58 M	317,24 M	243,3 M	206,79 M
- Rx Rate (Fps)	186	176.144	138.396	74.540	29.130	19.884
- Flood Count (Frames)	93	93	89	90	70	76
P-0-4-0						
- Tx (Frames)	36.160.700	20.523.641	11.005.426	5.709.586	2.909.482	2.336.531
- Tx Rate (L1) (Bit/s)	810 M	810 M	810 M	810 M	810 M	810 M
- Tx Rate (Fps)	1.205.357	684.121	366.848	190.320	96.983	77.884
- Rx (Frames)	5.567	5.348.138	4.441.307	2.443.576	988.010	664.586
- Rx Rate (L1) (Bit/s)	124,7 K	211,07 M	326,88 M	346,66 M	275,06 M	230,39 M
- Rx Rate (Fps)	186	178.271	148.044	81.453	32.934	22.153
- Flood Count (Frames)	95	93	90	93	84	71
P-0-4-1						

- Tx (Frames)	36.160.700	20.523.641	11.005.426	5.709.586	2.909.482	2.336.531
- Tx Rate (L1) (Bit/s)	810 M	810 M	810 M	810 M	810 M	810 M
- Tx Rate (Fps)	1.205.357	684.121	366.848	190.320	96.983	77.884
- Rx (Frames)	5.892	6.191.423	4.697.017	2.456.631	1.038.377	655.061
- Rx Rate (L1) (Bit/s)	131,98 K	244,35 M	345,7 M	348,51 M	289,08 M	227,09 M
- Rx Rate (Fps)	196	206.381	156.567	81.888	34.613	21.835
- Flood Count (Frames)	93	91	93	94	81	78
P-0-4-2						
- Tx (Frames)	36.160.700	20.523.641	11.005.426	5.709.586	2.909.482	2.336.531
- Tx Rate (L1) (Bit/s)	810 M	810 M	810 M	810 M	810 M	810 M
- Tx Rate (Fps)	1.205.357	684.121	366.848	190.320	96.983	77.884
- Rx (Frames)	6.201	8.452.354	4.761.928	2.490.680	1.338.605	1.045.883
- Rx Rate (L1) (Bit/s)	138,9 K	333,59 M	350,48 M	353,34 M	372,67 M	362,57 M
- Rx Rate (Fps)	207	281.745	158.731	83.023	44.620	34.863
- Flood Count (Frames)	92	93	91	88	92	93
P-0-4-3						
- Tx (Frames)	36.160.700	20.523.641	11.005.426	5.709.586	2.909.482	2.336.531
- Tx Rate (L1) (Bit/s)	810 M	810 M	810 M	810 M	810 M	810 M
- Tx Rate (Fps)	1.205.357	684.121	366.848	190.320	96.983	77.884
- Rx (Frames)	6.106	8.452.221	4.964.185	2.571.734	1.389.189	1.071.651
- Rx Rate (L1) (Bit/s)	136,77 K	333,58 M	365,36 M	364,84 M	386,75 M	371,51 M
- Rx Rate (Fps)	204	281.741	165.473	85.724	46.306	35.722
- Flood Count (Frames)	92	93	91	89	94	93
P-0-4-4						
- Tx (Frames)	36.160.700	20.523.641	11.005.426	5.709.586	2.909.482	2.336.531
- Tx Rate (L1) (Bit/s)	810 M	810 M	810 M	810 M	810 M	810 M
- Tx Rate (Fps)	1.205.357	684.121	366.848	190.320	96.983	77.884
- Rx (Frames)	6.130	8.452.013	5.023.631	2.618.655	1.273.329	1.065.985
- Rx Rate (L1) (Bit/s)	137,31 K	333,57 M	369,74 M	371,5 M	354,49 M	369,54 M
- Rx Rate (Fps)	204	281.734	167.454	87.289	42.444	35.533
- Flood Count (Frames)	95	91	92	95	91	94
P-0-4-5						
- Tx (Frames)	36.160.700	20.523.641	11.005.426	5.709.586	2.909.482	2.336.531
- Tx Rate (L1) (Bit/s)	810 M	810 M	810 M	810 M	810 M	810 M
- Tx Rate (Fps)	1.205.357	684.121	366.848	190.320	96.983	77.884
- Rx (Frames)	7.702	8.452.336	5.077.395	2.648.605	1.274.365	1.054.424
- Rx Rate (L1) (Bit/s)	172,52 K	333,59 M	373,7 M	375,75 M	354,78 M	365,53 M
- Rx Rate (Fps)	257	281.745	169.247	88.287	42.479	35.147
- Flood Count (Frames)	90	94	93	93	92	90

<b>Frame Size</b>	<b>1518</b>
Result State	<b>PASS</b>
Iter. #	1
Tx Rate (Percent)	90 %
Tx Rate (L1) (Bit/s)	14,58 G
Tx Rate (Fps)	1.184.975
Rx Rate (Percent)	31,47 %
Rx Rate (L1) (Bit/s)	5,1 G
Rx Rate (Fps)	414,37 K
Loss Rate (Percent)	<b>65,03 %</b>
Loss (Frames)	<b>23.118.067</b>
P-0-0-0	
- Tx (Frames)	1.974.958
- Tx Rate (L1) (Bit/s)	810 M
- Tx Rate (Fps)	65.832
- Rx (Frames)	806.019
- Rx Rate (L1) (Bit/s)	330,58 M
- Rx Rate (Fps)	26.867
- Flood Count (Frames)	1
P-0-0-1	
- Tx (Frames)	1.974.958
- Tx Rate (L1) (Bit/s)	810 M
- Tx Rate (Fps)	65.832
- Rx (Frames)	789.009
- Rx Rate (L1) (Bit/s)	323,6 M
- Rx Rate (Fps)	26.300
- Flood Count (Frames)	88
P-0-0-2	
- Tx (Frames)	1.974.958
- Tx Rate (L1) (Bit/s)	810 M

- Tx Rate (Fps)	65.832
- Rx (Frames)	786.337
- Rx Rate (L1) (Bit/s)	322,5 M
- Rx Rate (Fps)	26.211
- Flood Count (Frames)	81
P-0-0-3	
- Tx (Frames)	1.974.958
- Tx Rate (L1) (Bit/s)	810 M
- Tx Rate (Fps)	65.832
- Rx (Frames)	746.683
- Rx Rate (L1) (Bit/s)	306,24 M
- Rx Rate (Fps)	24.889
- Flood Count (Frames)	87
P-0-0-4	
- Tx (Frames)	1.974.958
- Tx Rate (L1) (Bit/s)	810 M
- Tx Rate (Fps)	65.832
- Rx (Frames)	755.437
- Rx Rate (L1) (Bit/s)	309,83 M
- Rx Rate (Fps)	25.181
- Flood Count (Frames)	84
P-0-0-5	
- Tx (Frames)	1.974.958
- Tx Rate (L1) (Bit/s)	810 M
- Tx Rate (Fps)	65.832
- Rx (Frames)	778.852
- Rx Rate (L1) (Bit/s)	319,43 M
- Rx Rate (Fps)	25.962
- Flood Count (Frames)	81
P-0-2-0	
- Tx (Frames)	1.974.958
- Tx Rate (L1) (Bit/s)	810 M
- Tx Rate (Fps)	65.832
- Rx (Frames)	417.690
- Rx Rate (L1) (Bit/s)	171,31 M
- Rx Rate (Fps)	13.923
- Flood Count (Frames)	58
P-0-2-1	
- Tx (Frames)	1.974.958
- Tx Rate (L1) (Bit/s)	810 M
- Tx Rate (Fps)	65.832
- Rx (Frames)	471.234
- Rx Rate (L1) (Bit/s)	193,27 M
- Rx Rate (Fps)	15.708
- Flood Count (Frames)	68
P-0-2-2	
- Tx (Frames)	1.974.958
- Tx Rate (L1) (Bit/s)	810 M
- Tx Rate (Fps)	65.832
- Rx (Frames)	452.734
- Rx Rate (L1) (Bit/s)	185,68 M
- Rx Rate (Fps)	15.091
- Flood Count (Frames)	53
P-0-2-3	
- Tx (Frames)	1.974.958
- Tx Rate (L1) (Bit/s)	810 M
- Tx Rate (Fps)	65.832
- Rx (Frames)	476.972
- Rx Rate (L1) (Bit/s)	195,62 M
- Rx Rate (Fps)	15.899
- Flood Count (Frames)	59
P-0-2-4	
- Tx (Frames)	1.974.958
- Tx Rate (L1) (Bit/s)	810 M
- Tx Rate (Fps)	65.832
- Rx (Frames)	589.016
- Rx Rate (L1) (Bit/s)	241,58 M
- Rx Rate (Fps)	19.634
- Flood Count (Frames)	80
P-0-2-5	
- Tx (Frames)	1.974.958

- Tx Rate (L1) (Bit/s)	810 M
- Tx Rate (Fps)	65.832
- Rx (Frames)	538.829
- Rx Rate (L1) (Bit/s)	220,99 M
- Rx Rate (Fps)	17.961
- Flood Count (Frames)	79
P-0-4-0	
- Tx (Frames)	1.974.958
- Tx Rate (L1) (Bit/s)	810 M
- Tx Rate (Fps)	65.832
- Rx (Frames)	635.178
- Rx Rate (L1) (Bit/s)	260,51 M
- Rx Rate (Fps)	21.173
- Flood Count (Frames)	73
P-0-4-1	
- Tx (Frames)	1.974.958
- Tx Rate (L1) (Bit/s)	810 M
- Tx Rate (Fps)	65.832
- Rx (Frames)	606.552
- Rx Rate (L1) (Bit/s)	248,77 M
- Rx Rate (Fps)	20.218
- Flood Count (Frames)	77
P-0-4-2	
- Tx (Frames)	1.974.958
- Tx Rate (L1) (Bit/s)	810 M
- Tx Rate (Fps)	65.832
- Rx (Frames)	912.972
- Rx Rate (L1) (Bit/s)	374,44 M
- Rx Rate (Fps)	30.432
- Flood Count (Frames)	93
P-0-4-3	
- Tx (Frames)	1.974.958
- Tx Rate (L1) (Bit/s)	810 M
- Tx Rate (Fps)	65.832
- Rx (Frames)	915.574
- Rx Rate (L1) (Bit/s)	375,51 M
- Rx Rate (Fps)	30.519
- Flood Count (Frames)	89
P-0-4-4	
- Tx (Frames)	1.974.958
- Tx Rate (L1) (Bit/s)	810 M
- Tx Rate (Fps)	65.832
- Rx (Frames)	883.164
- Rx Rate (L1) (Bit/s)	362,21 M
- Rx Rate (Fps)	29.439
- Flood Count (Frames)	92
P-0-4-5	
- Tx (Frames)	1.974.958
- Tx Rate (L1) (Bit/s)	810 M
- Tx Rate (Fps)	65.832
- Rx (Frames)	868.925
- Rx Rate (L1) (Bit/s)	356,38 M
- Rx Rate (Fps)	28.964
- Flood Count (Frames)	93



## Results for 100,00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	100 %	100 %	100 %	100 %	100 %	100 %
Tx Rate (L1) (Bit/s)	16,2 G	16,2 G	16,2 G	16,2 G	16,2 G	16,2 G
Tx Rate (Fps)	24.107.139	13.682.423	7.336.952	3.806.385	1.939.652	1.557.683
Rx Rate (Percent)	0,01 %	14,79 %	38,3 %	37,95 %	32,04 %	29,21 %
Rx Rate (L1) (Bit/s)	2,06 M	2,4 G	6,2 G	6,15 G	5,19 G	4,73 G
Rx Rate (Fps)	3,07 K	2,02 M	2,81 M	1,44 M	621,49 K	455,02 K
Loss Rate (Percent)	99,99 %	85,21 %	61,7 %	62,05 %	67,96 %	70,79 %
Loss (Frames)	723.122.080	349.775.779	135.811.048	70.854.907	39.544.949	33.079.930
P-0-0-0						
- Tx (Frames)	40.178.565	22.804.038	12.228.253	6.343.975	3.232.754	2.596.138
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	899,99 M
- Tx Rate (Fps)	1.339.286	760.135	407.608	211.466	107.758	86.538
- Rx (Frames)	4.408	4.666	5.560.767	2.658.331	1.332.269	849.011
- Rx Rate (L1) (Bit/s)	98,74 K	184,15 K	409,27 M	377,13 M	370,9 M	294,32 M
- Rx Rate (Fps)	147	156	185.359	88.611	44.409	28.300
- Flood Count (Frames)	0	0	0	0	0	2
P-0-0-1						
- Tx (Frames)	40.178.565	22.804.038	12.228.253	6.343.975	3.232.754	2.596.138
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	899,99 M
- Tx Rate (Fps)	1.339.286	760.135	407.608	211.466	107.758	86.538
- Rx (Frames)	5.053	4.999	5.295.021	2.630.723	1.231.883	832.644
- Rx Rate (L1) (Bit/s)	113,19 K	197,29 K	389,71 M	373,21 M	342,96 M	288,65 M
- Rx Rate (Fps)	168	167	176.501	87.691	41.063	27.755
- Flood Count (Frames)	92	93	82	84	84	69
P-0-0-2						
- Tx (Frames)	40.178.565	22.804.038	12.228.253	6.343.975	3.232.754	2.596.138
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	899,99 M
- Tx Rate (Fps)	1.339.286	760.135	407.608	211.466	107.758	86.538
- Rx (Frames)	4.729	5.047	4.940.817	2.577.265	1.328.088	832.615
- Rx Rate (L1) (Bit/s)	105,93 K	199,19 K	363,64 M	365,63 M	369,74 M	288,64 M
- Rx Rate (Fps)	158	168	164.694	85.909	44.270	27.754
- Flood Count (Frames)	92	94	83	79	88	78
P-0-0-3						
- Tx (Frames)	40.178.565	22.804.038	12.228.253	6.343.975	3.232.754	2.596.138
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	899,99 M
- Tx Rate (Fps)	1.339.286	760.135	407.608	211.466	107.758	86.538
- Rx (Frames)	4.757	5.190	4.645.252	2.501.155	1.245.253	830.809
- Rx Rate (L1) (Bit/s)	106,56 K	204,83 K	341,89 M	354,83 M	346,68 M	288,01 M
- Rx Rate (Fps)	159	173	154.842	83.372	41.508	27.694
- Flood Count (Frames)	90	93	82	78	83	81
P-0-0-4						
- Tx (Frames)	40.178.565	22.804.038	12.228.253	6.343.975	3.232.754	2.596.138

- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	899,99 M
- Tx Rate (Fps)	1.339.286	760.135	407.608	211.466	107.758	86.538
- Rx (Frames)	4.345	5.024	4.532.736	2.512.545	1.333.433	833.975
- Rx Rate (L1) (Bit/s)	97,33 K	198,28 K	333,61 M	356,45 M	371,23 M	289,11 M
- Rx Rate (Fps)	145	167	151.091	83.752	44.448	27.799
- Flood Count (Frames)	90	90	86	81	82	78
P-0-0-5						
- Tx (Frames)	40.178.565	22.804.038	12.228.253	6.343.975	3.232.754	2.596.138
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	899,99 M
- Tx Rate (Fps)	1.339.286	760.135	407.608	211.466	107.758	86.538
- Rx (Frames)	4.045	5.130	4.328.992	2.398.924	1.245.491	841.981
- Rx Rate (L1) (Bit/s)	90,61 K	202,46 K	318,61 M	340,33 M	346,74 M	291,89 M
- Rx Rate (Fps)	135	171	144.300	79.964	41.516	28.066
- Flood Count (Frames)	93	96	82	84	83	83
P-0-2-0						
- Tx (Frames)	40.178.565	22.804.038	12.228.253	6.343.975	3.232.754	2.596.138
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	899,99 M
- Tx Rate (Fps)	1.339.286	760.135	407.608	211.466	107.758	86.538
- Rx (Frames)	4.070	4.780	4.327.248	1.880.741	507.097	369.200
- Rx Rate (L1) (Bit/s)	91,17 K	188,65 K	318,49 M	266,81 M	141,18 M	127,99 M
- Rx Rate (Fps)	136	159	144.242	62.691	16.903	12.307
- Flood Count (Frames)	88	93	87	81	45	50
P-0-2-1						
- Tx (Frames)	40.178.565	22.804.038	12.228.253	6.343.975	3.232.754	2.596.138
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	899,99 M
- Tx Rate (Fps)	1.339.286	760.135	407.608	211.466	107.758	86.538
- Rx (Frames)	4.162	4.922	4.081.690	2.081.046	554.002	358.106
- Rx Rate (L1) (Bit/s)	93,23 K	194,25 K	300,41 M	295,23 M	154,23 M	124,14 M
- Rx Rate (Fps)	139	164	136.056	69.368	18.467	11.937
- Flood Count (Frames)	93	90	79	87	68	49
P-0-2-2						
- Tx (Frames)	40.178.565	22.804.038	12.228.253	6.343.975	3.232.754	2.596.138
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	899,99 M
- Tx Rate (Fps)	1.339.286	760.135	407.608	211.466	107.758	86.538
- Rx (Frames)	4.401	4.787	3.848.589	1.997.307	444.997	359.122
- Rx Rate (L1) (Bit/s)	98,58 K	188,93 K	283,26 M	283,35 M	123,89 M	124,5 M
- Rx Rate (Fps)	147	160	128.286	66.577	14.833	11.971
- Flood Count (Frames)	89	92	85	84	63	50
P-0-2-3						
- Tx (Frames)	40.178.565	22.804.038	12.228.253	6.343.975	3.232.754	2.596.138
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	899,99 M
- Tx Rate (Fps)	1.339.286	760.135	407.608	211.466	107.758	86.538
- Rx (Frames)	5.039	4.731	4.086.997	2.063.995	527.595	356.063
- Rx Rate (L1) (Bit/s)	112,87 K	186,72 K	300,8 M	292,81 M	146,88 M	123,44 M
- Rx Rate (Fps)	168	158	136.233	68.800	17.587	11.869
- Flood Count (Frames)	90	92	84	89	58	53
P-0-2-4						
- Tx (Frames)	40.178.565	22.804.038	12.228.253	6.343.975	3.232.754	2.596.138
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	899,99 M
- Tx Rate (Fps)	1.339.286	760.135	407.608	211.466	107.758	86.538
- Rx (Frames)	5.520	5.291.323	4.255.873	2.354.393	725.505	676.961
- Rx Rate (L1) (Bit/s)	123,65 K	208,83 M	313,23 M	334,01 M	201,98 M	234,68 M
- Rx Rate (Fps)	184	176.377	141.862	78.480	24.184	22.565
- Flood Count (Frames)	89	95	92	93	79	69
P-0-2-5						
- Tx (Frames)	40.178.565	22.804.038	12.228.253	6.343.975	3.232.754	2.596.138
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	899,99 M
- Tx Rate (Fps)	1.339.286	760.135	407.608	211.466	107.758	86.538
- Rx (Frames)	5.848	5.496.501	4.206.694	2.172.897	881.000	621.068
- Rx Rate (L1) (Bit/s)	131 K	216,93 M	309,61 M	308,26 M	245,27 M	215,3 M
- Rx Rate (Fps)	195	183.217	140.223	72.430	29.367	20.702
- Flood Count (Frames)	90	96	94	92	80	72
P-0-4-0						
- Tx (Frames)	40.178.565	22.804.038	12.228.253	6.343.975	3.232.754	2.596.138
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	899,99 M
- Tx Rate (Fps)	1.339.286	760.135	407.608	211.466	107.758	86.538
- Rx (Frames)	5.797	5.957.757	4.786.330	2.354.424	755.677	715.781
- Rx Rate (L1) (Bit/s)	129,85 K	235,13 M	352,27 M	334,01 M	210,38 M	248,14 M
- Rx Rate (Fps)	193	198.592	159.544	78.481	25.189	23.859
- Flood Count (Frames)	92	93	95	93	73	72
P-0-4-1						

- Tx (Frames)	40.178.565	22.804.038	12.228.253	6.343.975	3.232.754	2.596.138
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	899,99 M
- Tx Rate (Fps)	1.339.286	760.135	407.608	211.466	107.758	86.538
- Rx (Frames)	5.808	6.342.786	4.709.485	2.375.335	1.028.798	753.712
- Rx Rate (L1) (Bit/s)	130,1 K	250,33 M	346,62 M	336,98 M	286,42 M	261,29 M
- Rx Rate (Fps)	194	211.426	156.983	79.178	34.293	25.124
- Flood Count (Frames)	91	91	95	90	70	72
P-0-4-2						
- Tx (Frames)	40.178.565	22.804.038	12.228.253	6.343.975	3.232.754	2.596.138
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	899,99 M
- Tx Rate (Fps)	1.339.286	760.135	407.608	211.466	107.758	86.538
- Rx (Frames)	5.730	9.389.786	5.530.758	2.662.554	1.392.181	1.143.914
- Rx Rate (L1) (Bit/s)	128,35 K	370,58 M	407,06 M	377,73 M	387,58 M	396,56 M
- Rx Rate (Fps)	191	312.993	184.359	88.752	46.406	38.130
- Flood Count (Frames)	92	93	91	94	96	93
P-0-4-3						
- Tx (Frames)	40.178.565	22.804.038	12.228.253	6.343.975	3.232.754	2.596.138
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	899,99 M
- Tx Rate (Fps)	1.339.286	760.135	407.608	211.466	107.758	86.538
- Rx (Frames)	5.721	9.389.687	5.157.624	2.697.838	1.439.463	1.144.994
- Rx Rate (L1) (Bit/s)	128,15 K	370,58 M	379,6 M	382,73 M	400,75 M	396,93 M
- Rx Rate (Fps)	191	312.990	171.921	89.928	47.982	38.166
- Flood Count (Frames)	91	90	90	91	93	92
P-0-4-4						
- Tx (Frames)	40.178.565	22.804.038	12.228.253	6.343.975	3.232.754	2.596.138
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	899,99 M
- Tx Rate (Fps)	1.339.286	760.135	407.608	211.466	107.758	86.538
- Rx (Frames)	5.770	9.389.781	5.042.054	2.711.562	1.375.444	1.083.591
- Rx Rate (L1) (Bit/s)	129,25 K	370,58 M	371,1 M	384,68 M	382,92 M	375,64 M
- Rx Rate (Fps)	192	312.993	168.068	90.385	45.848	36.120
- Flood Count (Frames)	92	93	91	90	93	93
P-0-4-5						
- Tx (Frames)	40.178.565	22.804.038	12.228.253	6.343.975	3.232.754	2.596.138
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	899,99 M
- Tx Rate (Fps)	1.339.286	760.135	407.608	211.466	107.758	86.538
- Rx (Frames)	6.887	9.390.008	4.960.579	2.705.608	1.296.447	1.047.007
- Rx Rate (L1) (Bit/s)	154,27 K	370,59 M	365,1 M	383,84 M	360,93 M	362,96 M
- Rx Rate (Fps)	230	313.000	165.353	90.187	43.215	34.900
- Flood Count (Frames)	92	90	95	94	92	92


<b>Frame Size</b>	<b>1518</b>
Result State	<b>PASS</b>
Iter. #	1
Tx Rate (Percent)	100 %
Tx Rate (L1) (Bit/s)	16,2 G
Tx Rate (Fps)	1.316.636
Rx Rate (Percent)	26,64 %
Rx Rate (L1) (Bit/s)	4,32 G
Rx Rate (Fps)	350,74 K
Loss Rate (Percent)	<b>73,36 %</b>
Loss (Frames)	<b>28.976.944</b>
P-0-0-0	
- Tx (Frames)	2.194.394
- Tx Rate (L1) (Bit/s)	899,99 M
- Tx Rate (Fps)	73.146
- Rx (Frames)	576.047
- Rx Rate (L1) (Bit/s)	236,26 M
- Rx Rate (Fps)	19.202
- Flood Count (Frames)	4
P-0-0-1	
- Tx (Frames)	2.194.394
- Tx Rate (L1) (Bit/s)	899,99 M
- Tx Rate (Fps)	73.146
- Rx (Frames)	585.684
- Rx Rate (L1) (Bit/s)	240,21 M
- Rx Rate (Fps)	19.523
- Flood Count (Frames)	70
P-0-0-2	
- Tx (Frames)	2.194.394
- Tx Rate (L1) (Bit/s)	899,99 M



- Tx Rate (Fps)	73.146
- Rx (Frames)	583.172
- Rx Rate (L1) (Bit/s)	239,18 M
- Rx Rate (Fps)	19.439
- Flood Count (Frames)	69
P-0-0-3	
- Tx (Frames)	2.194.394
- Tx Rate (L1) (Bit/s)	899,99 M
- Tx Rate (Fps)	73.146
- Rx (Frames)	586.717
- Rx Rate (L1) (Bit/s)	240,63 M
- Rx Rate (Fps)	19.557
- Flood Count (Frames)	72
P-0-0-4	
- Tx (Frames)	2.194.394
- Tx Rate (L1) (Bit/s)	899,99 M
- Tx Rate (Fps)	73.146
- Rx (Frames)	579.602
- Rx Rate (L1) (Bit/s)	237,71 M
- Rx Rate (Fps)	19.320
- Flood Count (Frames)	74
P-0-0-5	
- Tx (Frames)	2.194.394
- Tx Rate (L1) (Bit/s)	899,99 M
- Tx Rate (Fps)	73.146
- Rx (Frames)	572.563
- Rx Rate (L1) (Bit/s)	234,83 M
- Rx Rate (Fps)	19.085
- Flood Count (Frames)	74
P-0-2-0	
- Tx (Frames)	2.194.394
- Tx Rate (L1) (Bit/s)	899,99 M
- Tx Rate (Fps)	73.146
- Rx (Frames)	287.766
- Rx Rate (L1) (Bit/s)	118,02 M
- Rx Rate (Fps)	9.592
- Flood Count (Frames)	47
P-0-2-1	
- Tx (Frames)	2.194.394
- Tx Rate (L1) (Bit/s)	899,99 M
- Tx Rate (Fps)	73.146
- Rx (Frames)	249.842
- Rx Rate (L1) (Bit/s)	102,47 M
- Rx Rate (Fps)	8.328
- Flood Count (Frames)	51
P-0-2-2	
- Tx (Frames)	2.194.394
- Tx Rate (L1) (Bit/s)	899,99 M
- Tx Rate (Fps)	73.146
- Rx (Frames)	252.571
- Rx Rate (L1) (Bit/s)	103,59 M
- Rx Rate (Fps)	8.419
- Flood Count (Frames)	54
P-0-2-3	
- Tx (Frames)	2.194.394
- Tx Rate (L1) (Bit/s)	899,99 M
- Tx Rate (Fps)	73.146
- Rx (Frames)	257.594
- Rx Rate (L1) (Bit/s)	105,65 M
- Rx Rate (Fps)	8.586
- Flood Count (Frames)	42
P-0-2-4	
- Tx (Frames)	2.194.394
- Tx Rate (L1) (Bit/s)	899,99 M
- Tx Rate (Fps)	73.146
- Rx (Frames)	557.958
- Rx Rate (L1) (Bit/s)	228,84 M
- Rx Rate (Fps)	18.599
- Flood Count (Frames)	77
P-0-2-5	
- Tx (Frames)	2.194.394



- Tx Rate (L1) (Bit/s)	899,99 M
- Tx Rate (Fps)	73.146
- Rx (Frames)	572.763
- Rx Rate (L1) (Bit/s)	234,91 M
- Rx Rate (Fps)	19.092
- Flood Count (Frames)	80
P-0-4-0	
- Tx (Frames)	2.194.394
- Tx Rate (L1) (Bit/s)	899,99 M
- Tx Rate (Fps)	73.146
- Rx (Frames)	579.846
- Rx Rate (L1) (Bit/s)	237,81 M
- Rx Rate (Fps)	19.328
- Flood Count (Frames)	79
P-0-4-1	
- Tx (Frames)	2.194.394
- Tx Rate (L1) (Bit/s)	899,99 M
- Tx Rate (Fps)	73.146
- Rx (Frames)	565.401
- Rx Rate (L1) (Bit/s)	231,89 M
- Rx Rate (Fps)	18.847
- Flood Count (Frames)	77
P-0-4-2	
- Tx (Frames)	2.194.394
- Tx Rate (L1) (Bit/s)	899,99 M
- Tx Rate (Fps)	73.146
- Rx (Frames)	933.540
- Rx Rate (L1) (Bit/s)	382,88 M
- Rx Rate (Fps)	31.118
- Flood Count (Frames)	91
P-0-4-3	
- Tx (Frames)	2.194.394
- Tx Rate (L1) (Bit/s)	899,99 M
- Tx Rate (Fps)	73.146
- Rx (Frames)	957.059
- Rx Rate (L1) (Bit/s)	392,52 M
- Rx Rate (Fps)	31.902
- Flood Count (Frames)	92
P-0-4-4	
- Tx (Frames)	2.194.394
- Tx Rate (L1) (Bit/s)	899,99 M
- Tx Rate (Fps)	73.146
- Rx (Frames)	931.949
- Rx Rate (L1) (Bit/s)	382,22 M
- Rx Rate (Fps)	31.065
- Flood Count (Frames)	93
P-0-4-5	
- Tx (Frames)	2.194.394
- Tx Rate (L1) (Bit/s)	899,99 M
- Tx Rate (Fps)	73.146
- Rx (Frames)	892.074
- Rx Rate (L1) (Bit/s)	365,87 M
- Rx Rate (Fps)	29.736
- Flood Count (Frames)	93



## Rate Test: Part.Mesh, 1:N Results

### Test Setup

Duration: 30 seconds  
 Iteration: 1  
 Topology: Blocks  
 Direction: Bidirectional

### Throughput Options

Initial Rate: 10,00%  
 Maximum Rate: 100,00%  
 Minimum Rate: 10,00%  
 Resolution: 10,00%

### Used Ports

Port ID	Port Role
P-0-0-0	East
P-0-0-1	West
P-0-0-2	West
P-0-0-3	West
P-0-0-4	West
P-0-0-5	West
P-0-2-0	West
P-0-2-1	West
P-0-2-2	West
P-0-2-3	West
P-0-2-4	West
P-0-2-5	West
P-0-4-0	West
P-0-4-1	West
P-0-4-2	West
P-0-4-3	West
P-0-4-4	West
P-0-4-5	West

### Throughput Test Results

Frame Size	64	128	256	512	1024	1280
Result State	FAIL	FAIL	FAIL	FAIL	FAIL	FAIL
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	10 %	10 %	10 %	10 %	10 %	10 %
Tx Rate (L1) (Bit/s)	1,62 G	1,62 G	1,62 G	1,62 G	1,62 G	1,62 G
Tx Rate (Fps)	2.410.714	1.368.243	733.695	380.639	193.965	155.769
Rx Rate (Percent)	5,86 %	5,97 %	6,04 %	6,07 %	6,09 %	6,09 %
Rx Rate (L1) (Bit/s)	949,69 M	966,91 M	977,75 M	983,91 M	987,2 M	987,18 M
Rx Rate (Fps)	1,41 M	816,65 K	442,82 K	231,18 K	118,2 K	94,92 K
Loss Rate (Percent)	41,38 %	40,31 %	39,65 %	39,26 %	39,06 %	39,06 %
Loss (Frames)	29.924.509	16.547.875	8.726.248	4.483.690	2.272.974	1.825.434
P-0-0-0						
- Tx (Frames)	4.017.848	2.280.397	1.222.810	634.389	323.272	259.607
- Tx Rate (L1) (Bit/s)	90 M	90 M	90 M	90 M	90 M	90 M
- Tx Rate (Fps)	133.928	76.013	40.760	21.146	10.776	8.654
- Rx (Frames)	38.389.766	22.223.397	12.064.001	6.302.169	3.223.229	2.590.416
- Rx Rate (L1) (Bit/s)	859,93 M	877,08 M	887,91 M	894,07 M	897,35 M	898,01 M
- Rx Rate (Fps)	1.279.659	740.780	402.133	210.072	107.441	86.347
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-1						
- Tx (Frames)	4.017.857	2.280.405	1.222.826	634.398	323.275	259.615
- Tx Rate (L1) (Bit/s)	90 M	90 M	90 M	90 M	90 M	90 M
- Tx Rate (Fps)	133.929	76.014	40.761	21.147	10.776	8.654
- Rx (Frames)	236.341	134.141	71.930	37.317	19.015	15.231
- Rx Rate (L1) (Bit/s)	5,29 M	5,29 M	5,29 M	5,29 M	5,29 M	5,28 M
- Rx Rate (Fps)	7.878	4.471	2.398	1.244	634	508

- Flood Count (Frames)	93	90	92	88	92	90
P-0-0-2						
- Tx (Frames)	4.017.857	2.280.405	1.222.826	634.398	323.275	259.615
- Tx Rate (L1) (Bit/s)	90 M	90 M	90 M	90 M	90 M	90 M
- Tx Rate (Fps)	133.929	76.014	40.761	21.147	10.776	8.654
- Rx (Frames)	236.339	134.141	71.930	37.317	19.011	15.199
- Rx Rate (L1) (Bit/s)	5,29 M	5,29 M	5,29 M	5,29 M	5,29 M	5,27 M
- Rx Rate (Fps)	7.878	4.471	2.398	1.244	634	507
- Flood Count (Frames)	92	92	90	95	91	94
P-0-0-3						
- Tx (Frames)	4.017.857	2.280.405	1.222.826	634.398	323.275	259.615
- Tx Rate (L1) (Bit/s)	90 M	90 M	90 M	90 M	90 M	90 M
- Tx Rate (Fps)	133.929	76.014	40.761	21.147	10.776	8.654
- Rx (Frames)	236.339	134.141	71.930	37.317	19.013	15.169
- Rx Rate (L1) (Bit/s)	5,29 M	5,29 M	5,29 M	5,29 M	5,29 M	5,26 M
- Rx Rate (Fps)	7.878	4.471	2.398	1.244	634	506
- Flood Count (Frames)	92	91	95	90	91	93
P-0-0-4						
- Tx (Frames)	4.017.857	2.280.405	1.222.826	634.398	323.275	259.615
- Tx Rate (L1) (Bit/s)	90 M	90 M	90 M	90 M	90 M	90 M
- Tx Rate (Fps)	133.929	76.014	40.761	21.147	10.776	8.654
- Rx (Frames)	236.339	134.141	71.930	37.317	19.013	15.151
- Rx Rate (L1) (Bit/s)	5,29 M	5,29 M	5,29 M	5,29 M	5,29 M	5,25 M
- Rx Rate (Fps)	7.878	4.471	2.398	1.244	634	505
- Flood Count (Frames)	90	93	96	88	93	93
P-0-0-5						
- Tx (Frames)	4.017.857	2.280.405	1.222.826	634.398	323.275	259.615
- Tx Rate (L1) (Bit/s)	90 M	90 M	90 M	90 M	90 M	90 M
- Tx Rate (Fps)	133.929	76.014	40.761	21.147	10.776	8.654
- Rx (Frames)	236.338	134.141	71.930	37.317	19.014	15.183
- Rx Rate (L1) (Bit/s)	5,29 M	5,29 M	5,29 M	5,29 M	5,29 M	5,26 M
- Rx Rate (Fps)	7.878	4.471	2.398	1.244	634	506
- Flood Count (Frames)	92	93	94	88	91	92
P-0-2-0						
- Tx (Frames)	4.017.857	2.280.405	1.222.826	634.398	323.275	259.615
- Tx Rate (L1) (Bit/s)	90 M	90 M	90 M	90 M	90 M	90 M
- Tx Rate (Fps)	133.929	76.014	40.761	21.147	10.776	8.654
- Rx (Frames)	233.674	132.932	71.295	36.993	18.865	15.068
- Rx Rate (L1) (Bit/s)	5,23 M	5,25 M	5,25 M	5,25 M	5,25 M	5,22 M
- Rx Rate (Fps)	7.789	4.431	2.377	1.233	629	502
- Flood Count (Frames)	92	89	86	90	90	91
P-0-2-1						
- Tx (Frames)	4.017.857	2.280.405	1.222.826	634.398	323.275	259.615
- Tx Rate (L1) (Bit/s)	90 M	90 M	90 M	90 M	90 M	90 M
- Tx Rate (Fps)	133.929	76.014	40.761	21.147	10.776	8.654
- Rx (Frames)	234.526	133.106	71.367	37.083	18.880	15.077
- Rx Rate (L1) (Bit/s)	5,25 M	5,25 M	5,25 M	5,26 M	5,26 M	5,23 M
- Rx Rate (Fps)	7.818	4.437	2.379	1.236	629	503
- Flood Count (Frames)	90	90	88	89	94	91
P-0-2-2						
- Tx (Frames)	4.017.857	2.280.405	1.222.826	634.398	323.275	259.615
- Tx Rate (L1) (Bit/s)	90 M	90 M	90 M	90 M	90 M	90 M
- Tx Rate (Fps)	133.929	76.014	40.761	21.147	10.776	8.654
- Rx (Frames)	234.489	133.128	71.475	37.100	18.932	15.096
- Rx Rate (L1) (Bit/s)	5,25 M	5,25 M	5,26 M	5,26 M	5,27 M	5,23 M
- Rx Rate (Fps)	7.816	4.438	2.383	1.237	631	503
- Flood Count (Frames)	95	90	93	91	94	93
P-0-2-3						
- Tx (Frames)	4.017.857	2.280.405	1.222.826	634.398	323.275	259.615
- Tx Rate (L1) (Bit/s)	90 M	90 M	90 M	90 M	90 M	90 M
- Tx Rate (Fps)	133.929	76.014	40.761	21.147	10.776	8.654
- Rx (Frames)	234.160	133.011	71.376	36.999	18.890	15.067
- Rx Rate (L1) (Bit/s)	5,25 M	5,25 M	5,25 M	5,25 M	5,26 M	5,22 M
- Rx Rate (Fps)	7.805	4.434	2.379	1.233	630	502
- Flood Count (Frames)	92	91	90	87	91	92
P-0-2-4						
- Tx (Frames)	4.017.857	2.280.405	1.222.826	634.398	323.275	259.615
- Tx Rate (L1) (Bit/s)	90 M	90 M	90 M	90 M	90 M	90 M
- Tx Rate (Fps)	133.929	76.014	40.761	21.147	10.776	8.654
- Rx (Frames)	236.041	134.141	71.930	37.317	19.013	15.149
- Rx Rate (L1) (Bit/s)	5,29 M	5,29 M	5,29 M	5,29 M	5,29 M	5,25 M

- Rx Rate (Fps)	7.868	4.471	2.398	1.244	634	505
- Flood Count (Frames)	92	90	89	89	93	90
P-0-2-5						
- Tx (Frames)	4.017.857	2.280.405	1.222.826	634.398	323.275	259.615
- Tx Rate (L1) (Bit/s)	90 M	90 M	90 M	90 M	90 M	90 M
- Tx Rate (Fps)	133.929	76.014	40.761	21.147	10.776	8.654
- Rx (Frames)	236.011	134.141	71.930	37.317	19.015	15.141
- Rx Rate (L1) (Bit/s)	5,29 M	5,29 M	5,29 M	5,29 M	5,29 M	5,25 M
- Rx Rate (Fps)	7.867	4.471	2.398	1.244	634	505
- Flood Count (Frames)	93	90	93	90	90	89
P-0-4-0						
- Tx (Frames)	4.017.857	2.280.405	1.222.826	634.398	323.275	259.615
- Tx Rate (L1) (Bit/s)	90 M	90 M	90 M	90 M	90 M	90 M
- Tx Rate (Fps)	133.929	76.014	40.761	21.147	10.776	8.654
- Rx (Frames)	236.049	134.141	71.930	37.317	19.011	15.115
- Rx Rate (L1) (Bit/s)	5,29 M	5,29 M	5,29 M	5,29 M	5,29 M	5,24 M
- Rx Rate (Fps)	7.868	4.471	2.398	1.244	634	504
- Flood Count (Frames)	93	91	88	93	93	92
P-0-4-1						
- Tx (Frames)	4.017.857	2.280.405	1.222.826	634.398	323.275	259.615
- Tx Rate (L1) (Bit/s)	90 M	90 M	90 M	90 M	90 M	90 M
- Tx Rate (Fps)	133.929	76.014	40.761	21.147	10.776	8.654
- Rx (Frames)	236.054	134.141	71.930	37.317	19.015	15.148
- Rx Rate (L1) (Bit/s)	5,29 M	5,29 M	5,29 M	5,29 M	5,29 M	5,25 M
- Rx Rate (Fps)	7.868	4.471	2.398	1.244	634	505
- Flood Count (Frames)	88	91	91	92	94	90
P-0-4-2						
- Tx (Frames)	4.017.857	2.280.405	1.222.826	634.398	323.275	259.615
- Tx Rate (L1) (Bit/s)	90 M	90 M	90 M	90 M	90 M	90 M
- Tx Rate (Fps)	133.929	76.014	40.761	21.147	10.776	8.654
- Rx (Frames)	236.054	134.141	71.930	37.317	19.012	15.091
- Rx Rate (L1) (Bit/s)	5,29 M	5,29 M	5,29 M	5,29 M	5,29 M	5,23 M
- Rx Rate (Fps)	7.868	4.471	2.398	1.244	634	503
- Flood Count (Frames)	90	92	93	91	90	88
P-0-4-3						
- Tx (Frames)	4.017.857	2.280.405	1.222.826	634.398	323.275	259.615
- Tx Rate (L1) (Bit/s)	90 M	90 M	90 M	90 M	90 M	90 M
- Tx Rate (Fps)	133.929	76.014	40.761	21.147	10.776	8.654
- Rx (Frames)	236.047	134.141	71.930	37.317	19.015	15.125
- Rx Rate (L1) (Bit/s)	5,29 M	5,29 M	5,29 M	5,29 M	5,29 M	5,24 M
- Rx Rate (Fps)	7.868	4.471	2.398	1.244	634	504
- Flood Count (Frames)	89	90	92	91	90	94
P-0-4-4						
- Tx (Frames)	4.017.857	2.280.405	1.222.826	634.398	323.275	259.615
- Tx Rate (L1) (Bit/s)	90 M	90 M	90 M	90 M	90 M	90 M
- Tx Rate (Fps)	133.929	76.014	40.761	21.147	10.776	8.654
- Rx (Frames)	236.034	134.141	71.930	37.317	19.016	15.096
- Rx Rate (L1) (Bit/s)	5,29 M	5,29 M	5,29 M	5,29 M	5,29 M	5,23 M
- Rx Rate (Fps)	7.868	4.471	2.398	1.244	634	503
- Flood Count (Frames)	93	91	93	92	91	91
P-0-4-5						
- Tx (Frames)	4.017.857	2.280.405	1.222.826	634.398	323.275	259.615
- Tx Rate (L1) (Bit/s)	90 M	90 M	90 M	90 M	90 M	90 M
- Tx Rate (Fps)	133.929	76.014	40.761	21.147	10.776	8.654
- Rx (Frames)	236.307	134.141	71.930	37.317	19.014	15.106
- Rx Rate (L1) (Bit/s)	5,29 M	5,29 M	5,29 M	5,29 M	5,29 M	5,24 M
- Rx Rate (Fps)	7.877	4.471	2.398	1.244	634	504
- Flood Count (Frames)	93	93	90	90	88	94


<b>Frame Size</b>	<b>1518</b>
Result State	<b>FAIL</b>
Iter. #	1
Tx Rate (Percent)	10 %
Tx Rate (L1) (Bit/s)	1,62 G
Tx Rate (Fps)	131.664
Rx Rate (Percent)	6,1 %
Rx Rate (L1) (Bit/s)	987,75 M
Rx Rate (Fps)	80,28 K
Loss Rate (Percent)	<b>39,03 %</b>
Loss (Frames)	<b>1.541.545</b>

P-0-0-0	
- Tx (Frames)	219.436
- Tx Rate (L1) (Bit/s)	90 M
- Tx Rate (Fps)	7.315
- Rx (Frames)	2.190.717
- Rx Rate (L1) (Bit/s)	898,49 M
- Rx Rate (Fps)	73.024
- Flood Count (Frames)	0
P-0-0-1	
- Tx (Frames)	219.440
- Tx Rate (L1) (Bit/s)	90 M
- Tx Rate (Fps)	7.315
- Rx (Frames)	12.887
- Rx Rate (L1) (Bit/s)	5,29 M
- Rx Rate (Fps)	430
- Flood Count (Frames)	90
P-0-0-2	
- Tx (Frames)	219.440
- Tx Rate (L1) (Bit/s)	90 M
- Tx Rate (Fps)	7.315
- Rx (Frames)	12.846
- Rx Rate (L1) (Bit/s)	5,27 M
- Rx Rate (Fps)	428
- Flood Count (Frames)	93
P-0-0-3	
- Tx (Frames)	219.440
- Tx Rate (L1) (Bit/s)	90 M
- Tx Rate (Fps)	7.315
- Rx (Frames)	12.814
- Rx Rate (L1) (Bit/s)	5,26 M
- Rx Rate (Fps)	427
- Flood Count (Frames)	94
P-0-0-4	
- Tx (Frames)	219.440
- Tx Rate (L1) (Bit/s)	90 M
- Tx Rate (Fps)	7.315
- Rx (Frames)	12.822
- Rx Rate (L1) (Bit/s)	5,26 M
- Rx Rate (Fps)	427
- Flood Count (Frames)	94
P-0-0-5	
- Tx (Frames)	219.440
- Tx Rate (L1) (Bit/s)	90 M
- Tx Rate (Fps)	7.315
- Rx (Frames)	12.850
- Rx Rate (L1) (Bit/s)	5,27 M
- Rx Rate (Fps)	428
- Flood Count (Frames)	95
P-0-2-0	
- Tx (Frames)	219.440
- Tx Rate (L1) (Bit/s)	90 M
- Tx Rate (Fps)	7.315
- Rx (Frames)	12.744
- Rx Rate (L1) (Bit/s)	5,23 M
- Rx Rate (Fps)	425
- Flood Count (Frames)	91
P-0-2-1	
- Tx (Frames)	219.440
- Tx Rate (L1) (Bit/s)	90 M
- Tx Rate (Fps)	7.315
- Rx (Frames)	12.776
- Rx Rate (L1) (Bit/s)	5,24 M
- Rx Rate (Fps)	426
- Flood Count (Frames)	89
P-0-2-2	
- Tx (Frames)	219.440
- Tx Rate (L1) (Bit/s)	90 M
- Tx Rate (Fps)	7.315
- Rx (Frames)	12.775
- Rx Rate (L1) (Bit/s)	5,24 M
- Rx Rate (Fps)	426

- Flood Count (Frames)	93
P-0-2-3	
- Tx (Frames)	219.440
- Tx Rate (L1) (Bit/s)	90 M
- Tx Rate (Fps)	7.315
- Rx (Frames)	12.774
- Rx Rate (L1) (Bit/s)	5,24 M
- Rx Rate (Fps)	426
- Flood Count (Frames)	91
P-0-2-4	
- Tx (Frames)	219.440
- Tx Rate (L1) (Bit/s)	90 M
- Tx Rate (Fps)	7.315
- Rx (Frames)	12.841
- Rx Rate (L1) (Bit/s)	5,27 M
- Rx Rate (Fps)	428
- Flood Count (Frames)	93
P-0-2-5	
- Tx (Frames)	219.440
- Tx Rate (L1) (Bit/s)	90 M
- Tx Rate (Fps)	7.315
- Rx (Frames)	12.850
- Rx Rate (L1) (Bit/s)	5,27 M
- Rx Rate (Fps)	428
- Flood Count (Frames)	94
P-0-4-0	
- Tx (Frames)	219.440
- Tx Rate (L1) (Bit/s)	90 M
- Tx Rate (Fps)	7.315
- Rx (Frames)	12.784
- Rx Rate (L1) (Bit/s)	5,24 M
- Rx Rate (Fps)	426
- Flood Count (Frames)	94
P-0-4-1	
- Tx (Frames)	219.440
- Tx Rate (L1) (Bit/s)	90 M
- Tx Rate (Fps)	7.315
- Rx (Frames)	12.804
- Rx Rate (L1) (Bit/s)	5,25 M
- Rx Rate (Fps)	427
- Flood Count (Frames)	93
P-0-4-2	
- Tx (Frames)	219.440
- Tx Rate (L1) (Bit/s)	90 M
- Tx Rate (Fps)	7.315
- Rx (Frames)	12.773
- Rx Rate (L1) (Bit/s)	5,24 M
- Rx Rate (Fps)	426
- Flood Count (Frames)	94
P-0-4-3	
- Tx (Frames)	219.440
- Tx Rate (L1) (Bit/s)	90 M
- Tx Rate (Fps)	7.315
- Rx (Frames)	12.776
- Rx Rate (L1) (Bit/s)	5,24 M
- Rx Rate (Fps)	426
- Flood Count (Frames)	90
P-0-4-4	
- Tx (Frames)	219.440
- Tx Rate (L1) (Bit/s)	90 M
- Tx Rate (Fps)	7.315
- Rx (Frames)	12.764
- Rx Rate (L1) (Bit/s)	5,23 M
- Rx Rate (Fps)	425
- Flood Count (Frames)	91
P-0-4-5	
- Tx (Frames)	219.440
- Tx Rate (L1) (Bit/s)	90 M
- Tx Rate (Fps)	7.315
- Rx (Frames)	12.774
- Rx Rate (L1) (Bit/s)	5,24 M

- Rx Rate (Fps)	426
- Flood Count (Frames)	94

Note: One or more of the rate tests did not pass the test criteria!



## Forwarding Test Results

### Results for 10,00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	10 %	10 %	10 %	10 %	10 %	10 %
Tx Rate (L1) (Bit/s)	1,62 G	1,62 G	1,62 G	1,62 G	1,62 G	1,62 G
Tx Rate (Fps)	2.410.714	1.368.243	733.695	380.639	193.965	155.769
Rx Rate (Percent)	5,86 %	5,97 %	6,04 %	6,07 %	6,09 %	6,09 %
Rx Rate (L1) (Bit/s)	949,72 M	966,91 M	977,8 M	983,89 M	987,18 M	987,17 M
Rx Rate (Fps)	1,41 M	816,64 K	442,84 K	231,18 K	118,2 K	94,92 K
Loss Rate (Percent)	41,38 %	40,31 %	39,64 %	39,27 %	39,06 %	39,06 %
Loss (Frames)	29.923.234	16.547.952	8.725.575	4.483.850	2.273.027	1.825.470
P-0-0-0						
- Tx (Frames)	4.017.848	2.280.397	1.222.810	634.389	323.272	259.607
- Tx Rate (L1) (Bit/s)	90 M	90 M	90 M	90 M	90 M	90 M
- Tx Rate (Fps)	133.928	76.013	40.760	21.146	10.776	8.654
- Rx (Frames)	38.389.396	22.223.779	12.064.561	6.301.971	3.223.195	2.590.441
- Rx Rate (L1) (Bit/s)	859,92 M	877,1 M	887,95 M	894,04 M	897,34 M	898,02 M
- Rx Rate (Fps)	1.279.647	740.793	402.152	210.066	107.440	86.348
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-1						
- Tx (Frames)	4.017.857	2.280.405	1.222.826	634.398	323.275	259.615
- Tx Rate (L1) (Bit/s)	90 M	90 M	90 M	90 M	90 M	90 M
- Tx Rate (Fps)	133.929	76.014	40.761	21.147	10.776	8.654
- Rx (Frames)	236.338	134.141	71.930	37.317	19.016	15.230
- Rx Rate (L1) (Bit/s)	5,29 M	5,29 M	5,29 M	5,29 M	5,29 M	5,28 M
- Rx Rate (Fps)	7.878	4.471	2.398	1.244	634	508
- Flood Count (Frames)	95	92	94	91	91	93
P-0-0-2						
- Tx (Frames)	4.017.857	2.280.405	1.222.826	634.398	323.275	259.615
- Tx Rate (L1) (Bit/s)	90 M	90 M	90 M	90 M	90 M	90 M
- Tx Rate (Fps)	133.929	76.014	40.761	21.147	10.776	8.654
- Rx (Frames)	236.340	134.141	71.930	37.317	19.013	15.201
- Rx Rate (L1) (Bit/s)	5,29 M	5,29 M	5,29 M	5,29 M	5,29 M	5,27 M
- Rx Rate (Fps)	7.878	4.471	2.398	1.244	634	507
- Flood Count (Frames)	91	92	92	93	94	94




P-0-0-3						
- Tx (Frames)	4.017.857	2.280.405	1.222.826	634.398	323.275	259.615
- Tx Rate (L1) (Bit/s)	90 M	90 M	90 M	90 M	90 M	90 M
- Tx Rate (Fps)	133.929	76.014	40.761	21.147	10.776	8.654
- Rx (Frames)	236.337	134.141	71.930	37.317	19.013	15.151
- Rx Rate (L1) (Bit/s)	5,29 M	5,29 M	5,29 M	5,29 M	5,29 M	5,25 M
- Rx Rate (Fps)	7.878	4.471	2.398	1.244	634	505
- Flood Count (Frames)	95	93	93	93	94	90
P-0-0-4						
- Tx (Frames)	4.017.857	2.280.405	1.222.826	634.398	323.275	259.615
- Tx Rate (L1) (Bit/s)	90 M	90 M	90 M	90 M	90 M	90 M
- Tx Rate (Fps)	133.929	76.014	40.761	21.147	10.776	8.654
- Rx (Frames)	236.332	134.141	71.930	37.317	19.012	15.128
- Rx Rate (L1) (Bit/s)	5,29 M	5,29 M	5,29 M	5,29 M	5,29 M	5,24 M
- Rx Rate (Fps)	7.878	4.471	2.398	1.244	634	504
- Flood Count (Frames)	95	94	96	90	92	93
P-0-0-5						
- Tx (Frames)	4.017.857	2.280.405	1.222.826	634.398	323.275	259.615
- Tx Rate (L1) (Bit/s)	90 M	90 M	90 M	90 M	90 M	90 M
- Tx Rate (Fps)	133.929	76.014	40.761	21.147	10.776	8.654
- Rx (Frames)	236.330	134.141	71.930	37.317	19.014	15.189
- Rx Rate (L1) (Bit/s)	5,29 M	5,29 M	5,29 M	5,29 M	5,29 M	5,27 M
- Rx Rate (Fps)	7.878	4.471	2.398	1.244	634	506
- Flood Count (Frames)	91	95	96	93	92	89
P-0-2-0						
- Tx (Frames)	4.017.857	2.280.405	1.222.826	634.398	323.275	259.615
- Tx Rate (L1) (Bit/s)	90 M	90 M	90 M	90 M	90 M	90 M
- Tx Rate (Fps)	133.929	76.014	40.761	21.147	10.776	8.654
- Rx (Frames)	234.047	132.754	71.334	36.960	18.868	15.071
- Rx Rate (L1) (Bit/s)	5,24 M	5,24 M	5,25 M	5,24 M	5,25 M	5,22 M
- Rx Rate (Fps)	7.802	4.425	2.378	1.232	629	502
- Flood Count (Frames)	92	89	88	90	90	92
P-0-2-1						
- Tx (Frames)	4.017.857	2.280.405	1.222.826	634.398	323.275	259.615
- Tx Rate (L1) (Bit/s)	90 M	90 M	90 M	90 M	90 M	90 M
- Tx Rate (Fps)	133.929	76.014	40.761	21.147	10.776	8.654
- Rx (Frames)	234.429	132.996	71.459	37.091	18.899	15.081
- Rx Rate (L1) (Bit/s)	5,25 M	5,25 M	5,26 M	5,26 M	5,26 M	5,23 M
- Rx Rate (Fps)	7.814	4.433	2.382	1.236	630	503
- Flood Count (Frames)	90	93	91	89	93	92
P-0-2-2						
- Tx (Frames)	4.017.857	2.280.405	1.222.826	634.398	323.275	259.615
- Tx Rate (L1) (Bit/s)	90 M	90 M	90 M	90 M	90 M	90 M
- Tx Rate (Fps)	133.929	76.014	40.761	21.147	10.776	8.654
- Rx (Frames)	234.387	133.034	71.443	37.102	18.899	15.115
- Rx Rate (L1) (Bit/s)	5,25 M	5,25 M	5,26 M	5,26 M	5,26 M	5,24 M
- Rx Rate (Fps)	7.813	4.434	2.381	1.237	630	504
- Flood Count (Frames)	91	93	91	88	89	89
P-0-2-3						
- Tx (Frames)	4.017.857	2.280.405	1.222.826	634.398	323.275	259.615
- Tx Rate (L1) (Bit/s)	90 M	90 M	90 M	90 M	90 M	90 M
- Tx Rate (Fps)	133.929	76.014	40.761	21.147	10.776	8.654
- Rx (Frames)	234.145	132.934	71.390	37.060	18.884	15.061
- Rx Rate (L1) (Bit/s)	5,24 M	5,25 M	5,25 M	5,26 M	5,26 M	5,22 M
- Rx Rate (Fps)	7.805	4.431	2.380	1.235	629	502
- Flood Count (Frames)	90	90	87	90	90	94
P-0-2-4						
- Tx (Frames)	4.017.857	2.280.405	1.222.826	634.398	323.275	259.615
- Tx Rate (L1) (Bit/s)	90 M	90 M	90 M	90 M	90 M	90 M
- Tx Rate (Fps)	133.929	76.014	40.761	21.147	10.776	8.654
- Rx (Frames)	236.263	134.141	71.930	37.317	19.013	15.149
- Rx Rate (L1) (Bit/s)	5,29 M	5,29 M	5,29 M	5,29 M	5,29 M	5,25 M
- Rx Rate (Fps)	7.875	4.471	2.398	1.244	634	505
- Flood Count (Frames)	93	89	89	94	93	92
P-0-2-5						
- Tx (Frames)	4.017.857	2.280.405	1.222.826	634.398	323.275	259.615
- Tx Rate (L1) (Bit/s)	90 M	90 M	90 M	90 M	90 M	90 M
- Tx Rate (Fps)	133.929	76.014	40.761	21.147	10.776	8.654
- Rx (Frames)	236.241	134.141	71.930	37.317	19.012	15.155
- Rx Rate (L1) (Bit/s)	5,29 M	5,29 M	5,29 M	5,29 M	5,29 M	5,25 M
- Rx Rate (Fps)	7.875	4.471	2.398	1.244	634	505

- Flood Count (Frames)	91	90	93	91	90	89
P-0-4-0						
- Tx (Frames)	4.017.857	2.280.405	1.222.826	634.398	323.275	259.615
- Tx Rate (L1) (Bit/s)	90 M	90 M	90 M	90 M	90 M	90 M
- Tx Rate (Fps)	133.929	76.014	40.761	21.147	10.776	8.654
- Rx (Frames)	236.245	134.141	71.930	37.317	19.012	15.110
- Rx Rate (L1) (Bit/s)	5,29 M	5,29 M	5,29 M	5,29 M	5,29 M	5,24 M
- Rx Rate (Fps)	7.875	4.471	2.398	1.244	634	504
- Flood Count (Frames)	91	90	92	92	90	90
P-0-4-1						
- Tx (Frames)	4.017.857	2.280.405	1.222.826	634.398	323.275	259.615
- Tx Rate (L1) (Bit/s)	90 M	90 M	90 M	90 M	90 M	90 M
- Tx Rate (Fps)	133.929	76.014	40.761	21.147	10.776	8.654
- Rx (Frames)	236.256	134.141	71.930	37.317	19.014	15.113
- Rx Rate (L1) (Bit/s)	5,29 M	5,29 M	5,29 M	5,29 M	5,29 M	5,24 M
- Rx Rate (Fps)	7.875	4.471	2.398	1.244	634	504
- Flood Count (Frames)	90	89	93	91	93	90
P-0-4-2						
- Tx (Frames)	4.017.857	2.280.405	1.222.826	634.398	323.275	259.615
- Tx Rate (L1) (Bit/s)	90 M	90 M	90 M	90 M	90 M	90 M
- Tx Rate (Fps)	133.929	76.014	40.761	21.147	10.776	8.654
- Rx (Frames)	236.256	134.141	71.930	37.317	19.014	15.102
- Rx Rate (L1) (Bit/s)	5,29 M	5,29 M	5,29 M	5,29 M	5,29 M	5,24 M
- Rx Rate (Fps)	7.875	4.471	2.398	1.244	634	503
- Flood Count (Frames)	90	91	96	93	94	93
P-0-4-3						
- Tx (Frames)	4.017.857	2.280.405	1.222.826	634.398	323.275	259.615
- Tx Rate (L1) (Bit/s)	90 M	90 M	90 M	90 M	90 M	90 M
- Tx Rate (Fps)	133.929	76.014	40.761	21.147	10.776	8.654
- Rx (Frames)	236.241	134.141	71.930	37.317	19.014	15.126
- Rx Rate (L1) (Bit/s)	5,29 M	5,29 M	5,29 M	5,29 M	5,29 M	5,24 M
- Rx Rate (Fps)	7.875	4.471	2.398	1.244	634	504
- Flood Count (Frames)	92	91	90	88	93	94
P-0-4-4						
- Tx (Frames)	4.017.857	2.280.405	1.222.826	634.398	323.275	259.615
- Tx Rate (L1) (Bit/s)	90 M	90 M	90 M	90 M	90 M	90 M
- Tx Rate (Fps)	133.929	76.014	40.761	21.147	10.776	8.654
- Rx (Frames)	236.275	134.141	71.930	37.317	19.014	15.090
- Rx Rate (L1) (Bit/s)	5,29 M	5,29 M	5,29 M	5,29 M	5,29 M	5,23 M
- Rx Rate (Fps)	7.876	4.471	2.398	1.244	634	503
- Flood Count (Frames)	92	95	95	92	91	91
P-0-4-5						
- Tx (Frames)	4.017.857	2.280.405	1.222.826	634.398	323.275	259.615
- Tx Rate (L1) (Bit/s)	90 M	90 M	90 M	90 M	90 M	90 M
- Tx Rate (Fps)	133.929	76.014	40.761	21.147	10.776	8.654
- Rx (Frames)	236.325	134.141	71.930	37.317	19.014	15.079
- Rx Rate (L1) (Bit/s)	5,29 M	5,29 M	5,29 M	5,29 M	5,29 M	5,23 M
- Rx Rate (Fps)	7.878	4.471	2.398	1.244	634	503
- Flood Count (Frames)	91	90	92	91	89	92

<b>Frame Size</b>	<b>1518</b>
Result State	PASS
Iter. #	1
Tx Rate (Percent)	10 %
Tx Rate (L1) (Bit/s)	1,62 G
Tx Rate (Fps)	131.664
Rx Rate (Percent)	6,1 %
Rx Rate (L1) (Bit/s)	987,7 M
Rx Rate (Fps)	80,27 K
Loss Rate (Percent)	39,03 %
Loss (Frames)	1.541.669
P-0-0-0	
- Tx (Frames)	219.436
- Tx Rate (L1) (Bit/s)	90 M
- Tx Rate (Fps)	7.315
- Rx (Frames)	2.190.635
- Rx Rate (L1) (Bit/s)	898,45 M
- Rx Rate (Fps)	73.021
- Flood Count (Frames)	0
P-0-0-1	

- Tx (Frames)	219.440
- Tx Rate (L1) (Bit/s)	90 M
- Tx Rate (Fps)	7.315
- Rx (Frames)	12.876
- Rx Rate (L1) (Bit/s)	5,28 M
- Rx Rate (Fps)	429
- Flood Count (Frames)	89
P-0-0-2	
- Tx (Frames)	219.440
- Tx Rate (L1) (Bit/s)	90 M
- Tx Rate (Fps)	7.315
- Rx (Frames)	12.855
- Rx Rate (L1) (Bit/s)	5,27 M
- Rx Rate (Fps)	429
- Flood Count (Frames)	91
P-0-0-3	
- Tx (Frames)	219.440
- Tx Rate (L1) (Bit/s)	90 M
- Tx Rate (Fps)	7.315
- Rx (Frames)	12.821
- Rx Rate (L1) (Bit/s)	5,26 M
- Rx Rate (Fps)	427
- Flood Count (Frames)	95
P-0-0-4	
- Tx (Frames)	219.440
- Tx Rate (L1) (Bit/s)	90 M
- Tx Rate (Fps)	7.315
- Rx (Frames)	12.823
- Rx Rate (L1) (Bit/s)	5,26 M
- Rx Rate (Fps)	427
- Flood Count (Frames)	93
P-0-0-5	
- Tx (Frames)	219.440
- Tx Rate (L1) (Bit/s)	90 M
- Tx Rate (Fps)	7.315
- Rx (Frames)	12.855
- Rx Rate (L1) (Bit/s)	5,27 M
- Rx Rate (Fps)	429
- Flood Count (Frames)	92
P-0-2-0	
- Tx (Frames)	219.440
- Tx Rate (L1) (Bit/s)	90 M
- Tx Rate (Fps)	7.315
- Rx (Frames)	12.743
- Rx Rate (L1) (Bit/s)	5,23 M
- Rx Rate (Fps)	425
- Flood Count (Frames)	91
P-0-2-1	
- Tx (Frames)	219.440
- Tx Rate (L1) (Bit/s)	90 M
- Tx Rate (Fps)	7.315
- Rx (Frames)	12.788
- Rx Rate (L1) (Bit/s)	5,24 M
- Rx Rate (Fps)	426
- Flood Count (Frames)	92
P-0-2-2	
- Tx (Frames)	219.440
- Tx Rate (L1) (Bit/s)	90 M
- Tx Rate (Fps)	7.315
- Rx (Frames)	12.793
- Rx Rate (L1) (Bit/s)	5,25 M
- Rx Rate (Fps)	426
- Flood Count (Frames)	93
P-0-2-3	
- Tx (Frames)	219.440
- Tx Rate (L1) (Bit/s)	90 M
- Tx Rate (Fps)	7.315
- Rx (Frames)	12.762
- Rx Rate (L1) (Bit/s)	5,23 M
- Rx Rate (Fps)	425
- Flood Count (Frames)	96

P-0-2-4	
- Tx (Frames)	219.440
- Tx Rate (L1) (Bit/s)	90 M
- Tx Rate (Fps)	7.315
- Rx (Frames)	12.846
- Rx Rate (L1) (Bit/s)	5,27 M
- Rx Rate (Fps)	428
- Flood Count (Frames)	92
P-0-2-5	
- Tx (Frames)	219.440
- Tx Rate (L1) (Bit/s)	90 M
- Tx Rate (Fps)	7.315
- Rx (Frames)	12.846
- Rx Rate (L1) (Bit/s)	5,27 M
- Rx Rate (Fps)	428
- Flood Count (Frames)	91
P-0-4-0	
- Tx (Frames)	219.440
- Tx Rate (L1) (Bit/s)	90 M
- Tx Rate (Fps)	7.315
- Rx (Frames)	12.771
- Rx Rate (L1) (Bit/s)	5,24 M
- Rx Rate (Fps)	426
- Flood Count (Frames)	88
P-0-4-1	
- Tx (Frames)	219.440
- Tx Rate (L1) (Bit/s)	90 M
- Tx Rate (Fps)	7.315
- Rx (Frames)	12.781
- Rx Rate (L1) (Bit/s)	5,24 M
- Rx Rate (Fps)	426
- Flood Count (Frames)	87
P-0-4-2	
- Tx (Frames)	219.440
- Tx Rate (L1) (Bit/s)	90 M
- Tx Rate (Fps)	7.315
- Rx (Frames)	12.763
- Rx Rate (L1) (Bit/s)	5,23 M
- Rx Rate (Fps)	425
- Flood Count (Frames)	88
P-0-4-3	
- Tx (Frames)	219.440
- Tx Rate (L1) (Bit/s)	90 M
- Tx Rate (Fps)	7.315
- Rx (Frames)	12.787
- Rx Rate (L1) (Bit/s)	5,24 M
- Rx Rate (Fps)	426
- Flood Count (Frames)	92
P-0-4-4	
- Tx (Frames)	219.440
- Tx Rate (L1) (Bit/s)	90 M
- Tx Rate (Fps)	7.315
- Rx (Frames)	12.738
- Rx Rate (L1) (Bit/s)	5,22 M
- Rx Rate (Fps)	425
- Flood Count (Frames)	93
P-0-4-5	
- Tx (Frames)	219.440
- Tx Rate (L1) (Bit/s)	90 M
- Tx Rate (Fps)	7.315
- Rx (Frames)	12.764
- Rx Rate (L1) (Bit/s)	5,23 M
- Rx Rate (Fps)	425
- Flood Count (Frames)	93



## Results for 20,00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	20 %	20 %	20 %	20 %	20 %	20 %
Tx Rate (L1) (Bit/s)	3,24 G	3,24 G	3,24 G	3,24 G	3,24 G	3,24 G
Tx Rate (Fps)	4.821.428	2.736.485	1.467.391	761.278	387.930	311.537
Rx Rate (Percent)	6,42 %	6,52 %	6,59 %	6,63 %	6,65 %	6,64 %
Rx Rate (L1) (Bit/s)	1,04 G	1,06 G	1,07 G	1,07 G	1,08 G	1,08 G
Rx Rate (Fps)	1,55 M	892,41 K	483,49 K	252,29 K	128,94 K	103,46 K
Loss Rate (Percent)	67,92 %	67,39 %	67,05 %	66,86 %	66,76 %	66,79 %
Loss (Frames)	98.237.480	55.322.395	29.517.137	15.269.618	7.769.563	6.242.344
P-0-0-0						
- Tx (Frames)	8.035.713	4.560.794	2.445.637	1.268.795	646.544	519.214
- Tx Rate (L1) (Bit/s)	180 M	180 M	180 M	180 M	180 M	179,99 M
- Tx Rate (Fps)	267.857	152.026	81.521	42.293	21.551	17.307
- Rx (Frames)	38.433.529	22.236.956	12.071.326	6.306.380	3.225.286	2.592.102
- Rx Rate (L1) (Bit/s)	860,91 M	877,62 M	888,45 M	894,67 M	897,92 M	898,6 M
- Rx Rate (Fps)	1.281.118	741.232	402.378	210.213	107.510	86.403
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-1						
- Tx (Frames)	8.035.714	4.560.810	2.445.652	1.268.796	646.551	519.230
- Tx Rate (L1) (Bit/s)	180 M	180 M	180 M	180 M	180 M	180 M
- Tx Rate (Fps)	267.857	152.027	81.522	42.293	21.552	17.308
- Rx (Frames)	472.640	268.282	143.861	74.635	38.030	30.444
- Rx Rate (L1) (Bit/s)	10,59 M	10,59 M	10,59 M	10,59 M	10,59 M	10,55 M
- Rx Rate (Fps)	15.755	8.943	4.795	2.488	1.268	1.015
- Flood Count (Frames)	90	93	96	93	88	93
P-0-0-2						
- Tx (Frames)	8.035.714	4.560.810	2.445.652	1.268.796	646.551	519.230
- Tx Rate (L1) (Bit/s)	180 M	180 M	180 M	180 M	180 M	180 M
- Tx Rate (Fps)	267.857	152.027	81.522	42.293	21.552	17.308
- Rx (Frames)	472.413	268.282	143.861	74.635	38.029	30.386
- Rx Rate (L1) (Bit/s)	10,58 M	10,59 M	10,59 M	10,59 M	10,59 M	10,53 M
- Rx Rate (Fps)	15.747	8.943	4.795	2.488	1.268	1.013
- Flood Count (Frames)	93	92	92	94	93	92
P-0-0-3						
- Tx (Frames)	8.035.714	4.560.810	2.445.652	1.268.796	646.551	519.230
- Tx Rate (L1) (Bit/s)	180 M	180 M	180 M	180 M	180 M	180 M
- Tx Rate (Fps)	267.857	152.027	81.522	42.293	21.552	17.308
- Rx (Frames)	472.215	268.282	143.861	74.635	38.026	30.295
- Rx Rate (L1) (Bit/s)	10,58 M	10,59 M	10,59 M	10,59 M	10,59 M	10,5 M
- Rx Rate (Fps)	15.741	8.943	4.795	2.488	1.268	1.010
- Flood Count (Frames)	90	93	94	91	91	94
P-0-0-4						
- Tx (Frames)	8.035.714	4.560.810	2.445.652	1.268.796	646.551	519.230

- Tx Rate (L1) (Bit/s)	180 M	180 M	180 M	180 M	180 M	180 M
- Tx Rate (Fps)	267.857	152.027	81.522	42.293	21.552	17.308
- Rx (Frames)	472.126	268.282	143.861	74.635	38.023	30.169
- Rx Rate (L1) (Bit/s)	10,58 M	10,59 M	10,59 M	10,59 M	10,59 M	10,46 M
- Rx Rate (Fps)	15.738	8.943	4.795	2.488	1.267	1.006
- Flood Count (Frames)	89	92	90	95	91	91
P-0-0-5						
- Tx (Frames)	8.035.714	4.560.810	2.445.652	1.268.796	646.551	519.230
- Tx Rate (L1) (Bit/s)	180 M	180 M	180 M	180 M	180 M	180 M
- Tx Rate (Fps)	267.857	152.027	81.522	42.293	21.552	17.308
- Rx (Frames)	471.923	268.282	143.861	74.635	38.027	30.371
- Rx Rate (L1) (Bit/s)	10,57 M	10,59 M	10,59 M	10,59 M	10,59 M	10,53 M
- Rx Rate (Fps)	15.731	8.943	4.795	2.488	1.268	1.012
- Flood Count (Frames)	92	88	92	95	89	93
P-0-2-0						
- Tx (Frames)	8.035.714	4.560.810	2.445.652	1.268.796	646.551	519.230
- Tx Rate (L1) (Bit/s)	180 M	180 M	180 M	180 M	180 M	180 M
- Tx Rate (Fps)	267.857	152.027	81.522	42.293	21.552	17.308
- Rx (Frames)	461.488	262.350	141.036	73.158	37.220	29.680
- Rx Rate (L1) (Bit/s)	10,34 M	10,35 M	10,38 M	10,38 M	10,36 M	10,29 M
- Rx Rate (Fps)	15.383	8.745	4.701	2.439	1.241	989
- Flood Count (Frames)	87	84	89	86	86	85
P-0-2-1						
- Tx (Frames)	8.035.714	4.560.810	2.445.652	1.268.796	646.551	519.230
- Tx Rate (L1) (Bit/s)	180 M	180 M	180 M	180 M	180 M	180 M
- Tx Rate (Fps)	267.857	152.027	81.522	42.293	21.552	17.308
- Rx (Frames)	461.422	261.833	140.846	72.990	37.117	29.654
- Rx Rate (L1) (Bit/s)	10,34 M	10,33 M	10,37 M	10,35 M	10,33 M	10,28 M
- Rx Rate (Fps)	15.381	8.728	4.695	2.433	1.237	988
- Flood Count (Frames)	81	90	88	93	88	81
P-0-2-2						
- Tx (Frames)	8.035.714	4.560.810	2.445.652	1.268.796	646.551	519.230
- Tx Rate (L1) (Bit/s)	180 M	180 M	180 M	180 M	180 M	180 M
- Tx Rate (Fps)	267.857	152.027	81.522	42.293	21.552	17.308
- Rx (Frames)	461.335	261.795	140.713	72.977	37.212	29.681
- Rx Rate (L1) (Bit/s)	10,33 M	10,33 M	10,36 M	10,35 M	10,36 M	10,29 M
- Rx Rate (Fps)	15.378	8.727	4.690	2.433	1.240	989
- Flood Count (Frames)	88	83	92	92	91	90
P-0-2-3						
- Tx (Frames)	8.035.714	4.560.810	2.445.652	1.268.796	646.551	519.230
- Tx Rate (L1) (Bit/s)	180 M	180 M	180 M	180 M	180 M	180 M
- Tx Rate (Fps)	267.857	152.027	81.522	42.293	21.552	17.308
- Rx (Frames)	460.730	261.578	140.470	72.949	37.183	29.554
- Rx Rate (L1) (Bit/s)	10,32 M	10,32 M	10,34 M	10,35 M	10,35 M	10,25 M
- Rx Rate (Fps)	15.358	8.719	4.682	2.432	1.239	985
- Flood Count (Frames)	86	91	90	92	90	85
P-0-2-4						
- Tx (Frames)	8.035.714	4.560.810	2.445.652	1.268.796	646.551	519.230
- Tx Rate (L1) (Bit/s)	180 M	180 M	180 M	180 M	180 M	180 M
- Tx Rate (Fps)	267.857	152.027	81.522	42.293	21.552	17.308
- Rx (Frames)	470.843	268.280	143.861	74.635	38.023	30.252
- Rx Rate (L1) (Bit/s)	10,55 M	10,59 M	10,59 M	10,59 M	10,59 M	10,49 M
- Rx Rate (Fps)	15.695	8.943	4.795	2.488	1.267	1.008
- Flood Count (Frames)	93	92	90	94	92	92
P-0-2-5						
- Tx (Frames)	8.035.714	4.560.810	2.445.652	1.268.796	646.551	519.230
- Tx Rate (L1) (Bit/s)	180 M	180 M	180 M	180 M	180 M	180 M
- Tx Rate (Fps)	267.857	152.027	81.522	42.293	21.552	17.308
- Rx (Frames)	470.805	268.282	143.861	74.635	38.023	30.235
- Rx Rate (L1) (Bit/s)	10,55 M	10,59 M	10,59 M	10,59 M	10,59 M	10,48 M
- Rx Rate (Fps)	15.694	8.943	4.795	2.488	1.267	1.008
- Flood Count (Frames)	92	95	91	93	92	94
P-0-4-0						
- Tx (Frames)	8.035.714	4.560.810	2.445.652	1.268.796	646.551	519.230
- Tx Rate (L1) (Bit/s)	180 M	180 M	180 M	180 M	180 M	180 M
- Tx Rate (Fps)	267.857	152.027	81.522	42.293	21.552	17.308
- Rx (Frames)	470.778	268.279	143.861	74.635	38.023	30.155
- Rx Rate (L1) (Bit/s)	10,55 M	10,59 M	10,59 M	10,59 M	10,59 M	10,45 M
- Rx Rate (Fps)	15.693	8.943	4.795	2.488	1.267	1.005
- Flood Count (Frames)	92	90	90	92	95	93
P-0-4-1						


- Tx (Frames)	8.035.714	4.560.810	2.445.652	1.268.796	646.551	519.230
- Tx Rate (L1) (Bit/s)	180 M	180 M	180 M	180 M	180 M	180 M
- Tx Rate (Fps)	267.857	152.027	81.522	42.293	21.552	17.308
- Rx (Frames)	470.720	268.280	143.861	74.635	38.028	30.208
- Rx Rate (L1) (Bit/s)	10,54 M	10,59 M	10,59 M	10,59 M	10,59 M	10,47 M
- Rx Rate (Fps)	15.691	8.943	4.795	2.488	1.268	1.007
- Flood Count (Frames)	92	92	90	91	92	92
P-0-4-2						
- Tx (Frames)	8.035.714	4.560.810	2.445.652	1.268.796	646.551	519.230
- Tx Rate (L1) (Bit/s)	180 M	180 M	180 M	180 M	180 M	180 M
- Tx Rate (Fps)	267.857	152.027	81.522	42.293	21.552	17.308
- Rx (Frames)	470.610	268.281	143.861	74.635	38.027	30.126
- Rx Rate (L1) (Bit/s)	10,54 M	10,59 M	10,59 M	10,59 M	10,59 M	10,44 M
- Rx Rate (Fps)	15.687	8.943	4.795	2.488	1.268	1.004
- Flood Count (Frames)	95	90	94	93	88	90
P-0-4-3						
- Tx (Frames)	8.035.714	4.560.810	2.445.652	1.268.796	646.551	519.230
- Tx Rate (L1) (Bit/s)	180 M	180 M	180 M	180 M	180 M	180 M
- Tx Rate (Fps)	267.857	152.027	81.522	42.293	21.552	17.308
- Rx (Frames)	470.645	268.282	143.861	74.635	38.024	30.187
- Rx Rate (L1) (Bit/s)	10,54 M	10,59 M	10,59 M	10,59 M	10,59 M	10,46 M
- Rx Rate (Fps)	15.688	8.943	4.795	2.488	1.267	1.006
- Flood Count (Frames)	95	91	92	93	84	93
P-0-4-4						
- Tx (Frames)	8.035.714	4.560.810	2.445.652	1.268.796	646.551	519.230
- Tx Rate (L1) (Bit/s)	180 M	180 M	180 M	180 M	180 M	180 M
- Tx Rate (Fps)	267.857	152.027	81.522	42.293	21.552	17.308
- Rx (Frames)	470.630	268.282	143.861	74.635	38.026	30.136
- Rx Rate (L1) (Bit/s)	10,54 M	10,59 M	10,59 M	10,59 M	10,59 M	10,45 M
- Rx Rate (Fps)	15.688	8.943	4.795	2.488	1.268	1.005
- Flood Count (Frames)	93	93	93	93	92	89
P-0-4-5						
- Tx (Frames)	8.035.714	4.560.810	2.445.652	1.268.796	646.551	519.230
- Tx Rate (L1) (Bit/s)	180 M	180 M	180 M	180 M	180 M	180 M
- Tx Rate (Fps)	267.857	152.027	81.522	42.293	21.552	17.308
- Rx (Frames)	470.519	268.281	143.861	74.635	38.021	30.145
- Rx Rate (L1) (Bit/s)	10,54 M	10,59 M	10,59 M	10,59 M	10,59 M	10,45 M
- Rx Rate (Fps)	15.684	8.943	4.795	2.488	1.267	1.005
- Flood Count (Frames)	95	91	91	92	87	90

<b>Frame Size</b>	<b>1518</b>
Result State	PASS
Iter. #	1
Tx Rate (Percent)	20 %
Tx Rate (L1) (Bit/s)	3,24 G
Tx Rate (Fps)	263.328
Rx Rate (Percent)	6,64 %
Rx Rate (L1) (Bit/s)	1,08 G
Rx Rate (Fps)	87,49 K
Loss Rate (Percent)	66,78 %
Loss (Frames)	5.275.223
P-0-0-0	
- Tx (Frames)	438.872
- Tx Rate (L1) (Bit/s)	180 M
- Tx Rate (Fps)	14.629
- Rx (Frames)	2.192.131
- Rx Rate (L1) (Bit/s)	899,07 M
- Rx Rate (Fps)	73.071
- Flood Count (Frames)	0
P-0-0-1	
- Tx (Frames)	438.881
- Tx Rate (L1) (Bit/s)	180 M
- Tx Rate (Fps)	14.629
- Rx (Frames)	25.771
- Rx Rate (L1) (Bit/s)	10,57 M
- Rx Rate (Fps)	859
- Flood Count (Frames)	93
P-0-0-2	
- Tx (Frames)	438.881
- Tx Rate (L1) (Bit/s)	180 M

- Tx Rate (Fps)	14.629
- Rx (Frames)	25.693
- Rx Rate (L1) (Bit/s)	10,54 M
- Rx Rate (Fps)	856
- Flood Count (Frames)	96
P-0-0-3	
- Tx (Frames)	438.881
- Tx Rate (L1) (Bit/s)	180 M
- Tx Rate (Fps)	14.629
- Rx (Frames)	25.660
- Rx Rate (L1) (Bit/s)	10,52 M
- Rx Rate (Fps)	855
- Flood Count (Frames)	95
P-0-0-4	
- Tx (Frames)	438.881
- Tx Rate (L1) (Bit/s)	180 M
- Tx Rate (Fps)	14.629
- Rx (Frames)	25.598
- Rx Rate (L1) (Bit/s)	10,5 M
- Rx Rate (Fps)	853
- Flood Count (Frames)	96
P-0-0-5	
- Tx (Frames)	438.881
- Tx Rate (L1) (Bit/s)	180 M
- Tx Rate (Fps)	14.629
- Rx (Frames)	25.679
- Rx Rate (L1) (Bit/s)	10,53 M
- Rx Rate (Fps)	856
- Flood Count (Frames)	92
P-0-2-0	
- Tx (Frames)	438.881
- Tx Rate (L1) (Bit/s)	180 M
- Tx Rate (Fps)	14.629
- Rx (Frames)	25.151
- Rx Rate (L1) (Bit/s)	10,32 M
- Rx Rate (Fps)	838
- Flood Count (Frames)	94
P-0-2-1	
- Tx (Frames)	438.881
- Tx Rate (L1) (Bit/s)	180 M
- Tx Rate (Fps)	14.629
- Rx (Frames)	25.107
- Rx Rate (L1) (Bit/s)	10,3 M
- Rx Rate (Fps)	837
- Flood Count (Frames)	90
P-0-2-2	
- Tx (Frames)	438.881
- Tx Rate (L1) (Bit/s)	180 M
- Tx Rate (Fps)	14.629
- Rx (Frames)	25.108
- Rx Rate (L1) (Bit/s)	10,3 M
- Rx Rate (Fps)	837
- Flood Count (Frames)	92
P-0-2-3	
- Tx (Frames)	438.881
- Tx Rate (L1) (Bit/s)	180 M
- Tx Rate (Fps)	14.629
- Rx (Frames)	25.097
- Rx Rate (L1) (Bit/s)	10,29 M
- Rx Rate (Fps)	837
- Flood Count (Frames)	89
P-0-2-4	
- Tx (Frames)	438.881
- Tx Rate (L1) (Bit/s)	180 M
- Tx Rate (Fps)	14.629
- Rx (Frames)	25.259
- Rx Rate (L1) (Bit/s)	10,36 M
- Rx Rate (Fps)	842
- Flood Count (Frames)	93
P-0-2-5	
- Tx (Frames)	438.881



- Tx Rate (L1) (Bit/s)	180 M
- Tx Rate (Fps)	14.629
- Rx (Frames)	25.560
- Rx Rate (L1) (Bit/s)	10,48 M
- Rx Rate (Fps)	852
- Flood Count (Frames)	93
P-0-4-0	
- Tx (Frames)	438.881
- Tx Rate (L1) (Bit/s)	180 M
- Tx Rate (Fps)	14.629
- Rx (Frames)	25.562
- Rx Rate (L1) (Bit/s)	10,48 M
- Rx Rate (Fps)	852
- Flood Count (Frames)	90
P-0-4-1	
- Tx (Frames)	438.881
- Tx Rate (L1) (Bit/s)	180 M
- Tx Rate (Fps)	14.629
- Rx (Frames)	25.643
- Rx Rate (L1) (Bit/s)	10,52 M
- Rx Rate (Fps)	855
- Flood Count (Frames)	90
P-0-4-2	
- Tx (Frames)	438.881
- Tx Rate (L1) (Bit/s)	180 M
- Tx Rate (Fps)	14.629
- Rx (Frames)	25.530
- Rx Rate (L1) (Bit/s)	10,47 M
- Rx Rate (Fps)	851
- Flood Count (Frames)	91
P-0-4-3	
- Tx (Frames)	438.881
- Tx Rate (L1) (Bit/s)	180 M
- Tx Rate (Fps)	14.629
- Rx (Frames)	25.311
- Rx Rate (L1) (Bit/s)	10,38 M
- Rx Rate (Fps)	844
- Flood Count (Frames)	90
P-0-4-4	
- Tx (Frames)	438.881
- Tx Rate (L1) (Bit/s)	180 M
- Tx Rate (Fps)	14.629
- Rx (Frames)	25.562
- Rx Rate (L1) (Bit/s)	10,48 M
- Rx Rate (Fps)	852
- Flood Count (Frames)	91
P-0-4-5	
- Tx (Frames)	438.881
- Tx Rate (L1) (Bit/s)	180 M
- Tx Rate (Fps)	14.629
- Rx (Frames)	25.204
- Rx Rate (L1) (Bit/s)	10,34 M
- Rx Rate (Fps)	840
- Flood Count (Frames)	91



### Results for 30,00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	30 %	30 %	30 %	30 %	30 %	30 %
Tx Rate (L1) (Bit/s)	4,86 G	4,86 G	4,86 G	4,86 G	4,86 G	4,86 G
Tx Rate (Fps)	7.232.142	4.104.729	2.201.086	1.141.917	581.896	467.307
Rx Rate (Percent)	6,95 %	7,06 %	7,13 %	7,17 %	7,19 %	7,17 %
Rx Rate (L1) (Bit/s)	1,13 G	1,14 G	1,15 G	1,16 G	1,16 G	1,16 G
Rx Rate (Fps)	1,67 M	965,64 K	522,9 K	272,73 K	139,41 K	111,7 K
Loss Rate (Percent)	76,85 %	76,48 %	76,24 %	76,12 %	76,04 %	76,1 %
Loss (Frames)	166.727.196	94.172.806	50.345.581	26.075.573	13.274.600	10.668.088
P-0-0-0						
- Tx (Frames)	12.053.561	6.841.208	3.668.464	1.903.184	969.816	778.838
- Tx Rate (L1) (Bit/s)	270 M	270 M	270 M	270 M	270 M	270 M
- Tx Rate (Fps)	401.785	228.040	122.282	63.439	32.327	25.961
- Rx (Frames)	38.446.226	22.240.616	12.074.692	6.307.206	3.226.129	2.592.703
- Rx Rate (L1) (Bit/s)	861,2 M	877,76 M	888,7 M	894,78 M	898,15 M	898,8 M
- Rx Rate (Fps)	1.281.541	741.354	402.490	210.240	107.538	86.423
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-1						
- Tx (Frames)	12.053.571	6.841.216	3.668.478	1.903.195	969.827	778.846
- Tx Rate (L1) (Bit/s)	270 M	270 M	270 M	270 M	270 M	270 M
- Tx Rate (Fps)	401.786	228.041	122.283	63.440	32.328	25.962
- Rx (Frames)	707.639	402.424	215.792	111.952	57.045	45.687
- Rx Rate (L1) (Bit/s)	15,85 M	15,88 M	15,88 M	15,88 M	15,88 M	15,84 M
- Rx Rate (Fps)	23.588	13.414	7.193	3.732	1.902	1.523
- Flood Count (Frames)	91	94	90	93	94	90
P-0-0-2						
- Tx (Frames)	12.053.571	6.841.216	3.668.478	1.903.195	969.827	778.846
- Tx Rate (L1) (Bit/s)	270 M	270 M	270 M	270 M	270 M	270 M
- Tx Rate (Fps)	401.786	228.041	122.283	63.440	32.328	25.962
- Rx (Frames)	707.000	402.424	215.792	111.952	57.037	45.571
- Rx Rate (L1) (Bit/s)	15,84 M	15,88 M	15,88 M	15,88 M	15,88 M	15,8 M
- Rx Rate (Fps)	23.567	13.414	7.193	3.732	1.901	1.519
- Flood Count (Frames)	97	93	93	93	93	92
P-0-0-3						
- Tx (Frames)	12.053.571	6.841.216	3.668.478	1.903.195	969.827	778.846
- Tx Rate (L1) (Bit/s)	270 M	270 M	270 M	270 M	270 M	270 M
- Tx Rate (Fps)	401.786	228.041	122.283	63.440	32.328	25.962
- Rx (Frames)	706.478	402.424	215.792	111.952	57.041	45.472
- Rx Rate (L1) (Bit/s)	15,83 M	15,88 M	15,88 M	15,88 M	15,88 M	15,76 M
- Rx Rate (Fps)	23.549	13.414	7.193	3.732	1.901	1.516
- Flood Count (Frames)	91	92	93	92	91	91
P-0-0-4						
- Tx (Frames)	12.053.571	6.841.216	3.668.478	1.903.195	969.827	778.846

- Tx Rate (L1) (Bit/s)	270 M	270 M	270 M	270 M	270 M	270 M
- Tx Rate (Fps)	401.786	228.041	122.283	63.440	32.328	25.962
- Rx (Frames)	706.448	402.424	215.792	111.952	57.032	45.227
- Rx Rate (L1) (Bit/s)	15,82 M	15,88 M	15,88 M	15,88 M	15,88 M	15,68 M
- Rx Rate (Fps)	23.548	13.414	7.193	3.732	1.901	1.508
- Flood Count (Frames)	95	93	92	92	89	91
P-0-0-5						
- Tx (Frames)	12.053.571	6.841.216	3.668.478	1.903.195	969.827	778.846
- Tx Rate (L1) (Bit/s)	270 M	270 M	270 M	270 M	270 M	270 M
- Tx Rate (Fps)	401.786	228.041	122.283	63.440	32.328	25.962
- Rx (Frames)	706.460	402.424	215.792	111.952	57.041	45.539
- Rx Rate (L1) (Bit/s)	15,82 M	15,88 M	15,88 M	15,88 M	15,88 M	15,79 M
- Rx Rate (Fps)	23.549	13.414	7.193	3.732	1.901	1.518
- Flood Count (Frames)	91	94	95	93	93	90
P-0-2-0						
- Tx (Frames)	12.053.571	6.841.216	3.668.478	1.903.195	969.827	778.846
- Tx Rate (L1) (Bit/s)	270 M	270 M	270 M	270 M	270 M	270 M
- Tx Rate (Fps)	401.786	228.041	122.283	63.440	32.328	25.962
- Rx (Frames)	689.114	390.091	209.972	108.906	55.456	44.435
- Rx Rate (L1) (Bit/s)	15,44 M	15,4 M	15,45 M	15,45 M	15,44 M	15,4 M
- Rx Rate (Fps)	22.970	13.003	6.999	3.630	1.849	1.481
- Flood Count (Frames)	88	90	88	91	91	92
P-0-2-1						
- Tx (Frames)	12.053.571	6.841.216	3.668.478	1.903.195	969.827	778.846
- Tx Rate (L1) (Bit/s)	270 M	270 M	270 M	270 M	270 M	270 M
- Tx Rate (Fps)	401.786	228.041	122.283	63.440	32.328	25.962
- Rx (Frames)	688.512	389.915	209.403	108.619	55.304	44.315
- Rx Rate (L1) (Bit/s)	15,42 M	15,39 M	15,41 M	15,41 M	15,4 M	15,36 M
- Rx Rate (Fps)	22.950	12.997	6.980	3.621	1.843	1.477
- Flood Count (Frames)	89	93	90	88	91	92
P-0-2-2						
- Tx (Frames)	12.053.571	6.841.216	3.668.478	1.903.195	969.827	778.846
- Tx Rate (L1) (Bit/s)	270 M	270 M	270 M	270 M	270 M	270 M
- Tx Rate (Fps)	401.786	228.041	122.283	63.440	32.328	25.962
- Rx (Frames)	688.791	389.369	209.941	108.851	55.437	44.431
- Rx Rate (L1) (Bit/s)	15,43 M	15,37 M	15,45 M	15,44 M	15,43 M	15,4 M
- Rx Rate (Fps)	22.960	12.979	6.998	3.628	1.848	1.481
- Flood Count (Frames)	90	85	92	91	87	97
P-0-2-3						
- Tx (Frames)	12.053.571	6.841.216	3.668.478	1.903.195	969.827	778.846
- Tx Rate (L1) (Bit/s)	270 M	270 M	270 M	270 M	270 M	270 M
- Tx Rate (Fps)	401.786	228.041	122.283	63.440	32.328	25.962
- Rx (Frames)	689.488	391.256	209.542	109.034	55.490	44.342
- Rx Rate (L1) (Bit/s)	15,44 M	15,44 M	15,42 M	15,47 M	15,45 M	15,37 M
- Rx Rate (Fps)	22.983	13.042	6.985	3.634	1.850	1.478
- Flood Count (Frames)	89	82	93	86	90	91
P-0-2-4						
- Tx (Frames)	12.053.571	6.841.216	3.668.478	1.903.195	969.827	778.846
- Tx Rate (L1) (Bit/s)	270 M	270 M	270 M	270 M	270 M	270 M
- Tx Rate (Fps)	401.786	228.041	122.283	63.440	32.328	25.962
- Rx (Frames)	687.590	395.392	211.820	110.571	56.263	44.494
- Rx Rate (L1) (Bit/s)	15,4 M	15,6 M	15,59 M	15,69 M	15,66 M	15,42 M
- Rx Rate (Fps)	22.920	13.180	7.061	3.686	1.875	1.483
- Flood Count (Frames)	94	91	89	94	93	92
P-0-2-5						
- Tx (Frames)	12.053.571	6.841.216	3.668.478	1.903.195	969.827	778.846
- Tx Rate (L1) (Bit/s)	270 M	270 M	270 M	270 M	270 M	270 M
- Tx Rate (Fps)	401.786	228.041	122.283	63.440	32.328	25.962
- Rx (Frames)	686.647	395.664	212.623	109.540	55.990	44.425
- Rx Rate (L1) (Bit/s)	15,38 M	15,62 M	15,65 M	15,54 M	15,59 M	15,4 M
- Rx Rate (Fps)	22.888	13.189	7.087	3.651	1.866	1.481
- Flood Count (Frames)	90	92	92	91	87	95
P-0-4-0						
- Tx (Frames)	12.053.571	6.841.216	3.668.478	1.903.195	969.827	778.846
- Tx Rate (L1) (Bit/s)	270 M	270 M	270 M	270 M	270 M	270 M
- Tx Rate (Fps)	401.786	228.041	122.283	63.440	32.328	25.962
- Rx (Frames)	693.702	398.676	214.017	111.200	56.488	44.589
- Rx Rate (L1) (Bit/s)	15,54 M	15,73 M	15,75 M	15,78 M	15,73 M	15,46 M
- Rx Rate (Fps)	23.123	13.289	7.134	3.707	1.883	1.486
- Flood Count (Frames)	91	90	92	92	95	90
P-0-4-1						


- Tx (Frames)	12.053.571	6.841.216	3.668.478	1.903.195	969.827	778.846
- Tx Rate (L1) (Bit/s)	270 M	270 M	270 M	270 M	270 M	270 M
- Tx Rate (Fps)	401.786	228.041	122.283	63.440	32.328	25.962
- Rx (Frames)	688.227	393.645	211.506	109.666	56.214	44.323
- Rx Rate (L1) (Bit/s)	15,42 M	15,54 M	15,57 M	15,56 M	15,65 M	15,37 M
- Rx Rate (Fps)	22.941	13.122	7.050	3.656	1.874	1.477
- Flood Count (Frames)	92	92	95	92	93	91
P-0-4-2						
- Tx (Frames)	12.053.571	6.841.216	3.668.478	1.903.195	969.827	778.846
- Tx Rate (L1) (Bit/s)	270 M	270 M	270 M	270 M	270 M	270 M
- Tx Rate (Fps)	401.786	228.041	122.283	63.440	32.328	25.962
- Rx (Frames)	686.423	393.156	211.183	109.679	56.089	44.322
- Rx Rate (L1) (Bit/s)	15,38 M	15,52 M	15,54 M	15,56 M	15,62 M	15,36 M
- Rx Rate (Fps)	22.881	13.105	7.039	3.656	1.870	1.477
- Flood Count (Frames)	91	93	88	91	92	86
P-0-4-3						
- Tx (Frames)	12.053.571	6.841.216	3.668.478	1.903.195	969.827	778.846
- Tx Rate (L1) (Bit/s)	270 M	270 M	270 M	270 M	270 M	270 M
- Tx Rate (Fps)	401.786	228.041	122.283	63.440	32.328	25.962
- Rx (Frames)	686.102	392.994	211.119	109.602	56.055	43.226
- Rx Rate (L1) (Bit/s)	15,37 M	15,51 M	15,54 M	15,55 M	15,61 M	14,99 M
- Rx Rate (Fps)	22.870	13.100	7.037	3.653	1.869	1.441
- Flood Count (Frames)	92	90	94	93	93	87
P-0-4-4						
- Tx (Frames)	12.053.571	6.841.216	3.668.478	1.903.195	969.827	778.846
- Tx Rate (L1) (Bit/s)	270 M	270 M	270 M	270 M	270 M	270 M
- Tx Rate (Fps)	401.786	228.041	122.283	63.440	32.328	25.962
- Rx (Frames)	686.107	393.046	211.040	109.635	56.068	44.107
- Rx Rate (L1) (Bit/s)	15,37 M	15,51 M	15,53 M	15,55 M	15,61 M	15,29 M
- Rx Rate (Fps)	22.870	13.102	7.035	3.655	1.869	1.470
- Flood Count (Frames)	89	90	85	92	92	91
P-0-4-5						
- Tx (Frames)	12.053.571	6.841.216	3.668.478	1.903.195	969.827	778.846
- Tx Rate (L1) (Bit/s)	270 M	270 M	270 M	270 M	270 M	270 M
- Tx Rate (Fps)	401.786	228.041	122.283	63.440	32.328	25.962
- Rx (Frames)	686.118	393.134	211.191	109.657	56.096	43.924
- Rx Rate (L1) (Bit/s)	15,37 M	15,52 M	15,54 M	15,56 M	15,62 M	15,23 M
- Rx Rate (Fps)	22.871	13.104	7.040	3.655	1.870	1.464
- Flood Count (Frames)	90	97	91	92	90	97

<b>Frame Size</b>	<b>1518</b>
Result State	<b>PASS</b>
Iter. #	1
Tx Rate (Percent)	30 %
Tx Rate (L1) (Bit/s)	4,86 G
Tx Rate (Fps)	394.993
Rx Rate (Percent)	7,18 %
Rx Rate (L1) (Bit/s)	1,16 G
Rx Rate (Fps)	94,53 K
Loss Rate (Percent)	<b>76,07 %</b>
Loss (Frames)	<b>9.013.844</b>
P-0-0-0	
- Tx (Frames)	658.308
- Tx Rate (L1) (Bit/s)	269,99 M
- Tx Rate (Fps)	21.944
- Rx (Frames)	2.192.543
- Rx Rate (L1) (Bit/s)	899,23 M
- Rx Rate (Fps)	73.085
- Flood Count (Frames)	0
P-0-0-1	
- Tx (Frames)	658.322
- Tx Rate (L1) (Bit/s)	270 M
- Tx Rate (Fps)	21.944
- Rx (Frames)	38.608
- Rx Rate (L1) (Bit/s)	15,83 M
- Rx Rate (Fps)	1.287
- Flood Count (Frames)	94
P-0-0-2	
- Tx (Frames)	658.322
- Tx Rate (L1) (Bit/s)	270 M

- Tx Rate (Fps)	21.944
- Rx (Frames)	38.554
- Rx Rate (L1) (Bit/s)	15,81 M
- Rx Rate (Fps)	1.285
- Flood Count (Frames)	90
P-0-0-3	
- Tx (Frames)	658.322
- Tx Rate (L1) (Bit/s)	270 M
- Tx Rate (Fps)	21.944
- Rx (Frames)	38.458
- Rx Rate (L1) (Bit/s)	15,77 M
- Rx Rate (Fps)	1.282
- Flood Count (Frames)	93
P-0-0-4	
- Tx (Frames)	658.322
- Tx Rate (L1) (Bit/s)	270 M
- Tx Rate (Fps)	21.944
- Rx (Frames)	38.297
- Rx Rate (L1) (Bit/s)	15,71 M
- Rx Rate (Fps)	1.277
- Flood Count (Frames)	92
P-0-0-5	
- Tx (Frames)	658.322
- Tx Rate (L1) (Bit/s)	270 M
- Tx Rate (Fps)	21.944
- Rx (Frames)	38.520
- Rx Rate (L1) (Bit/s)	15,8 M
- Rx Rate (Fps)	1.284
- Flood Count (Frames)	93
P-0-2-0	
- Tx (Frames)	658.322
- Tx Rate (L1) (Bit/s)	270 M
- Tx Rate (Fps)	21.944
- Rx (Frames)	37.670
- Rx Rate (L1) (Bit/s)	15,45 M
- Rx Rate (Fps)	1.256
- Flood Count (Frames)	84
P-0-2-1	
- Tx (Frames)	658.322
- Tx Rate (L1) (Bit/s)	270 M
- Tx Rate (Fps)	21.944
- Rx (Frames)	37.540
- Rx Rate (L1) (Bit/s)	15,4 M
- Rx Rate (Fps)	1.251
- Flood Count (Frames)	95
P-0-2-2	
- Tx (Frames)	658.322
- Tx Rate (L1) (Bit/s)	270 M
- Tx Rate (Fps)	21.944
- Rx (Frames)	37.496
- Rx Rate (L1) (Bit/s)	15,38 M
- Rx Rate (Fps)	1.250
- Flood Count (Frames)	90
P-0-2-3	
- Tx (Frames)	658.322
- Tx Rate (L1) (Bit/s)	270 M
- Tx Rate (Fps)	21.944
- Rx (Frames)	37.427
- Rx Rate (L1) (Bit/s)	15,35 M
- Rx Rate (Fps)	1.248
- Flood Count (Frames)	90
P-0-2-4	
- Tx (Frames)	658.322
- Tx Rate (L1) (Bit/s)	270 M
- Tx Rate (Fps)	21.944
- Rx (Frames)	37.777
- Rx Rate (L1) (Bit/s)	15,49 M
- Rx Rate (Fps)	1.259
- Flood Count (Frames)	93
P-0-2-5	
- Tx (Frames)	658.322

- Tx Rate (L1) (Bit/s)	270 M
- Tx Rate (Fps)	21.944
- Rx (Frames)	37.760
- Rx Rate (L1) (Bit/s)	15,49 M
- Rx Rate (Fps)	1.259
- Flood Count (Frames)	93
P-0-4-0	
- Tx (Frames)	658.322
- Tx Rate (L1) (Bit/s)	270 M
- Tx Rate (Fps)	21.944
- Rx (Frames)	37.723
- Rx Rate (L1) (Bit/s)	15,47 M
- Rx Rate (Fps)	1.257
- Flood Count (Frames)	93
P-0-4-1	
- Tx (Frames)	658.322
- Tx Rate (L1) (Bit/s)	270 M
- Tx Rate (Fps)	21.944
- Rx (Frames)	37.610
- Rx Rate (L1) (Bit/s)	15,43 M
- Rx Rate (Fps)	1.254
- Flood Count (Frames)	95
P-0-4-2	
- Tx (Frames)	658.322
- Tx Rate (L1) (Bit/s)	270 M
- Tx Rate (Fps)	21.944
- Rx (Frames)	37.469
- Rx Rate (L1) (Bit/s)	15,37 M
- Rx Rate (Fps)	1.249
- Flood Count (Frames)	92
P-0-4-3	
- Tx (Frames)	658.322
- Tx Rate (L1) (Bit/s)	270 M
- Tx Rate (Fps)	21.944
- Rx (Frames)	37.471
- Rx Rate (L1) (Bit/s)	15,37 M
- Rx Rate (Fps)	1.249
- Flood Count (Frames)	91
P-0-4-4	
- Tx (Frames)	658.322
- Tx Rate (L1) (Bit/s)	270 M
- Tx Rate (Fps)	21.944
- Rx (Frames)	37.509
- Rx Rate (L1) (Bit/s)	15,38 M
- Rx Rate (Fps)	1.250
- Flood Count (Frames)	97
P-0-4-5	
- Tx (Frames)	658.322
- Tx Rate (L1) (Bit/s)	270 M
- Tx Rate (Fps)	21.944
- Rx (Frames)	37.506
- Rx Rate (L1) (Bit/s)	15,38 M
- Rx Rate (Fps)	1.250
- Flood Count (Frames)	95

Part.Mesh, N->N: Loss by Frame Size at 30,00% Rate



## Results for 40,00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	40 %	40 %	40 %	40 %	40 %	40 %
Tx Rate (L1) (Bit/s)	6,48 G	6,48 G	6,48 G	6,48 G	6,48 G	6,48 G
Tx Rate (Fps)	9.642.857	5.472.972	2.934.782	1.522.556	775.861	623.076
Rx Rate (Percent)	7,24 %	7,6 %	7,67 %	7,71 %	7,72 %	7,71 %
Rx Rate (L1) (Bit/s)	1,17 G	1,23 G	1,24 G	1,25 G	1,25 G	1,25 G
Rx Rate (Fps)	1,75 M	1,04 M	562,53 K	293,29 K	149,76 K	120,14 K
Loss Rate (Percent)	81,9 %	81,01 %	80,83 %	80,74 %	80,7 %	80,72 %
Loss (Frames)	236.922.829	133.007.955	71.167.706	36.877.828	18.783.003	15.087.996
P-0-0-0						
- Tx (Frames)	16.071.426	9.121.605	4.891.291	2.537.590	1.293.088	1.038.445
- Tx Rate (L1) (Bit/s)	360 M	360 M	360 M	360 M	360 M	359,99 M
- Tx Rate (Fps)	535.714	304.054	163.043	84.586	43.103	34.615
- Rx (Frames)	38.016.030	22.242.182	12.075.417	6.308.368	3.226.156	2.592.956
- Rx Rate (L1) (Bit/s)	851,56 M	877,82 M	888,75 M	894,95 M	898,16 M	898,89 M
- Rx Rate (Fps)	1.267.201	741.406	402.514	210.279	107.539	86.432
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-1						
- Tx (Frames)	16.071.428	9.121.621	4.891.304	2.537.593	1.293.103	1.038.461
- Tx Rate (L1) (Bit/s)	360 M	360 M	360 M	360 M	360 M	360 M
- Tx Rate (Fps)	535.714	304.054	163.043	84.586	43.103	34.615
- Rx (Frames)	882.231	536.565	287.723	149.270	76.060	60.898
- Rx Rate (L1) (Bit/s)	19,76 M	21,18 M	21,18 M	21,18 M	21,18 M	21,11 M
- Rx Rate (Fps)	29.408	17.886	9.591	4.976	2.535	2.030
- Flood Count (Frames)	93	92	95	93	90	92
P-0-0-2						
- Tx (Frames)	16.071.428	9.121.621	4.891.304	2.537.593	1.293.103	1.038.461
- Tx Rate (L1) (Bit/s)	360 M	360 M	360 M	360 M	360 M	360 M
- Tx Rate (Fps)	535.714	304.054	163.043	84.586	43.103	34.615
- Rx (Frames)	884.051	536.565	287.723	149.270	76.057	60.792
- Rx Rate (L1) (Bit/s)	19,8 M	21,18 M	21,18 M	21,18 M	21,17 M	21,07 M
- Rx Rate (Fps)	29.468	17.886	9.591	4.976	2.535	2.026
- Flood Count (Frames)	94	92	92	94	91	91
P-0-0-3						
- Tx (Frames)	16.071.428	9.121.621	4.891.304	2.537.593	1.293.103	1.038.461
- Tx Rate (L1) (Bit/s)	360 M	360 M	360 M	360 M	360 M	360 M
- Tx Rate (Fps)	535.714	304.054	163.043	84.586	43.103	34.615
- Rx (Frames)	883.956	536.565	287.723	149.270	76.047	60.635
- Rx Rate (L1) (Bit/s)	19,8 M	21,18 M	21,18 M	21,18 M	21,17 M	21,02 M
- Rx Rate (Fps)	29.465	17.886	9.591	4.976	2.535	2.021
- Flood Count (Frames)	90	94	91	96	94	95
P-0-0-4						
- Tx (Frames)	16.071.428	9.121.621	4.891.304	2.537.593	1.293.103	1.038.461

- Tx Rate (L1) (Bit/s)	360 M	360 M	360 M	360 M	360 M	360 M
- Tx Rate (Fps)	535.714	304.054	163.043	84.586	43.103	34.615
- Rx (Frames)	883.999	536.565	287.723	149.270	76.048	60.306
- Rx Rate (L1) (Bit/s)	19,8 M	21,18 M	21,18 M	21,18 M	21,17 M	20,91 M
- Rx Rate (Fps)	29.467	17.886	9.591	4.976	2.535	2.010
- Flood Count (Frames)	96	95	92	93	95	90
P-0-0-5						
- Tx (Frames)	16.071.428	9.121.621	4.891.304	2.537.593	1.293.103	1.038.461
- Tx Rate (L1) (Bit/s)	360 M	360 M	360 M	360 M	360 M	360 M
- Tx Rate (Fps)	535.714	304.054	163.043	84.586	43.103	34.615
- Rx (Frames)	884.077	536.565	287.723	149.270	76.058	60.727
- Rx Rate (L1) (Bit/s)	19,8 M	21,18 M	21,18 M	21,18 M	21,17 M	21,05 M
- Rx Rate (Fps)	29.469	17.886	9.591	4.976	2.535	2.024
- Flood Count (Frames)	92	91	92	91	94	92
P-0-2-0						
- Tx (Frames)	16.071.428	9.121.621	4.891.304	2.537.593	1.293.103	1.038.461
- Tx Rate (L1) (Bit/s)	360 M	360 M	360 M	360 M	360 M	360 M
- Tx Rate (Fps)	535.714	304.054	163.043	84.586	43.103	34.615
- Rx (Frames)	871.710	519.403	279.286	145.054	73.730	59.106
- Rx Rate (L1) (Bit/s)	19,53 M	20,5 M	20,56 M	20,58 M	20,53 M	20,49 M
- Rx Rate (Fps)	29.057	17.313	9.310	4.835	2.458	1.970
- Flood Count (Frames)	88	88	90	88	89	87
P-0-2-1						
- Tx (Frames)	16.071.428	9.121.621	4.891.304	2.537.593	1.293.103	1.038.461
- Tx Rate (L1) (Bit/s)	360 M	360 M	360 M	360 M	360 M	360 M
- Tx Rate (Fps)	535.714	304.054	163.043	84.586	43.103	34.615
- Rx (Frames)	871.218	519.607	279.447	144.860	73.632	58.959
- Rx Rate (L1) (Bit/s)	19,52 M	20,51 M	20,57 M	20,55 M	20,5 M	20,44 M
- Rx Rate (Fps)	29.041	17.320	9.315	4.829	2.454	1.965
- Flood Count (Frames)	92	87	88	92	89	90
P-0-2-2						
- Tx (Frames)	16.071.428	9.121.621	4.891.304	2.537.593	1.293.103	1.038.461
- Tx Rate (L1) (Bit/s)	360 M	360 M	360 M	360 M	360 M	360 M
- Tx Rate (Fps)	535.714	304.054	163.043	84.586	43.103	34.615
- Rx (Frames)	859.617	519.697	279.067	145.214	73.985	59.118
- Rx Rate (L1) (Bit/s)	19,26 M	20,51 M	20,54 M	20,6 M	20,6 M	20,49 M
- Rx Rate (Fps)	28.654	17.323	9.302	4.840	2.466	1.971
- Flood Count (Frames)	91	89	94	91	92	89
P-0-2-3						
- Tx (Frames)	16.071.428	9.121.621	4.891.304	2.537.593	1.293.103	1.038.461
- Tx Rate (L1) (Bit/s)	360 M	360 M	360 M	360 M	360 M	360 M
- Tx Rate (Fps)	535.714	304.054	163.043	84.586	43.103	34.615
- Rx (Frames)	854.711	520.992	279.731	145.108	73.945	59.032
- Rx Rate (L1) (Bit/s)	19,15 M	20,56 M	20,59 M	20,59 M	20,59 M	20,46 M
- Rx Rate (Fps)	28.490	17.366	9.324	4.837	2.465	1.968
- Flood Count (Frames)	90	90	84	89	92	85
P-0-2-4						
- Tx (Frames)	16.071.428	9.121.621	4.891.304	2.537.593	1.293.103	1.038.461
- Tx Rate (L1) (Bit/s)	360 M	360 M	360 M	360 M	360 M	360 M
- Tx Rate (Fps)	535.714	304.054	163.043	84.586	43.103	34.615
- Rx (Frames)	815.108	519.606	279.423	144.484	74.226	59.096
- Rx Rate (L1) (Bit/s)	18,26 M	20,51 M	20,57 M	20,5 M	20,66 M	20,49 M
- Rx Rate (Fps)	27.170	17.320	9.314	4.816	2.474	1.970
- Flood Count (Frames)	91	92	90	90	93	90
P-0-2-5						
- Tx (Frames)	16.071.428	9.121.621	4.891.304	2.537.593	1.293.103	1.038.461
- Tx Rate (L1) (Bit/s)	360 M	360 M	360 M	360 M	360 M	360 M
- Tx Rate (Fps)	535.714	304.054	163.043	84.586	43.103	34.615
- Rx (Frames)	806.095	521.532	278.778	145.154	74.362	59.101
- Rx Rate (L1) (Bit/s)	18,06 M	20,58 M	20,52 M	20,59 M	20,7 M	20,49 M
- Rx Rate (Fps)	26.870	17.384	9.293	4.838	2.479	1.970
- Flood Count (Frames)	89	92	88	91	88	90
P-0-4-0						
- Tx (Frames)	16.071.428	9.121.621	4.891.304	2.537.593	1.293.103	1.038.461
- Tx Rate (L1) (Bit/s)	360 M	360 M	360 M	360 M	360 M	360 M
- Tx Rate (Fps)	535.714	304.054	163.043	84.586	43.103	34.615
- Rx (Frames)	809.882	527.952	282.832	146.691	74.668	59.133
- Rx Rate (L1) (Bit/s)	18,14 M	20,84 M	20,82 M	20,81 M	20,79 M	20,5 M
- Rx Rate (Fps)	26.996	17.598	9.428	4.890	2.489	1.971
- Flood Count (Frames)	91	92	91	94	92	94
P-0-4-1						




- Tx (Frames)	16.071.428	9.121.621	4.891.304	2.537.593	1.293.103	1.038.461
- Tx Rate (L1) (Bit/s)	360 M	360 M	360 M	360 M	360 M	360 M
- Tx Rate (Fps)	535.714	304.054	163.043	84.586	43.103	34.615
- Rx (Frames)	801.766	522.221	281.030	145.694	73.650	59.002
- Rx Rate (L1) (Bit/s)	17,96 M	20,61 M	20,68 M	20,67 M	20,5 M	20,45 M
- Rx Rate (Fps)	26.726	17.407	9.368	4.856	2.455	1.967
- Flood Count (Frames)	90	94	89	93	92	94
P-0-4-2						
- Tx (Frames)	16.071.428	9.121.621	4.891.304	2.537.593	1.293.103	1.038.461
- Tx Rate (L1) (Bit/s)	360 M	360 M	360 M	360 M	360 M	360 M
- Tx Rate (Fps)	535.714	304.054	163.043	84.586	43.103	34.615
- Rx (Frames)	800.533	521.334	280.548	145.454	73.538	58.921
- Rx Rate (L1) (Bit/s)	17,93 M	20,58 M	20,65 M	20,64 M	20,47 M	20,43 M
- Rx Rate (Fps)	26.684	17.378	9.352	4.848	2.451	1.964
- Flood Count (Frames)	91	94	93	93	90	91
P-0-4-3						
- Tx (Frames)	16.071.428	9.121.621	4.891.304	2.537.593	1.293.103	1.038.461
- Tx Rate (L1) (Bit/s)	360 M	360 M	360 M	360 M	360 M	360 M
- Tx Rate (Fps)	535.714	304.054	163.043	84.586	43.103	34.615
- Rx (Frames)	800.429	521.257	280.485	145.485	73.572	58.777
- Rx Rate (L1) (Bit/s)	17,93 M	20,57 M	20,64 M	20,64 M	20,48 M	20,38 M
- Rx Rate (Fps)	26.681	17.375	9.350	4.850	2.452	1.959
- Flood Count (Frames)	90	95	91	93	88	91
P-0-4-4						
- Tx (Frames)	16.071.428	9.121.621	4.891.304	2.537.593	1.293.103	1.038.461
- Tx Rate (L1) (Bit/s)	360 M	360 M	360 M	360 M	360 M	360 M
- Tx Rate (Fps)	535.714	304.054	163.043	84.586	43.103	34.615
- Rx (Frames)	800.625	521.284	280.590	145.451	73.513	58.877
- Rx Rate (L1) (Bit/s)	17,93 M	20,57 M	20,65 M	20,63 M	20,47 M	20,41 M
- Rx Rate (Fps)	26.688	17.376	9.353	4.848	2.450	1.963
- Flood Count (Frames)	93	90	93	91	88	90
P-0-4-5						
- Tx (Frames)	16.071.428	9.121.621	4.891.304	2.537.593	1.293.103	1.038.461
- Tx Rate (L1) (Bit/s)	360 M	360 M	360 M	360 M	360 M	360 M
- Tx Rate (Fps)	535.714	304.054	163.043	84.586	43.103	34.615
- Rx (Frames)	836.835	521.315	280.504	145.476	73.589	58.850
- Rx Rate (L1) (Bit/s)	18,75 M	20,57 M	20,65 M	20,64 M	20,49 M	20,4 M
- Rx Rate (Fps)	27.895	17.377	9.350	4.849	2.453	1.962
- Flood Count (Frames)	95	90	91	92	91	92

<b>Frame Size</b>	<b>1518</b>
Result State	PASS
Iter. #	1
Tx Rate (Percent)	40 %
Tx Rate (L1) (Bit/s)	6,48 G
Tx Rate (Fps)	526.658
Rx Rate (Percent)	7,71 %
Rx Rate (L1) (Bit/s)	1,25 G
Rx Rate (Fps)	101,46 K
Loss Rate (Percent)	80,74 %
Loss (Frames)	12.756.055
P-0-0-0	
- Tx (Frames)	877.761
- Tx Rate (L1) (Bit/s)	360 M
- Tx Rate (Fps)	29.259
- Rx (Frames)	2.192.785
- Rx Rate (L1) (Bit/s)	899,33 M
- Rx Rate (Fps)	73.093
- Flood Count (Frames)	0
P-0-0-1	
- Tx (Frames)	877.763
- Tx Rate (L1) (Bit/s)	360 M
- Tx Rate (Fps)	29.259
- Rx (Frames)	51.547
- Rx Rate (L1) (Bit/s)	21,14 M
- Rx Rate (Fps)	1.718
- Flood Count (Frames)	93
P-0-0-2	
- Tx (Frames)	877.763
- Tx Rate (L1) (Bit/s)	360 M

- Tx Rate (Fps)	29.259
- Rx (Frames)	51.379
- Rx Rate (L1) (Bit/s)	21,07 M
- Rx Rate (Fps)	1.713
- Flood Count (Frames)	92
P-0-0-3	
- Tx (Frames)	877.763
- Tx Rate (L1) (Bit/s)	360 M
- Tx Rate (Fps)	29.259
- Rx (Frames)	51.237
- Rx Rate (L1) (Bit/s)	21,01 M
- Rx Rate (Fps)	1.708
- Flood Count (Frames)	92
P-0-0-4	
- Tx (Frames)	877.763
- Tx Rate (L1) (Bit/s)	360 M
- Tx Rate (Fps)	29.259
- Rx (Frames)	51.002
- Rx Rate (L1) (Bit/s)	20,92 M
- Rx Rate (Fps)	1.700
- Flood Count (Frames)	94
P-0-0-5	
- Tx (Frames)	877.763
- Tx Rate (L1) (Bit/s)	360 M
- Tx Rate (Fps)	29.259
- Rx (Frames)	51.332
- Rx Rate (L1) (Bit/s)	21,05 M
- Rx Rate (Fps)	1.711
- Flood Count (Frames)	95
P-0-2-0	
- Tx (Frames)	877.763
- Tx Rate (L1) (Bit/s)	360 M
- Tx Rate (Fps)	29.259
- Rx (Frames)	49.978
- Rx Rate (L1) (Bit/s)	20,5 M
- Rx Rate (Fps)	1.666
- Flood Count (Frames)	90
P-0-2-1	
- Tx (Frames)	877.763
- Tx Rate (L1) (Bit/s)	360 M
- Tx Rate (Fps)	29.259
- Rx (Frames)	49.936
- Rx Rate (L1) (Bit/s)	20,48 M
- Rx Rate (Fps)	1.665
- Flood Count (Frames)	87
P-0-2-2	
- Tx (Frames)	877.763
- Tx Rate (L1) (Bit/s)	360 M
- Tx Rate (Fps)	29.259
- Rx (Frames)	50.060
- Rx Rate (L1) (Bit/s)	20,53 M
- Rx Rate (Fps)	1.669
- Flood Count (Frames)	93
P-0-2-3	
- Tx (Frames)	877.763
- Tx Rate (L1) (Bit/s)	360 M
- Tx Rate (Fps)	29.259
- Rx (Frames)	49.987
- Rx Rate (L1) (Bit/s)	20,5 M
- Rx Rate (Fps)	1.666
- Flood Count (Frames)	89
P-0-2-4	
- Tx (Frames)	877.763
- Tx Rate (L1) (Bit/s)	360 M
- Tx Rate (Fps)	29.259
- Rx (Frames)	49.958
- Rx Rate (L1) (Bit/s)	20,49 M
- Rx Rate (Fps)	1.665
- Flood Count (Frames)	90
P-0-2-5	
- Tx (Frames)	877.763

- Tx Rate (L1) (Bit/s)	360 M
- Tx Rate (Fps)	29.259
- Rx (Frames)	49.949
- Rx Rate (L1) (Bit/s)	20,49 M
- Rx Rate (Fps)	1.665
- Flood Count (Frames)	91
P-0-4-0	
- Tx (Frames)	877.763
- Tx Rate (L1) (Bit/s)	360 M
- Tx Rate (Fps)	29.259
- Rx (Frames)	49.202
- Rx Rate (L1) (Bit/s)	20,18 M
- Rx Rate (Fps)	1.640
- Flood Count (Frames)	90
P-0-4-1	
- Tx (Frames)	877.763
- Tx Rate (L1) (Bit/s)	360 M
- Tx Rate (Fps)	29.259
- Rx (Frames)	49.392
- Rx Rate (L1) (Bit/s)	20,26 M
- Rx Rate (Fps)	1.646
- Flood Count (Frames)	90
P-0-4-2	
- Tx (Frames)	877.763
- Tx Rate (L1) (Bit/s)	360 M
- Tx Rate (Fps)	29.259
- Rx (Frames)	48.613
- Rx Rate (L1) (Bit/s)	19,94 M
- Rx Rate (Fps)	1.620
- Flood Count (Frames)	90
P-0-4-3	
- Tx (Frames)	877.763
- Tx Rate (L1) (Bit/s)	360 M
- Tx Rate (Fps)	29.259
- Rx (Frames)	48.029
- Rx Rate (L1) (Bit/s)	19,7 M
- Rx Rate (Fps)	1.601
- Flood Count (Frames)	93
P-0-4-4	
- Tx (Frames)	877.763
- Tx Rate (L1) (Bit/s)	360 M
- Tx Rate (Fps)	29.259
- Rx (Frames)	49.613
- Rx Rate (L1) (Bit/s)	20,35 M
- Rx Rate (Fps)	1.654
- Flood Count (Frames)	92
P-0-4-5	
- Tx (Frames)	877.763
- Tx Rate (L1) (Bit/s)	360 M
- Tx Rate (Fps)	29.259
- Rx (Frames)	49.678
- Rx Rate (L1) (Bit/s)	20,37 M
- Rx Rate (Fps)	1.656
- Flood Count (Frames)	93



## Results for 50,00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	50 %	50 %	50 %	50 %	50 %	50 %
Tx Rate (L1) (Bit/s)	8,1 G	8,1 G	8,1 G	8,1 G	8,1 G	8,1 G
Tx Rate (Fps)	12.053.571	6.841.216	3.668.478	1.903.195	969.827	778.845
Rx Rate (Percent)	0,03 %	8,13 %	8,2 %	8,23 %	8,26 %	8,22 %
Rx Rate (L1) (Bit/s)	5,61 M	1,32 G	1,33 G	1,33 G	1,34 G	1,33 G
Rx Rate (Fps)	8,35 K	1,11 M	601,45 K	313,41 K	160,19 K	128,09 K
Loss Rate (Percent)	99,93 %	83,74 %	83,6 %	83,53 %	83,48 %	83,55 %
Loss (Frames)	361.356.670	171.868.437	92.010.781	47.693.428	24.289.082	19.522.802
P-0-0-0						
- Tx (Frames)	20.089.274	11.402.019	6.114.118	3.171.979	1.616.377	1.298.069
- Tx Rate (L1) (Bit/s)	450 M	450 M	450 M	450 M	450 M	450 M
- Tx Rate (Fps)	669.642	380.067	203.804	105.733	53.879	43.269
- Rx (Frames)	235.943	22.244.149	12.076.075	6.308.638	3.226.411	2.593.140
- Rx Rate (L1) (Bit/s)	5,29 M	877,9 M	888,8 M	894,99 M	898,23 M	898,96 M
- Rx Rate (Fps)	7.865	741.472	402.536	210.288	107.547	86.438
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-1						
- Tx (Frames)	20.089.285	11.402.027	6.114.130	3.171.992	1.616.379	1.298.076
- Tx Rate (L1) (Bit/s)	450 M	450 M	450 M	450 M	450 M	450 M
- Tx Rate (Fps)	669.643	380.068	203.804	105.733	53.879	43.269
- Rx (Frames)	854	670.706	359.654	186.587	95.073	76.163
- Rx Rate (L1) (Bit/s)	19,13 K	26,47 M	26,47 M	26,47 M	26,47 M	26,4 M
- Rx Rate (Fps)	28	22.357	11.988	6.220	3.169	2.539
- Flood Count (Frames)	91	95	93	94	94	95
P-0-0-2						
- Tx (Frames)	20.089.285	11.402.027	6.114.130	3.171.992	1.616.379	1.298.076
- Tx Rate (L1) (Bit/s)	450 M	450 M	450 M	450 M	450 M	450 M
- Tx Rate (Fps)	669.643	380.068	203.804	105.733	53.879	43.269
- Rx (Frames)	854	670.706	359.654	186.587	95.062	76.013
- Rx Rate (L1) (Bit/s)	19,13 K	26,47 M	26,47 M	26,47 M	26,47 M	26,35 M
- Rx Rate (Fps)	28	22.357	11.988	6.220	3.169	2.534
- Flood Count (Frames)	92	93	92	92	95	91
P-0-0-3						
- Tx (Frames)	20.089.285	11.402.027	6.114.130	3.171.992	1.616.379	1.298.076
- Tx Rate (L1) (Bit/s)	450 M	450 M	450 M	450 M	450 M	450 M
- Tx Rate (Fps)	669.643	380.068	203.804	105.733	53.879	43.269
- Rx (Frames)	854	670.707	359.654	186.587	95.056	75.866
- Rx Rate (L1) (Bit/s)	19,13 K	26,47 M	26,47 M	26,47 M	26,46 M	26,3 M
- Rx Rate (Fps)	28	22.357	11.988	6.220	3.169	2.529
- Flood Count (Frames)	90	90	92	93	91	94
P-0-0-4						
- Tx (Frames)	20.089.285	11.402.027	6.114.130	3.171.992	1.616.379	1.298.076

- Tx Rate (L1) (Bit/s)	450 M	450 M	450 M	450 M	450 M	450 M
- Tx Rate (Fps)	669.643	380.068	203.804	105.733	53.879	43.269
- Rx (Frames)	853	670.706	359.654	186.587	95.051	75.424
- Rx Rate (L1) (Bit/s)	19,11 K	26,47 M	26,47 M	26,47 M	26,46 M	26,15 M
- Rx Rate (Fps)	28	22.357	11.988	6.220	3.168	2.514
- Flood Count (Frames)	93	92	92	95	91	95
P-0-0-5						
- Tx (Frames)	20.089.285	11.402.027	6.114.130	3.171.992	1.616.379	1.298.076
- Tx Rate (L1) (Bit/s)	450 M	450 M	450 M	450 M	450 M	450 M
- Tx Rate (Fps)	669.643	380.068	203.804	105.733	53.879	43.269
- Rx (Frames)	855	670.707	359.654	186.587	95.072	76.005
- Rx Rate (L1) (Bit/s)	19,15 K	26,47 M	26,47 M	26,47 M	26,47 M	26,35 M
- Rx Rate (Fps)	29	22.357	11.988	6.220	3.169	2.534
- Flood Count (Frames)	96	93	91	91	90	95
P-0-2-0						
- Tx (Frames)	20.089.285	11.402.027	6.114.130	3.171.992	1.616.379	1.298.076
- Tx Rate (L1) (Bit/s)	450 M	450 M	450 M	450 M	450 M	450 M
- Tx Rate (Fps)	669.643	380.068	203.804	105.733	53.879	43.269
- Rx (Frames)	854	646.404	346.955	179.630	91.765	73.597
- Rx Rate (L1) (Bit/s)	19,13 K	25,51 M	25,54 M	25,48 M	25,55 M	25,51 M
- Rx Rate (Fps)	28	21.547	11.565	5.988	3.059	2.453
- Flood Count (Frames)	66	88	92	92	86	85
P-0-2-1						
- Tx (Frames)	20.089.285	11.402.027	6.114.130	3.171.992	1.616.379	1.298.076
- Tx Rate (L1) (Bit/s)	450 M	450 M	450 M	450 M	450 M	450 M
- Tx Rate (Fps)	669.643	380.068	203.804	105.733	53.879	43.269
- Rx (Frames)	853	646.514	347.745	179.919	91.905	73.577
- Rx Rate (L1) (Bit/s)	19,11 K	25,52 M	25,59 M	25,52 M	25,59 M	25,51 M
- Rx Rate (Fps)	28	21.550	11.592	5.997	3.064	2.453
- Flood Count (Frames)	84	89	87	90	84	85
P-0-2-2						
- Tx (Frames)	20.089.285	11.402.027	6.114.130	3.171.992	1.616.379	1.298.076
- Tx Rate (L1) (Bit/s)	450 M	450 M	450 M	450 M	450 M	450 M
- Tx Rate (Fps)	669.643	380.068	203.804	105.733	53.879	43.269
- Rx (Frames)	854	647.528	347.790	179.883	92.018	73.597
- Rx Rate (L1) (Bit/s)	19,13 K	25,56 M	25,6 M	25,52 M	25,62 M	25,51 M
- Rx Rate (Fps)	28	21.584	11.593	5.996	3.067	2.453
- Flood Count (Frames)	78	87	88	88	89	85
P-0-2-3						
- Tx (Frames)	20.089.285	11.402.027	6.114.130	3.171.992	1.616.379	1.298.076
- Tx Rate (L1) (Bit/s)	450 M	450 M	450 M	450 M	450 M	450 M
- Tx Rate (Fps)	669.643	380.068	203.804	105.733	53.879	43.269
- Rx (Frames)	853	647.862	347.644	179.890	92.050	73.457
- Rx Rate (L1) (Bit/s)	19,11 K	25,57 M	25,59 M	25,52 M	25,63 M	25,47 M
- Rx Rate (Fps)	28	21.595	11.588	5.996	3.068	2.449
- Flood Count (Frames)	86	89	88	87	91	90
P-0-2-4						
- Tx (Frames)	20.089.285	11.402.027	6.114.130	3.171.992	1.616.379	1.298.076
- Tx Rate (L1) (Bit/s)	450 M	450 M	450 M	450 M	450 M	450 M
- Tx Rate (Fps)	669.643	380.068	203.804	105.733	53.879	43.269
- Rx (Frames)	853	649.354	349.534	179.464	92.116	72.872
- Rx Rate (L1) (Bit/s)	19,11 K	25,63 M	25,73 M	25,46 M	25,65 M	25,26 M
- Rx Rate (Fps)	28	21.645	11.651	5.982	3.071	2.429
- Flood Count (Frames)	95	93	95	92	93	88
P-0-2-5						
- Tx (Frames)	20.089.285	11.402.027	6.114.130	3.171.992	1.616.379	1.298.076
- Tx Rate (L1) (Bit/s)	450 M	450 M	450 M	450 M	450 M	450 M
- Tx Rate (Fps)	669.643	380.068	203.804	105.733	53.879	43.269
- Rx (Frames)	853	649.149	349.018	180.010	92.136	72.757
- Rx Rate (L1) (Bit/s)	19,11 K	25,62 M	25,69 M	25,54 M	25,65 M	25,22 M
- Rx Rate (Fps)	28	21.638	11.634	6.000	3.071	2.425
- Flood Count (Frames)	93	93	91	92	93	93
P-0-4-0						
- Tx (Frames)	20.089.285	11.402.027	6.114.130	3.171.992	1.616.379	1.298.076
- Tx Rate (L1) (Bit/s)	450 M	450 M	450 M	450 M	450 M	450 M
- Tx Rate (Fps)	669.643	380.068	203.804	105.733	53.879	43.269
- Rx (Frames)	853	654.920	350.340	181.959	92.893	72.361
- Rx Rate (L1) (Bit/s)	19,11 K	25,85 M	25,79 M	25,81 M	25,86 M	25,09 M
- Rx Rate (Fps)	28	21.831	11.678	6.065	3.096	2.412
- Flood Count (Frames)	93	92	91	93	93	90
P-0-4-1						

- Tx (Frames)	20.089.285	11.402.027	6.114.130	3.171.992	1.616.379	1.298.076
- Tx Rate (L1) (Bit/s)	450 M	450 M	450 M	450 M	450 M	450 M
- Tx Rate (Fps)	669.643	380.068	203.804	105.733	53.879	43.269
- Rx (Frames)	853	645.809	346.234	180.161	91.868	73.008
- Rx Rate (L1) (Bit/s)	19,11 K	25,49 M	25,48 M	25,56 M	25,58 M	25,31 M
- Rx Rate (Fps)	28	21.527	11.541	6.005	3.062	2.434
- Flood Count (Frames)	94	90	93	93	91	93
P-0-4-2						
- Tx (Frames)	20.089.285	11.402.027	6.114.130	3.171.992	1.616.379	1.298.076
- Tx Rate (L1) (Bit/s)	450 M	450 M	450 M	450 M	450 M	450 M
- Tx Rate (Fps)	669.643	380.068	203.804	105.733	53.879	43.269
- Rx (Frames)	853	645.783	345.997	179.993	91.837	72.395
- Rx Rate (L1) (Bit/s)	19,11 K	25,49 M	25,47 M	25,54 M	25,57 M	25,1 M
- Rx Rate (Fps)	28	21.526	11.533	6.000	3.061	2.413
- Flood Count (Frames)	90	88	89	92	94	91
P-0-4-3						
- Tx (Frames)	20.089.285	11.402.027	6.114.130	3.171.992	1.616.379	1.298.076
- Tx Rate (L1) (Bit/s)	450 M	450 M	450 M	450 M	450 M	450 M
- Tx Rate (Fps)	669.643	380.068	203.804	105.733	53.879	43.269
- Rx (Frames)	852	645.652	345.990	179.984	91.801	73.218
- Rx Rate (L1) (Bit/s)	19,08 K	25,48 M	25,46 M	25,53 M	25,56 M	25,38 M
- Rx Rate (Fps)	28	21.522	11.533	5.999	3.060	2.441
- Flood Count (Frames)	92	91	93	90	93	93
P-0-4-4						
- Tx (Frames)	20.089.285	11.402.027	6.114.130	3.171.992	1.616.379	1.298.076
- Tx Rate (L1) (Bit/s)	450 M	450 M	450 M	450 M	450 M	450 M
- Tx Rate (Fps)	669.643	380.068	203.804	105.733	53.879	43.269
- Rx (Frames)	852	645.639	346.034	179.979	91.801	70.337
- Rx Rate (L1) (Bit/s)	19,08 K	25,48 M	25,47 M	25,53 M	25,56 M	24,38 M
- Rx Rate (Fps)	28	21.521	11.534	5.999	3.060	2.345
- Flood Count (Frames)	92	88	92	94	93	91
P-0-4-5						
- Tx (Frames)	20.089.285	11.402.027	6.114.130	3.171.992	1.616.379	1.298.076
- Tx Rate (L1) (Bit/s)	450 M	450 M	450 M	450 M	450 M	450 M
- Tx Rate (Fps)	669.643	380.068	203.804	105.733	53.879	43.269
- Rx (Frames)	853	645.746	345.921	179.970	91.823	68.772
- Rx Rate (L1) (Bit/s)	19,11 K	25,49 M	25,46 M	25,53 M	25,56 M	23,84 M
- Rx Rate (Fps)	28	21.525	11.531	5.999	3.061	2.292
- Flood Count (Frames)	89	93	90	95	92	93


<b>Frame Size</b>	<b>1518</b>
Result State	<b>PASS</b>
Iter. #	1
Tx Rate (Percent)	50 %
Tx Rate (L1) (Bit/s)	8,1 G
Tx Rate (Fps)	658.322
Rx Rate (Percent)	8,24 %
Rx Rate (L1) (Bit/s)	1,34 G
Rx Rate (Fps)	108,54 K
Loss Rate (Percent)	<b>83,51 %</b>
Loss (Frames)	<b>16.493.330</b>
P-0-0-0	
- Tx (Frames)	1.097.197
- Tx Rate (L1) (Bit/s)	450 M
- Tx Rate (Fps)	36.573
- Rx (Frames)	2.192.698
- Rx Rate (L1) (Bit/s)	899,3 M
- Rx Rate (Fps)	73.090
- Flood Count (Frames)	0
P-0-0-1	
- Tx (Frames)	1.097.204
- Tx Rate (L1) (Bit/s)	450 M
- Tx Rate (Fps)	36.573
- Rx (Frames)	64.380
- Rx Rate (L1) (Bit/s)	26,4 M
- Rx Rate (Fps)	2.146
- Flood Count (Frames)	93
P-0-0-2	
- Tx (Frames)	1.097.204
- Tx Rate (L1) (Bit/s)	450 M

- Tx Rate (Fps)	36.573
- Rx (Frames)	64.264
- Rx Rate (L1) (Bit/s)	26,36 M
- Rx Rate (Fps)	2.142
- Flood Count (Frames)	91
P-0-0-3	
- Tx (Frames)	1.097.204
- Tx Rate (L1) (Bit/s)	450 M
- Tx Rate (Fps)	36.573
- Rx (Frames)	64.135
- Rx Rate (L1) (Bit/s)	26,3 M
- Rx Rate (Fps)	2.138
- Flood Count (Frames)	93
P-0-0-4	
- Tx (Frames)	1.097.204
- Tx Rate (L1) (Bit/s)	450 M
- Tx Rate (Fps)	36.573
- Rx (Frames)	63.837
- Rx Rate (L1) (Bit/s)	26,18 M
- Rx Rate (Fps)	2.128
- Flood Count (Frames)	90
P-0-0-5	
- Tx (Frames)	1.097.204
- Tx Rate (L1) (Bit/s)	450 M
- Tx Rate (Fps)	36.573
- Rx (Frames)	64.236
- Rx Rate (L1) (Bit/s)	26,35 M
- Rx Rate (Fps)	2.141
- Flood Count (Frames)	95
P-0-2-0	
- Tx (Frames)	1.097.204
- Tx Rate (L1) (Bit/s)	450 M
- Tx Rate (Fps)	36.573
- Rx (Frames)	62.108
- Rx Rate (L1) (Bit/s)	25,47 M
- Rx Rate (Fps)	2.070
- Flood Count (Frames)	92
P-0-2-1	
- Tx (Frames)	1.097.204
- Tx Rate (L1) (Bit/s)	450 M
- Tx Rate (Fps)	36.573
- Rx (Frames)	62.055
- Rx Rate (L1) (Bit/s)	25,45 M
- Rx Rate (Fps)	2.069
- Flood Count (Frames)	96
P-0-2-2	
- Tx (Frames)	1.097.204
- Tx Rate (L1) (Bit/s)	450 M
- Tx Rate (Fps)	36.573
- Rx (Frames)	62.216
- Rx Rate (L1) (Bit/s)	25,52 M
- Rx Rate (Fps)	2.074
- Flood Count (Frames)	92
P-0-2-3	
- Tx (Frames)	1.097.204
- Tx Rate (L1) (Bit/s)	450 M
- Tx Rate (Fps)	36.573
- Rx (Frames)	62.090
- Rx Rate (L1) (Bit/s)	25,47 M
- Rx Rate (Fps)	2.070
- Flood Count (Frames)	87
P-0-2-4	
- Tx (Frames)	1.097.204
- Tx Rate (L1) (Bit/s)	450 M
- Tx Rate (Fps)	36.573
- Rx (Frames)	62.142
- Rx Rate (L1) (Bit/s)	25,49 M
- Rx Rate (Fps)	2.071
- Flood Count (Frames)	90
P-0-2-5	
- Tx (Frames)	1.097.204

- Tx Rate (L1) (Bit/s)	450 M
- Tx Rate (Fps)	36.573
- Rx (Frames)	62.112
- Rx Rate (L1) (Bit/s)	25,47 M
- Rx Rate (Fps)	2.070
- Flood Count (Frames)	90
P-0-4-0	
- Tx (Frames)	1.097.204
- Tx Rate (L1) (Bit/s)	450 M
- Tx Rate (Fps)	36.573
- Rx (Frames)	61.810
- Rx Rate (L1) (Bit/s)	25,35 M
- Rx Rate (Fps)	2.060
- Flood Count (Frames)	92
P-0-4-1	
- Tx (Frames)	1.097.204
- Tx Rate (L1) (Bit/s)	450 M
- Tx Rate (Fps)	36.573
- Rx (Frames)	61.664
- Rx Rate (L1) (Bit/s)	25,29 M
- Rx Rate (Fps)	2.055
- Flood Count (Frames)	91
P-0-4-2	
- Tx (Frames)	1.097.204
- Tx Rate (L1) (Bit/s)	450 M
- Tx Rate (Fps)	36.573
- Rx (Frames)	61.644
- Rx Rate (L1) (Bit/s)	25,28 M
- Rx Rate (Fps)	2.055
- Flood Count (Frames)	91
P-0-4-3	
- Tx (Frames)	1.097.204
- Tx Rate (L1) (Bit/s)	450 M
- Tx Rate (Fps)	36.573
- Rx (Frames)	61.662
- Rx Rate (L1) (Bit/s)	25,29 M
- Rx Rate (Fps)	2.055
- Flood Count (Frames)	90
P-0-4-4	
- Tx (Frames)	1.097.204
- Tx Rate (L1) (Bit/s)	450 M
- Tx Rate (Fps)	36.573
- Rx (Frames)	61.551
- Rx Rate (L1) (Bit/s)	25,24 M
- Rx Rate (Fps)	2.052
- Flood Count (Frames)	93
P-0-4-5	
- Tx (Frames)	1.097.204
- Tx Rate (L1) (Bit/s)	450 M
- Tx Rate (Fps)	36.573
- Rx (Frames)	61.731
- Rx Rate (L1) (Bit/s)	25,32 M
- Rx Rate (Fps)	2.058
- Flood Count (Frames)	95



Part.Mesh, N->N: Loss by Frame Size at 50,00% Rate



### Results for 60,00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	60 %	60 %	60 %	60 %	60 %	60 %
Tx Rate (L1) (Bit/s)	9,72 G	9,72 G	9,72 G	9,72 G	9,72 G	9,72 G
Tx Rate (Fps)	14.464.285	8.209.459	4.402.173	2.283.834	1.163.793	934.615
Rx Rate (Percent)	0,05 %	8,67 %	8,74 %	8,77 %	8,8 %	8,72 %
Rx Rate (L1) (Bit/s)	7,99 M	1,4 G	1,42 G	1,42 G	1,43 G	1,41 G
Rx Rate (Fps)	11,89 K	1,19 M	641,14 K	333,93 K	170,74 K	135,8 K
Loss Rate (Percent)	99,92 %	85,56 %	85,44 %	85,38 %	85,33 %	85,47 %
Loss (Frames)	433.571.932	210.715.906	112.830.917	58.497.026	29.791.574	23.964.536
P-0-0-0						
- Tx (Frames)	24.107.139	13.682.416	7.336.945	3.806.385	1.939.649	1.557.676
- Tx Rate (L1) (Bit/s)	540 M	540 M	540 M	540 M	540 M	539,99 M
- Tx Rate (Fps)	803.571	456.081	244.565	126.880	64.655	51.923
- Rx (Frames)	77.008	22.244.783	12.077.099	6.309.195	3.226.596	2.593.159
- Rx Rate (L1) (Bit/s)	1,72 M	877,93 M	888,87 M	895,06 M	898,28 M	898,96 M
- Rx Rate (Fps)	2.567	741.493	402.570	210.307	107.553	86.439
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-1						
- Tx (Frames)	24.107.142	13.682.432	7.336.956	3.806.390	1.939.655	1.557.692
- Tx Rate (L1) (Bit/s)	540 M	540 M	540 M	540 M	540 M	540 M
- Tx Rate (Fps)	803.571	456.081	244.565	126.880	64.655	51.923
- Rx (Frames)	16.448	804.844	431.585	223.905	114.082	91.341
- Rx Rate (L1) (Bit/s)	368,44 K	31,76 M	31,76 M	31,76 M	31,76 M	31,66 M
- Rx Rate (Fps)	548	26.828	14.386	7.464	3.803	3.045
- Flood Count (Frames)	91	94	95	90	91	90
P-0-0-2						
- Tx (Frames)	24.107.142	13.682.432	7.336.956	3.806.390	1.939.655	1.557.692
- Tx Rate (L1) (Bit/s)	540 M	540 M	540 M	540 M	540 M	540 M
- Tx Rate (Fps)	803.571	456.081	244.565	126.880	64.655	51.923
- Rx (Frames)	16.448	804.848	431.585	223.905	114.070	91.091
- Rx Rate (L1) (Bit/s)	368,44 K	31,76 M	31,76 M	31,76 M	31,76 M	31,58 M
- Rx Rate (Fps)	548	26.828	14.386	7.464	3.802	3.036
- Flood Count (Frames)	94	90	91	91	92	91
P-0-0-3						
- Tx (Frames)	24.107.142	13.682.432	7.336.956	3.806.390	1.939.655	1.557.692
- Tx Rate (L1) (Bit/s)	540 M	540 M	540 M	540 M	540 M	540 M
- Tx Rate (Fps)	803.571	456.081	244.565	126.880	64.655	51.923
- Rx (Frames)	16.448	804.848	431.585	223.905	114.073	90.937
- Rx Rate (L1) (Bit/s)	368,44 K	31,76 M	31,76 M	31,76 M	31,76 M	31,52 M
- Rx Rate (Fps)	548	26.828	14.386	7.464	3.802	3.031
- Flood Count (Frames)	93	91	89	93	90	93
P-0-0-4						
- Tx (Frames)	24.107.142	13.682.432	7.336.956	3.806.390	1.939.655	1.557.692

- Tx Rate (L1) (Bit/s)	540 M	540 M	540 M	540 M	540 M	540 M
- Tx Rate (Fps)	803.571	456.081	244.565	126.880	64.655	51.923
- Rx (Frames)	16.448	804.848	431.585	223.905	114.060	90.375
- Rx Rate (L1) (Bit/s)	368,44 K	31,76 M	31,76 M	31,76 M	31,75 M	31,33 M
- Rx Rate (Fps)	548	26.828	14.386	7.464	3.802	3.013
- Flood Count (Frames)	92	95	93	93	90	93
P-0-0-5						
- Tx (Frames)	24.107.142	13.682.432	7.336.956	3.806.390	1.939.655	1.557.692
- Tx Rate (L1) (Bit/s)	540 M	540 M	540 M	540 M	540 M	540 M
- Tx Rate (Fps)	803.571	456.081	244.565	126.880	64.655	51.923
- Rx (Frames)	16.448	804.848	431.585	223.905	114.086	91.129
- Rx Rate (L1) (Bit/s)	368,44 K	31,76 M	31,76 M	31,76 M	31,76 M	31,59 M
- Rx Rate (Fps)	548	26.828	14.386	7.464	3.803	3.038
- Flood Count (Frames)	89	92	94	92	95	90
P-0-2-0						
- Tx (Frames)	24.107.142	13.682.432	7.336.956	3.806.390	1.939.655	1.557.692
- Tx Rate (L1) (Bit/s)	540 M	540 M	540 M	540 M	540 M	540 M
- Tx Rate (Fps)	803.571	456.081	244.565	126.880	64.655	51.923
- Rx (Frames)	16.448	775.641	416.162	215.723	110.416	87.896
- Rx Rate (L1) (Bit/s)	368,44 K	30,61 M	30,63 M	30,6 M	30,74 M	30,47 M
- Rx Rate (Fps)	548	25.855	13.872	7.191	3.681	2.930
- Flood Count (Frames)	91	87	93	92	89	88
P-0-2-1						
- Tx (Frames)	24.107.142	13.682.432	7.336.956	3.806.390	1.939.655	1.557.692
- Tx Rate (L1) (Bit/s)	540 M	540 M	540 M	540 M	540 M	540 M
- Tx Rate (Fps)	803.571	456.081	244.565	126.880	64.655	51.923
- Rx (Frames)	16.448	775.052	416.856	216.072	110.603	87.753
- Rx Rate (L1) (Bit/s)	368,44 K	30,59 M	30,68 M	30,65 M	30,79 M	30,42 M
- Rx Rate (Fps)	548	25.835	13.895	7.202	3.687	2.925
- Flood Count (Frames)	94	89	87	88	90	90
P-0-2-2						
- Tx (Frames)	24.107.142	13.682.432	7.336.956	3.806.390	1.939.655	1.557.692
- Tx Rate (L1) (Bit/s)	540 M	540 M	540 M	540 M	540 M	540 M
- Tx Rate (Fps)	803.571	456.081	244.565	126.880	64.655	51.923
- Rx (Frames)	16.448	774.244	416.100	215.930	110.586	87.905
- Rx Rate (L1) (Bit/s)	368,44 K	30,56 M	30,62 M	30,63 M	30,79 M	30,47 M
- Rx Rate (Fps)	548	25.808	13.870	7.198	3.686	2.930
- Flood Count (Frames)	92	91	88	90	91	93
P-0-2-3						
- Tx (Frames)	24.107.142	13.682.432	7.336.956	3.806.390	1.939.655	1.557.692
- Tx Rate (L1) (Bit/s)	540 M	540 M	540 M	540 M	540 M	540 M
- Tx Rate (Fps)	803.571	456.081	244.565	126.880	64.655	51.923
- Rx (Frames)	16.447	774.401	416.449	216.058	110.401	87.819
- Rx Rate (L1) (Bit/s)	368,41 K	30,56 M	30,65 M	30,65 M	30,74 M	30,44 M
- Rx Rate (Fps)	548	25.813	13.882	7.202	3.680	2.927
- Flood Count (Frames)	94	88	87	91	91	88
P-0-2-4						
- Tx (Frames)	24.107.142	13.682.432	7.336.956	3.806.390	1.939.655	1.557.692
- Tx Rate (L1) (Bit/s)	540 M	540 M	540 M	540 M	540 M	540 M
- Tx Rate (Fps)	803.571	456.081	244.565	126.880	64.655	51.923
- Rx (Frames)	16.448	777.297	419.257	217.147	109.257	87.362
- Rx Rate (L1) (Bit/s)	368,44 K	30,68 M	30,86 M	30,81 M	30,42 M	30,29 M
- Rx Rate (Fps)	548	25.910	13.975	7.238	3.642	2.912
- Flood Count (Frames)	91	93	92	90	88	92
P-0-2-5						
- Tx (Frames)	24.107.142	13.682.432	7.336.956	3.806.390	1.939.655	1.557.692
- Tx Rate (L1) (Bit/s)	540 M	540 M	540 M	540 M	540 M	540 M
- Tx Rate (Fps)	803.571	456.081	244.565	126.880	64.655	51.923
- Rx (Frames)	16.448	776.364	416.288	215.905	109.819	86.624
- Rx Rate (L1) (Bit/s)	368,44 K	30,64 M	30,64 M	30,63 M	30,57 M	30,03 M
- Rx Rate (Fps)	548	25.879	13.876	7.197	3.661	2.887
- Flood Count (Frames)	93	95	95	91	92	92
P-0-4-0						
- Tx (Frames)	24.107.142	13.682.432	7.336.956	3.806.390	1.939.655	1.557.692
- Tx Rate (L1) (Bit/s)	540 M	540 M	540 M	540 M	540 M	540 M
- Tx Rate (Fps)	803.571	456.081	244.565	126.880	64.655	51.923
- Rx (Frames)	16.448	773.755	420.059	217.487	111.616	86.908
- Rx Rate (L1) (Bit/s)	368,44 K	30,54 M	30,92 M	30,85 M	31,07 M	30,13 M
- Rx Rate (Fps)	548	25.792	14.002	7.250	3.721	2.897
- Flood Count (Frames)	95	92	90	91	89	91
P-0-4-1						


- Tx (Frames)	24.107.142	13.682.432	7.336.956	3.806.390	1.939.655	1.557.692
- Tx Rate (L1) (Bit/s)	540 M	540 M	540 M	540 M	540 M	540 M
- Tx Rate (Fps)	803.571	456.081	244.565	126.880	64.655	51.923
- Rx (Frames)	16.448	774.149	415.713	214.969	110.637	86.760
- Rx Rate (L1) (Bit/s)	368,44 K	30,55 M	30,6 M	30,5 M	30,8 M	30,08 M
- Rx Rate (Fps)	548	25.805	13.857	7.166	3.688	2.892
- Flood Count (Frames)	94	92	88	93	89	90
P-0-4-2						
- Tx (Frames)	24.107.142	13.682.432	7.336.956	3.806.390	1.939.655	1.557.692
- Tx Rate (L1) (Bit/s)	540 M	540 M	540 M	540 M	540 M	540 M
- Tx Rate (Fps)	803.571	456.081	244.565	126.880	64.655	51.923
- Rx (Frames)	16.448	775.366	415.616	214.980	110.483	78.454
- Rx Rate (L1) (Bit/s)	368,44 K	30,6 M	30,59 M	30,5 M	30,76 M	27,2 M
- Rx Rate (Fps)	548	25.846	13.854	7.166	3.683	2.615
- Flood Count (Frames)	91	89	92	97	92	90
P-0-4-3						
- Tx (Frames)	24.107.142	13.682.432	7.336.956	3.806.390	1.939.655	1.557.692
- Tx Rate (L1) (Bit/s)	540 M	540 M	540 M	540 M	540 M	540 M
- Tx Rate (Fps)	803.571	456.081	244.565	126.880	64.655	51.923
- Rx (Frames)	16.447	774.330	415.679	215.001	110.454	81.143
- Rx Rate (L1) (Bit/s)	368,41 K	30,56 M	30,59 M	30,5 M	30,75 M	28,13 M
- Rx Rate (Fps)	548	25.811	13.856	7.167	3.682	2.705
- Flood Count (Frames)	90	90	89	93	92	90
P-0-4-4						
- Tx (Frames)	24.107.142	13.682.432	7.336.956	3.806.390	1.939.655	1.557.692
- Tx Rate (L1) (Bit/s)	540 M	540 M	540 M	540 M	540 M	540 M
- Tx Rate (Fps)	803.571	456.081	244.565	126.880	64.655	51.923
- Rx (Frames)	16.447	773.994	415.543	214.982	110.532	83.831
- Rx Rate (L1) (Bit/s)	368,41 K	30,55 M	30,58 M	30,5 M	30,77 M	29,06 M
- Rx Rate (Fps)	548	25.800	13.851	7.166	3.684	2.794
- Flood Count (Frames)	97	91	92	91	90	90
P-0-4-5						
- Tx (Frames)	24.107.142	13.682.432	7.336.956	3.806.390	1.939.655	1.557.692
- Tx Rate (L1) (Bit/s)	540 M	540 M	540 M	540 M	540 M	540 M
- Tx Rate (Fps)	803.571	456.081	244.565	126.880	64.655	51.923
- Rx (Frames)	16.448	774.242	415.534	215.015	110.439	83.417
- Rx Rate (L1) (Bit/s)	368,44 K	30,56 M	30,58 M	30,5 M	30,75 M	28,92 M
- Rx Rate (Fps)	548	25.808	13.851	7.167	3.681	2.781
- Flood Count (Frames)	93	89	92	90	92	92

<b>Frame Size</b>	<b>1518</b>
Result State	<b>PASS</b>
Iter. #	1
Tx Rate (Percent)	60 %
Tx Rate (L1) (Bit/s)	9,72 G
Tx Rate (Fps)	789.986
Rx Rate (Percent)	8,76 %
Rx Rate (L1) (Bit/s)	1,42 G
Rx Rate (Fps)	115,37 K
Loss Rate (Percent)	<b>85,4 %</b>
Loss (Frames)	<b>20.238.439</b>
P-0-0-0	
- Tx (Frames)	1.316.633
- Tx Rate (L1) (Bit/s)	540 M
- Tx Rate (Fps)	43.888
- Rx (Frames)	2.192.278
- Rx Rate (L1) (Bit/s)	899,13 M
- Rx Rate (Fps)	73.076
- Flood Count (Frames)	0
P-0-0-1	
- Tx (Frames)	1.316.644
- Tx Rate (L1) (Bit/s)	540 M
- Tx Rate (Fps)	43.888
- Rx (Frames)	77.243
- Rx Rate (L1) (Bit/s)	31,68 M
- Rx Rate (Fps)	2.575
- Flood Count (Frames)	95
P-0-0-2	
- Tx (Frames)	1.316.644
- Tx Rate (L1) (Bit/s)	540 M

- Tx Rate (Fps)	43.888
- Rx (Frames)	77.016
- Rx Rate (L1) (Bit/s)	31,59 M
- Rx Rate (Fps)	2.567
- Flood Count (Frames)	90
P-0-0-3	
- Tx (Frames)	1.316.644
- Tx Rate (L1) (Bit/s)	540 M
- Tx Rate (Fps)	43.888
- Rx (Frames)	76.839
- Rx Rate (L1) (Bit/s)	31,51 M
- Rx Rate (Fps)	2.561
- Flood Count (Frames)	91
P-0-0-4	
- Tx (Frames)	1.316.644
- Tx Rate (L1) (Bit/s)	540 M
- Tx Rate (Fps)	43.888
- Rx (Frames)	76.438
- Rx Rate (L1) (Bit/s)	31,35 M
- Rx Rate (Fps)	2.548
- Flood Count (Frames)	92
P-0-0-5	
- Tx (Frames)	1.316.644
- Tx Rate (L1) (Bit/s)	540 M
- Tx Rate (Fps)	43.888
- Rx (Frames)	76.928
- Rx Rate (L1) (Bit/s)	31,55 M
- Rx Rate (Fps)	2.564
- Flood Count (Frames)	94
P-0-2-0	
- Tx (Frames)	1.316.644
- Tx Rate (L1) (Bit/s)	540 M
- Tx Rate (Fps)	43.888
- Rx (Frames)	74.001
- Rx Rate (L1) (Bit/s)	30,35 M
- Rx Rate (Fps)	2.467
- Flood Count (Frames)	83
P-0-2-1	
- Tx (Frames)	1.316.644
- Tx Rate (L1) (Bit/s)	540 M
- Tx Rate (Fps)	43.888
- Rx (Frames)	74.132
- Rx Rate (L1) (Bit/s)	30,4 M
- Rx Rate (Fps)	2.471
- Flood Count (Frames)	86
P-0-2-2	
- Tx (Frames)	1.316.644
- Tx Rate (L1) (Bit/s)	540 M
- Tx Rate (Fps)	43.888
- Rx (Frames)	74.038
- Rx Rate (L1) (Bit/s)	30,37 M
- Rx Rate (Fps)	2.468
- Flood Count (Frames)	92
P-0-2-3	
- Tx (Frames)	1.316.644
- Tx Rate (L1) (Bit/s)	540 M
- Tx Rate (Fps)	43.888
- Rx (Frames)	74.004
- Rx Rate (L1) (Bit/s)	30,35 M
- Rx Rate (Fps)	2.467
- Flood Count (Frames)	92
P-0-2-4	
- Tx (Frames)	1.316.644
- Tx Rate (L1) (Bit/s)	540 M
- Tx Rate (Fps)	43.888
- Rx (Frames)	73.918
- Rx Rate (L1) (Bit/s)	30,32 M
- Rx Rate (Fps)	2.464
- Flood Count (Frames)	91
P-0-2-5	
- Tx (Frames)	1.316.644

- Tx Rate (L1) (Bit/s)	540 M
- Tx Rate (Fps)	43.888
- Rx (Frames)	73.836
- Rx Rate (L1) (Bit/s)	30,28 M
- Rx Rate (Fps)	2.461
- Flood Count (Frames)	91
P-0-4-0	
- Tx (Frames)	1.316.644
- Tx Rate (L1) (Bit/s)	540 M
- Tx Rate (Fps)	43.888
- Rx (Frames)	73.758
- Rx Rate (L1) (Bit/s)	30,25 M
- Rx Rate (Fps)	2.459
- Flood Count (Frames)	90
P-0-4-1	
- Tx (Frames)	1.316.644
- Tx Rate (L1) (Bit/s)	540 M
- Tx Rate (Fps)	43.888
- Rx (Frames)	73.955
- Rx Rate (L1) (Bit/s)	30,33 M
- Rx Rate (Fps)	2.465
- Flood Count (Frames)	92
P-0-4-2	
- Tx (Frames)	1.316.644
- Tx Rate (L1) (Bit/s)	540 M
- Tx Rate (Fps)	43.888
- Rx (Frames)	73.132
- Rx Rate (L1) (Bit/s)	29,99 M
- Rx Rate (Fps)	2.438
- Flood Count (Frames)	93
P-0-4-3	
- Tx (Frames)	1.316.644
- Tx Rate (L1) (Bit/s)	540 M
- Tx Rate (Fps)	43.888
- Rx (Frames)	73.597
- Rx Rate (L1) (Bit/s)	30,18 M
- Rx Rate (Fps)	2.453
- Flood Count (Frames)	92
P-0-4-4	
- Tx (Frames)	1.316.644
- Tx Rate (L1) (Bit/s)	540 M
- Tx Rate (Fps)	43.888
- Rx (Frames)	72.775
- Rx Rate (L1) (Bit/s)	29,85 M
- Rx Rate (Fps)	2.426
- Flood Count (Frames)	92
P-0-4-5	
- Tx (Frames)	1.316.644
- Tx Rate (L1) (Bit/s)	540 M
- Tx Rate (Fps)	43.888
- Rx (Frames)	73.254
- Rx Rate (L1) (Bit/s)	30,04 M
- Rx Rate (Fps)	2.442
- Flood Count (Frames)	91

Part.Mesh, N->N: Loss by Frame Size at 60,00% Rate



### Results for 70,00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	70 %	70 %	70 %	70 %	70 %	70 %
Tx Rate (L1) (Bit/s)	11,34 G	11,34 G	11,34 G	11,34 G	11,34 G	11,34 G
Tx Rate (Fps)	16.875.000	9.577.702	5.135.869	2.664.473	1.357.758	1.090.384
Rx Rate (Percent)	0,01 %	9,01 %	9,26 %	9,31 %	9,33 %	9,28 %
Rx Rate (L1) (Bit/s)	1,91 M	1,46 G	1,5 G	1,51 G	1,51 G	1,5 G
Rx Rate (Fps)	2,84 K	1,23 M	679,51 K	354,4 K	180,98 K	144,5 K
Loss Rate (Percent)	99,98 %	87,13 %	86,77 %	86,7 %	86,67 %	86,75 %
Loss (Frames)	506.164.725	250.351.850	133.690.637	69.302.312	35.303.451	28.376.380
P-0-0-0						
- Tx (Frames)	28.124.987	15.962.830	8.559.772	4.440.774	2.262.921	1.817.300
- Tx Rate (L1) (Bit/s)	630 M	630 M	630 M	630 M	630 M	630 M
- Tx Rate (Fps)	937.500	532.094	285.326	148.026	75.431	60.577
- Rx (Frames)	69.426	22.245.412	12.077.321	6.309.061	3.226.669	2.593.140
- Rx Rate (L1) (Bit/s)	1,56 M	877,95 M	888,89 M	895,05 M	898,3 M	898,96 M
- Rx Rate (Fps)	2.314	741.514	402.577	210.302	107.556	86.438
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-1						
- Tx (Frames)	28.125.000	15.962.837	8.559.782	4.440.789	2.262.931	1.817.307
- Tx Rate (L1) (Bit/s)	630 M	630 M	630 M	630 M	630 M	630 M
- Tx Rate (Fps)	937.500	532.095	285.326	148.026	75.431	60.577
- Rx (Frames)	933	894.578	503.516	261.222	133.101	106.559
- Rx Rate (L1) (Bit/s)	20,9 K	35,31 M	37,06 M	37,06 M	37,06 M	36,94 M
- Rx Rate (Fps)	31	29.819	16.784	8.707	4.437	3.552
- Flood Count (Frames)	90	94	91	92	91	94
P-0-0-2						
- Tx (Frames)	28.125.000	15.962.837	8.559.782	4.440.789	2.262.931	1.817.307
- Tx Rate (L1) (Bit/s)	630 M	630 M	630 M	630 M	630 M	630 M
- Tx Rate (Fps)	937.500	532.095	285.326	148.026	75.431	60.577
- Rx (Frames)	933	893.158	503.516	261.222	133.091	106.343
- Rx Rate (L1) (Bit/s)	20,9 K	35,25 M	37,06 M	37,06 M	37,05 M	36,87 M
- Rx Rate (Fps)	31	29.772	16.784	8.707	4.436	3.545
- Flood Count (Frames)	92	94	92	92	94	92
P-0-0-3						
- Tx (Frames)	28.125.000	15.962.837	8.559.782	4.440.789	2.262.931	1.817.307
- Tx Rate (L1) (Bit/s)	630 M	630 M	630 M	630 M	630 M	630 M
- Tx Rate (Fps)	937.500	532.095	285.326	148.026	75.431	60.577
- Rx (Frames)	932	893.283	503.516	261.222	133.091	106.094
- Rx Rate (L1) (Bit/s)	20,88 K	35,25 M	37,06 M	37,06 M	37,05 M	36,78 M
- Rx Rate (Fps)	31	29.776	16.784	8.707	4.436	3.536
- Flood Count (Frames)	91	92	89	95	93	95
P-0-0-4						
- Tx (Frames)	28.125.000	15.962.837	8.559.782	4.440.789	2.262.931	1.817.307

- Tx Rate (L1) (Bit/s)	630 M	630 M	630 M	630 M	630 M	630 M
- Tx Rate (Fps)	937.500	532.095	285.326	148.026	75.431	60.577
- Rx (Frames)	932	893.726	503.516	261.222	133.070	105.609
- Rx Rate (L1) (Bit/s)	20,88 K	35,27 M	37,06 M	37,06 M	37,05 M	36,61 M
- Rx Rate (Fps)	31	29.791	16.784	8.707	4.436	3.520
- Flood Count (Frames)	92	89	93	92	89	91
P-0-0-5						
- Tx (Frames)	28.125.000	15.962.837	8.559.782	4.440.789	2.262.931	1.817.307
- Tx Rate (L1) (Bit/s)	630 M	630 M	630 M	630 M	630 M	630 M
- Tx Rate (Fps)	937.500	532.095	285.326	148.026	75.431	60.577
- Rx (Frames)	932	894.441	503.516	261.222	133.093	106.285
- Rx Rate (L1) (Bit/s)	20,88 K	35,3 M	37,06 M	37,06 M	37,05 M	36,85 M
- Rx Rate (Fps)	31	29.815	16.784	8.707	4.436	3.543
- Flood Count (Frames)	92	93	92	93	95	91
P-0-2-0						
- Tx (Frames)	28.125.000	15.962.837	8.559.782	4.440.789	2.262.931	1.817.307
- Tx Rate (L1) (Bit/s)	630 M	630 M	630 M	630 M	630 M	630 M
- Tx Rate (Fps)	937.500	532.095	285.326	148.026	75.431	60.577
- Rx (Frames)	932	857.032	482.436	251.594	128.196	102.325
- Rx Rate (L1) (Bit/s)	20,88 K	33,82 M	35,51 M	35,69 M	35,69 M	35,47 M
- Rx Rate (Fps)	31	28.568	16.081	8.386	4.273	3.411
- Flood Count (Frames)	94	91	89	85	92	92
P-0-2-1						
- Tx (Frames)	28.125.000	15.962.837	8.559.782	4.440.789	2.262.931	1.817.307
- Tx Rate (L1) (Bit/s)	630 M	630 M	630 M	630 M	630 M	630 M
- Tx Rate (Fps)	937.500	532.095	285.326	148.026	75.431	60.577
- Rx (Frames)	932	857.343	482.944	251.596	128.191	102.210
- Rx Rate (L1) (Bit/s)	20,88 K	33,84 M	35,54 M	35,69 M	35,69 M	35,43 M
- Rx Rate (Fps)	31	28.578	16.098	8.387	4.273	3.407
- Flood Count (Frames)	90	89	86	82	89	90
P-0-2-2						
- Tx (Frames)	28.125.000	15.962.837	8.559.782	4.440.789	2.262.931	1.817.307
- Tx Rate (L1) (Bit/s)	630 M	630 M	630 M	630 M	630 M	630 M
- Tx Rate (Fps)	937.500	532.095	285.326	148.026	75.431	60.577
- Rx (Frames)	932	857.200	483.056	251.532	128.065	102.376
- Rx Rate (L1) (Bit/s)	20,88 K	33,83 M	35,55 M	35,68 M	35,65 M	35,49 M
- Rx Rate (Fps)	31	28.573	16.102	8.384	4.269	3.413
- Flood Count (Frames)	88	86	86	89	92	94
P-0-2-3						
- Tx (Frames)	28.125.000	15.962.837	8.559.782	4.440.789	2.262.931	1.817.307
- Tx Rate (L1) (Bit/s)	630 M	630 M	630 M	630 M	630 M	630 M
- Tx Rate (Fps)	937.500	532.095	285.326	148.026	75.431	60.577
- Rx (Frames)	932	858.210	483.254	251.694	128.274	102.263
- Rx Rate (L1) (Bit/s)	20,88 K	33,87 M	35,57 M	35,71 M	35,71 M	35,45 M
- Rx Rate (Fps)	31	28.607	16.108	8.390	4.276	3.409
- Flood Count (Frames)	91	91	89	91	94	90
P-0-2-4						
- Tx (Frames)	28.125.000	15.962.837	8.559.782	4.440.789	2.262.931	1.817.307
- Tx Rate (L1) (Bit/s)	630 M	630 M	630 M	630 M	630 M	630 M
- Tx Rate (Fps)	937.500	532.095	285.326	148.026	75.431	60.577
- Rx (Frames)	932	859.645	484.333	252.095	127.628	100.922
- Rx Rate (L1) (Bit/s)	20,88 K	33,93 M	35,65 M	35,76 M	35,53 M	34,99 M
- Rx Rate (Fps)	31	28.655	16.144	8.403	4.254	3.364
- Flood Count (Frames)	90	93	91	89	93	89
P-0-2-5						
- Tx (Frames)	28.125.000	15.962.837	8.559.782	4.440.789	2.262.931	1.817.307
- Tx Rate (L1) (Bit/s)	630 M	630 M	630 M	630 M	630 M	630 M
- Tx Rate (Fps)	937.500	532.095	285.326	148.026	75.431	60.577
- Rx (Frames)	933	858.063	482.844	252.012	128.179	101.753
- Rx Rate (L1) (Bit/s)	20,9 K	33,86 M	35,54 M	35,75 M	35,69 M	35,27 M
- Rx Rate (Fps)	31	28.602	16.095	8.400	4.273	3.392
- Flood Count (Frames)	93	91	91	90	90	92
P-0-4-0						
- Tx (Frames)	28.125.000	15.962.837	8.559.782	4.440.789	2.262.931	1.817.307
- Tx Rate (L1) (Bit/s)	630 M	630 M	630 M	630 M	630 M	630 M
- Tx Rate (Fps)	937.500	532.095	285.326	148.026	75.431	60.577
- Rx (Frames)	932	858.643	485.833	252.638	129.279	101.195
- Rx Rate (L1) (Bit/s)	20,88 K	33,89 M	35,76 M	35,84 M	35,99 M	35,08 M
- Rx Rate (Fps)	31	28.621	16.194	8.421	4.309	3.373
- Flood Count (Frames)	95	93	90	88	92	92
P-0-4-1						




- Tx (Frames)	28.125.000	15.962.837	8.559.782	4.440.789	2.262.931	1.817.307
- Tx Rate (L1) (Bit/s)	630 M	630 M	630 M	630 M	630 M	630 M
- Tx Rate (Fps)	937.500	532.095	285.326	148.026	75.431	60.577
- Rx (Frames)	932	855.906	481.234	250.839	127.891	101.023
- Rx Rate (L1) (Bit/s)	20,88 K	33,78 M	35,42 M	35,59 M	35,6 M	35,02 M
- Rx Rate (Fps)	31	28.530	16.041	8.361	4.263	3.367
- Flood Count (Frames)	90	90	92	92	92	90
P-0-4-2						
- Tx (Frames)	28.125.000	15.962.837	8.559.782	4.440.789	2.262.931	1.817.307
- Tx Rate (L1) (Bit/s)	630 M	630 M	630 M	630 M	630 M	630 M
- Tx Rate (Fps)	937.500	532.095	285.326	148.026	75.431	60.577
- Rx (Frames)	927	851.455	480.963	250.688	127.902	99.192
- Rx Rate (L1) (Bit/s)	20,76 K	33,6 M	35,4 M	35,56 M	35,61 M	34,39 M
- Rx Rate (Fps)	31	28.382	16.032	8.356	4.263	3.306
- Flood Count (Frames)	88	91	93	92	92	93
P-0-4-3						
- Tx (Frames)	28.125.000	15.962.837	8.559.782	4.440.789	2.262.931	1.817.307
- Tx Rate (L1) (Bit/s)	630 M	630 M	630 M	630 M	630 M	630 M
- Tx Rate (Fps)	937.500	532.095	285.326	148.026	75.431	60.577
- Rx (Frames)	931	847.202	481.350	250.736	127.880	98.591
- Rx Rate (L1) (Bit/s)	20,85 K	33,44 M	35,43 M	35,57 M	35,6 M	34,18 M
- Rx Rate (Fps)	31	28.240	16.045	8.358	4.263	3.286
- Flood Count (Frames)	93	92	90	94	89	95
P-0-4-4						
- Tx (Frames)	28.125.000	15.962.837	8.559.782	4.440.789	2.262.931	1.817.307
- Tx Rate (L1) (Bit/s)	630 M	630 M	630 M	630 M	630 M	630 M
- Tx Rate (Fps)	937.500	532.095	285.326	148.026	75.431	60.577
- Rx (Frames)	927	845.511	481.094	250.668	127.782	99.350
- Rx Rate (L1) (Bit/s)	20,76 K	33,37 M	35,41 M	35,56 M	35,57 M	34,44 M
- Rx Rate (Fps)	31	28.184	16.036	8.356	4.259	3.312
- Flood Count (Frames)	92	91	90	93	89	92
P-0-4-5						
- Tx (Frames)	28.125.000	15.962.837	8.559.782	4.440.789	2.262.931	1.817.307
- Tx Rate (L1) (Bit/s)	630 M	630 M	630 M	630 M	630 M	630 M
- Tx Rate (Fps)	937.500	532.095	285.326	148.026	75.431	60.577
- Rx (Frames)	932	858.401	481.187	250.612	127.915	99.909
- Rx Rate (L1) (Bit/s)	20,88 K	33,88 M	35,42 M	35,55 M	35,61 M	34,64 M
- Rx Rate (Fps)	31	28.613	16.040	8.354	4.264	3.330
- Flood Count (Frames)	92	95	92	92	90	93

<b>Frame Size</b>	<b>1518</b>
Result State	<b>PASS</b>
Iter. #	1
Tx Rate (Percent)	70 %
Tx Rate (L1) (Bit/s)	11,34 G
Tx Rate (Fps)	921.650
Rx Rate (Percent)	9,24 %
Rx Rate (L1) (Bit/s)	1,5 G
Rx Rate (Fps)	121,67 K
Loss Rate (Percent)	<b>86,8 %</b>
Loss (Frames)	<b>23.999.325</b>
P-0-0-0	
- Tx (Frames)	1.536.069
- Tx Rate (L1) (Bit/s)	629,99 M
- Tx Rate (Fps)	51.202
- Rx (Frames)	2.192.868
- Rx Rate (L1) (Bit/s)	899,37 M
- Rx Rate (Fps)	73.096
- Flood Count (Frames)	0
P-0-0-1	
- Tx (Frames)	1.536.085
- Tx Rate (L1) (Bit/s)	630 M
- Tx Rate (Fps)	51.203
- Rx (Frames)	90.107
- Rx Rate (L1) (Bit/s)	36,96 M
- Rx Rate (Fps)	3.004
- Flood Count (Frames)	92
P-0-0-2	
- Tx (Frames)	1.536.085
- Tx Rate (L1) (Bit/s)	630 M



- Tx Rate (Fps)	51.203
- Rx (Frames)	89.982
- Rx Rate (L1) (Bit/s)	36,9 M
- Rx Rate (Fps)	2.999
- Flood Count (Frames)	93
P-0-0-3	
- Tx (Frames)	1.536.085
- Tx Rate (L1) (Bit/s)	630 M
- Tx Rate (Fps)	51.203
- Rx (Frames)	89.749
- Rx Rate (L1) (Bit/s)	36,81 M
- Rx Rate (Fps)	2.992
- Flood Count (Frames)	91
P-0-0-4	
- Tx (Frames)	1.536.085
- Tx Rate (L1) (Bit/s)	630 M
- Tx Rate (Fps)	51.203
- Rx (Frames)	89.338
- Rx Rate (L1) (Bit/s)	36,64 M
- Rx Rate (Fps)	2.978
- Flood Count (Frames)	96
P-0-0-5	
- Tx (Frames)	1.536.085
- Tx Rate (L1) (Bit/s)	630 M
- Tx Rate (Fps)	51.203
- Rx (Frames)	89.895
- Rx Rate (L1) (Bit/s)	36,87 M
- Rx Rate (Fps)	2.997
- Flood Count (Frames)	93
P-0-2-0	
- Tx (Frames)	1.536.085
- Tx Rate (L1) (Bit/s)	630 M
- Tx Rate (Fps)	51.203
- Rx (Frames)	86.431
- Rx Rate (L1) (Bit/s)	35,45 M
- Rx Rate (Fps)	2.881
- Flood Count (Frames)	86
P-0-2-1	
- Tx (Frames)	1.536.085
- Tx Rate (L1) (Bit/s)	630 M
- Tx Rate (Fps)	51.203
- Rx (Frames)	86.321
- Rx Rate (L1) (Bit/s)	35,4 M
- Rx Rate (Fps)	2.877
- Flood Count (Frames)	88
P-0-2-2	
- Tx (Frames)	1.536.085
- Tx Rate (L1) (Bit/s)	630 M
- Tx Rate (Fps)	51.203
- Rx (Frames)	86.590
- Rx Rate (L1) (Bit/s)	35,51 M
- Rx Rate (Fps)	2.886
- Flood Count (Frames)	90
P-0-2-3	
- Tx (Frames)	1.536.085
- Tx Rate (L1) (Bit/s)	630 M
- Tx Rate (Fps)	51.203
- Rx (Frames)	86.420
- Rx Rate (L1) (Bit/s)	35,44 M
- Rx Rate (Fps)	2.881
- Flood Count (Frames)	92
P-0-2-4	
- Tx (Frames)	1.536.085
- Tx Rate (L1) (Bit/s)	630 M
- Tx Rate (Fps)	51.203
- Rx (Frames)	84.544
- Rx Rate (L1) (Bit/s)	34,67 M
- Rx Rate (Fps)	2.818
- Flood Count (Frames)	87
P-0-2-5	
- Tx (Frames)	1.536.085

- Tx Rate (L1) (Bit/s)	630 M
- Tx Rate (Fps)	51.203
- Rx (Frames)	85.692
- Rx Rate (L1) (Bit/s)	35,15 M
- Rx Rate (Fps)	2.856
- Flood Count (Frames)	92
P-0-4-0	
- Tx (Frames)	1.536.085
- Tx Rate (L1) (Bit/s)	630 M
- Tx Rate (Fps)	51.203
- Rx (Frames)	84.676
- Rx Rate (L1) (Bit/s)	34,73 M
- Rx Rate (Fps)	2.823
- Flood Count (Frames)	91
P-0-4-1	
- Tx (Frames)	1.536.085
- Tx Rate (L1) (Bit/s)	630 M
- Tx Rate (Fps)	51.203
- Rx (Frames)	85.129
- Rx Rate (L1) (Bit/s)	34,91 M
- Rx Rate (Fps)	2.838
- Flood Count (Frames)	89
P-0-4-2	
- Tx (Frames)	1.536.085
- Tx Rate (L1) (Bit/s)	630 M
- Tx Rate (Fps)	51.203
- Rx (Frames)	79.656
- Rx Rate (L1) (Bit/s)	32,67 M
- Rx Rate (Fps)	2.655
- Flood Count (Frames)	90
P-0-4-3	
- Tx (Frames)	1.536.085
- Tx Rate (L1) (Bit/s)	630 M
- Tx Rate (Fps)	51.203
- Rx (Frames)	81.120
- Rx Rate (L1) (Bit/s)	33,27 M
- Rx Rate (Fps)	2.704
- Flood Count (Frames)	90
P-0-4-4	
- Tx (Frames)	1.536.085
- Tx Rate (L1) (Bit/s)	630 M
- Tx Rate (Fps)	51.203
- Rx (Frames)	80.975
- Rx Rate (L1) (Bit/s)	33,21 M
- Rx Rate (Fps)	2.699
- Flood Count (Frames)	90
P-0-4-5	
- Tx (Frames)	1.536.085
- Tx Rate (L1) (Bit/s)	630 M
- Tx Rate (Fps)	51.203
- Rx (Frames)	80.696
- Rx Rate (L1) (Bit/s)	33,1 M
- Rx Rate (Fps)	2.690
- Flood Count (Frames)	92



### Results for 80,00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	80 %	80 %	80 %	80 %	80 %	80 %
Tx Rate (L1) (Bit/s)	12,96 G	12,96 G	12,96 G	12,96 G	12,96 G	12,96 G
Tx Rate (Fps)	19.285.714	10.945.945	5.869.565	3.045.112	1.551.723	1.246.153
Rx Rate (Percent)	0,01 %	0,02 %	9,81 %	9,84 %	9,86 %	9,81 %
Rx Rate (L1) (Bit/s)	1,74 M	3,05 M	1,59 G	1,59 G	1,6 G	1,59 G
Rx Rate (Fps)	2,59 K	2,58 K	719,75 K	374,69 K	191,34 K	152,83 K
Loss Rate (Percent)	99,99 %	99,98 %	87,74 %	87,7 %	87,67 %	87,74 %
Loss (Frames)	578.493.807	328.301.056	154.494.454	80.112.628	40.811.581	32.799.635
P-0-0-0						
- Tx (Frames)	32.142.852	18.243.227	9.782.599	5.075.180	2.586.193	2.076.907
- Tx Rate (L1) (Bit/s)	720 M	720 M	720 M	720 M	720 M	719,99 M
- Tx Rate (Fps)	1.071.428	608.108	326.087	169.173	86.206	69.230
- Rx (Frames)	63.545	62.181	12.079.958	6.309.020	3.226.848	2.593.168
- Rx Rate (L1) (Bit/s)	1,42 M	2,45 M	889,08 M	895,04 M	898,35 M	898,96 M
- Rx Rate (Fps)	2.118	2.073	402.665	210.301	107.562	86.439
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-1						
- Tx (Frames)	32.142.857	18.243.243	9.782.608	5.075.187	2.586.206	2.076.923
- Tx Rate (L1) (Bit/s)	720 M	720 M	720 M	720 M	720 M	720 M
- Tx Rate (Fps)	1.071.429	608.108	326.087	169.173	86.207	69.231
- Rx (Frames)	828	890	575.447	298.540	152.116	121.718
- Rx Rate (L1) (Bit/s)	18,55 K	35,13 K	42,35 M	42,35 M	42,35 M	42,2 M
- Rx Rate (Fps)	28	30	19.182	9.951	5.071	4.057
- Flood Count (Frames)	90	91	91	90	88	93
P-0-0-2						
- Tx (Frames)	32.142.857	18.243.243	9.782.608	5.075.187	2.586.206	2.076.923
- Tx Rate (L1) (Bit/s)	720 M	720 M	720 M	720 M	720 M	720 M
- Tx Rate (Fps)	1.071.429	608.108	326.087	169.173	86.207	69.231
- Rx (Frames)	828	890	575.447	298.540	152.105	121.488
- Rx Rate (L1) (Bit/s)	18,55 K	35,13 K	42,35 M	42,35 M	42,35 M	42,12 M
- Rx Rate (Fps)	28	30	19.182	9.951	5.070	4.050
- Flood Count (Frames)	91	91	93	95	89	95
P-0-0-3						
- Tx (Frames)	32.142.857	18.243.243	9.782.608	5.075.187	2.586.206	2.076.923
- Tx Rate (L1) (Bit/s)	720 M	720 M	720 M	720 M	720 M	720 M
- Tx Rate (Fps)	1.071.429	608.108	326.087	169.173	86.207	69.231
- Rx (Frames)	828	890	575.447	298.540	152.097	121.162
- Rx Rate (L1) (Bit/s)	18,55 K	35,13 K	42,35 M	42,35 M	42,34 M	42 M
- Rx Rate (Fps)	28	30	19.182	9.951	5.070	4.039
- Flood Count (Frames)	95	91	94	94	92	92
P-0-0-4						
- Tx (Frames)	32.142.857	18.243.243	9.782.608	5.075.187	2.586.206	2.076.923


- Tx Rate (L1) (Bit/s)	720 M	720 M	720 M	720 M	720 M	720 M
- Tx Rate (Fps)	1.071.429	608.108	326.087	169.173	86.207	69.231
- Rx (Frames)	828	890	575.447	298.540	152.068	120.552
- Rx Rate (L1) (Bit/s)	18,55 K	35,13 K	42,35 M	42,35 M	42,34 M	41,79 M
- Rx Rate (Fps)	28	30	19.182	9.951	5.069	4.018
- Flood Count (Frames)	92	94	93	92	91	93
P-0-0-5						
- Tx (Frames)	32.142.857	18.243.243	9.782.608	5.075.187	2.586.206	2.076.923
- Tx Rate (L1) (Bit/s)	720 M	720 M	720 M	720 M	720 M	720 M
- Tx Rate (Fps)	1.071.429	608.108	326.087	169.173	86.207	69.231
- Rx (Frames)	828	890	575.447	298.540	152.106	121.453
- Rx Rate (L1) (Bit/s)	18,55 K	35,13 K	42,35 M	42,35 M	42,35 M	42,1 M
- Rx Rate (Fps)	28	30	19.182	9.951	5.070	4.048
- Flood Count (Frames)	95	94	95	90	90	92
P-0-2-0						
- Tx (Frames)	32.142.857	18.243.243	9.782.608	5.075.187	2.586.206	2.076.923
- Tx Rate (L1) (Bit/s)	720 M	720 M	720 M	720 M	720 M	720 M
- Tx Rate (Fps)	1.071.429	608.108	326.087	169.173	86.207	69.231
- Rx (Frames)	828	890	552.731	286.916	145.845	116.632
- Rx Rate (L1) (Bit/s)	18,55 K	35,13 K	40,68 M	40,7 M	40,6 M	40,43 M
- Rx Rate (Fps)	28	30	18.424	9.564	4.862	3.888
- Flood Count (Frames)	88	40	89	85	86	91
P-0-2-1						
- Tx (Frames)	32.142.857	18.243.243	9.782.608	5.075.187	2.586.206	2.076.923
- Tx Rate (L1) (Bit/s)	720 M	720 M	720 M	720 M	720 M	720 M
- Tx Rate (Fps)	1.071.429	608.108	326.087	169.173	86.207	69.231
- Rx (Frames)	828	890	553.549	287.050	146.099	116.369
- Rx Rate (L1) (Bit/s)	18,55 K	35,13 K	40,74 M	40,72 M	40,67 M	40,34 M
- Rx Rate (Fps)	28	30	18.452	9.568	4.870	3.879
- Flood Count (Frames)	90	43	90	87	92	89
P-0-2-2						
- Tx (Frames)	32.142.857	18.243.243	9.782.608	5.075.187	2.586.206	2.076.923
- Tx Rate (L1) (Bit/s)	720 M	720 M	720 M	720 M	720 M	720 M
- Tx Rate (Fps)	1.071.429	608.108	326.087	169.173	86.207	69.231
- Rx (Frames)	828	890	553.471	286.365	145.996	116.468
- Rx Rate (L1) (Bit/s)	18,55 K	35,13 K	40,74 M	40,63 M	40,65 M	40,38 M
- Rx Rate (Fps)	28	30	18.449	9.546	4.867	3.882
- Flood Count (Frames)	91	39	84	87	91	91
P-0-2-3						
- Tx (Frames)	32.142.857	18.243.243	9.782.608	5.075.187	2.586.206	2.076.923
- Tx Rate (L1) (Bit/s)	720 M	720 M	720 M	720 M	720 M	720 M
- Tx Rate (Fps)	1.071.429	608.108	326.087	169.173	86.207	69.231
- Rx (Frames)	827	889	553.327	286.895	145.900	116.411
- Rx Rate (L1) (Bit/s)	18,52 K	35,09 K	40,72 M	40,7 M	40,62 M	40,36 M
- Rx Rate (Fps)	28	30	18.444	9.563	4.863	3.880
- Flood Count (Frames)	90	35	92	87	87	90
P-0-2-4						
- Tx (Frames)	32.142.857	18.243.243	9.782.608	5.075.187	2.586.206	2.076.923
- Tx Rate (L1) (Bit/s)	720 M	720 M	720 M	720 M	720 M	720 M
- Tx Rate (Fps)	1.071.429	608.108	326.087	169.173	86.207	69.231
- Rx (Frames)	827	889	551.013	285.710	144.947	115.507
- Rx Rate (L1) (Bit/s)	18,52 K	35,09 K	40,55 M	40,53 M	40,35 M	40,04 M
- Rx Rate (Fps)	28	30	18.367	9.524	4.832	3.850
- Flood Count (Frames)	91	89	94	90	90	93
P-0-2-5						
- Tx (Frames)	32.142.857	18.243.243	9.782.608	5.075.187	2.586.206	2.076.923
- Tx Rate (L1) (Bit/s)	720 M	720 M	720 M	720 M	720 M	720 M
- Tx Rate (Fps)	1.071.429	608.108	326.087	169.173	86.207	69.231
- Rx (Frames)	827	889	553.000	287.136	145.146	115.386
- Rx Rate (L1) (Bit/s)	18,52 K	35,09 K	40,7 M	40,74 M	40,41 M	40 M
- Rx Rate (Fps)	28	30	18.433	9.571	4.838	3.846
- Flood Count (Frames)	96	81	95	93	97	91
P-0-4-0						
- Tx (Frames)	32.142.857	18.243.243	9.782.608	5.075.187	2.586.206	2.076.923
- Tx Rate (L1) (Bit/s)	720 M	720 M	720 M	720 M	720 M	720 M
- Tx Rate (Fps)	1.071.429	608.108	326.087	169.173	86.207	69.231
- Rx (Frames)	827	889	556.385	288.454	148.161	115.449
- Rx Rate (L1) (Bit/s)	18,52 K	35,09 K	40,95 M	40,92 M	41,25 M	40,02 M
- Rx Rate (Fps)	28	30	18.546	9.615	4.939	3.848
- Flood Count (Frames)	92	85	93	93	90	92
P-0-4-1						

- Tx (Frames)	32.142.857	18.243.243	9.782.608	5.075.187	2.586.206	2.076.923
- Tx Rate (L1) (Bit/s)	720 M	720 M	720 M	720 M	720 M	720 M
- Tx Rate (Fps)	1.071.429	608.108	326.087	169.173	86.207	69.231
- Rx (Frames)	828	889	552.598	286.054	146.263	115.003
- Rx Rate (L1) (Bit/s)	18,55 K	35,09 K	40,67 M	40,58 M	40,72 M	39,87 M
- Rx Rate (Fps)	28	30	18.420	9.535	4.875	3.833
- Flood Count (Frames)	92	83	91	91	92	94
P-0-4-2						
- Tx (Frames)	32.142.857	18.243.243	9.782.608	5.075.187	2.586.206	2.076.923
- Tx Rate (L1) (Bit/s)	720 M	720 M	720 M	720 M	720 M	720 M
- Tx Rate (Fps)	1.071.429	608.108	326.087	169.173	86.207	69.231
- Rx (Frames)	827	889	552.301	286.089	146.157	115.055
- Rx Rate (L1) (Bit/s)	18,52 K	35,09 K	40,65 M	40,59 M	40,69 M	39,89 M
- Rx Rate (Fps)	28	30	18.410	9.536	4.872	3.835
- Flood Count (Frames)	92	89	90	93	94	93
P-0-4-3						
- Tx (Frames)	32.142.857	18.243.243	9.782.608	5.075.187	2.586.206	2.076.923
- Tx Rate (L1) (Bit/s)	720 M	720 M	720 M	720 M	720 M	720 M
- Tx Rate (Fps)	1.071.429	608.108	326.087	169.173	86.207	69.231
- Rx (Frames)	827	889	552.342	286.138	146.102	115.311
- Rx Rate (L1) (Bit/s)	18,52 K	35,09 K	40,65 M	40,59 M	40,67 M	39,97 M
- Rx Rate (Fps)	28	30	18.411	9.538	4.870	3.844
- Flood Count (Frames)	90	90	90	91	91	92
P-0-4-4						
- Tx (Frames)	32.142.857	18.243.243	9.782.608	5.075.187	2.586.206	2.076.923
- Tx Rate (L1) (Bit/s)	720 M	720 M	720 M	720 M	720 M	720 M
- Tx Rate (Fps)	1.071.429	608.108	326.087	169.173	86.207	69.231
- Rx (Frames)	827	889	552.281	286.095	146.066	112.641
- Rx Rate (L1) (Bit/s)	18,52 K	35,09 K	40,65 M	40,59 M	40,66 M	39,05 M
- Rx Rate (Fps)	28	30	18.409	9.537	4.869	3.755
- Flood Count (Frames)	93	91	90	95	93	90
P-0-4-5						
- Tx (Frames)	32.142.857	18.243.243	9.782.608	5.075.187	2.586.206	2.076.923
- Tx Rate (L1) (Bit/s)	720 M	720 M	720 M	720 M	720 M	720 M
- Tx Rate (Fps)	1.071.429	608.108	326.087	169.173	86.207	69.231
- Rx (Frames)	828	889	552.290	286.109	146.092	115.190
- Rx Rate (L1) (Bit/s)	18,55 K	35,09 K	40,65 M	40,59 M	40,67 M	39,93 M
- Rx Rate (Fps)	28	30	18.410	9.537	4.870	3.840
- Flood Count (Frames)	90	92	90	90	95	90

<b>Frame Size</b>	<b>1518</b>
Result State	<b>PASS</b>
Iter. #	1
Tx Rate (Percent)	80 %
Tx Rate (L1) (Bit/s)	12,96 G
Tx Rate (Fps)	1.053.315
Rx Rate (Percent)	9,81 %
Rx Rate (L1) (Bit/s)	1,59 G
Rx Rate (Fps)	129,15 K
Loss Rate (Percent)	<b>87,74 %</b>
Loss (Frames)	<b>27.724.967</b>
P-0-0-0	
- Tx (Frames)	1.755.522
- Tx Rate (L1) (Bit/s)	720 M
- Tx Rate (Fps)	58.517
- Rx (Frames)	2.192.762
- Rx Rate (L1) (Bit/s)	899,32 M
- Rx Rate (Fps)	73.092
- Flood Count (Frames)	0
P-0-0-1	
- Tx (Frames)	1.755.526
- Tx Rate (L1) (Bit/s)	720 M
- Tx Rate (Fps)	58.518
- Rx (Frames)	102.999
- Rx Rate (L1) (Bit/s)	42,24 M
- Rx Rate (Fps)	3.433
- Flood Count (Frames)	93
P-0-0-2	
- Tx (Frames)	1.755.526
- Tx Rate (L1) (Bit/s)	720 M

- Tx Rate (Fps)	58.518
- Rx (Frames)	102.725
- Rx Rate (L1) (Bit/s)	42,13 M
- Rx Rate (Fps)	3.424
- Flood Count (Frames)	93
P-0-0-3	
- Tx (Frames)	1.755.526
- Tx Rate (L1) (Bit/s)	720 M
- Tx Rate (Fps)	58.518
- Rx (Frames)	102.560
- Rx Rate (L1) (Bit/s)	42,06 M
- Rx Rate (Fps)	3.419
- Flood Count (Frames)	93
P-0-0-4	
- Tx (Frames)	1.755.526
- Tx Rate (L1) (Bit/s)	720 M
- Tx Rate (Fps)	58.518
- Rx (Frames)	101.974
- Rx Rate (L1) (Bit/s)	41,82 M
- Rx Rate (Fps)	3.399
- Flood Count (Frames)	88
P-0-0-5	
- Tx (Frames)	1.755.526
- Tx Rate (L1) (Bit/s)	720 M
- Tx Rate (Fps)	58.518
- Rx (Frames)	102.658
- Rx Rate (L1) (Bit/s)	42,1 M
- Rx Rate (Fps)	3.422
- Flood Count (Frames)	93
P-0-2-0	
- Tx (Frames)	1.755.526
- Tx Rate (L1) (Bit/s)	720 M
- Tx Rate (Fps)	58.518
- Rx (Frames)	98.453
- Rx Rate (L1) (Bit/s)	40,38 M
- Rx Rate (Fps)	3.282
- Flood Count (Frames)	90
P-0-2-1	
- Tx (Frames)	1.755.526
- Tx Rate (L1) (Bit/s)	720 M
- Tx Rate (Fps)	58.518
- Rx (Frames)	98.391
- Rx Rate (L1) (Bit/s)	40,35 M
- Rx Rate (Fps)	3.280
- Flood Count (Frames)	84
P-0-2-2	
- Tx (Frames)	1.755.526
- Tx Rate (L1) (Bit/s)	720 M
- Tx Rate (Fps)	58.518
- Rx (Frames)	98.460
- Rx Rate (L1) (Bit/s)	40,38 M
- Rx Rate (Fps)	3.282
- Flood Count (Frames)	92
P-0-2-3	
- Tx (Frames)	1.755.526
- Tx Rate (L1) (Bit/s)	720 M
- Tx Rate (Fps)	58.518
- Rx (Frames)	98.470
- Rx Rate (L1) (Bit/s)	40,39 M
- Rx Rate (Fps)	3.282
- Flood Count (Frames)	93
P-0-2-4	
- Tx (Frames)	1.755.526
- Tx Rate (L1) (Bit/s)	720 M
- Tx Rate (Fps)	58.518
- Rx (Frames)	97.999
- Rx Rate (L1) (Bit/s)	40,19 M
- Rx Rate (Fps)	3.267
- Flood Count (Frames)	93
P-0-2-5	
- Tx (Frames)	1.755.526

- Tx Rate (L1) (Bit/s)	720 M
- Tx Rate (Fps)	58.518
- Rx (Frames)	97.166
- Rx Rate (L1) (Bit/s)	39,85 M
- Rx Rate (Fps)	3.239
- Flood Count (Frames)	94
P-0-4-0	
- Tx (Frames)	1.755.526
- Tx Rate (L1) (Bit/s)	720 M
- Tx Rate (Fps)	58.518
- Rx (Frames)	96.994
- Rx Rate (L1) (Bit/s)	39,78 M
- Rx Rate (Fps)	3.233
- Flood Count (Frames)	92
P-0-4-1	
- Tx (Frames)	1.755.526
- Tx Rate (L1) (Bit/s)	720 M
- Tx Rate (Fps)	58.518
- Rx (Frames)	97.119
- Rx Rate (L1) (Bit/s)	39,83 M
- Rx Rate (Fps)	3.237
- Flood Count (Frames)	93
P-0-4-2	
- Tx (Frames)	1.755.526
- Tx Rate (L1) (Bit/s)	720 M
- Tx Rate (Fps)	58.518
- Rx (Frames)	93.007
- Rx Rate (L1) (Bit/s)	38,15 M
- Rx Rate (Fps)	3.100
- Flood Count (Frames)	91
P-0-4-3	
- Tx (Frames)	1.755.526
- Tx Rate (L1) (Bit/s)	720 M
- Tx Rate (Fps)	58.518
- Rx (Frames)	97.277
- Rx Rate (L1) (Bit/s)	39,9 M
- Rx Rate (Fps)	3.243
- Flood Count (Frames)	88
P-0-4-4	
- Tx (Frames)	1.755.526
- Tx Rate (L1) (Bit/s)	720 M
- Tx Rate (Fps)	58.518
- Rx (Frames)	97.704
- Rx Rate (L1) (Bit/s)	40,07 M
- Rx Rate (Fps)	3.257
- Flood Count (Frames)	89
P-0-4-5	
- Tx (Frames)	1.755.526
- Tx Rate (L1) (Bit/s)	720 M
- Tx Rate (Fps)	58.518
- Rx (Frames)	97.779
- Rx Rate (L1) (Bit/s)	40,1 M
- Rx Rate (Fps)	3.259
- Flood Count (Frames)	92



### Results for 90,00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	90 %	90 %	90 %	90 %	90 %	90 %
Tx Rate (L1) (Bit/s)	14,58 G	14,58 G	14,58 G	14,58 G	14,58 G	14,58 G
Tx Rate (Fps)	21.696.428	12.314.189	6.603.260	3.425.752	1.745.689	1.401.923
Rx Rate (Percent)	0,01 %	0,02 %	10,35 %	10,37 %	10,41 %	10,29 %
Rx Rate (L1) (Bit/s)	1,68 M	3,16 M	1,68 G	1,68 G	1,69 G	1,67 G
Rx Rate (Fps)	2,5 K	2,67 K	759,38 K	394,87 K	201,86 K	160,26 K
Loss Rate (Percent)	99,99 %	99,98 %	88,5 %	88,47 %	88,44 %	88,57 %
Loss (Frames)	650.817.707	369.345.527	175.316.337	90.926.555	46.314.908	37.249.759
P-0-0-0						
- Tx (Frames)	36.160.700	20.523.641	11.005.426	5.709.586	2.909.482	2.336.531
- Tx Rate (L1) (Bit/s)	810 M	810 M	810 M	810 M	810 M	810 M
- Tx Rate (Fps)	1.205.357	684.121	366.848	190.320	96.983	77.884
- Rx (Frames)	59.315	61.107	12.082.057	6.309.319	3.226.969	2.593.394
- Rx Rate (L1) (Bit/s)	1,33 M	2,41 M	889,24 M	895,08 M	898,39 M	899,04 M
- Rx Rate (Fps)	1.977	2.037	402.735	210.311	107.566	86.446
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-1						
- Tx (Frames)	36.160.714	20.523.648	11.005.434	5.709.586	2.909.482	2.336.538
- Tx Rate (L1) (Bit/s)	810 M	810 M	810 M	810 M	810 M	810 M
- Tx Rate (Fps)	1.205.357	684.122	366.848	190.320	96.983	77.885
- Rx (Frames)	931	1.119	647.205	335.858	171.133	136.996
- Rx Rate (L1) (Bit/s)	20,85 K	44,16 K	47,63 M	47,65 M	47,64 M	47,49 M
- Rx Rate (Fps)	31	37	21.574	11.195	5.704	4.567
- Flood Count (Frames)	90	91	90	92	93	90
P-0-0-2						
- Tx (Frames)	36.160.714	20.523.648	11.005.434	5.709.586	2.909.482	2.336.538
- Tx Rate (L1) (Bit/s)	810 M	810 M	810 M	810 M	810 M	810 M
- Tx Rate (Fps)	1.205.357	684.122	366.848	190.320	96.983	77.885
- Rx (Frames)	931	1.119	647.202	335.858	171.101	136.695
- Rx Rate (L1) (Bit/s)	20,85 K	44,16 K	47,63 M	47,65 M	47,63 M	47,39 M
- Rx Rate (Fps)	31	37	21.573	11.195	5.703	4.557
- Flood Count (Frames)	92	90	90	92	90	90
P-0-0-3						
- Tx (Frames)	36.160.714	20.523.648	11.005.434	5.709.586	2.909.482	2.336.538
- Tx Rate (L1) (Bit/s)	810 M	810 M	810 M	810 M	810 M	810 M
- Tx Rate (Fps)	1.205.357	684.122	366.848	190.320	96.983	77.885
- Rx (Frames)	931	1.119	647.195	335.858	171.110	136.408
- Rx Rate (L1) (Bit/s)	20,85 K	44,16 K	47,63 M	47,65 M	47,64 M	47,29 M
- Rx Rate (Fps)	31	37	21.573	11.195	5.704	4.547
- Flood Count (Frames)	95	94	94	95	96	90
P-0-0-4						
- Tx (Frames)	36.160.714	20.523.648	11.005.434	5.709.586	2.909.482	2.336.538




- Tx Rate (L1) (Bit/s)	810 M	810 M	810 M	810 M	810 M	810 M
- Tx Rate (Fps)	1.205.357	684.122	366.848	190.320	96.983	77.885
- Rx (Frames)	931	1.119	647.215	335.858	171.077	135.750
- Rx Rate (L1) (Bit/s)	20,85 K	44,16 K	47,64 M	47,65 M	47,63 M	47,06 M
- Rx Rate (Fps)	31	37	21.574	11.195	5.703	4.525
- Flood Count (Frames)	95	92	95	92	93	92
P-0-0-5						
- Tx (Frames)	36.160.714	20.523.648	11.005.434	5.709.586	2.909.482	2.336.538
- Tx Rate (L1) (Bit/s)	810 M	810 M	810 M	810 M	810 M	810 M
- Tx Rate (Fps)	1.205.357	684.122	366.848	190.320	96.983	77.885
- Rx (Frames)	931	1.119	647.228	335.858	171.121	136.708
- Rx Rate (L1) (Bit/s)	20,85 K	44,16 K	47,64 M	47,65 M	47,64 M	47,39 M
- Rx Rate (Fps)	31	37	21.574	11.195	5.704	4.557
- Flood Count (Frames)	93	95	95	93	88	95
P-0-2-0						
- Tx (Frames)	36.160.714	20.523.648	11.005.434	5.709.586	2.909.482	2.336.538
- Tx Rate (L1) (Bit/s)	810 M	810 M	810 M	810 M	810 M	810 M
- Tx Rate (Fps)	1.205.357	684.122	366.848	190.320	96.983	77.885
- Rx (Frames)	931	1.119	623.163	321.442	164.740	130.662
- Rx Rate (L1) (Bit/s)	20,85 K	44,16 K	45,86 M	45,6 M	45,86 M	45,3 M
- Rx Rate (Fps)	31	37	20.772	10.715	5.491	4.355
- Flood Count (Frames)	88	92	92	89	95	88
P-0-2-1						
- Tx (Frames)	36.160.714	20.523.648	11.005.434	5.709.586	2.909.482	2.336.538
- Tx Rate (L1) (Bit/s)	810 M	810 M	810 M	810 M	810 M	810 M
- Tx Rate (Fps)	1.205.357	684.122	366.848	190.320	96.983	77.885
- Rx (Frames)	931	1.119	621.950	321.751	164.613	130.613
- Rx Rate (L1) (Bit/s)	20,85 K	44,16 K	45,78 M	45,65 M	45,83 M	45,28 M
- Rx Rate (Fps)	31	37	20.732	10.725	5.487	4.354
- Flood Count (Frames)	87	90	85	89	84	93
P-0-2-2						
- Tx (Frames)	36.160.714	20.523.648	11.005.434	5.709.586	2.909.482	2.336.538
- Tx Rate (L1) (Bit/s)	810 M	810 M	810 M	810 M	810 M	810 M
- Tx Rate (Fps)	1.205.357	684.122	366.848	190.320	96.983	77.885
- Rx (Frames)	930	1.119	623.999	321.797	164.602	130.658
- Rx Rate (L1) (Bit/s)	20,83 K	44,16 K	45,93 M	45,65 M	45,83 M	45,29 M
- Rx Rate (Fps)	31	37	20.800	10.727	5.487	4.355
- Flood Count (Frames)	88	95	78	94	87	90
P-0-2-3						
- Tx (Frames)	36.160.714	20.523.648	11.005.434	5.709.586	2.909.482	2.336.538
- Tx Rate (L1) (Bit/s)	810 M	810 M	810 M	810 M	810 M	810 M
- Tx Rate (Fps)	1.205.357	684.122	366.848	190.320	96.983	77.885
- Rx (Frames)	930	1.119	622.724	322.284	164.769	130.690
- Rx Rate (L1) (Bit/s)	20,83 K	44,16 K	45,83 M	45,72 M	45,87 M	45,31 M
- Rx Rate (Fps)	31	37	20.757	10.743	5.492	4.356
- Flood Count (Frames)	87	93	85	84	89	89
P-0-2-4						
- Tx (Frames)	36.160.714	20.523.648	11.005.434	5.709.586	2.909.482	2.336.538
- Tx Rate (L1) (Bit/s)	810 M	810 M	810 M	810 M	810 M	810 M
- Tx Rate (Fps)	1.205.357	684.122	366.848	190.320	96.983	77.885
- Rx (Frames)	930	1.119	618.361	321.475	164.074	127.105
- Rx Rate (L1) (Bit/s)	20,83 K	44,16 K	45,51 M	45,61 M	45,68 M	44,06 M
- Rx Rate (Fps)	31	37	20.612	10.716	5.469	4.237
- Flood Count (Frames)	93	91	90	89	95	90
P-0-2-5						
- Tx (Frames)	36.160.714	20.523.648	11.005.434	5.709.586	2.909.482	2.336.538
- Tx Rate (L1) (Bit/s)	810 M	810 M	810 M	810 M	810 M	810 M
- Tx Rate (Fps)	1.205.357	684.122	366.848	190.320	96.983	77.885
- Rx (Frames)	930	1.119	618.888	320.895	164.392	128.015
- Rx Rate (L1) (Bit/s)	20,83 K	44,16 K	45,55 M	45,52 M	45,77 M	44,38 M
- Rx Rate (Fps)	31	37	20.630	10.697	5.480	4.267
- Flood Count (Frames)	94	91	90	90	90	90
P-0-4-0						
- Tx (Frames)	36.160.714	20.523.648	11.005.434	5.709.586	2.909.482	2.336.538
- Tx Rate (L1) (Bit/s)	810 M	810 M	810 M	810 M	810 M	810 M
- Tx Rate (Fps)	1.205.357	684.122	366.848	190.320	96.983	77.885
- Rx (Frames)	930	1.119	626.909	323.245	165.328	126.805
- Rx Rate (L1) (Bit/s)	20,83 K	44,16 K	46,14 M	45,86 M	46,03 M	43,96 M
- Rx Rate (Fps)	31	37	20.897	10.775	5.511	4.227
- Flood Count (Frames)	88	84	92	93	93	91
P-0-4-1						

- Tx (Frames)	36.160.714	20.523.648	11.005.434	5.709.586	2.909.482	2.336.538
- Tx Rate (L1) (Bit/s)	810 M	810 M	810 M	810 M	810 M	810 M
- Tx Rate (Fps)	1.205.357	684.122	366.848	190.320	96.983	77.885
- Rx (Frames)	930	1.119	621.751	320.972	164.227	127.352
- Rx Rate (L1) (Bit/s)	20,83 K	44,16 K	45,76 M	45,54 M	45,72 M	44,15 M
- Rx Rate (Fps)	31	37	20.725	10.699	5.474	4.245
- Flood Count (Frames)	94	88	91	93	90	92
P-0-4-2						
- Tx (Frames)	36.160.714	20.523.648	11.005.434	5.709.586	2.909.482	2.336.538
- Tx Rate (L1) (Bit/s)	810 M	810 M	810 M	810 M	810 M	810 M
- Tx Rate (Fps)	1.205.357	684.122	366.848	190.320	96.983	77.885
- Rx (Frames)	930	1.119	621.443	320.858	164.097	127.527
- Rx Rate (L1) (Bit/s)	20,83 K	44,16 K	45,74 M	45,52 M	45,68 M	44,21 M
- Rx Rate (Fps)	31	37	20.715	10.695	5.470	4.251
- Flood Count (Frames)	91	92	90	93	93	90
P-0-4-3						
- Tx (Frames)	36.160.714	20.523.648	11.005.434	5.709.586	2.909.482	2.336.538
- Tx Rate (L1) (Bit/s)	810 M	810 M	810 M	810 M	810 M	810 M
- Tx Rate (Fps)	1.205.357	684.122	366.848	190.320	96.983	77.885
- Rx (Frames)	930	1.119	621.367	320.884	164.148	125.515
- Rx Rate (L1) (Bit/s)	20,83 K	44,16 K	45,73 M	45,52 M	45,7 M	43,51 M
- Rx Rate (Fps)	31	37	20.712	10.696	5.472	4.184
- Flood Count (Frames)	91	87	92	92	92	93
P-0-4-4						
- Tx (Frames)	36.160.714	20.523.648	11.005.434	5.709.586	2.909.482	2.336.538
- Tx Rate (L1) (Bit/s)	810 M	810 M	810 M	810 M	810 M	810 M
- Tx Rate (Fps)	1.205.357	684.122	366.848	190.320	96.983	77.885
- Rx (Frames)	929	1.119	621.430	320.888	164.135	125.511
- Rx Rate (L1) (Bit/s)	20,81 K	44,16 K	45,74 M	45,52 M	45,7 M	43,51 M
- Rx Rate (Fps)	31	37	20.714	10.696	5.471	4.184
- Flood Count (Frames)	88	88	90	96	94	91
P-0-4-5						
- Tx (Frames)	36.160.714	20.523.648	11.005.434	5.709.586	2.909.482	2.336.538
- Tx Rate (L1) (Bit/s)	810 M	810 M	810 M	810 M	810 M	810 M
- Tx Rate (Fps)	1.205.357	684.122	366.848	190.320	96.983	77.885
- Rx (Frames)	930	1.119	621.380	320.893	164.132	121.514
- Rx Rate (L1) (Bit/s)	20,83 K	44,16 K	45,73 M	45,52 M	45,69 M	42,12 M
- Rx Rate (Fps)	31	37	20.713	10.696	5.471	4.050
- Flood Count (Frames)	95	92	92	93	95	94

<b>Frame Size</b>	<b>1518</b>
Result State	<b>PASS</b>
Iter. #	1
Tx Rate (Percent)	90 %
Tx Rate (L1) (Bit/s)	14,58 G
Tx Rate (Fps)	1.184.980
Rx Rate (Percent)	10,32 %
Rx Rate (L1) (Bit/s)	1,67 G
Rx Rate (Fps)	135,83 K
Loss Rate (Percent)	<b>88,54 %</b>
Loss (Frames)	<b>31.474.432</b>
P-0-0-0	
- Tx (Frames)	1.974.958
- Tx Rate (L1) (Bit/s)	810 M
- Tx Rate (Fps)	65.832
- Rx (Frames)	2.192.578
- Rx Rate (L1) (Bit/s)	899,25 M
- Rx Rate (Fps)	73.086
- Flood Count (Frames)	0
P-0-0-1	
- Tx (Frames)	1.974.967
- Tx Rate (L1) (Bit/s)	810 M
- Tx Rate (Fps)	65.832
- Rx (Frames)	115.560
- Rx Rate (L1) (Bit/s)	47,4 M
- Rx Rate (Fps)	3.852
- Flood Count (Frames)	93
P-0-0-2	
- Tx (Frames)	1.974.967
- Tx Rate (L1) (Bit/s)	810 M

- Tx Rate (Fps)	65.832
- Rx (Frames)	115.598
- Rx Rate (L1) (Bit/s)	47,41 M
- Rx Rate (Fps)	3.853
- Flood Count (Frames)	93
P-0-0-3	
- Tx (Frames)	1.974.967
- Tx Rate (L1) (Bit/s)	810 M
- Tx Rate (Fps)	65.832
- Rx (Frames)	115.484
- Rx Rate (L1) (Bit/s)	47,36 M
- Rx Rate (Fps)	3.849
- Flood Count (Frames)	95
P-0-0-4	
- Tx (Frames)	1.974.967
- Tx Rate (L1) (Bit/s)	810 M
- Tx Rate (Fps)	65.832
- Rx (Frames)	115.196
- Rx Rate (L1) (Bit/s)	47,25 M
- Rx Rate (Fps)	3.840
- Flood Count (Frames)	94
P-0-0-5	
- Tx (Frames)	1.974.967
- Tx Rate (L1) (Bit/s)	810 M
- Tx Rate (Fps)	65.832
- Rx (Frames)	115.654
- Rx Rate (L1) (Bit/s)	47,43 M
- Rx Rate (Fps)	3.855
- Flood Count (Frames)	92
P-0-2-0	
- Tx (Frames)	1.974.967
- Tx Rate (L1) (Bit/s)	810 M
- Tx Rate (Fps)	65.832
- Rx (Frames)	110.940
- Rx Rate (L1) (Bit/s)	45,5 M
- Rx Rate (Fps)	3.698
- Flood Count (Frames)	86
P-0-2-1	
- Tx (Frames)	1.974.967
- Tx Rate (L1) (Bit/s)	810 M
- Tx Rate (Fps)	65.832
- Rx (Frames)	110.722
- Rx Rate (L1) (Bit/s)	45,41 M
- Rx Rate (Fps)	3.691
- Flood Count (Frames)	85
P-0-2-2	
- Tx (Frames)	1.974.967
- Tx Rate (L1) (Bit/s)	810 M
- Tx Rate (Fps)	65.832
- Rx (Frames)	110.790
- Rx Rate (L1) (Bit/s)	45,44 M
- Rx Rate (Fps)	3.693
- Flood Count (Frames)	87
P-0-2-3	
- Tx (Frames)	1.974.967
- Tx Rate (L1) (Bit/s)	810 M
- Tx Rate (Fps)	65.832
- Rx (Frames)	110.724
- Rx Rate (L1) (Bit/s)	45,41 M
- Rx Rate (Fps)	3.691
- Flood Count (Frames)	86
P-0-2-4	
- Tx (Frames)	1.974.967
- Tx Rate (L1) (Bit/s)	810 M
- Tx Rate (Fps)	65.832
- Rx (Frames)	110.075
- Rx Rate (L1) (Bit/s)	45,15 M
- Rx Rate (Fps)	3.669
- Flood Count (Frames)	91
P-0-2-5	
- Tx (Frames)	1.974.967

- Tx Rate (L1) (Bit/s)	810 M
- Tx Rate (Fps)	65.832
- Rx (Frames)	110.103
- Rx Rate (L1) (Bit/s)	45,16 M
- Rx Rate (Fps)	3.670
- Flood Count (Frames)	91
P-0-4-0	
- Tx (Frames)	1.974.967
- Tx Rate (L1) (Bit/s)	810 M
- Tx Rate (Fps)	65.832
- Rx (Frames)	109.569
- Rx Rate (L1) (Bit/s)	44,94 M
- Rx Rate (Fps)	3.652
- Flood Count (Frames)	95
P-0-4-1	
- Tx (Frames)	1.974.967
- Tx Rate (L1) (Bit/s)	810 M
- Tx Rate (Fps)	65.832
- Rx (Frames)	109.258
- Rx Rate (L1) (Bit/s)	44,81 M
- Rx Rate (Fps)	3.642
- Flood Count (Frames)	90
P-0-4-2	
- Tx (Frames)	1.974.967
- Tx Rate (L1) (Bit/s)	810 M
- Tx Rate (Fps)	65.832
- Rx (Frames)	104.755
- Rx Rate (L1) (Bit/s)	42,96 M
- Rx Rate (Fps)	3.492
- Flood Count (Frames)	95
P-0-4-3	
- Tx (Frames)	1.974.967
- Tx Rate (L1) (Bit/s)	810 M
- Tx Rate (Fps)	65.832
- Rx (Frames)	107.460
- Rx Rate (L1) (Bit/s)	44,07 M
- Rx Rate (Fps)	3.582
- Flood Count (Frames)	89
P-0-4-4	
- Tx (Frames)	1.974.967
- Tx Rate (L1) (Bit/s)	810 M
- Tx Rate (Fps)	65.832
- Rx (Frames)	107.526
- Rx Rate (L1) (Bit/s)	44,1 M
- Rx Rate (Fps)	3.584
- Flood Count (Frames)	93
P-0-4-5	
- Tx (Frames)	1.974.967
- Tx Rate (L1) (Bit/s)	810 M
- Tx Rate (Fps)	65.832
- Rx (Frames)	102.973
- Rx Rate (L1) (Bit/s)	42,23 M
- Rx Rate (Fps)	3.432
- Flood Count (Frames)	92



### Results for 100,00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	100 %	100 %	100 %	100 %	100 %	100 %
Tx Rate (L1) (Bit/s)	16,2 G	16,2 G	16,2 G	16,2 G	16,2 G	16,2 G
Tx Rate (Fps)	24.107.142	13.682.432	7.336.956	3.806.390	1.939.655	1.557.691
Rx Rate (Percent)	0,01 %	0,02 %	10,6 %	10,88 %	10,82 %	10,78 %
Rx Rate (L1) (Bit/s)	1,33 M	2,94 M	1,72 G	1,76 G	1,75 G	1,75 G
Rx Rate (Fps)	1,97 K	2,48 K	778,05 K	414,06 K	209,85 K	167,94 K
Loss Rate (Percent)	99,99 %	99,98 %	89,4 %	89,12 %	89,18 %	89,22 %
Loss (Frames)	723.155.110	410.398.579	196.767.246	101.769.789	51.894.007	41.692.607
P-0-0-0						
- Tx (Frames)	40.178.565	22.804.038	12.228.253	6.343.975	3.232.754	2.596.138
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	899,99 M
- Tx Rate (Fps)	1.339.286	760.135	407.608	211.466	107.758	86.538
- Rx (Frames)	47.351	58.103	12.079.249	6.309.284	3.226.944	2.593.375
- Rx Rate (L1) (Bit/s)	1,06 M	2,29 M	889,03 M	895,08 M	898,38 M	899,04 M
- Rx Rate (Fps)	1.578	1.937	402.642	210.309	107.565	86.446
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-1						
- Tx (Frames)	40.178.571	22.804.054	12.228.260	6.343.984	3.232.758	2.596.153
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1.339.286	760.135	407.609	211.466	107.759	86.538
- Rx (Frames)	700	953	695.591	371.041	186.133	148.375
- Rx Rate (L1) (Bit/s)	15,68 K	37,61 K	51,2 M	52,64 M	51,82 M	51,44 M
- Rx Rate (Fps)	23	32	23.186	12.368	6.204	4.946
- Flood Count (Frames)	91	91	89	90	91	88
P-0-0-2						
- Tx (Frames)	40.178.571	22.804.054	12.228.260	6.343.984	3.232.758	2.596.153
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1.339.286	760.135	407.609	211.466	107.759	86.538
- Rx (Frames)	699	948	697.070	370.946	186.265	148.457
- Rx Rate (L1) (Bit/s)	15,66 K	37,41 K	51,3 M	52,62 M	51,86 M	51,47 M
- Rx Rate (Fps)	23	32	23.236	12.365	6.209	4.949
- Flood Count (Frames)	90	92	87	92	92	88
P-0-0-3						
- Tx (Frames)	40.178.571	22.804.054	12.228.260	6.343.984	3.232.758	2.596.153
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1.339.286	760.135	407.609	211.466	107.759	86.538
- Rx (Frames)	699	951	687.181	370.990	186.126	148.555
- Rx Rate (L1) (Bit/s)	15,66 K	37,53 K	50,58 M	52,63 M	51,82 M	51,5 M
- Rx Rate (Fps)	23	32	22.906	12.366	6.204	4.952
- Flood Count (Frames)	94	92	88	92	92	86
P-0-0-4						
- Tx (Frames)	40.178.571	22.804.054	12.228.260	6.343.984	3.232.758	2.596.153

- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1.339.286	760.135	407.609	211.466	107.759	86.538
- Rx (Frames)	697	951	679.946	370.997	185.975	148.225
- Rx Rate (L1) (Bit/s)	15,61 K	37,53 K	50,04 M	52,63 M	51,78 M	51,38 M
- Rx Rate (Fps)	23	32	22.665	12.367	6.199	4.941
- Flood Count (Frames)	93	92	93	92	96	91
P-0-0-5						
- Tx (Frames)	40.178.571	22.804.054	12.228.260	6.343.984	3.232.758	2.596.153
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1.339.286	760.135	407.609	211.466	107.759	86.538
- Rx (Frames)	694	955	666.431	370.940	186.017	148.506
- Rx Rate (L1) (Bit/s)	15,55 K	37,69 K	49,05 M	52,62 M	51,79 M	51,48 M
- Rx Rate (Fps)	23	32	22.214	12.365	6.201	4.950
- Flood Count (Frames)	91	92	82	91	93	94
P-0-2-0						
- Tx (Frames)	40.178.571	22.804.054	12.228.260	6.343.984	3.232.758	2.596.153
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1.339.286	760.135	407.609	211.466	107.759	86.538
- Rx (Frames)	694	942	632.828	355.549	178.515	142.047
- Rx Rate (L1) (Bit/s)	15,55 K	37,18 K	46,58 M	50,44 M	49,7 M	49,24 M
- Rx Rate (Fps)	23	31	21.094	11.852	5.951	4.735
- Flood Count (Frames)	91	92	86	92	87	87
P-0-2-1						
- Tx (Frames)	40.178.571	22.804.054	12.228.260	6.343.984	3.232.758	2.596.153
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1.339.286	760.135	407.609	211.466	107.759	86.538
- Rx (Frames)	688	959	633.083	355.641	178.497	141.975
- Rx Rate (L1) (Bit/s)	15,41 K	37,85 K	46,59 M	50,45 M	49,69 M	49,22 M
- Rx Rate (Fps)	23	32	21.103	11.855	5.950	4.733
- Flood Count (Frames)	95	90	90	94	86	91
P-0-2-2						
- Tx (Frames)	40.178.571	22.804.054	12.228.260	6.343.984	3.232.758	2.596.153
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1.339.286	760.135	407.609	211.466	107.759	86.538
- Rx (Frames)	691	960	635.589	355.520	178.592	142.210
- Rx Rate (L1) (Bit/s)	15,48 K	37,89 K	46,78 M	50,44 M	49,72 M	49,3 M
- Rx Rate (Fps)	23	32	21.186	11.851	5.953	4.740
- Flood Count (Frames)	89	89	90	89	88	92
P-0-2-3						
- Tx (Frames)	40.178.571	22.804.054	12.228.260	6.343.984	3.232.758	2.596.153
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1.339.286	760.135	407.609	211.466	107.759	86.538
- Rx (Frames)	692	965	641.685	355.446	178.381	142.009
- Rx Rate (L1) (Bit/s)	15,5 K	38,09 K	47,23 M	50,43 M	49,66 M	49,23 M
- Rx Rate (Fps)	23	32	21.390	11.848	5.946	4.734
- Flood Count (Frames)	90	90	78	92	91	87
P-0-2-4						
- Tx (Frames)	40.178.571	22.804.054	12.228.260	6.343.984	3.232.758	2.596.153
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1.339.286	760.135	407.609	211.466	107.759	86.538
- Rx (Frames)	693	967	651.018	355.479	177.512	141.713
- Rx Rate (L1) (Bit/s)	15,52 K	38,16 K	47,91 M	50,43 M	49,42 M	49,13 M
- Rx Rate (Fps)	23	32	21.701	11.849	5.917	4.724
- Flood Count (Frames)	91	76	90	95	90	95
P-0-2-5						
- Tx (Frames)	40.178.571	22.804.054	12.228.260	6.343.984	3.232.758	2.596.153
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1.339.286	760.135	407.609	211.466	107.759	86.538
- Rx (Frames)	694	966	658.099	354.931	178.396	141.927
- Rx Rate (L1) (Bit/s)	15,55 K	38,12 K	48,44 M	50,35 M	49,67 M	49,2 M
- Rx Rate (Fps)	23	32	21.937	11.831	5.947	4.731
- Flood Count (Frames)	90	88	90	90	90	92
P-0-4-0						
- Tx (Frames)	40.178.571	22.804.054	12.228.260	6.343.984	3.232.758	2.596.153
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1.339.286	760.135	407.609	211.466	107.759	86.538
- Rx (Frames)	694	966	664.379	355.833	179.174	141.901
- Rx Rate (L1) (Bit/s)	15,55 K	38,12 K	48,9 M	50,48 M	49,88 M	49,19 M
- Rx Rate (Fps)	23	32	22.146	11.861	5.972	4.730
- Flood Count (Frames)	89	73	91	96	91	92
P-0-4-1						


- Tx (Frames)	40.178.571	22.804.054	12.228.260	6.343.984	3.232.758	2.596.153
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1.339.286	760.135	407.609	211.466	107.759	86.538
- Rx (Frames)	694	967	661.637	353.906	177.865	141.898
- Rx Rate (L1) (Bit/s)	15,55 K	38,16 K	48,7 M	50,21 M	49,52 M	49,19 M
- Rx Rate (Fps)	23	32	22.055	11.797	5.929	4.730
- Flood Count (Frames)	91	84	90	91	93	91
P-0-4-2						
- Tx (Frames)	40.178.571	22.804.054	12.228.260	6.343.984	3.232.758	2.596.153
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1.339.286	760.135	407.609	211.466	107.759	86.538
- Rx (Frames)	695	967	663.160	353.874	177.871	141.738
- Rx Rate (L1) (Bit/s)	15,57 K	38,16 K	48,81 M	50,2 M	49,52 M	49,14 M
- Rx Rate (Fps)	23	32	22.105	11.796	5.929	4.725
- Flood Count (Frames)	89	94	95	93	90	92
P-0-4-3						
- Tx (Frames)	40.178.571	22.804.054	12.228.260	6.343.984	3.232.758	2.596.153
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1.339.286	760.135	407.609	211.466	107.759	86.538
- Rx (Frames)	694	967	664.730	353.834	177.806	141.729
- Rx Rate (L1) (Bit/s)	15,55 K	38,16 K	48,92 M	50,2 M	49,5 M	49,13 M
- Rx Rate (Fps)	23	32	22.158	11.794	5.927	4.724
- Flood Count (Frames)	93	90	94	92	93	89
P-0-4-4						
- Tx (Frames)	40.178.571	22.804.054	12.228.260	6.343.984	3.232.758	2.596.153
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1.339.286	760.135	407.609	211.466	107.759	86.538
- Rx (Frames)	695	939	664.079	353.865	177.836	141.794
- Rx Rate (L1) (Bit/s)	15,57 K	37,06 K	48,88 M	50,2 M	49,51 M	49,16 M
- Rx Rate (Fps)	23	31	22.136	11.796	5.928	4.726
- Flood Count (Frames)	92	93	92	94	91	93
P-0-4-5						
- Tx (Frames)	40.178.571	22.804.054	12.228.260	6.343.984	3.232.758	2.596.153
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1.339.286	760.135	407.609	211.466	107.759	86.538
- Rx (Frames)	698	951	665.672	353.838	177.728	141.698
- Rx Rate (L1) (Bit/s)	15,64 K	37,53 K	48,99 M	50,2 M	49,48 M	49,12 M
- Rx Rate (Fps)	23	32	22.189	11.795	5.924	4.723
- Flood Count (Frames)	94	93	93	93	88	90

<b>Frame Size</b>	<b>1518</b>
Result State	<b>PASS</b>
Iter. #	1
Tx Rate (Percent)	100 %
Tx Rate (L1) (Bit/s)	16,2 G
Tx Rate (Fps)	1.316.644
Rx Rate (Percent)	9,46 %
Rx Rate (L1) (Bit/s)	1,53 G
Rx Rate (Fps)	124,62 K
Loss Rate (Percent)	<b>90,54 %</b>
Loss (Frames)	<b>35.760.720</b>
P-0-0-0	
- Tx (Frames)	2.194.394
- Tx Rate (L1) (Bit/s)	899,99 M
- Tx Rate (Fps)	73.146
- Rx (Frames)	2.192.246
- Rx Rate (L1) (Bit/s)	899,11 M
- Rx Rate (Fps)	73.075
- Flood Count (Frames)	0
P-0-0-1	
- Tx (Frames)	2.194.408
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73.147
- Rx (Frames)	125.818
- Rx Rate (L1) (Bit/s)	51,6 M
- Rx Rate (Fps)	4.194
- Flood Count (Frames)	93
P-0-0-2	
- Tx (Frames)	2.194.408
- Tx Rate (L1) (Bit/s)	900 M

- Tx Rate (Fps)	73.147
- Rx (Frames)	125.814
- Rx Rate (L1) (Bit/s)	51,6 M
- Rx Rate (Fps)	4.194
- Flood Count (Frames)	94
P-0-0-3	
- Tx (Frames)	2.194.408
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73.147
- Rx (Frames)	125.768
- Rx Rate (L1) (Bit/s)	51,58 M
- Rx Rate (Fps)	4.192
- Flood Count (Frames)	93
P-0-0-4	
- Tx (Frames)	2.194.408
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73.147
- Rx (Frames)	125.798
- Rx Rate (L1) (Bit/s)	51,59 M
- Rx Rate (Fps)	4.193
- Flood Count (Frames)	93
P-0-0-5	
- Tx (Frames)	2.194.408
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73.147
- Rx (Frames)	125.843
- Rx Rate (L1) (Bit/s)	51,61 M
- Rx Rate (Fps)	4.195
- Flood Count (Frames)	97
P-0-2-0	
- Tx (Frames)	2.194.408
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73.147
- Rx (Frames)	75.141
- Rx Rate (L1) (Bit/s)	30,82 M
- Rx Rate (Fps)	2.505
- Flood Count (Frames)	73
P-0-2-1	
- Tx (Frames)	2.194.408
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73.147
- Rx (Frames)	76.492
- Rx Rate (L1) (Bit/s)	31,37 M
- Rx Rate (Fps)	2.550
- Flood Count (Frames)	67
P-0-2-2	
- Tx (Frames)	2.194.408
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73.147
- Rx (Frames)	76.976
- Rx Rate (L1) (Bit/s)	31,57 M
- Rx Rate (Fps)	2.566
- Flood Count (Frames)	68
P-0-2-3	
- Tx (Frames)	2.194.408
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73.147
- Rx (Frames)	76.234
- Rx Rate (L1) (Bit/s)	31,27 M
- Rx Rate (Fps)	2.541
- Flood Count (Frames)	73
P-0-2-4	
- Tx (Frames)	2.194.408
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73.147
- Rx (Frames)	76.700
- Rx Rate (L1) (Bit/s)	31,46 M
- Rx Rate (Fps)	2.557
- Flood Count (Frames)	90
P-0-2-5	
- Tx (Frames)	2.194.408



- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73.147
- Rx (Frames)	76.575
- Rx Rate (L1) (Bit/s)	31,41 M
- Rx Rate (Fps)	2.553
- Flood Count (Frames)	91
P-0-4-0	
- Tx (Frames)	2.194.408
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73.147
- Rx (Frames)	76.593
- Rx Rate (L1) (Bit/s)	31,41 M
- Rx Rate (Fps)	2.553
- Flood Count (Frames)	92
P-0-4-1	
- Tx (Frames)	2.194.408
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73.147
- Rx (Frames)	76.484
- Rx Rate (L1) (Bit/s)	31,37 M
- Rx Rate (Fps)	2.549
- Flood Count (Frames)	91
P-0-4-2	
- Tx (Frames)	2.194.408
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73.147
- Rx (Frames)	76.698
- Rx Rate (L1) (Bit/s)	31,46 M
- Rx Rate (Fps)	2.557
- Flood Count (Frames)	93
P-0-4-3	
- Tx (Frames)	2.194.408
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73.147
- Rx (Frames)	76.286
- Rx Rate (L1) (Bit/s)	31,29 M
- Rx Rate (Fps)	2.543
- Flood Count (Frames)	92
P-0-4-4	
- Tx (Frames)	2.194.408
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73.147
- Rx (Frames)	76.564
- Rx Rate (L1) (Bit/s)	31,4 M
- Rx Rate (Fps)	2.552
- Flood Count (Frames)	91
P-0-4-5	
- Tx (Frames)	2.194.408
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73.147
- Rx (Frames)	76.580
- Rx Rate (L1) (Bit/s)	31,41 M
- Rx Rate (Fps)	2.553
- Flood Count (Frames)	93



## Rate Test: Part.Mesh, N->N Results

### Test Setup

Duration: 30 seconds  
 Iteration: 1  
 Topology: Blocks  
 Direction: East-to-West

### Throughput Options

Initial Rate: 10,00%  
 Maximum Rate: 100,00%  
 Minimum Rate: 10,00%  
 Resolution: 10,00%

### Used Ports

Port ID	Port Role
P-0-0-0	East
P-0-0-1	East
P-0-0-2	East
P-0-0-3	West
P-0-0-4	West
P-0-0-5	West
P-0-2-0	East
P-0-2-1	East
P-0-2-2	West
P-0-2-3	West
P-0-2-4	East
P-0-2-5	East
P-0-4-0	West
P-0-4-1	West
P-0-4-2	East
P-0-4-3	East
P-0-4-4	West
P-0-4-5	West

### Throughput Test Results

Frame Size	64	128	256	512	1024	1280
Result State	FAIL	FAIL	FAIL	FAIL	FAIL	FAIL
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	10 %	15,625 %	15,625 %	15,625 %	10 %	10 %
Tx Rate (L1) (Bit/s)	810 M	1,27 G	1,27 G	1,27 G	809,99 M	810 M
Tx Rate (Fps)	1.205.356	1.068.938	573.199	297.373	96.981	77.884
Rx Rate (Percent)	9,99 %	14,26 %	14,39 %	14,67 %	9,98 %	10 %
Rx Rate (L1) (Bit/s)	809,27 M	1,16 G	1,17 G	1,19 G	807,97 M	809,79 M
Rx Rate (Fps)	1,2 M	975,71 K	527,94 K	279,23 K	96,74 K	77,86 K
Loss Rate (Percent)	0,09 %	8,72 %	7,9 %	6,1 %	0,25 %	0,03 %
Loss (Frames)	32.400	2.796.789	1.357.789	544.317	7.244	585
P-0-0-0						
- Tx (Frames)	4.017.852	3.563.127	1.910.664	991.242	323.271	259.614
- Tx Rate (L1) (Bit/s)	90 M	140,62 M	140,62 M	140,62 M	90 M	90 M
- Tx Rate (Fps)	133.928	118.771	63.689	33.041	10.776	8.654
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-1						
- Tx (Frames)	4.017.852	3.563.127	1.910.664	991.242	323.271	259.614
- Tx Rate (L1) (Bit/s)	90 M	140,62 M	140,62 M	140,62 M	90 M	90 M
- Tx Rate (Fps)	133.928	118.771	63.689	33.041	10.776	8.654
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0

- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-2						
- Tx (Frames)	4.017.852	3.563.127	1.910.664	991.242	323.271	259.614
- Tx Rate (L1) (Bit/s)	90 M	140,62 M	140,62 M	140,62 M	90 M	90 M
- Tx Rate (Fps)	133.928	118.771	63.689	33.041	10.776	8.654
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4.014.744	3.097.062	1.684.432	889.683	322.789	259.592
- Rx Rate (L1) (Bit/s)	89,93 M	122,23 M	123,97 M	126,22 M	89,86 M	89,99 M
- Rx Rate (Fps)	133.825	103.235	56.148	29.656	10.760	8.653
- Flood Count (Frames)	93	76	84	78	92	93
P-0-0-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4.012.982	3.003.329	1.626.711	895.332	322.870	259.579
- Rx Rate (L1) (Bit/s)	89,89 M	118,53 M	119,73 M	127,02 M	89,89 M	89,99 M
- Rx Rate (Fps)	133.766	100.111	54.224	29.844	10.762	8.653
- Flood Count (Frames)	93	80	78	73	90	93
P-0-0-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4.012.547	2.903.583	1.607.480	851.891	323.092	259.581
- Rx Rate (L1) (Bit/s)	89,88 M	114,59 M	118,31 M	120,85 M	89,95 M	89,99 M
- Rx Rate (Fps)	133.752	96.786	53.583	28.396	10.770	8.653
- Flood Count (Frames)	93	69	84	79	93	92
P-0-2-0						
- Tx (Frames)	4.017.852	3.563.127	1.910.664	991.242	323.271	259.614
- Tx Rate (L1) (Bit/s)	90 M	140,62 M	140,62 M	140,62 M	90 M	90 M
- Tx Rate (Fps)	133.928	118.771	63.689	33.041	10.776	8.654
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-1						
- Tx (Frames)	4.017.852	3.563.127	1.910.664	991.242	323.271	259.614
- Tx Rate (L1) (Bit/s)	90 M	140,62 M	140,62 M	140,62 M	90 M	90 M
- Tx Rate (Fps)	133.928	118.771	63.689	33.041	10.776	8.654
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-2						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4.012.067	2.993.392	1.639.247	890.903	321.846	259.572
- Rx Rate (L1) (Bit/s)	89,87 M	118,14 M	120,65 M	126,39 M	89,6 M	89,98 M
- Rx Rate (Fps)	133.736	99.780	54.642	29.697	10.728	8.652
- Flood Count (Frames)	93	86	71	75	90	91
P-0-2-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4.011.924	3.021.480	1.637.661	884.084	321.852	259.553
- Rx Rate (L1) (Bit/s)	89,87 M	119,25 M	120,53 M	125,42 M	89,6 M	89,98 M
- Rx Rate (Fps)	133.731	100.716	54.589	29.469	10.728	8.652
- Flood Count (Frames)	92	77	77	77	89	88
P-0-2-4						
- Tx (Frames)	4.017.852	3.563.127	1.910.664	991.242	323.271	259.614
- Tx Rate (L1) (Bit/s)	90 M	140,62 M	140,62 M	140,62 M	90 M	90 M
- Tx Rate (Fps)	133.928	118.771	63.689	33.041	10.776	8.654
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0

- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-5						
- Tx (Frames)	4.017.852	3.563.127	1.910.664	991.242	323.271	259.614
- Tx Rate (L1) (Bit/s)	90 M	140,62 M	140,62 M	140,62 M	90 M	90 M
- Tx Rate (Fps)	133.928	118.771	63.689	33.041	10.776	8.654
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-4-0						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4.015.240	3.563.127	1.910.664	991.242	321.578	259.512
- Rx Rate (L1) (Bit/s)	89,94 M	140,62 M	140,62 M	140,62 M	89,53 M	89,96 M
- Rx Rate (Fps)	133.841	118.771	63.689	33.041	10.719	8.650
- Flood Count (Frames)	89	93	90	90	90	91
P-0-4-1						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4.015.420	3.563.127	1.910.664	991.242	322.591	259.514
- Rx Rate (L1) (Bit/s)	89,95 M	140,62 M	140,62 M	140,62 M	89,81 M	89,96 M
- Rx Rate (Fps)	133.847	118.771	63.689	33.041	10.753	8.650
- Flood Count (Frames)	90	93	93	89	89	92
P-0-4-2						
- Tx (Frames)	4.017.852	3.563.127	1.910.664	991.242	323.271	259.614
- Tx Rate (L1) (Bit/s)	90 M	140,62 M	140,62 M	140,62 M	90 M	90 M
- Tx Rate (Fps)	133.928	118.771	63.689	33.041	10.776	8.654
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-4-3						
- Tx (Frames)	4.017.852	3.563.127	1.910.664	991.242	323.271	259.614
- Tx Rate (L1) (Bit/s)	90 M	140,62 M	140,62 M	140,62 M	90 M	90 M
- Tx Rate (Fps)	133.928	118.771	63.689	33.041	10.776	8.654
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-4-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4.016.601	3.563.127	1.910.664	991.242	322.800	259.479
- Rx Rate (L1) (Bit/s)	89,97 M	140,62 M	140,62 M	140,62 M	89,87 M	89,95 M
- Rx Rate (Fps)	133.887	118.771	63.689	33.041	10.760	8.649
- Flood Count (Frames)	89	95	91	90	93	92
P-0-4-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4.016.743	3.563.127	1.910.664	991.242	322.777	259.559
- Rx Rate (L1) (Bit/s)	89,98 M	140,62 M	140,62 M	140,62 M	89,86 M	89,98 M
- Rx Rate (Fps)	133.891	118.771	63.689	33.041	10.759	8.652
- Flood Count (Frames)	95	95	90	92	91	91


<b>Frame Size</b>	<b>1518</b>
Result State	<b>FAIL</b>
Iter. #	1
Tx Rate (Percent)	10 %
Tx Rate (L1) (Bit/s)	809,99 M
Tx Rate (Fps)	65.831
Rx Rate (Percent)	9,92 %
Rx Rate (L1) (Bit/s)	803,32 M
Rx Rate (Fps)	65,29 K
Loss Rate (Percent)	<b>0,82 %</b>
Loss (Frames)	<b>16.262</b>

P-0-0-0	
- Tx (Frames)	219.438
- Tx Rate (L1) (Bit/s)	90 M
- Tx Rate (Fps)	7.315
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-1	
- Tx (Frames)	219.438
- Tx Rate (L1) (Bit/s)	90 M
- Tx Rate (Fps)	7.315
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-2	
- Tx (Frames)	219.438
- Tx Rate (L1) (Bit/s)	90 M
- Tx Rate (Fps)	7.315
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	218.511
- Rx Rate (L1) (Bit/s)	89,62 M
- Rx Rate (Fps)	7.284
- Flood Count (Frames)	91
P-0-0-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	217.767
- Rx Rate (L1) (Bit/s)	89,31 M
- Rx Rate (Fps)	7.259
- Flood Count (Frames)	94
P-0-0-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	218.356
- Rx Rate (L1) (Bit/s)	89,56 M
- Rx Rate (Fps)	7.279
- Flood Count (Frames)	93
P-0-2-0	
- Tx (Frames)	219.438
- Tx Rate (L1) (Bit/s)	90 M
- Tx Rate (Fps)	7.315
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-1	
- Tx (Frames)	219.438
- Tx Rate (L1) (Bit/s)	90 M
- Tx Rate (Fps)	7.315
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-2	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	218.018
- Rx Rate (L1) (Bit/s)	89,42 M
- Rx Rate (Fps)	7.267

- Flood Count (Frames)	90
P-0-2-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	218.005
- Rx Rate (L1) (Bit/s)	89,41 M
- Rx Rate (Fps)	7.267
- Flood Count (Frames)	91
P-0-2-4	
- Tx (Frames)	219.438
- Tx Rate (L1) (Bit/s)	90 M
- Tx Rate (Fps)	7.315
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-5	
- Tx (Frames)	219.438
- Tx Rate (L1) (Bit/s)	90 M
- Tx Rate (Fps)	7.315
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-4-0	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	217.226
- Rx Rate (L1) (Bit/s)	89,09 M
- Rx Rate (Fps)	7.241
- Flood Count (Frames)	91
P-0-4-1	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	216.964
- Rx Rate (L1) (Bit/s)	88,98 M
- Rx Rate (Fps)	7.232
- Flood Count (Frames)	93
P-0-4-2	
- Tx (Frames)	219.438
- Tx Rate (L1) (Bit/s)	90 M
- Tx Rate (Fps)	7.315
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-4-3	
- Tx (Frames)	219.438
- Tx Rate (L1) (Bit/s)	90 M
- Tx Rate (Fps)	7.315
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-4-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	216.912
- Rx Rate (L1) (Bit/s)	88,96 M
- Rx Rate (Fps)	7.230
- Flood Count (Frames)	95
P-0-4-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	216.921
- Rx Rate (L1) (Bit/s)	88,97 M

- Rx Rate (Fps)	7.231
- Flood Count (Frames)	91

Note: One or more of the rate tests did not pass the test criteria!



## Forwarding Test Results

### Results for 10,00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	10 %	10 %	10 %	10 %	10 %	10 %
Tx Rate (L1) (Bit/s)	810 M	810 M	810 M	809,99 M	809,99 M	810 M
Tx Rate (Fps)	1.205.356	684.121	366.846	190.318	96.981	77.884
Rx Rate (Percent)	9,98 %	10 %	10 %	10 %	9,96 %	10 %
Rx Rate (L1) (Bit/s)	808,45 M	810 M	810 M	809,99 M	807,05 M	809,72 M
Rx Rate (Fps)	1,2 M	684,12 K	366,85 K	190,32 K	96,63 K	77,86 K
Loss Rate (Percent)	0,19 %	0 %	0 %	0 %	0,36 %	0,03 %
Loss (Frames)	68.943	0	0	0	10.555	792
P-0-0-0						
- Tx (Frames)	4.017.852	2.280.402	1.222.821	634.392	323.271	259.614
- Tx Rate (L1) (Bit/s)	90 M	90 M	90 M	90 M	90 M	90 M
- Tx Rate (Fps)	133.928	76.013	40.761	21.146	10.776	8.654
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-1						
- Tx (Frames)	4.017.852	2.280.402	1.222.821	634.392	323.271	259.614
- Tx Rate (L1) (Bit/s)	90 M	90 M	90 M	90 M	90 M	90 M
- Tx Rate (Fps)	133.928	76.013	40.761	21.146	10.776	8.654
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-2						
- Tx (Frames)	4.017.852	2.280.402	1.222.821	634.392	323.271	259.614
- Tx Rate (L1) (Bit/s)	90 M	90 M	90 M	90 M	90 M	90 M
- Tx Rate (Fps)	133.928	76.013	40.761	21.146	10.776	8.654
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0




P-0-0-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4.012.398	2.280.402	1.222.821	634.392	322.819	259.614
- Rx Rate (L1) (Bit/s)	89,88 M	90 M	90 M	90 M	89,87 M	90 M
- Rx Rate (Fps)	133.747	76.013	40.761	21.146	10.761	8.654
- Flood Count (Frames)	90	91	93	94	92	93
P-0-0-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4.014.896	2.280.402	1.222.821	634.392	322.103	259.537
- Rx Rate (L1) (Bit/s)	89,93 M	90 M	90 M	90 M	89,67 M	89,97 M
- Rx Rate (Fps)	133.830	76.013	40.761	21.146	10.737	8.651
- Flood Count (Frames)	92	92	90	92	95	90
P-0-0-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4.014.278	2.280.402	1.222.821	634.392	322.450	259.534
- Rx Rate (L1) (Bit/s)	89,92 M	90 M	90 M	90 M	89,77 M	89,97 M
- Rx Rate (Fps)	133.809	76.013	40.761	21.146	10.748	8.651
- Flood Count (Frames)	90	93	92	90	94	94
P-0-2-0						
- Tx (Frames)	4.017.852	2.280.402	1.222.821	634.392	323.271	259.614
- Tx Rate (L1) (Bit/s)	90 M	90 M	90 M	90 M	90 M	90 M
- Tx Rate (Fps)	133.928	76.013	40.761	21.146	10.776	8.654
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-1						
- Tx (Frames)	4.017.852	2.280.402	1.222.821	634.392	323.271	259.614
- Tx Rate (L1) (Bit/s)	90 M	90 M	90 M	90 M	90 M	90 M
- Tx Rate (Fps)	133.928	76.013	40.761	21.146	10.776	8.654
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-2						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4.009.927	2.280.402	1.222.821	634.392	322.680	259.433
- Rx Rate (L1) (Bit/s)	89,82 M	90 M	90 M	90 M	89,83 M	89,94 M
- Rx Rate (Fps)	133.664	76.013	40.761	21.146	10.756	8.648
- Flood Count (Frames)	92	92	91	89	89	92
P-0-2-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4.011.589	2.280.402	1.222.821	634.392	322.479	259.425
- Rx Rate (L1) (Bit/s)	89,86 M	90 M	90 M	90 M	89,78 M	89,93 M
- Rx Rate (Fps)	133.720	76.013	40.761	21.146	10.749	8.648
- Flood Count (Frames)	92	91	93	89	90	94
P-0-2-4						
- Tx (Frames)	4.017.852	2.280.402	1.222.821	634.392	323.271	259.614
- Tx Rate (L1) (Bit/s)	90 M	90 M	90 M	90 M	90 M	90 M
- Tx Rate (Fps)	133.928	76.013	40.761	21.146	10.776	8.654
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-5						
- Tx (Frames)	4.017.852	2.280.402	1.222.821	634.392	323.271	259.614
- Tx Rate (L1) (Bit/s)	90 M	90 M	90 M	90 M	90 M	90 M
- Tx Rate (Fps)	133.928	76.013	40.761	21.146	10.776	8.654
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0

- Flood Count (Frames)	0	0	0	0	0	0
P-0-4-0						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4.013.904	2.280.402	1.222.821	634.392	321.408	259.537
- Rx Rate (L1) (Bit/s)	89,91 M	90 M	90 M	90 M	89,48 M	89,97 M
- Rx Rate (Fps)	133.797	76.013	40.761	21.146	10.714	8.651
- Flood Count (Frames)	92	88	93	91	92	93
P-0-4-1						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4.007.883	2.280.402	1.222.821	634.392	321.432	259.549
- Rx Rate (L1) (Bit/s)	89,78 M	90 M	90 M	90 M	89,49 M	89,98 M
- Rx Rate (Fps)	133.596	76.013	40.761	21.146	10.714	8.652
- Flood Count (Frames)	92	90	93	91	93	90
P-0-4-2						
- Tx (Frames)	4.017.852	2.280.402	1.222.821	634.392	323.271	259.614
- Tx Rate (L1) (Bit/s)	90 M	90 M	90 M	90 M	90 M	90 M
- Tx Rate (Fps)	133.928	76.013	40.761	21.146	10.776	8.654
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-4-3						
- Tx (Frames)	4.017.852	2.280.402	1.222.821	634.392	323.271	259.614
- Tx Rate (L1) (Bit/s)	90 M	90 M	90 M	90 M	90 M	90 M
- Tx Rate (Fps)	133.928	76.013	40.761	21.146	10.776	8.654
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-4-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4.003.529	2.280.402	1.222.821	634.392	321.378	259.550
- Rx Rate (L1) (Bit/s)	89,68 M	90 M	90 M	90 M	89,47 M	89,98 M
- Rx Rate (Fps)	133.451	76.013	40.761	21.146	10.713	8.652
- Flood Count (Frames)	93	90	85	91	90	90
P-0-4-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4.003.321	2.280.402	1.222.821	634.392	322.135	259.555
- Rx Rate (L1) (Bit/s)	89,67 M	90 M	90 M	90 M	89,68 M	89,98 M
- Rx Rate (Fps)	133.444	76.013	40.761	21.146	10.738	8.652
- Flood Count (Frames)	92	90	90	94	90	93

<b>Frame Size</b>	<b>1518</b>
Result State	PASS
Iter. #	1
Tx Rate (Percent)	10 %
Tx Rate (L1) (Bit/s)	809,99 M
Tx Rate (Fps)	65.831
Rx Rate (Percent)	9,92 %
Rx Rate (L1) (Bit/s)	803,8 M
Rx Rate (Fps)	65,33 K
Loss Rate (Percent)	0,76 %
Loss (Frames)	15.080
P-0-0-0	
- Tx (Frames)	219.438
- Tx Rate (L1) (Bit/s)	90 M
- Tx Rate (Fps)	7.315
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-1	

- Tx (Frames)	219.438
- Tx Rate (L1) (Bit/s)	90 M
- Tx Rate (Fps)	7.315
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-2	
- Tx (Frames)	219.438
- Tx Rate (L1) (Bit/s)	90 M
- Tx Rate (Fps)	7.315
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	218.993
- Rx Rate (L1) (Bit/s)	89,82 M
- Rx Rate (Fps)	7.300
- Flood Count (Frames)	90
P-0-0-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	218.658
- Rx Rate (L1) (Bit/s)	89,68 M
- Rx Rate (Fps)	7.289
- Flood Count (Frames)	94
P-0-0-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	218.323
- Rx Rate (L1) (Bit/s)	89,54 M
- Rx Rate (Fps)	7.277
- Flood Count (Frames)	92
P-0-2-0	
- Tx (Frames)	219.438
- Tx Rate (L1) (Bit/s)	90 M
- Tx Rate (Fps)	7.315
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-1	
- Tx (Frames)	219.438
- Tx Rate (L1) (Bit/s)	90 M
- Tx Rate (Fps)	7.315
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-2	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	217.633
- Rx Rate (L1) (Bit/s)	89,26 M
- Rx Rate (Fps)	7.254
- Flood Count (Frames)	90
P-0-2-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	217.701
- Rx Rate (L1) (Bit/s)	89,29 M
- Rx Rate (Fps)	7.257
- Flood Count (Frames)	87

P-0-2-4	
- Tx (Frames)	219.438
- Tx Rate (L1) (Bit/s)	90 M
- Tx Rate (Fps)	7.315
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-5	
- Tx (Frames)	219.438
- Tx Rate (L1) (Bit/s)	90 M
- Tx Rate (Fps)	7.315
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-4-0	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	216.817
- Rx Rate (L1) (Bit/s)	88,92 M
- Rx Rate (Fps)	7.227
- Flood Count (Frames)	88
P-0-4-1	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	217.270
- Rx Rate (L1) (Bit/s)	89,11 M
- Rx Rate (Fps)	7.242
- Flood Count (Frames)	94
P-0-4-2	
- Tx (Frames)	219.438
- Tx Rate (L1) (Bit/s)	90 M
- Tx Rate (Fps)	7.315
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-4-3	
- Tx (Frames)	219.438
- Tx Rate (L1) (Bit/s)	90 M
- Tx Rate (Fps)	7.315
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-4-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	217.232
- Rx Rate (L1) (Bit/s)	89,09 M
- Rx Rate (Fps)	7.241
- Flood Count (Frames)	89
P-0-4-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	217.235
- Rx Rate (L1) (Bit/s)	89,1 M
- Rx Rate (Fps)	7.241
- Flood Count (Frames)	88



## Results for 20,00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	20 %	20 %	20 %	20 %	20 %	20 %
Tx Rate (L1) (Bit/s)	1,62 G	1,62 G	1,62 G	1,62 G	1,62 G	1,62 G
Tx Rate (Fps)	2.410.714	1.368.241	733.695	380.638	193.965	155.768
Rx Rate (Percent)	16,07 %	16,32 %	16,18 %	16,62 %	16,36 %	16,64 %
Rx Rate (L1) (Bit/s)	1,3 G	1,32 G	1,31 G	1,35 G	1,33 G	1,35 G
Rx Rate (Fps)	1,94 M	1,12 M	593,56 K	316,31 K	158,67 K	129,57 K
Loss Rate (Percent)	19,66 %	18,42 %	19,1 %	16,9 %	18,19 %	16,82 %
Loss (Frames)	14.220.746	7.562.269	4.203.938	1.929.868	1.058.731	785.876
P-0-0-0						
- Tx (Frames)	8.035.713	4.560.804	2.445.651	1.268.793	646.551	519.228
- Tx Rate (L1) (Bit/s)	180 M	180 M	180 M	180 M	180 M	180 M
- Tx Rate (Fps)	267.857	152.027	81.522	42.293	21.552	17.308
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-1						
- Tx (Frames)	8.035.713	4.560.804	2.445.651	1.268.793	646.551	519.228
- Tx Rate (L1) (Bit/s)	180 M	180 M	180 M	180 M	180 M	180 M
- Tx Rate (Fps)	267.857	152.027	81.522	42.293	21.552	17.308
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-2						
- Tx (Frames)	8.035.713	4.560.804	2.445.651	1.268.793	646.551	519.228
- Tx Rate (L1) (Bit/s)	180 M	180 M	180 M	180 M	180 M	180 M
- Tx Rate (Fps)	267.857	152.027	81.522	42.293	21.552	17.308
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	5.355.204	3.122.501	1.692.971	967.281	451.873	430.044
- Rx Rate (L1) (Bit/s)	119,96 M	123,23 M	124,6 M	137,22 M	125,8 M	149,08 M
- Rx Rate (Fps)	178.507	104.083	56.432	32.243	15.062	14.335
- Flood Count (Frames)	52	67	75	67	68	67
P-0-0-4						
- Tx (Frames)	0	0	0	0	0	0

- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	5.248.055	3.260.806	1.634.645	886.356	445.355	371.341
- Rx Rate (L1) (Bit/s)	117,56 M	128,69 M	120,31 M	125,74 M	123,99 M	128,73 M
- Rx Rate (Fps)	174.935	108.694	54.488	29.545	14.845	12.378
- Flood Count (Frames)	62	66	74	63	63	64
P-0-0-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	5.300.776	3.031.199	1.536.198	872.524	423.973	353.550
- Rx Rate (L1) (Bit/s)	118,74 M	119,63 M	113,06 M	123,78 M	118,03 M	122,56 M
- Rx Rate (Fps)	176.693	101.040	51.207	29.084	14.132	11.785
- Flood Count (Frames)	66	58	70	61	60	66
P-0-2-0						
- Tx (Frames)	8.035.713	4.560.804	2.445.651	1.268.793	646.551	519.228
- Tx Rate (L1) (Bit/s)	180 M	180 M	180 M	180 M	180 M	180 M
- Tx Rate (Fps)	267.857	152.027	81.522	42.293	21.552	17.308
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-1						
- Tx (Frames)	8.035.713	4.560.804	2.445.651	1.268.793	646.551	519.228
- Tx Rate (L1) (Bit/s)	180 M	180 M	180 M	180 M	180 M	180 M
- Tx Rate (Fps)	267.857	152.027	81.522	42.293	21.552	17.308
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-2						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	5.424.222	3.078.973	1.598.326	844.358	447.522	311.108
- Rx Rate (L1) (Bit/s)	121,5 M	121,52 M	117,64 M	119,79 M	124,59 M	107,85 M
- Rx Rate (Fps)	180.807	102.632	53.278	28.145	14.917	10.370
- Flood Count (Frames)	64	63	63	53	64	71
P-0-2-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	5.440.154	3.019.289	1.640.136	862.788	411.691	347.172
- Rx Rate (L1) (Bit/s)	121,86 M	119,16 M	120,71 M	122,4 M	114,61 M	120,35 M
- Rx Rate (Fps)	181.338	100.643	54.671	28.760	13.723	11.572
- Flood Count (Frames)	65	69	58	61	62	71
P-0-2-4						
- Tx (Frames)	8.035.713	4.560.804	2.445.651	1.268.793	646.551	519.228
- Tx Rate (L1) (Bit/s)	180 M	180 M	180 M	180 M	180 M	180 M
- Tx Rate (Fps)	267.857	152.027	81.522	42.293	21.552	17.308
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-5						
- Tx (Frames)	8.035.713	4.560.804	2.445.651	1.268.793	646.551	519.228
- Tx Rate (L1) (Bit/s)	180 M	180 M	180 M	180 M	180 M	180 M
- Tx Rate (Fps)	267.857	152.027	81.522	42.293	21.552	17.308
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-4-0						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	7.834.925	4.495.724	2.427.930	1.263.999	644.968	517.436
- Rx Rate (L1) (Bit/s)	175,5 M	177,43 M	178,7 M	179,32 M	179,56 M	179,38 M
- Rx Rate (Fps)	261.164	149.857	80.931	42.133	21.499	17.248
- Flood Count (Frames)	90	92	92	89	93	90
P-0-4-1						


- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	7.830.270	4.493.449	2.425.356	1.263.892	644.838	518.297
- Rx Rate (L1) (Bit/s)	175,4 M	177,34 M	178,51 M	179,3 M	179,52 M	179,68 M
- Rx Rate (Fps)	261.009	149.782	80.845	42.130	21.495	17.277
- Flood Count (Frames)	94	86	93	93	90	92
P-0-4-2						
- Tx (Frames)	8.035.713	4.560.804	2.445.651	1.268.793	646.551	519.228
- Tx Rate (L1) (Bit/s)	180 M	180 M	180 M	180 M	180 M	180 M
- Tx Rate (Fps)	267.857	152.027	81.522	42.293	21.552	17.308
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-4-3						
- Tx (Frames)	8.035.713	4.560.804	2.445.651	1.268.793	646.551	519.228
- Tx Rate (L1) (Bit/s)	180 M	180 M	180 M	180 M	180 M	180 M
- Tx Rate (Fps)	267.857	152.027	81.522	42.293	21.552	17.308
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-4-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	7.829.495	4.489.305	2.425.775	1.263.856	645.041	519.105
- Rx Rate (L1) (Bit/s)	175,38 M	177,18 M	178,54 M	179,3 M	179,58 M	179,96 M
- Rx Rate (Fps)	260.983	149.644	80.859	42.129	21.501	17.304
- Flood Count (Frames)	91	91	91	88	90	90
P-0-4-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	7.837.570	4.493.721	2.425.584	1.264.215	644.967	519.123
- Rx Rate (L1) (Bit/s)	175,56 M	177,35 M	178,52 M	179,35 M	179,56 M	179,96 M
- Rx Rate (Fps)	261.252	149.791	80.853	42.141	21.499	17.304
- Flood Count (Frames)	91	95	92	92	91	91

<b>Frame Size</b>	<b>1518</b>
Result State	PASS
Iter. #	1
Tx Rate (Percent)	20 %
Tx Rate (L1) (Bit/s)	1,62 G
Tx Rate (Fps)	131.663
Rx Rate (Percent)	15,62 %
Rx Rate (L1) (Bit/s)	1,26 G
Rx Rate (Fps)	102,81 K
Loss Rate (Percent)	21,91 %
Loss (Frames)	865.589
P-0-0-0	
- Tx (Frames)	438.876
- Tx Rate (L1) (Bit/s)	180 M
- Tx Rate (Fps)	14.629
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-1	
- Tx (Frames)	438.876
- Tx Rate (L1) (Bit/s)	180 M
- Tx Rate (Fps)	14.629
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-2	
- Tx (Frames)	438.876
- Tx Rate (L1) (Bit/s)	180 M

- Tx Rate (Fps)	14.629
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	284.777
- Rx Rate (L1) (Bit/s)	116,8 M
- Rx Rate (Fps)	9.493
- Flood Count (Frames)	76
P-0-0-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	294.215
- Rx Rate (L1) (Bit/s)	120,67 M
- Rx Rate (Fps)	9.807
- Flood Count (Frames)	69
P-0-0-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	303.015
- Rx Rate (L1) (Bit/s)	124,28 M
- Rx Rate (Fps)	10.101
- Flood Count (Frames)	73
P-0-2-0	
- Tx (Frames)	438.876
- Tx Rate (L1) (Bit/s)	180 M
- Tx Rate (Fps)	14.629
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-1	
- Tx (Frames)	438.876
- Tx Rate (L1) (Bit/s)	180 M
- Tx Rate (Fps)	14.629
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-2	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	308.006
- Rx Rate (L1) (Bit/s)	126,32 M
- Rx Rate (Fps)	10.267
- Flood Count (Frames)	59
P-0-2-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	308.828
- Rx Rate (L1) (Bit/s)	126,66 M
- Rx Rate (Fps)	10.294
- Flood Count (Frames)	63
P-0-2-4	
- Tx (Frames)	438.876
- Tx Rate (L1) (Bit/s)	180 M
- Tx Rate (Fps)	14.629
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-5	
- Tx (Frames)	438.876



- Tx Rate (L1) (Bit/s)	180 M
- Tx Rate (Fps)	14.629
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-4-0	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	388.510
- Rx Rate (L1) (Bit/s)	159,34 M
- Rx Rate (Fps)	12.950
- Flood Count (Frames)	90
P-0-4-1	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	400.432
- Rx Rate (L1) (Bit/s)	164,23 M
- Rx Rate (Fps)	13.348
- Flood Count (Frames)	92
P-0-4-2	
- Tx (Frames)	438.876
- Tx Rate (L1) (Bit/s)	180 M
- Tx Rate (Fps)	14.629
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-4-3	
- Tx (Frames)	438.876
- Tx Rate (L1) (Bit/s)	180 M
- Tx Rate (Fps)	14.629
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-4-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	400.318
- Rx Rate (L1) (Bit/s)	164,18 M
- Rx Rate (Fps)	13.344
- Flood Count (Frames)	92
P-0-4-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	396.194
- Rx Rate (L1) (Bit/s)	162,49 M
- Rx Rate (Fps)	13.206
- Flood Count (Frames)	93



### Results for 30,00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	30 %	30 %	30 %	30 %	30 %	30 %
Tx Rate (L1) (Bit/s)	2,43 G	2,43 G	2,43 G	2,43 G	2,43 G	2,43 G
Tx Rate (Fps)	3.616.070	2.052.365	1.100.542	570.958	290.947	233.653
Rx Rate (Percent)	17,98 %	18,06 %	18,57 %	18,33 %	18,63 %	18,31 %
Rx Rate (L1) (Bit/s)	1,46 G	1,46 G	1,5 G	1,48 G	1,51 G	1,48 G
Rx Rate (Fps)	2,17 M	1,24 M	681,21 K	348,78 K	180,71 K	142,57 K
Loss Rate (Percent)	40,05 %	39,81 %	38,1 %	38,91 %	37,89 %	38,98 %
Loss (Frames)	43.447.276	24.512.630	12.579.976	6.665.254	3.306.955	2.732.467
P-0-0-0						
- Tx (Frames)	12.053.565	6.841.215	3.668.472	1.903.194	969.822	778.842
- Tx Rate (L1) (Bit/s)	270 M	270 M	270 M	270 M	270 M	270 M
- Tx Rate (Fps)	401.786	228.041	122.282	63.440	32.327	25.961
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-1						
- Tx (Frames)	12.053.565	6.841.215	3.668.472	1.903.194	969.822	778.842
- Tx Rate (L1) (Bit/s)	270 M	270 M	270 M	270 M	270 M	270 M
- Tx Rate (Fps)	401.786	228.041	122.282	63.440	32.327	25.961
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-2						
- Tx (Frames)	12.053.565	6.841.215	3.668.472	1.903.194	969.822	778.842
- Tx Rate (L1) (Bit/s)	270 M	270 M	270 M	270 M	270 M	270 M
- Tx Rate (Fps)	401.786	228.041	122.282	63.440	32.327	25.961
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	5.540.123	2.960.639	1.680.801	820.464	435.677	351.085
- Rx Rate (L1) (Bit/s)	124,1 M	116,85 M	123,71 M	116,4 M	121,29 M	121,71 M
- Rx Rate (Fps)	184.671	98.688	56.027	27.349	14.523	11.703
- Flood Count (Frames)	61	49	48	52	57	61
P-0-0-4						
- Tx (Frames)	0	0	0	0	0	0

- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	5.291.211	2.979.655	1.712.627	885.219	421.394	358.216
- Rx Rate (L1) (Bit/s)	118,52 M	117,6 M	126,05 M	125,58 M	117,32 M	124,18 M
- Rx Rate (Fps)	176.374	99.322	57.088	29.507	14.046	11.941
- Flood Count (Frames)	54	43	51	50	51	59
P-0-0-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	5.372.073	2.977.041	1.724.889	852.804	414.865	348.726
- Rx Rate (L1) (Bit/s)	120,33 M	117,49 M	126,95 M	120,98 M	115,5 M	120,89 M
- Rx Rate (Fps)	179.069	99.235	57.496	28.427	13.829	11.624
- Flood Count (Frames)	51	45	52	56	53	59
P-0-2-0						
- Tx (Frames)	12.053.565	6.841.215	3.668.472	1.903.194	969.822	778.842
- Tx Rate (L1) (Bit/s)	270 M	270 M	270 M	270 M	270 M	270 M
- Tx Rate (Fps)	401.786	228.041	122.282	63.440	32.327	25.961
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-1						
- Tx (Frames)	12.053.565	6.841.215	3.668.472	1.903.194	969.822	778.842
- Tx Rate (L1) (Bit/s)	270 M	270 M	270 M	270 M	270 M	270 M
- Tx Rate (Fps)	401.786	228.041	122.282	63.440	32.327	25.961
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-2						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	5.244.261	3.008.091	1.656.192	866.433	428.510	364.853
- Rx Rate (L1) (Bit/s)	117,47 M	118,72 M	121,9 M	122,92 M	119,3 M	126,48 M
- Rx Rate (Fps)	174.809	100.270	55.206	28.881	14.284	12.162
- Flood Count (Frames)	49	42	44	50	60	52
P-0-2-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	5.191.148	3.058.336	1.786.788	855.795	445.303	335.570
- Rx Rate (L1) (Bit/s)	116,28 M	120,7 M	131,51 M	121,41 M	123,97 M	116,33 M
- Rx Rate (Fps)	173.038	101.945	59.560	28.527	14.843	11.186
- Flood Count (Frames)	48	49	38	47	56	48
P-0-2-4						
- Tx (Frames)	12.053.565	6.841.215	3.668.472	1.903.194	969.822	778.842
- Tx Rate (L1) (Bit/s)	270 M	270 M	270 M	270 M	270 M	270 M
- Tx Rate (Fps)	401.786	228.041	122.282	63.440	32.327	25.961
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-5						
- Tx (Frames)	12.053.565	6.841.215	3.668.472	1.903.194	969.822	778.842
- Tx Rate (L1) (Bit/s)	270 M	270 M	270 M	270 M	270 M	270 M
- Tx Rate (Fps)	401.786	228.041	122.282	63.440	32.327	25.961
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-4-0						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	9.638.336	5.511.833	2.973.434	1.546.306	832.949	629.715
- Rx Rate (L1) (Bit/s)	215,9 M	217,53 M	218,84 M	219,37 M	231,89 M	218,3 M
- Rx Rate (Fps)	321.278	183.728	99.114	51.544	27.765	20.991
- Flood Count (Frames)	89	92	90	92	91	88
P-0-4-1						


- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	9.580.649	5.517.098	2.969.394	1.545.337	836.866	631.387
- Rx Rate (L1) (Bit/s)	214,61 M	217,74 M	218,55 M	219,23 M	232,98 M	218,88 M
- Rx Rate (Fps)	319.355	183.903	98.980	51.511	27.896	21.046
- Flood Count (Frames)	91	91	92	92	94	90
P-0-4-2						
- Tx (Frames)	12.053.565	6.841.215	3.668.472	1.903.194	969.822	778.842
- Tx Rate (L1) (Bit/s)	270 M	270 M	270 M	270 M	270 M	270 M
- Tx Rate (Fps)	401.786	228.041	122.282	63.440	32.327	25.961
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-4-3						
- Tx (Frames)	12.053.565	6.841.215	3.668.472	1.903.194	969.822	778.842
- Tx Rate (L1) (Bit/s)	270 M	270 M	270 M	270 M	270 M	270 M
- Tx Rate (Fps)	401.786	228.041	122.282	63.440	32.327	25.961
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-4-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	9.593.304	5.525.446	2.969.383	1.545.111	820.035	625.874
- Rx Rate (L1) (Bit/s)	214,89 M	218,07 M	218,55 M	219,2 M	228,3 M	216,97 M
- Rx Rate (Fps)	319.777	184.182	98.979	51.504	27.335	20.862
- Flood Count (Frames)	91	91	93	95	92	93
P-0-4-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	9.583.704	5.520.166	2.962.764	1.546.023	785.844	631.685
- Rx Rate (L1) (Bit/s)	214,67 M	217,86 M	218,06 M	219,33 M	218,78 M	218,98 M
- Rx Rate (Fps)	319.457	184.006	98.759	51.534	26.195	21.056
- Flood Count (Frames)	91	93	93	94	89	93

<b>Frame Size</b>	<b>1518</b>
Result State	<b>PASS</b>
Iter. #	1
Tx Rate (Percent)	30 %
Tx Rate (L1) (Bit/s)	2,43 G
Tx Rate (Fps)	197.494
Rx Rate (Percent)	17,31 %
Rx Rate (L1) (Bit/s)	1,4 G
Rx Rate (Fps)	113,97 K
Loss Rate (Percent)	<b>42,29 %</b>
Loss (Frames)	<b>2.505.809</b>
P-0-0-0	
- Tx (Frames)	658.314
- Tx Rate (L1) (Bit/s)	270 M
- Tx Rate (Fps)	21.944
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-1	
- Tx (Frames)	658.314
- Tx Rate (L1) (Bit/s)	270 M
- Tx Rate (Fps)	21.944
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-2	
- Tx (Frames)	658.314
- Tx Rate (L1) (Bit/s)	270 M

- Tx Rate (Fps)	21.944
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	300.752
- Rx Rate (L1) (Bit/s)	123,35 M
- Rx Rate (Fps)	10.025
- Flood Count (Frames)	54
P-0-0-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	297.256
- Rx Rate (L1) (Bit/s)	121,91 M
- Rx Rate (Fps)	9.909
- Flood Count (Frames)	60
P-0-0-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	307.979
- Rx Rate (L1) (Bit/s)	126,31 M
- Rx Rate (Fps)	10.266
- Flood Count (Frames)	58
P-0-2-0	
- Tx (Frames)	658.314
- Tx Rate (L1) (Bit/s)	270 M
- Tx Rate (Fps)	21.944
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-1	
- Tx (Frames)	658.314
- Tx Rate (L1) (Bit/s)	270 M
- Tx Rate (Fps)	21.944
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-2	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	292.695
- Rx Rate (L1) (Bit/s)	120,04 M
- Rx Rate (Fps)	9.757
- Flood Count (Frames)	52
P-0-2-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	314.974
- Rx Rate (L1) (Bit/s)	129,18 M
- Rx Rate (Fps)	10.499
- Flood Count (Frames)	48
P-0-2-4	
- Tx (Frames)	658.314
- Tx Rate (L1) (Bit/s)	270 M
- Tx Rate (Fps)	21.944
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-5	
- Tx (Frames)	658.314

- Tx Rate (L1) (Bit/s)	270 M
- Tx Rate (Fps)	21.944
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-4-0	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	481.547
- Rx Rate (L1) (Bit/s)	197,5 M
- Rx Rate (Fps)	16.052
- Flood Count (Frames)	93
P-0-4-1	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	459.531
- Rx Rate (L1) (Bit/s)	188,47 M
- Rx Rate (Fps)	15.318
- Flood Count (Frames)	92
P-0-4-2	
- Tx (Frames)	658.314
- Tx Rate (L1) (Bit/s)	270 M
- Tx Rate (Fps)	21.944
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-4-3	
- Tx (Frames)	658.314
- Tx Rate (L1) (Bit/s)	270 M
- Tx Rate (Fps)	21.944
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-4-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	479.080
- Rx Rate (L1) (Bit/s)	196,49 M
- Rx Rate (Fps)	15.969
- Flood Count (Frames)	91
P-0-4-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	485.203
- Rx Rate (L1) (Bit/s)	199 M
- Rx Rate (Fps)	16.173
- Flood Count (Frames)	93

Part.Mesh, N->N: Loss by Frame Size at 30,00% Rate



## Results for 40,00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	40 %	40 %	40 %	40 %	40 %	40 %
Tx Rate (L1) (Bit/s)	3,24 G	3,24 G	3,24 G	3,24 G	3,24 G	3,24 G
Tx Rate (Fps)	4.821.428	2.736.485	1.467.391	761.276	387.931	311.537
Rx Rate (Percent)	18,02 %	20,07 %	20,12 %	20,67 %	20,27 %	19,93 %
Rx Rate (L1) (Bit/s)	1,46 G	1,63 G	1,63 G	1,67 G	1,64 G	1,61 G
Rx Rate (Fps)	2,17 M	1,37 M	738,25 K	393,32 K	196,63 K	155,23 K
Loss Rate (Percent)	54,95 %	49,83 %	49,69 %	48,33 %	49,31 %	50,17 %
Loss (Frames)	79.487.475	40.908.884	21.874.084	11.038.561	5.739.144	4.689.230
P-0-0-0						
- Tx (Frames)	16.071.426	9.121.617	4.891.302	2.537.586	1.293.102	1.038.456
- Tx Rate (L1) (Bit/s)	360 M	360 M	360 M	360 M	360 M	360 M
- Tx Rate (Fps)	535.714	304.054	163.043	84.586	43.103	34.615
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-1						
- Tx (Frames)	16.071.426	9.121.617	4.891.302	2.537.586	1.293.102	1.038.456
- Tx Rate (L1) (Bit/s)	360 M	360 M	360 M	360 M	360 M	360 M
- Tx Rate (Fps)	535.714	304.054	163.043	84.586	43.103	34.615
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-2						
- Tx (Frames)	16.071.426	9.121.617	4.891.302	2.537.586	1.293.102	1.038.456
- Tx Rate (L1) (Bit/s)	360 M	360 M	360 M	360 M	360 M	360 M
- Tx Rate (Fps)	535.714	304.054	163.043	84.586	43.103	34.615
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4.560.446	2.765.494	1.545.195	824.692	420.021	327.476
- Rx Rate (L1) (Bit/s)	102,15 M	109,14 M	113,73 M	117 M	116,93 M	113,53 M
- Rx Rate (Fps)	152.015	92.183	51.507	27.490	14.001	10.916
- Flood Count (Frames)	56	40	58	49	53	54
P-0-0-4						
- Tx (Frames)	0	0	0	0	0	0

- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4.429.424	2.961.167	1.494.554	859.213	425.075	319.965
- Rx Rate (L1) (Bit/s)	99,22 M	116,87 M	110 M	121,89 M	118,34 M	110,92 M
- Rx Rate (Fps)	147.647	98.706	49.818	28.640	14.169	10.666
- Flood Count (Frames)	48	44	47	45	43	50
P-0-0-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4.469.362	2.977.591	1.498.161	844.620	424.443	329.106
- Rx Rate (L1) (Bit/s)	100,11 M	117,52 M	110,26 M	119,82 M	118,16 M	114,09 M
- Rx Rate (Fps)	148.979	99.253	49.939	28.154	14.148	10.970
- Flood Count (Frames)	51	49	56	46	51	46
P-0-2-0						
- Tx (Frames)	16.071.426	9.121.617	4.891.302	2.537.586	1.293.102	1.038.456
- Tx Rate (L1) (Bit/s)	360 M	360 M	360 M	360 M	360 M	360 M
- Tx Rate (Fps)	535.714	304.054	163.043	84.586	43.103	34.615
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-1						
- Tx (Frames)	16.071.426	9.121.617	4.891.302	2.537.586	1.293.102	1.038.456
- Tx Rate (L1) (Bit/s)	360 M	360 M	360 M	360 M	360 M	360 M
- Tx Rate (Fps)	535.714	304.054	163.043	84.586	43.103	34.615
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-2						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4.258.823	3.138.057	1.698.892	986.146	444.210	365.037
- Rx Rate (L1) (Bit/s)	95,4 M	123,85 M	125,04 M	139,9 M	123,67 M	126,55 M
- Rx Rate (Fps)	141.961	104.602	56.630	32.872	14.807	12.168
- Flood Count (Frames)	89	39	35	40	43	34
P-0-2-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4.083.906	3.188.900	1.846.474	973.774	441.163	361.607
- Rx Rate (L1) (Bit/s)	91,48 M	125,86 M	135,9 M	138,15 M	122,82 M	125,36 M
- Rx Rate (Fps)	136.130	106.297	61.549	32.459	14.705	12.054
- Flood Count (Frames)	86	41	53	37	49	38
P-0-2-4						
- Tx (Frames)	16.071.426	9.121.617	4.891.302	2.537.586	1.293.102	1.038.456
- Tx Rate (L1) (Bit/s)	360 M	360 M	360 M	360 M	360 M	360 M
- Tx Rate (Fps)	535.714	304.054	163.043	84.586	43.103	34.615
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-5						
- Tx (Frames)	16.071.426	9.121.617	4.891.302	2.537.586	1.293.102	1.038.456
- Tx Rate (L1) (Bit/s)	360 M	360 M	360 M	360 M	360 M	360 M
- Tx Rate (Fps)	535.714	304.054	163.043	84.586	43.103	34.615
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-4-0						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	10.821.035	6.542.128	3.519.692	1.827.747	940.604	746.453
- Rx Rate (L1) (Bit/s)	242,39 M	258,2 M	259,05 M	259,3 M	261,86 M	258,77 M
- Rx Rate (Fps)	360.701	218.071	117.323	60.925	31.353	24.882
- Flood Count (Frames)	90	92	91	94	92	92
P-0-4-1						




- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	10.829.774	6.538.984	3.520.402	1.828.272	945.233	734.520
- Rx Rate (L1) (Bit/s)	242,59 M	258,07 M	259,1 M	259,37 M	263,15 M	254,63 M
- Rx Rate (Fps)	360.992	217.966	117.347	60.942	31.508	24.484
- Flood Count (Frames)	92	96	93	92	92	91
P-0-4-2						
- Tx (Frames)	16.071.426	9.121.617	4.891.302	2.537.586	1.293.102	1.038.456
- Tx Rate (L1) (Bit/s)	360 M	360 M	360 M	360 M	360 M	360 M
- Tx Rate (Fps)	535.714	304.054	163.043	84.586	43.103	34.615
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-4-3						
- Tx (Frames)	16.071.426	9.121.617	4.891.302	2.537.586	1.293.102	1.038.456
- Tx Rate (L1) (Bit/s)	360 M	360 M	360 M	360 M	360 M	360 M
- Tx Rate (Fps)	535.714	304.054	163.043	84.586	43.103	34.615
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-4-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	10.853.854	6.517.680	3.512.590	1.827.654	928.406	735.141
- Rx Rate (L1) (Bit/s)	243,13 M	257,23 M	258,53 M	259,28 M	258,47 M	254,85 M
- Rx Rate (Fps)	361.795	217.256	117.086	60.922	30.947	24.505
- Flood Count (Frames)	91	91	91	92	93	88
P-0-4-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	10.848.735	6.555.668	3.511.674	1.827.595	929.619	737.569
- Rx Rate (L1) (Bit/s)	243,01 M	258,73 M	258,46 M	259,27 M	258,81 M	255,69 M
- Rx Rate (Fps)	361.625	218.522	117.056	60.920	30.987	24.586
- Flood Count (Frames)	91	93	95	93	92	94

<b>Frame Size</b>	<b>1518</b>
Result State	<b>PASS</b>
Iter. #	1
Tx Rate (Percent)	40 %
Tx Rate (L1) (Bit/s)	3,24 G
Tx Rate (Fps)	263.328
Rx Rate (Percent)	19,39 %
Rx Rate (L1) (Bit/s)	1,57 G
Rx Rate (Fps)	127,62 K
Loss Rate (Percent)	<b>51,53 %</b>
Loss (Frames)	<b>4.071.125</b>
P-0-0-0	
- Tx (Frames)	877.761
- Tx Rate (L1) (Bit/s)	360 M
- Tx Rate (Fps)	29.259
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-1	
- Tx (Frames)	877.761
- Tx Rate (L1) (Bit/s)	360 M
- Tx Rate (Fps)	29.259
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-2	
- Tx (Frames)	877.761
- Tx Rate (L1) (Bit/s)	360 M

- Tx Rate (Fps)	29.259
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	283.115
- Rx Rate (L1) (Bit/s)	116,11 M
- Rx Rate (Fps)	9.437
- Flood Count (Frames)	45
P-0-0-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	294.187
- Rx Rate (L1) (Bit/s)	120,66 M
- Rx Rate (Fps)	9.806
- Flood Count (Frames)	57
P-0-0-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	295.343
- Rx Rate (L1) (Bit/s)	121,13 M
- Rx Rate (Fps)	9.845
- Flood Count (Frames)	46
P-0-2-0	
- Tx (Frames)	877.761
- Tx Rate (L1) (Bit/s)	360 M
- Tx Rate (Fps)	29.259
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-1	
- Tx (Frames)	877.761
- Tx Rate (L1) (Bit/s)	360 M
- Tx Rate (Fps)	29.259
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-2	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	315.207
- Rx Rate (L1) (Bit/s)	129,28 M
- Rx Rate (Fps)	10.507
- Flood Count (Frames)	54
P-0-2-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	319.271
- Rx Rate (L1) (Bit/s)	130,94 M
- Rx Rate (Fps)	10.642
- Flood Count (Frames)	54
P-0-2-4	
- Tx (Frames)	877.761
- Tx Rate (L1) (Bit/s)	360 M
- Tx Rate (Fps)	29.259
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-5	
- Tx (Frames)	877.761

- Tx Rate (L1) (Bit/s)	360 M
- Tx Rate (Fps)	29.259
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-4-0	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	574.291
- Rx Rate (L1) (Bit/s)	235,54 M
- Rx Rate (Fps)	19.143
- Flood Count (Frames)	94
P-0-4-1	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	586.295
- Rx Rate (L1) (Bit/s)	240,46 M
- Rx Rate (Fps)	19.543
- Flood Count (Frames)	92
P-0-4-2	
- Tx (Frames)	877.761
- Tx Rate (L1) (Bit/s)	360 M
- Tx Rate (Fps)	29.259
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-4-3	
- Tx (Frames)	877.761
- Tx Rate (L1) (Bit/s)	360 M
- Tx Rate (Fps)	29.259
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-4-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	577.282
- Rx Rate (L1) (Bit/s)	236,76 M
- Rx Rate (Fps)	19.243
- Flood Count (Frames)	91
P-0-4-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	583.733
- Rx Rate (L1) (Bit/s)	239,41 M
- Rx Rate (Fps)	19.458
- Flood Count (Frames)	88



### Results for 50,00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	50 %	50 %	50 %	50 %	50 %	50 %
Tx Rate (L1) (Bit/s)	4,05 G	4,05 G	4,05 G	4,05 G	4,05 G	4,05 G
Tx Rate (Fps)	6.026.783	3.420.606	1.834.237	951.596	484.912	389.421
Rx Rate (Percent)	20,41 %	21,75 %	21,69 %	21,72 %	21,91 %	21,77 %
Rx Rate (L1) (Bit/s)	1,65 G	1,76 G	1,76 G	1,76 G	1,77 G	1,76 G
Rx Rate (Fps)	2,46 M	1,49 M	795,52 K	413,47 K	212,44 K	169,59 K
Loss Rate (Percent)	59,18 %	56,5 %	56,63 %	56,55 %	56,19 %	56,45 %
Loss (Frames)	107.002.742	57.983.600	31.161.497	16.143.834	8.174.153	6.595.068
P-0-0-0						
- Tx (Frames)	20.089.278	11.402.019	6.114.123	3.171.987	1.616.373	1.298.070
- Tx Rate (L1) (Bit/s)	450 M	450 M	450 M	450 M	450 M	450 M
- Tx Rate (Fps)	669.643	380.067	203.804	105.733	53.879	43.269
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-1						
- Tx (Frames)	20.089.278	11.402.019	6.114.123	3.171.987	1.616.373	1.298.070
- Tx Rate (L1) (Bit/s)	450 M	450 M	450 M	450 M	450 M	450 M
- Tx Rate (Fps)	669.643	380.067	203.804	105.733	53.879	43.269
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-2						
- Tx (Frames)	20.089.278	11.402.019	6.114.123	3.171.987	1.616.373	1.298.070
- Tx Rate (L1) (Bit/s)	450 M	450 M	450 M	450 M	450 M	450 M
- Tx Rate (Fps)	669.643	380.067	203.804	105.733	53.879	43.269
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4.273.847	2.833.289	1.459.991	771.478	381.618	329.482
- Rx Rate (L1) (Bit/s)	95,73 M	111,82 M	107,46 M	109,45 M	106,24 M	114,22 M
- Rx Rate (Fps)	142.462	94.443	48.666	25.716	12.721	10.983
- Flood Count (Frames)	52	46	43	40	40	44
P-0-0-4						
- Tx (Frames)	0	0	0	0	0	0

- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4.221.513	2.836.774	1.464.341	763.279	376.568	327.625
- Rx Rate (L1) (Bit/s)	94,56 M	111,96 M	107,78 M	108,28 M	104,84 M	113,58 M
- Rx Rate (Fps)	140.717	94.559	48.811	25.443	12.552	10.921
- Flood Count (Frames)	49	48	41	44	50	48
P-0-0-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4.259.889	2.799.610	1.449.436	753.190	390.026	335.817
- Rx Rate (L1) (Bit/s)	95,42 M	110,49 M	106,68 M	106,85 M	108,58 M	116,42 M
- Rx Rate (Fps)	141.996	93.320	48.315	25.106	13.001	11.194
- Flood Count (Frames)	44	40	43	40	50	39
P-0-2-0						
- Tx (Frames)	20.089.278	11.402.019	6.114.123	3.171.987	1.616.373	1.298.070
- Tx Rate (L1) (Bit/s)	450 M	450 M	450 M	450 M	450 M	450 M
- Tx Rate (Fps)	669.643	380.067	203.804	105.733	53.879	43.269
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-1						
- Tx (Frames)	20.089.278	11.402.019	6.114.123	3.171.987	1.616.373	1.298.070
- Tx Rate (L1) (Bit/s)	450 M	450 M	450 M	450 M	450 M	450 M
- Tx Rate (Fps)	669.643	380.067	203.804	105.733	53.879	43.269
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-2						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4.266.882	2.981.546	1.623.123	824.278	471.186	369.555
- Rx Rate (L1) (Bit/s)	95,58 M	117,67 M	119,46 M	116,94 M	131,18 M	128,11 M
- Rx Rate (Fps)	142.229	99.385	54.104	27.476	15.706	12.319
- Flood Count (Frames)	87	38	41	32	36	38
P-0-2-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4.262.706	3.033.161	1.631.122	855.295	448.063	342.798
- Rx Rate (L1) (Bit/s)	95,48 M	119,71 M	120,05 M	121,34 M	124,74 M	118,84 M
- Rx Rate (Fps)	142.090	101.105	54.371	28.510	14.935	11.427
- Flood Count (Frames)	92	40	37	38	37	45
P-0-2-4						
- Tx (Frames)	20.089.278	11.402.019	6.114.123	3.171.987	1.616.373	1.298.070
- Tx Rate (L1) (Bit/s)	450 M	450 M	450 M	450 M	450 M	450 M
- Tx Rate (Fps)	669.643	380.067	203.804	105.733	53.879	43.269
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-5						
- Tx (Frames)	20.089.278	11.402.019	6.114.123	3.171.987	1.616.373	1.298.070
- Tx Rate (L1) (Bit/s)	450 M	450 M	450 M	450 M	450 M	450 M
- Tx Rate (Fps)	669.643	380.067	203.804	105.733	53.879	43.269
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-4-0						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	13.140.107	7.527.542	4.059.279	2.107.605	1.076.368	845.573
- Rx Rate (L1) (Bit/s)	294,34 M	297,09 M	298,76 M	299 M	299,66 M	293,13 M
- Rx Rate (Fps)	438.004	250.918	135.309	70.254	35.879	28.186
- Flood Count (Frames)	88	94	90	94	92	91
P-0-4-1						

- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	13.121.510	7.537.309	4.058.386	2.108.595	1.076.398	845.443
- Rx Rate (L1) (Bit/s)	293,92 M	297,47 M	298,7 M	299,14 M	299,67 M	293,09 M
- Rx Rate (Fps)	437.384	251.244	135.280	70.287	35.880	28.181
- Flood Count (Frames)	92	93	88	90	92	91
P-0-4-2						
- Tx (Frames)	20.089.278	11.402.019	6.114.123	3.171.987	1.616.373	1.298.070
- Tx Rate (L1) (Bit/s)	450 M	450 M	450 M	450 M	450 M	450 M
- Tx Rate (Fps)	669.643	380.067	203.804	105.733	53.879	43.269
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-4-3						
- Tx (Frames)	20.089.278	11.402.019	6.114.123	3.171.987	1.616.373	1.298.070
- Tx Rate (L1) (Bit/s)	450 M	450 M	450 M	450 M	450 M	450 M
- Tx Rate (Fps)	669.643	380.067	203.804	105.733	53.879	43.269
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-4-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	13.155.432	7.541.572	4.059.598	2.110.793	1.076.390	845.934
- Rx Rate (L1) (Bit/s)	294,68 M	297,64 M	298,79 M	299,45 M	299,67 M	293,26 M
- Rx Rate (Fps)	438.514	251.386	135.320	70.360	35.880	28.198
- Flood Count (Frames)	91	91	92	93	90	91
P-0-4-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	13.098.874	7.543.768	4.060.334	2.109.536	1.076.587	845.335
- Rx Rate (L1) (Bit/s)	293,41 M	297,73 M	298,84 M	299,27 M	299,72 M	293,05 M
- Rx Rate (Fps)	436.629	251.459	135.344	70.318	35.886	28.178
- Flood Count (Frames)	90	92	94	93	95	93


<b>Frame Size</b>	<b>1518</b>
Result State	PASS
Iter. #	1
Tx Rate (Percent)	50 %
Tx Rate (L1) (Bit/s)	4,05 G
Tx Rate (Fps)	329.160
Rx Rate (Percent)	21,49 %
Rx Rate (L1) (Bit/s)	1,74 G
Rx Rate (Fps)	141,47 K
Loss Rate (Percent)	57,02 %
Loss (Frames)	5.630.724
P-0-0-0	
- Tx (Frames)	1.097.199
- Tx Rate (L1) (Bit/s)	450 M
- Tx Rate (Fps)	36.573
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-1	
- Tx (Frames)	1.097.199
- Tx Rate (L1) (Bit/s)	450 M
- Tx Rate (Fps)	36.573
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-2	
- Tx (Frames)	1.097.199
- Tx Rate (L1) (Bit/s)	450 M

- Tx Rate (Fps)	36.573
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	267.889
- Rx Rate (L1) (Bit/s)	109,87 M
- Rx Rate (Fps)	8.930
- Flood Count (Frames)	41
P-0-0-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	279.747
- Rx Rate (L1) (Bit/s)	114,73 M
- Rx Rate (Fps)	9.325
- Flood Count (Frames)	36
P-0-0-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	280.715
- Rx Rate (L1) (Bit/s)	115,13 M
- Rx Rate (Fps)	9.357
- Flood Count (Frames)	51
P-0-2-0	
- Tx (Frames)	1.097.199
- Tx Rate (L1) (Bit/s)	450 M
- Tx Rate (Fps)	36.573
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-1	
- Tx (Frames)	1.097.199
- Tx Rate (L1) (Bit/s)	450 M
- Tx Rate (Fps)	36.573
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-2	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	302.071
- Rx Rate (L1) (Bit/s)	123,89 M
- Rx Rate (Fps)	10.069
- Flood Count (Frames)	39
P-0-2-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	292.759
- Rx Rate (L1) (Bit/s)	120,07 M
- Rx Rate (Fps)	9.759
- Flood Count (Frames)	41
P-0-2-4	
- Tx (Frames)	1.097.199
- Tx Rate (L1) (Bit/s)	450 M
- Tx Rate (Fps)	36.573
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-5	
- Tx (Frames)	1.097.199

- Tx Rate (L1) (Bit/s)	450 M
- Tx Rate (Fps)	36.573
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-4-0	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	705.809
- Rx Rate (L1) (Bit/s)	289,48 M
- Rx Rate (Fps)	23.527
- Flood Count (Frames)	90
P-0-4-1	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	704.861
- Rx Rate (L1) (Bit/s)	289,09 M
- Rx Rate (Fps)	23.495
- Flood Count (Frames)	92
P-0-4-2	
- Tx (Frames)	1.097.199
- Tx Rate (L1) (Bit/s)	450 M
- Tx Rate (Fps)	36.573
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-4-3	
- Tx (Frames)	1.097.199
- Tx Rate (L1) (Bit/s)	450 M
- Tx Rate (Fps)	36.573
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-4-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	705.358
- Rx Rate (L1) (Bit/s)	289,29 M
- Rx Rate (Fps)	23.512
- Flood Count (Frames)	90
P-0-4-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	704.858
- Rx Rate (L1) (Bit/s)	289,09 M
- Rx Rate (Fps)	23.495
- Flood Count (Frames)	93



Part.Mesh, N->N: Loss by Frame Size at 50,00% Rate



### Results for 60,00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	60 %	60 %	60 %	60 %	60 %	60 %
Tx Rate (L1) (Bit/s)	4,86 G	4,86 G	4,86 G	4,86 G	4,86 G	4,86 G
Tx Rate (Fps)	7.232.142	4.104.729	2.201.086	1.141.916	581.896	467.305
Rx Rate (Percent)	18,75 %	23,75 %	23,84 %	23,97 %	23,74 %	23,58 %
Rx Rate (L1) (Bit/s)	1,52 G	1,92 G	1,93 G	1,94 G	1,92 G	1,91 G
Rx Rate (Fps)	2,26 M	1,62 M	874,41 K	456,11 K	230,24 K	183,67 K
Loss Rate (Percent)	68,75 %	60,42 %	60,27 %	60,06 %	60,43 %	60,7 %
Loss (Frames)	149.160.169	74.403.649	39.800.373	20.574.085	10.549.568	8.508.963
P-0-0-0						
- Tx (Frames)	24.107.139	13.682.430	7.336.953	3.806.388	1.939.653	1.557.684
- Tx Rate (L1) (Bit/s)	540 M	540 M	540 M	540 M	540 M	540 M
- Tx Rate (Fps)	803.571	456.081	244.565	126.880	64.655	51.923
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-1						
- Tx (Frames)	24.107.139	13.682.430	7.336.953	3.806.388	1.939.653	1.557.684
- Tx Rate (L1) (Bit/s)	540 M	540 M	540 M	540 M	540 M	540 M
- Tx Rate (Fps)	803.571	456.081	244.565	126.880	64.655	51.923
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-2						
- Tx (Frames)	24.107.139	13.682.430	7.336.953	3.806.388	1.939.653	1.557.684
- Tx Rate (L1) (Bit/s)	540 M	540 M	540 M	540 M	540 M	540 M
- Tx Rate (Fps)	803.571	456.081	244.565	126.880	64.655	51.923
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4.266.594	2.844.822	1.550.328	763.464	405.433	329.677
- Rx Rate (L1) (Bit/s)	95,57 M	112,28 M	114,1 M	108,31 M	112,87 M	114,29 M
- Rx Rate (Fps)	142.220	94.827	51.678	25.449	13.514	10.989
- Flood Count (Frames)	51	40	39	52	62	43
P-0-0-4						
- Tx (Frames)	0	0	0	0	0	0

- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4.243.119	2.816.447	1.536.349	779.644	401.167	333.697
- Rx Rate (L1) (Bit/s)	95,05 M	111,16 M	113,08 M	110,61 M	111,68 M	115,68 M
- Rx Rate (Fps)	141.437	93.882	51.212	25.988	13.372	11.123
- Flood Count (Frames)	50	36	44	67	67	43
P-0-0-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4.261.198	2.904.310	1.494.833	790.406	412.662	309.808
- Rx Rate (L1) (Bit/s)	95,45 M	114,62 M	110,02 M	112,13 M	114,89 M	107,4 M
- Rx Rate (Fps)	142.040	96.810	49.828	26.347	13.755	10.327
- Flood Count (Frames)	50	36	39	56	58	45
P-0-2-0						
- Tx (Frames)	24.107.139	13.682.430	7.336.953	3.806.388	1.939.653	1.557.684
- Tx Rate (L1) (Bit/s)	540 M	540 M	540 M	540 M	540 M	540 M
- Tx Rate (Fps)	803.571	456.081	244.565	126.880	64.655	51.923
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-1						
- Tx (Frames)	24.107.139	13.682.430	7.336.953	3.806.388	1.939.653	1.557.684
- Tx Rate (L1) (Bit/s)	540 M	540 M	540 M	540 M	540 M	540 M
- Tx Rate (Fps)	803.571	456.081	244.565	126.880	64.655	51.923
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-2						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	2.171.678	2.961.150	1.624.766	866.569	398.568	360.331
- Rx Rate (L1) (Bit/s)	48,65 M	116,87 M	119,58 M	122,94 M	110,96 M	124,91 M
- Rx Rate (Fps)	72.389	98.705	54.159	28.886	13.286	12.011
- Flood Count (Frames)	87	37	56	50	29	41
P-0-2-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	2.175.856	3.010.074	1.634.044	918.654	409.332	307.023
- Rx Rate (L1) (Bit/s)	48,74 M	118,8 M	120,27 M	130,33 M	113,96 M	106,43 M
- Rx Rate (Fps)	72.529	100.336	54.468	30.622	13.644	10.234
- Flood Count (Frames)	90	42	47	58	35	48
P-0-2-4						
- Tx (Frames)	24.107.139	13.682.430	7.336.953	3.806.388	1.939.653	1.557.684
- Tx Rate (L1) (Bit/s)	540 M	540 M	540 M	540 M	540 M	540 M
- Tx Rate (Fps)	803.571	456.081	244.565	126.880	64.655	51.923
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-5						
- Tx (Frames)	24.107.139	13.682.430	7.336.953	3.806.388	1.939.653	1.557.684
- Tx Rate (L1) (Bit/s)	540 M	540 M	540 M	540 M	540 M	540 M
- Tx Rate (Fps)	803.571	456.081	244.565	126.880	64.655	51.923
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-4-0						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	12.565.239	8.554.637	4.590.146	2.390.194	1.220.106	966.755
- Rx Rate (L1) (Bit/s)	281,46 M	337,62 M	337,83 M	339,09 M	339,68 M	335,14 M
- Rx Rate (Fps)	418.841	285.155	153.005	79.673	40.670	32.225
- Flood Count (Frames)	92	93	95	93	91	94
P-0-4-1						


- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	12.580.797	8.558.238	4.595.225	2.390.395	1.219.795	967.582
- Rx Rate (L1) (Bit/s)	281,81 M	337,77 M	338,21 M	339,12 M	339,59 M	335,43 M
- Rx Rate (Fps)	419.360	285.275	153.174	79.680	40.660	32.253
- Flood Count (Frames)	91	91	89	90	91	90
P-0-4-2						
- Tx (Frames)	24.107.139	13.682.430	7.336.953	3.806.388	1.939.653	1.557.684
- Tx Rate (L1) (Bit/s)	540 M	540 M	540 M	540 M	540 M	540 M
- Tx Rate (Fps)	803.571	456.081	244.565	126.880	64.655	51.923
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-4-3						
- Tx (Frames)	24.107.139	13.682.430	7.336.953	3.806.388	1.939.653	1.557.684
- Tx Rate (L1) (Bit/s)	540 M	540 M	540 M	540 M	540 M	540 M
- Tx Rate (Fps)	803.571	456.081	244.565	126.880	64.655	51.923
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-4-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	12.768.761	8.550.035	4.602.616	2.391.870	1.220.030	967.753
- Rx Rate (L1) (Bit/s)	286,02 M	337,44 M	338,75 M	339,33 M	339,66 M	335,49 M
- Rx Rate (Fps)	425.625	285.001	153.421	79.729	40.668	32.258
- Flood Count (Frames)	95	90	92	93	90	93
P-0-4-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	12.770.840	8.538.508	4.603.897	2.392.211	1.220.216	967.567
- Rx Rate (L1) (Bit/s)	286,07 M	336,99 M	338,85 M	339,38 M	339,71 M	335,42 M
- Rx Rate (Fps)	425.695	284.617	153.463	79.740	40.674	32.252
- Flood Count (Frames)	92	92	91	92	91	90

<b>Frame Size</b>	<b>1518</b>
Result State	PASS
Iter. #	1
Tx Rate (Percent)	60 %
Tx Rate (L1) (Bit/s)	4,86 G
Tx Rate (Fps)	394.991
Rx Rate (Percent)	23,26 %
Rx Rate (L1) (Bit/s)	1,88 G
Rx Rate (Fps)	153,14 K
Loss Rate (Percent)	61,23 %
Loss (Frames)	7.255.667
P-0-0-0	
- Tx (Frames)	1.316.637
- Tx Rate (L1) (Bit/s)	540 M
- Tx Rate (Fps)	43.888
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-1	
- Tx (Frames)	1.316.637
- Tx Rate (L1) (Bit/s)	540 M
- Tx Rate (Fps)	43.888
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-2	
- Tx (Frames)	1.316.637
- Tx Rate (L1) (Bit/s)	540 M

- Tx Rate (Fps)	43.888
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	265.472
- Rx Rate (L1) (Bit/s)	108,88 M
- Rx Rate (Fps)	8.849
- Flood Count (Frames)	38
P-0-0-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	261.502
- Rx Rate (L1) (Bit/s)	107,25 M
- Rx Rate (Fps)	8.717
- Flood Count (Frames)	37
P-0-0-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	263.925
- Rx Rate (L1) (Bit/s)	108,24 M
- Rx Rate (Fps)	8.798
- Flood Count (Frames)	46
P-0-2-0	
- Tx (Frames)	1.316.637
- Tx Rate (L1) (Bit/s)	540 M
- Tx Rate (Fps)	43.888
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-1	
- Tx (Frames)	1.316.637
- Tx Rate (L1) (Bit/s)	540 M
- Tx Rate (Fps)	43.888
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-2	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	284.595
- Rx Rate (L1) (Bit/s)	116,72 M
- Rx Rate (Fps)	9.487
- Flood Count (Frames)	38
P-0-2-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	289.395
- Rx Rate (L1) (Bit/s)	118,69 M
- Rx Rate (Fps)	9.647
- Flood Count (Frames)	44
P-0-2-4	
- Tx (Frames)	1.316.637
- Tx Rate (L1) (Bit/s)	540 M
- Tx Rate (Fps)	43.888
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-5	
- Tx (Frames)	1.316.637

- Tx Rate (L1) (Bit/s)	540 M
- Tx Rate (Fps)	43.888
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-4-0	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	807.284
- Rx Rate (L1) (Bit/s)	331,09 M
- Rx Rate (Fps)	26.909
- Flood Count (Frames)	92
P-0-4-1	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	807.217
- Rx Rate (L1) (Bit/s)	331,07 M
- Rx Rate (Fps)	26.907
- Flood Count (Frames)	89
P-0-4-2	
- Tx (Frames)	1.316.637
- Tx Rate (L1) (Bit/s)	540 M
- Tx Rate (Fps)	43.888
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-4-3	
- Tx (Frames)	1.316.637
- Tx Rate (L1) (Bit/s)	540 M
- Tx Rate (Fps)	43.888
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-4-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	807.700
- Rx Rate (L1) (Bit/s)	331,26 M
- Rx Rate (Fps)	26.923
- Flood Count (Frames)	92
P-0-4-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	806.976
- Rx Rate (L1) (Bit/s)	330,97 M
- Rx Rate (Fps)	26.899
- Flood Count (Frames)	91

Part.Mesh, N->N: Loss by Frame Size at 60,00% Rate



### Results for 70,00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	70 %	70 %	70 %	70 %	70 %	70 %
Tx Rate (L1) (Bit/s)	5,67 G	5,67 G	5,67 G	5,67 G	5,67 G	5,67 G
Tx Rate (Fps)	8.437.500	4.788.850	2.567.932	1.332.237	678.877	545.192
Rx Rate (Percent)	17,38 %	25,94 %	25,98 %	25,99 %	26,07 %	25,24 %
Rx Rate (L1) (Bit/s)	1,41 G	2,1 G	2,1 G	2,1 G	2,11 G	2,04 G
Rx Rate (Fps)	2,09 M	1,77 M	953,02 K	494,57 K	252,79 K	196,55 K
Loss Rate (Percent)	75,18 %	62,94 %	62,89 %	62,88 %	62,76 %	63,95 %
Loss (Frames)	190.294.991	90.423.353	48.447.329	25.130.033	12.782.551	10.459.225
P-0-0-0						
- Tx (Frames)	28.125.000	15.962.832	8.559.774	4.440.789	2.262.924	1.817.307
- Tx Rate (L1) (Bit/s)	630 M	630 M	630 M	630 M	630 M	630 M
- Tx Rate (Fps)	937.500	532.094	285.326	148.026	75.431	60.577
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-1						
- Tx (Frames)	28.125.000	15.962.832	8.559.774	4.440.789	2.262.924	1.817.307
- Tx Rate (L1) (Bit/s)	630 M	630 M	630 M	630 M	630 M	630 M
- Tx Rate (Fps)	937.500	532.094	285.326	148.026	75.431	60.577
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-2						
- Tx (Frames)	28.125.000	15.962.832	8.559.774	4.440.789	2.262.924	1.817.307
- Tx Rate (L1) (Bit/s)	630 M	630 M	630 M	630 M	630 M	630 M
- Tx Rate (Fps)	937.500	532.094	285.326	148.026	75.431	60.577
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4.275.215	2.848.226	1.578.529	787.193	426.084	316.833
- Rx Rate (L1) (Bit/s)	95,76 M	112,41 M	116,18 M	111,68 M	118,62 M	109,84 M
- Rx Rate (Fps)	142.507	94.941	52.618	26.240	14.203	10.561
- Flood Count (Frames)	45	42	45	43	34	40
P-0-0-4						
- Tx (Frames)	0	0	0	0	0	0

- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4.278.888	2.809.188	1.591.985	836.415	460.638	311.795
- Rx Rate (L1) (Bit/s)	95,85 M	110,87 M	117,17 M	118,66 M	128,24 M	108,09 M
- Rx Rate (Fps)	142.630	93.640	53.066	27.881	15.355	10.393
- Flood Count (Frames)	47	41	48	39	36	47
P-0-0-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4.274.468	2.989.191	1.748.749	761.824	418.001	309.010
- Rx Rate (L1) (Bit/s)	95,75 M	117,97 M	128,71 M	108,08 M	116,37 M	107,12 M
- Rx Rate (Fps)	142.482	99.640	58.292	25.394	13.933	10.300
- Flood Count (Frames)	39	48	44	34	45	43
P-0-2-0						
- Tx (Frames)	28.125.000	15.962.832	8.559.774	4.440.789	2.262.924	1.817.307
- Tx Rate (L1) (Bit/s)	630 M	630 M	630 M	630 M	630 M	630 M
- Tx Rate (Fps)	937.500	532.094	285.326	148.026	75.431	60.577
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-1						
- Tx (Frames)	28.125.000	15.962.832	8.559.774	4.440.789	2.262.924	1.817.307
- Tx Rate (L1) (Bit/s)	630 M	630 M	630 M	630 M	630 M	630 M
- Tx Rate (Fps)	937.500	532.094	285.326	148.026	75.431	60.577
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-2						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	8.736	3.272.697	1.552.397	847.772	401.760	333.162
- Rx Rate (L1) (Bit/s)	195,69 K	129,16 M	114,26 M	120,27 M	111,85 M	115,5 M
- Rx Rate (Fps)	291	109.090	51.747	28.259	13.392	11.105
- Flood Count (Frames)	95	43	44	35	41	38
P-0-2-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	10.290	3.209.954	1.567.806	908.704	430.726	372.674
- Rx Rate (L1) (Bit/s)	230,5 K	126,69 M	115,39 M	128,91 M	119,91 M	129,19 M
- Rx Rate (Fps)	343	106.998	52.260	30.290	14.358	12.422
- Flood Count (Frames)	93	40	38	34	38	42
P-0-2-4						
- Tx (Frames)	28.125.000	15.962.832	8.559.774	4.440.789	2.262.924	1.817.307
- Tx Rate (L1) (Bit/s)	630 M	630 M	630 M	630 M	630 M	630 M
- Tx Rate (Fps)	937.500	532.094	285.326	148.026	75.431	60.577
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-5						
- Tx (Frames)	28.125.000	15.962.832	8.559.774	4.440.789	2.262.924	1.817.307
- Tx Rate (L1) (Bit/s)	630 M	630 M	630 M	630 M	630 M	630 M
- Tx Rate (Fps)	937.500	532.094	285.326	148.026	75.431	60.577
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-4-0						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	12.502.244	9.577.775	5.145.677	2.673.553	1.356.594	1.077.907
- Rx Rate (L1) (Bit/s)	280,05 M	378 M	378,72 M	379,29 M	377,68 M	373,67 M
- Rx Rate (Fps)	416.741	319.259	171.523	89.118	45.220	35.930
- Flood Count (Frames)	92	95	87	90	92	90
P-0-4-1						


- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	12.474.139	9.399.624	5.101.314	2.674.878	1.362.652	1.017.959
- Rx Rate (L1) (Bit/s)	279,42 M	370,97 M	375,46 M	379,48 M	379,36 M	352,89 M
- Rx Rate (Fps)	415.805	313.321	170.044	89.163	45.422	33.932
- Flood Count (Frames)	89	90	91	90	90	93
P-0-4-2						
- Tx (Frames)	28.125.000	15.962.832	8.559.774	4.440.789	2.262.924	1.817.307
- Tx Rate (L1) (Bit/s)	630 M	630 M	630 M	630 M	630 M	630 M
- Tx Rate (Fps)	937.500	532.094	285.326	148.026	75.431	60.577
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-4-3						
- Tx (Frames)	28.125.000	15.962.832	8.559.774	4.440.789	2.262.924	1.817.307
- Tx Rate (L1) (Bit/s)	630 M	630 M	630 M	630 M	630 M	630 M
- Tx Rate (Fps)	937.500	532.094	285.326	148.026	75.431	60.577
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-4-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	12.502.957	9.571.069	5.152.430	2.674.027	1.363.588	1.078.386
- Rx Rate (L1) (Bit/s)	280,07 M	377,74 M	379,22 M	379,36 M	379,62 M	373,84 M
- Rx Rate (Fps)	416.765	319.036	171.748	89.134	45.453	35.946
- Flood Count (Frames)	88	90	90	91	92	93
P-0-4-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	12.503.072	9.564.411	5.151.750	2.672.702	1.363.722	1.078.812
- Rx Rate (L1) (Bit/s)	280,07 M	377,48 M	379,17 M	379,17 M	379,66 M	373,99 M
- Rx Rate (Fps)	416.769	318.814	171.725	89.090	45.457	35.960
- Flood Count (Frames)	91	91	90	90	90	95

<b>Frame Size</b>	<b>1518</b>
Result State	<b>PASS</b>
Iter. #	1
Tx Rate (Percent)	70 %
Tx Rate (L1) (Bit/s)	5,67 G
Tx Rate (Fps)	460.825
Rx Rate (Percent)	25,36 %
Rx Rate (L1) (Bit/s)	2,05 G
Rx Rate (Fps)	166,97 K
Loss Rate (Percent)	<b>63,77 %</b>
Loss (Frames)	<b>8.815.747</b>
P-0-0-0	
- Tx (Frames)	1.536.084
- Tx Rate (L1) (Bit/s)	630 M
- Tx Rate (Fps)	51.203
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-1	
- Tx (Frames)	1.536.084
- Tx Rate (L1) (Bit/s)	630 M
- Tx Rate (Fps)	51.203
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-2	
- Tx (Frames)	1.536.084
- Tx Rate (L1) (Bit/s)	630 M



- Tx Rate (Fps)	51.203
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	252.190
- Rx Rate (L1) (Bit/s)	103,43 M
- Rx Rate (Fps)	8.406
- Flood Count (Frames)	53
P-0-0-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	254.233
- Rx Rate (L1) (Bit/s)	104,27 M
- Rx Rate (Fps)	8.474
- Flood Count (Frames)	52
P-0-0-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	262.845
- Rx Rate (L1) (Bit/s)	107,8 M
- Rx Rate (Fps)	8.762
- Flood Count (Frames)	46
P-0-2-0	
- Tx (Frames)	1.536.084
- Tx Rate (L1) (Bit/s)	630 M
- Tx Rate (Fps)	51.203
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-1	
- Tx (Frames)	1.536.084
- Tx Rate (L1) (Bit/s)	630 M
- Tx Rate (Fps)	51.203
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-2	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	295.107
- Rx Rate (L1) (Bit/s)	121,03 M
- Rx Rate (Fps)	9.837
- Flood Count (Frames)	47
P-0-2-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	331.426
- Rx Rate (L1) (Bit/s)	135,93 M
- Rx Rate (Fps)	11.048
- Flood Count (Frames)	42
P-0-2-4	
- Tx (Frames)	1.536.084
- Tx Rate (L1) (Bit/s)	630 M
- Tx Rate (Fps)	51.203
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-5	
- Tx (Frames)	1.536.084

- Tx Rate (L1) (Bit/s)	630 M
- Tx Rate (Fps)	51.203
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-4-0	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	903.185
- Rx Rate (L1) (Bit/s)	370,43 M
- Rx Rate (Fps)	30.106
- Flood Count (Frames)	90
P-0-4-1	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	902.726
- Rx Rate (L1) (Bit/s)	370,24 M
- Rx Rate (Fps)	30.091
- Flood Count (Frames)	93
P-0-4-2	
- Tx (Frames)	1.536.084
- Tx Rate (L1) (Bit/s)	630 M
- Tx Rate (Fps)	51.203
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-4-3	
- Tx (Frames)	1.536.084
- Tx Rate (L1) (Bit/s)	630 M
- Tx Rate (Fps)	51.203
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-4-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	903.463
- Rx Rate (L1) (Bit/s)	370,54 M
- Rx Rate (Fps)	30.115
- Flood Count (Frames)	92
P-0-4-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	903.834
- Rx Rate (L1) (Bit/s)	370,69 M
- Rx Rate (Fps)	30.128
- Flood Count (Frames)	91



### Results for 80,00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	80 %	80 %	80 %	80 %	80 %	80 %
Tx Rate (L1) (Bit/s)	6,48 G	6,48 G	6,48 G	6,48 G	6,48 G	6,48 G
Tx Rate (Fps)	9.642.856	5.472.973	2.934.781	1.522.554	775.861	623.076
Rx Rate (Percent)	18,62 %	27,11 %	26,7 %	27,49 %	26,88 %	26,57 %
Rx Rate (L1) (Bit/s)	1,51 G	2,2 G	2,16 G	2,23 G	2,18 G	2,15 G
Rx Rate (Fps)	2,24 M	1,85 M	979,48 K	523,26 K	260,64 K	206,96 K
Loss Rate (Percent)	76,73 %	66,11 %	66,63 %	65,63 %	66,41 %	66,78 %
Loss (Frames)	221.970.060	108.543.331	58.658.985	29.978.768	15.456.510	12.483.458
P-0-0-0						
- Tx (Frames)	32.142.852	18.243.243	9.782.604	5.075.181	2.586.204	2.076.921
- Tx Rate (L1) (Bit/s)	720 M	720 M	720 M	720 M	720 M	720 M
- Tx Rate (Fps)	1.071.428	608.108	326.087	169.173	86.207	69.231
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-1						
- Tx (Frames)	32.142.852	18.243.243	9.782.604	5.075.181	2.586.204	2.076.921
- Tx Rate (L1) (Bit/s)	720 M	720 M	720 M	720 M	720 M	720 M
- Tx Rate (Fps)	1.071.428	608.108	326.087	169.173	86.207	69.231
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-2						
- Tx (Frames)	32.142.852	18.243.243	9.782.604	5.075.181	2.586.204	2.076.921
- Tx Rate (L1) (Bit/s)	720 M	720 M	720 M	720 M	720 M	720 M
- Tx Rate (Fps)	1.071.428	608.108	326.087	169.173	86.207	69.231
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4.248.114	2.655.951	1.429.098	776.467	373.718	299.481
- Rx Rate (L1) (Bit/s)	95,16 M	104,82 M	105,18 M	110,15 M	104,04 M	103,82 M
- Rx Rate (Fps)	141.604	88.532	47.637	25.882	12.457	9.983
- Flood Count (Frames)	44	38	42	36	35	42
P-0-0-4						
- Tx (Frames)	0	0	0	0	0	0


- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4.220.263	2.641.750	1.512.130	780.412	374.566	315.503
- Rx Rate (L1) (Bit/s)	94,53 M	104,26 M	111,29 M	110,71 M	104,28 M	109,37 M
- Rx Rate (Fps)	140.675	88.058	50.404	26.014	12.486	10.517
- Flood Count (Frames)	47	33	47	39	32	41
P-0-0-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4.269.070	2.647.944	1.461.209	786.073	387.851	298.499
- Rx Rate (L1) (Bit/s)	95,63 M	104,51 M	107,54 M	111,52 M	107,98 M	103,48 M
- Rx Rate (Fps)	142.302	88.265	48.707	26.202	12.928	9.950
- Flood Count (Frames)	46	41	40	38	33	34
P-0-2-0						
- Tx (Frames)	32.142.852	18.243.243	9.782.604	5.075.181	2.586.204	2.076.921
- Tx Rate (L1) (Bit/s)	720 M	720 M	720 M	720 M	720 M	720 M
- Tx Rate (Fps)	1.071.428	608.108	326.087	169.173	86.207	69.231
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-1						
- Tx (Frames)	32.142.852	18.243.243	9.782.604	5.075.181	2.586.204	2.076.921
- Tx Rate (L1) (Bit/s)	720 M	720 M	720 M	720 M	720 M	720 M
- Tx Rate (Fps)	1.071.428	608.108	326.087	169.173	86.207	69.231
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-2						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	8.952	2.993.884	1.543.564	766.409	402.879	369.060
- Rx Rate (L1) (Bit/s)	200,52 K	118,16 M	113,61 M	108,73 M	112,16 M	127,94 M
- Rx Rate (Fps)	298	99.796	51.452	25.547	13.429	12.302
- Flood Count (Frames)	90	39	36	27	42	37
P-0-2-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	9.079	3.059.293	1.559.342	766.053	406.380	353.083
- Rx Rate (L1) (Bit/s)	203,37 K	120,74 M	114,77 M	108,68 M	113,14 M	122,4 M
- Rx Rate (Fps)	303	101.976	51.978	25.535	13.546	11.769
- Flood Count (Frames)	92	44	30	34	37	40
P-0-2-4						
- Tx (Frames)	32.142.852	18.243.243	9.782.604	5.075.181	2.586.204	2.076.921
- Tx Rate (L1) (Bit/s)	720 M	720 M	720 M	720 M	720 M	720 M
- Tx Rate (Fps)	1.071.428	608.108	326.087	169.173	86.207	69.231
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-5						
- Tx (Frames)	32.142.852	18.243.243	9.782.604	5.075.181	2.586.204	2.076.921
- Tx Rate (L1) (Bit/s)	720 M	720 M	720 M	720 M	720 M	720 M
- Tx Rate (Fps)	1.071.428	608.108	326.087	169.173	86.207	69.231
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-4-0						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	13.882.957	10.548.618	5.571.327	2.955.487	1.460.131	1.141.658
- Rx Rate (L1) (Bit/s)	310,98 M	416,32 M	410,05 M	419,29 M	406,5 M	395,77 M
- Rx Rate (Fps)	462.765	351.621	185.711	98.516	48.671	38.055
- Flood Count (Frames)	93	95	92	91	88	88
P-0-4-1						

- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	12.101.345	9.972.397	4.930.699	2.957.034	1.398.814	1.031.204
- Rx Rate (L1) (Bit/s)	271,07 M	393,58 M	362,9 M	419,5 M	389,43 M	357,48 M
- Rx Rate (Fps)	403.378	332.413	164.357	98.568	46.627	34.373
- Flood Count (Frames)	91	93	93	90	92	94
P-0-4-2						
- Tx (Frames)	32.142.852	18.243.243	9.782.604	5.075.181	2.586.204	2.076.921
- Tx Rate (L1) (Bit/s)	720 M	720 M	720 M	720 M	720 M	720 M
- Tx Rate (Fps)	1.071.428	608.108	326.087	169.173	86.207	69.231
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-4-3						
- Tx (Frames)	32.142.852	18.243.243	9.782.604	5.075.181	2.586.204	2.076.921
- Tx Rate (L1) (Bit/s)	720 M	720 M	720 M	720 M	720 M	720 M
- Tx Rate (Fps)	1.071.428	608.108	326.087	169.173	86.207	69.231
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-4-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	14.287.957	10.561.752	5.694.218	2.956.977	1.507.445	1.201.016
- Rx Rate (L1) (Bit/s)	320,05 M	416,84 M	419,09 M	419,5 M	419,67 M	416,35 M
- Rx Rate (Fps)	476.265	352.058	189.807	98.566	50.248	40.034
- Flood Count (Frames)	92	88	93	92	90	91
P-0-4-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	14.287.871	10.564.267	5.682.864	2.952.949	1.507.542	1.199.327
- Rx Rate (L1) (Bit/s)	320,05 M	416,94 M	418,26 M	418,93 M	419,7 M	415,77 M
- Rx Rate (Fps)	476.262	352.142	189.429	98.432	50.251	39.978
- Flood Count (Frames)	90	89	86	91	92	91

<b>Frame Size</b>	<b>1518</b>
Result State	<b>PASS</b>
Iter. #	1
Tx Rate (Percent)	80 %
Tx Rate (L1) (Bit/s)	6,48 G
Tx Rate (Fps)	526.657
Rx Rate (Percent)	26,36 %
Rx Rate (L1) (Bit/s)	2,14 G
Rx Rate (Fps)	173.55 K
Loss Rate (Percent)	<b>67,05 %</b>
Loss (Frames)	<b>10.593.227</b>
P-0-0-0	
- Tx (Frames)	1.755.522
- Tx Rate (L1) (Bit/s)	720 M
- Tx Rate (Fps)	58.517
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-1	
- Tx (Frames)	1.755.522
- Tx Rate (L1) (Bit/s)	720 M
- Tx Rate (Fps)	58.517
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-2	
- Tx (Frames)	1.755.522
- Tx Rate (L1) (Bit/s)	720 M

- Tx Rate (Fps)	58.517
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	249.482
- Rx Rate (L1) (Bit/s)	102,32 M
- Rx Rate (Fps)	8.316
- Flood Count (Frames)	34
P-0-0-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	264.227
- Rx Rate (L1) (Bit/s)	108,37 M
- Rx Rate (Fps)	8.808
- Flood Count (Frames)	40
P-0-0-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	256.202
- Rx Rate (L1) (Bit/s)	105,08 M
- Rx Rate (Fps)	8.540
- Flood Count (Frames)	37
P-0-2-0	
- Tx (Frames)	1.755.522
- Tx Rate (L1) (Bit/s)	720 M
- Tx Rate (Fps)	58.517
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-1	
- Tx (Frames)	1.755.522
- Tx Rate (L1) (Bit/s)	720 M
- Tx Rate (Fps)	58.517
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-2	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	318.890
- Rx Rate (L1) (Bit/s)	130,79 M
- Rx Rate (Fps)	10.630
- Flood Count (Frames)	40
P-0-2-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	302.945
- Rx Rate (L1) (Bit/s)	124,25 M
- Rx Rate (Fps)	10.098
- Flood Count (Frames)	40
P-0-2-4	
- Tx (Frames)	1.755.522
- Tx Rate (L1) (Bit/s)	720 M
- Tx Rate (Fps)	58.517
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-5	
- Tx (Frames)	1.755.522

- Tx Rate (L1) (Bit/s)	720 M
- Tx Rate (Fps)	58.517
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-4-0	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	952.290
- Rx Rate (L1) (Bit/s)	390,57 M
- Rx Rate (Fps)	31.743
- Flood Count (Frames)	90
P-0-4-1	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	856.378
- Rx Rate (L1) (Bit/s)	351,23 M
- Rx Rate (Fps)	28.546
- Flood Count (Frames)	94
P-0-4-2	
- Tx (Frames)	1.755.522
- Tx Rate (L1) (Bit/s)	720 M
- Tx Rate (Fps)	58.517
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-4-3	
- Tx (Frames)	1.755.522
- Tx Rate (L1) (Bit/s)	720 M
- Tx Rate (Fps)	58.517
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-4-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	1.002.859
- Rx Rate (L1) (Bit/s)	411,31 M
- Rx Rate (Fps)	33.429
- Flood Count (Frames)	86
P-0-4-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	1.003.198
- Rx Rate (L1) (Bit/s)	411,44 M
- Rx Rate (Fps)	33.440
- Flood Count (Frames)	95



### Results for 90,00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	90 %	90 %	90 %	90 %	90 %	90 %
Tx Rate (L1) (Bit/s)	7,29 G	7,29 G	7,29 G	7,29 G	7,29 G	7,29 G
Tx Rate (Fps)	10.848.214	6.157.094	3.301.630	1.712.875	872.843	700.961
Rx Rate (Percent)	20,19 %	27,95 %	29 %	28,88 %	28,06 %	28,48 %
Rx Rate (L1) (Bit/s)	1,64 G	2,26 G	2,35 G	2,34 G	2,27 G	2,31 G
Rx Rate (Fps)	2,43 M	1,91 M	1,06 M	549,67 K	272,11 K	221,85 K
Loss Rate (Percent)	77,56 %	68,94 %	67,78 %	67,91 %	68,82 %	68,35 %
Loss (Frames)	252.431.033	127.346.073	67.134.070	34.896.220	18.021.983	14.373.205
P-0-0-0						
- Tx (Frames)	36.160.713	20.523.645	11.005.434	5.709.582	2.909.475	2.336.535
- Tx Rate (L1) (Bit/s)	810 M	810 M	810 M	810 M	810 M	810 M
- Tx Rate (Fps)	1.205.357	684.122	366.848	190.319	96.983	77.885
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-1						
- Tx (Frames)	36.160.713	20.523.645	11.005.434	5.709.582	2.909.475	2.336.535
- Tx Rate (L1) (Bit/s)	810 M	810 M	810 M	810 M	810 M	810 M
- Tx Rate (Fps)	1.205.357	684.122	366.848	190.319	96.983	77.885
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-2						
- Tx (Frames)	36.160.713	20.523.645	11.005.434	5.709.582	2.909.475	2.336.535
- Tx Rate (L1) (Bit/s)	810 M	810 M	810 M	810 M	810 M	810 M
- Tx Rate (Fps)	1.205.357	684.122	366.848	190.319	96.983	77.885
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4.414.257	2.639.832	1.634.557	782.877	382.107	305.725
- Rx Rate (L1) (Bit/s)	98,88 M	104,19 M	120,3 M	111,06 M	106,38 M	105,98 M
- Rx Rate (Fps)	147.142	87.994	54.485	26.096	12.737	10.191
- Flood Count (Frames)	38	37	46	37	42	41
P-0-0-4						
- Tx (Frames)	0	0	0	0	0	0




- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4.242.756	2.649.035	1.672.043	897.754	404.543	301.618
- Rx Rate (L1) (Bit/s)	95,04 M	104,55 M	123,06 M	127,36 M	112,62 M	104,56 M
- Rx Rate (Fps)	141.425	88.301	55.735	29.925	13.485	10.054
- Flood Count (Frames)	43	41	45	35	32	39
P-0-0-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	4.147.996	2.655.794	1.658.210	934.849	378.825	312.587
- Rx Rate (L1) (Bit/s)	92,92 M	104,82 M	122,04 M	132,62 M	105,46 M	108,36 M
- Rx Rate (Fps)	138.267	88.526	55.274	31.162	12.628	10.420
- Flood Count (Frames)	53	40	42	39	35	45
P-0-2-0						
- Tx (Frames)	36.160.713	20.523.645	11.005.434	5.709.582	2.909.475	2.336.535
- Tx Rate (L1) (Bit/s)	810 M	810 M	810 M	810 M	810 M	810 M
- Tx Rate (Fps)	1.205.357	684.122	366.848	190.319	96.983	77.885
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-1						
- Tx (Frames)	36.160.713	20.523.645	11.005.434	5.709.582	2.909.475	2.336.535
- Tx Rate (L1) (Bit/s)	810 M	810 M	810 M	810 M	810 M	810 M
- Tx Rate (Fps)	1.205.357	684.122	366.848	190.319	96.983	77.885
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-2						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	8.596	2.994.224	1.579.728	801.639	409.146	366.637
- Rx Rate (L1) (Bit/s)	192,55 K	118,17 M	116,27 M	113,73 M	113,91 M	127,1 M
- Rx Rate (Fps)	287	99.807	52.658	26.721	13.638	12.221
- Flood Count (Frames)	94	43	39	45	37	36
P-0-2-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	8.422	3.040.181	1.527.960	781.553	422.599	347.769
- Rx Rate (L1) (Bit/s)	188,65 K	119,99 M	112,46 M	110,88 M	117,65 M	120,56 M
- Rx Rate (Fps)	281	101.339	50.932	26.052	14.087	11.592
- Flood Count (Frames)	93	36	40	46	36	32
P-0-2-4						
- Tx (Frames)	36.160.713	20.523.645	11.005.434	5.709.582	2.909.475	2.336.535
- Tx Rate (L1) (Bit/s)	810 M	810 M	810 M	810 M	810 M	810 M
- Tx Rate (Fps)	1.205.357	684.122	366.848	190.319	96.983	77.885
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-5						
- Tx (Frames)	36.160.713	20.523.645	11.005.434	5.709.582	2.909.475	2.336.535
- Tx Rate (L1) (Bit/s)	810 M	810 M	810 M	810 M	810 M	810 M
- Tx Rate (Fps)	1.205.357	684.122	366.848	190.319	96.983	77.885
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-4-0						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	14.198.843	9.967.602	5.640.635	2.994.510	1.241.110	1.259.702
- Rx Rate (L1) (Bit/s)	318,05 M	393,39 M	415,15 M	424,82 M	345,53 M	436,7 M
- Rx Rate (Fps)	473.295	332.253	188.021	99.817	41.370	41.990
- Flood Count (Frames)	92	93	86	95	90	91
P-0-4-1						

- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	13.846.151	10.243.506	5.706.971	2.813.987	1.620.914	1.135.782
- Rx Rate (L1) (Bit/s)	310,15 M	404,28 M	420,03 M	399,21 M	451,26 M	393,74 M
- Rx Rate (Fps)	461.538	341.450	190.232	93.800	54.030	37.859
- Flood Count (Frames)	92	92	88	90	89	93
P-0-4-2						
- Tx (Frames)	36.160.713	20.523.645	11.005.434	5.709.582	2.909.475	2.336.535
- Tx Rate (L1) (Bit/s)	810 M	810 M	810 M	810 M	810 M	810 M
- Tx Rate (Fps)	1.205.357	684.122	366.848	190.319	96.983	77.885
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-4-3						
- Tx (Frames)	36.160.713	20.523.645	11.005.434	5.709.582	2.909.475	2.336.535
- Tx Rate (L1) (Bit/s)	810 M	810 M	810 M	810 M	810 M	810 M
- Tx Rate (Fps)	1.205.357	684.122	366.848	190.319	96.983	77.885
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-4-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	16.074.251	11.585.538	6.253.240	3.241.585	1.652.024	1.312.859
- Rx Rate (L1) (Bit/s)	360,06 M	457,24 M	460,24 M	459,87 M	459,92 M	455,12 M
- Rx Rate (Fps)	535.808	386.185	208.441	108.053	55.067	43.762
- Flood Count (Frames)	90	95	91	93	93	92
P-0-4-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	16.074.112	11.591.020	6.241.492	3.241.264	1.652.024	1.312.931
- Rx Rate (L1) (Bit/s)	360,06 M	457,46 M	459,37 M	459,83 M	459,92 M	455,15 M
- Rx Rate (Fps)	535.804	386.367	208.050	108.042	55.067	43.764
- Flood Count (Frames)	93	92	90	94	94	90

<b>Frame Size</b>	<b>1518</b>
Result State	<b>PASS</b>
Iter. #	1
Tx Rate (Percent)	90 %
Tx Rate (L1) (Bit/s)	7,29 G
Tx Rate (Fps)	592.488
Rx Rate (Percent)	27,69 %
Rx Rate (L1) (Bit/s)	2,24 G
Rx Rate (Fps)	182,29 K
Loss Rate (Percent)	<b>69,23 %</b>
Loss (Frames)	<b>12.305.994</b>
P-0-0-0	
- Tx (Frames)	1.974.960
- Tx Rate (L1) (Bit/s)	810 M
- Tx Rate (Fps)	65.832
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-1	
- Tx (Frames)	1.974.960
- Tx Rate (L1) (Bit/s)	810 M
- Tx Rate (Fps)	65.832
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-2	
- Tx (Frames)	1.974.960
- Tx Rate (L1) (Bit/s)	810 M

- Tx Rate (Fps)	65.832
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	252.490
- Rx Rate (L1) (Bit/s)	103,55 M
- Rx Rate (Fps)	8.416
- Flood Count (Frames)	47
P-0-0-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	257.601
- Rx Rate (L1) (Bit/s)	105,65 M
- Rx Rate (Fps)	8.587
- Flood Count (Frames)	41
P-0-0-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	253.404
- Rx Rate (L1) (Bit/s)	103,93 M
- Rx Rate (Fps)	8.447
- Flood Count (Frames)	33
P-0-2-0	
- Tx (Frames)	1.974.960
- Tx Rate (L1) (Bit/s)	810 M
- Tx Rate (Fps)	65.832
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-1	
- Tx (Frames)	1.974.960
- Tx Rate (L1) (Bit/s)	810 M
- Tx Rate (Fps)	65.832
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-2	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	306.737
- Rx Rate (L1) (Bit/s)	125,8 M
- Rx Rate (Fps)	10.225
- Flood Count (Frames)	33
P-0-2-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	293.888
- Rx Rate (L1) (Bit/s)	120,53 M
- Rx Rate (Fps)	9.796
- Flood Count (Frames)	38
P-0-2-4	
- Tx (Frames)	1.974.960
- Tx Rate (L1) (Bit/s)	810 M
- Tx Rate (Fps)	65.832
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-5	
- Tx (Frames)	1.974.960

- Tx Rate (L1) (Bit/s)	810 M
- Tx Rate (Fps)	65.832
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-4-0	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	999.781
- Rx Rate (L1) (Bit/s)	410,04 M
- Rx Rate (Fps)	33.326
- Flood Count (Frames)	95
P-0-4-1	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	903.850
- Rx Rate (L1) (Bit/s)	370,7 M
- Rx Rate (Fps)	30.128
- Flood Count (Frames)	90
P-0-4-2	
- Tx (Frames)	1.974.960
- Tx Rate (L1) (Bit/s)	810 M
- Tx Rate (Fps)	65.832
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-4-3	
- Tx (Frames)	1.974.960
- Tx Rate (L1) (Bit/s)	810 M
- Tx Rate (Fps)	65.832
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-4-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	1.100.425
- Rx Rate (L1) (Bit/s)	451,32 M
- Rx Rate (Fps)	36.681
- Flood Count (Frames)	90
P-0-4-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	1.100.470
- Rx Rate (L1) (Bit/s)	451,34 M
- Rx Rate (Fps)	36.682
- Flood Count (Frames)	92



### Results for 100,00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	100 %	100 %	100 %	100 %	100 %	100 %
Tx Rate (L1) (Bit/s)	8,1 G	8,1 G	8,1 G	8,1 G	8,1 G	8,1 G
Tx Rate (Fps)	12.053.570	6.841.214	3.668.477	1.903.195	969.827	778.845
Rx Rate (Percent)	17,86 %	29,24 %	29,66 %	29,92 %	29,28 %	29,73 %
Rx Rate (L1) (Bit/s)	1,45 G	2,37 G	2,4 G	2,42 G	2,37 G	2,41 G
Rx Rate (Fps)	2,15 M	2 M	1,09 M	569,38 K	283,94 K	231,54 K
Loss Rate (Percent)	82,14 %	70,76 %	70,34 %	70,08 %	70,72 %	70,27 %
Loss (Frames)	297.040.088	145.224.794	77.406.772	40.014.439	20.576.483	16.419.230
P-0-0-0						
- Tx (Frames)	40.178.565	22.804.047	12.228.255	6.343.983	3.232.755	2.596.149
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1.339.286	760.135	407.609	211.466	107.759	86.538
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-1						
- Tx (Frames)	40.178.565	22.804.047	12.228.255	6.343.983	3.232.755	2.596.149
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1.339.286	760.135	407.609	211.466	107.759	86.538
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-2						
- Tx (Frames)	40.178.565	22.804.047	12.228.255	6.343.983	3.232.755	2.596.149
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1.339.286	760.135	407.609	211.466	107.759	86.538
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	8.363	2.675.050	1.417.874	728.728	387.793	308.772
- Rx Rate (L1) (Bit/s)	187,33 K	105,58 M	104,36 M	103,38 M	107,96 M	107,04 M
- Rx Rate (Fps)	279	89.168	47.262	24.291	12.926	10.292
- Flood Count (Frames)	95	44	36	28	32	34
P-0-0-4						
- Tx (Frames)	0	0	0	0	0	0

- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	8.619	2.679.307	1.407.595	722.212	412.947	315.725
- Rx Rate (L1) (Bit/s)	193,07 K	105,74 M	103,6 M	102,46 M	114,96 M	109,45 M
- Rx Rate (Fps)	287	89.310	46.920	24.074	13.765	10.524
- Flood Count (Frames)	90	41	37	31	39	37
P-0-0-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	8.004	2.670.107	1.420.710	716.514	427.880	301.017
- Rx Rate (L1) (Bit/s)	179,29 K	105,38 M	104,56 M	101,65 M	119,12 M	104,35 M
- Rx Rate (Fps)	267	89.004	47.357	23.884	14.263	10.034
- Flood Count (Frames)	88	37	36	32	29	32
P-0-2-0						
- Tx (Frames)	40.178.565	22.804.047	12.228.255	6.343.983	3.232.755	2.596.149
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1.339.286	760.135	407.609	211.466	107.759	86.538
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-1						
- Tx (Frames)	40.178.565	22.804.047	12.228.255	6.343.983	3.232.755	2.596.149
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1.339.286	760.135	407.609	211.466	107.759	86.538
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-2						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	7.555	2.859.966	1.593.324	759.919	383.706	343.682
- Rx Rate (L1) (Bit/s)	169,23 K	112,87 M	117,27 M	107,81 M	106,82 M	119,14 M
- Rx Rate (Fps)	252	95.332	53.111	25.331	12.790	11.456
- Flood Count (Frames)	93	41	38	31	34	33
P-0-2-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	8.847	2.771.827	1.486.842	807.102	443.972	346.752
- Rx Rate (L1) (Bit/s)	198,17 K	109,39 M	109,43 M	114,5 M	123,6 M	120,21 M
- Rx Rate (Fps)	295	92.394	49.561	26.903	14.799	11.558
- Flood Count (Frames)	92	31	38	31	37	39
P-0-2-4						
- Tx (Frames)	40.178.565	22.804.047	12.228.255	6.343.983	3.232.755	2.596.149
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1.339.286	760.135	407.609	211.466	107.759	86.538
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-5						
- Tx (Frames)	40.178.565	22.804.047	12.228.255	6.343.983	3.232.755	2.596.149
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1.339.286	760.135	407.609	211.466	107.759	86.538
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-4-0						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	16.036.656	9.824.089	5.946.307	3.494.774	1.439.490	1.281.445
- Rx Rate (L1) (Bit/s)	359,22 M	387,72 M	437,65 M	495,79 M	400,75 M	444,23 M
- Rx Rate (Fps)	534.555	327.470	198.210	116.492	47.983	42.715
- Flood Count (Frames)	92	88	90	91	88	94
P-0-4-1						


- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	13.231.640	11.304.405	5.803.242	2.810.188	1.432.863	1.172.468
- Rx Rate (L1) (Bit/s)	296,39 M	446,15 M	427,12 M	398,67 M	398,91 M	406,46 M
- Rx Rate (Fps)	441.055	376.814	193.441	93.673	47.762	39.082
- Flood Count (Frames)	92	92	91	92	91	95
P-0-4-2						
- Tx (Frames)	40.178.565	22.804.047	12.228.255	6.343.983	3.232.755	2.596.149
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1.339.286	760.135	407.609	211.466	107.759	86.538
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-4-3						
- Tx (Frames)	40.178.565	22.804.047	12.228.255	6.343.983	3.232.755	2.596.149
- Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
- Tx Rate (Fps)	1.339.286	760.135	407.609	211.466	107.759	86.538
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-4-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	17.621.572	12.618.692	6.786.250	3.520.501	1.795.206	1.438.569
- Rx Rate (L1) (Bit/s)	394,72 M	498,02 M	499,47 M	499,44 M	499,79 M	498,7 M
- Rx Rate (Fps)	587.386	420.623	226.208	117.350	59.840	47.952
- Flood Count (Frames)	92	92	95	88	93	90
P-0-4-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	17.635.741	12.608.186	6.785.379	3.521.470	1.794.455	1.437.681
- Rx Rate (L1) (Bit/s)	395,04 M	497,6 M	499,4 M	499,58 M	499,58 M	498,4 M
- Rx Rate (Fps)	587.858	420.273	226.179	117.382	59.815	47.923
- Flood Count (Frames)	91	94	92	90	90	93

<b>Frame Size</b>	<b>1518</b>
Result State	<b>PASS</b>
Iter. #	1
Tx Rate (Percent)	100 %
Tx Rate (L1) (Bit/s)	8,1 G
Tx Rate (Fps)	658.322
Rx Rate (Percent)	29,96 %
Rx Rate (L1) (Bit/s)	2,43 G
Rx Rate (Fps)	197,23 K
Loss Rate (Percent)	<b>70,04 %</b>
Loss (Frames)	<b>13.832.644</b>
P-0-0-0	
- Tx (Frames)	2.194.407
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73.147
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-1	
- Tx (Frames)	2.194.407
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73.147
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-2	
- Tx (Frames)	2.194.407
- Tx Rate (L1) (Bit/s)	900 M

- Tx Rate (Fps)	73.147
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	265.744
- Rx Rate (L1) (Bit/s)	108,99 M
- Rx Rate (Fps)	8.858
- Flood Count (Frames)	36
P-0-0-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	252.166
- Rx Rate (L1) (Bit/s)	103,42 M
- Rx Rate (Fps)	8.406
- Flood Count (Frames)	35
P-0-0-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	252.136
- Rx Rate (L1) (Bit/s)	103,41 M
- Rx Rate (Fps)	8.405
- Flood Count (Frames)	41
P-0-2-0	
- Tx (Frames)	2.194.407
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73.147
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-1	
- Tx (Frames)	2.194.407
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73.147
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-2	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	283.783
- Rx Rate (L1) (Bit/s)	116,39 M
- Rx Rate (Fps)	9.459
- Flood Count (Frames)	42
P-0-2-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	314.676
- Rx Rate (L1) (Bit/s)	129,06 M
- Rx Rate (Fps)	10.489
- Flood Count (Frames)	38
P-0-2-4	
- Tx (Frames)	2.194.407
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73.147
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-5	
- Tx (Frames)	2.194.407



- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73.147
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-4-0	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	1.196.144
- Rx Rate (L1) (Bit/s)	490,58 M
- Rx Rate (Fps)	39.871
- Flood Count (Frames)	91
P-0-4-1	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	955.035
- Rx Rate (L1) (Bit/s)	391,69 M
- Rx Rate (Fps)	31.835
- Flood Count (Frames)	93
P-0-4-2	
- Tx (Frames)	2.194.407
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73.147
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-4-3	
- Tx (Frames)	2.194.407
- Tx Rate (L1) (Bit/s)	900 M
- Tx Rate (Fps)	73.147
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-4-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	1.198.074
- Rx Rate (L1) (Bit/s)	491,37 M
- Rx Rate (Fps)	39.936
- Flood Count (Frames)	90
P-0-4-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	1.199.261
- Rx Rate (L1) (Bit/s)	491,86 M
- Rx Rate (Fps)	39.975
- Flood Count (Frames)	93



## Congestion Control Results

### Test Setup

Duration: 30 seconds  
Iteration: 1

Port ID	Port Role
P-0-0-0	Source
P-0-0-1	Source
P-0-4-3	Destination
P-0-4-4	Destination

### Test Results

Frame Size	64	128	256	512	1024	1280
Result State	FAIL	FAIL	FAIL	FAIL	FAIL	FAIL
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	100 %	100 %	100 %	100 %	100 %	100 %
Tx (Frames)	89.389.304	50.718.885	27.198.971	14.108.044	7.190.295	5.774.455
Uncongested Port:						
- Tx (Frames)	22.345.802	12.678.716	6.799.019	3.526.765	1.797.452	1.443.474
- Rx (Frames)	11.615.111	8.302.866	5.268.766	2.340.126	1.273.104	520.808
- Loss (Frames)	10.730.691	4.375.850	1.530.253	1.186.639	524.348	922.666
- Loss (Percent)	48,02	34,51	22,51	33,65	29,17	63,92
Congested Port:						
- Tx (Frames)	67.043.502	38.040.169	20.399.952	10.581.279	5.392.843	4.330.981
- Rx (Frames)	31.057.400	16.395.955	8.140.010	4.663.024	2.275.092	2.338.916
- Loss (Frames)	35.986.102	21.644.214	12.259.942	5.918.255	3.117.751	1.992.065
- Loss (Percent)	53,68	56,90	60,10	55,93	57,81	46,00

Frame Size	1518
Result State	FAIL
Iter. #	1
Tx Rate (Percent)	100 %
Tx (Frames)	4.880.233
Uncongested Port:	
- Tx (Frames)	1.219.998
- Rx (Frames)	462.641
- Loss (Frames)	757.357
- Loss (Percent)	62,08
Congested Port:	
- Tx (Frames)	3.660.235
- Rx (Frames)	1.960.197
- Loss (Frames)	1.700.038
- Loss (Percent)	46,45

Note: One or more of the tests did not pass the test criteria!

## Forward Pressure Results

### Test Setup

Duration: 30 seconds  
 Iteration: 1  
 InterFrame Gap Delta: 1 bytes

Port ID	Port Role
P-0-0-0	Source
P-0-4-5	Destination

### Test Results

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx (Frames)	40.662.650	22.959.183	12.272.727	6.355.932	3.235.858	2.598.152
Tx Rate (Fps)	1.355.422	765.306	409.091	211.864	107.862	86.605
Tx IFG (Bytes)	20	20	20	20	20	20
Tx Max. Util. (Percent)	91,084	90,612	90,327	90,169	90,086	90,069
Rx (Frames)	38.352.107	22.203.905	12.053.576	6.296.675	3.160.959	2.520.628
Rx Rate (Fps)	1.339.329	755.217	423.004	219.078	111.086	87.837
Rx Max. Util. (Percent)	90,003	89,418	93,399	93,240	92,779	91,351
Loss (Frames)	2.310.543	755.278	219.151	59.257	74.899	77.524
Loss (Percent)	5,68	3,29	1,79	0,93	2,31	2,98

Frame Size	1518
Result State	PASS
Iter. #	1
Tx (Frames)	2.195.836
Tx Rate (Fps)	73.195
Tx IFG (Bytes)	20
Tx Max. Util. (Percent)	90,059
Rx (Frames)	2.137.578
Rx Rate (Fps)	72.512
Rx Max. Util. (Percent)	89,218
Loss (Frames)	58.258
Loss (Percent)	2,65

## Maximum Forwarding Rate Results

### Test Setup

Duration: 30 seconds  
Iteration: 1

Port ID	Port Role
P-0-0-0	Source
P-0-4-5	Destination

### Test Results

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	100 %	100 %	100 %	100 %	100 %	100 %
Tx (Frames)	40.178.571	22.804.054	12.228.260	6.343.984	3.232.758	2.596.153
Tx Rate (L1) (Bit/s)	900 M	900 M	900 M	900 M	900 M	900 M
Tx Rate (Fps)	1.339.286	760.135	407.609	211.466	107.759	86.538
Rx (Frames)	38.352.102	22.203.898	12.053.578	6.296.674	3.164.923	2.524.812
Rx Rate (L1) (Bit/s)	859,09 M	876,31 M	887,14 M	893,29 M	881,11 M	875,27 M
Rx Rate (Fps)	1.278.403	740.130	401.786	209.889	105.497	84.160

Frame Size	1518
Result State	PASS
Iter. #	1
Tx Rate (Percent)	100 %
Tx (Frames)	2.194.408
Tx Rate (L1) (Bit/s)	900 M
Tx Rate (Fps)	73.147
Rx (Frames)	2.138.097
Rx Rate (L1) (Bit/s)	876,9 M
Rx Rate (Fps)	71.270

## Address Caching Capacity Results

### Test Setup

Iteration: 1  
 Test Port Address Mode: Use Port Native MAC  
 Learn Port DMAC Mode: Use Test Port MAC  
 Learn Port Base Address: 02:F4:BC  
 Address Initial Count: 4.096  
 Address Maximum Count: 65.535  
 Address Minimum Count: 100  
 Address Resolution: 100  
 Learning Rate: 1.000 Fps  
 Toggle Port Sync State: Yes  
 Sync. State Off Duration: 1 seconds  
 Switch Test Ports: No  
 DUT Aging Time: 300 seconds

Port ID	Port Role
P-0-0-0	Test Port
P-0-4-1	Learning Port
P-0-4-5	Monitoring Port

### Test Results

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Duration (Seconds)	2	2	2	2	2	2
Address Count	380	380	380	380	380	380
TestPort Tx (Frames)	380	380	380	380	380	380
TestPort Rx (Frames)	0	0	0	0	0	0
LearnPort Rx (Frames)	380	380	380	380	380	380
MonPort Rx (Frames)	0	0	0	0	0	0

Frame Size	1518
Result State	PASS
Iter. #	1
Duration (Seconds)	2
Address Count	380
TestPort Tx (Frames)	380
TestPort Rx (Frames)	0
LearnPort Rx (Frames)	380
MonPort Rx (Frames)	0

## Address Learning Rate Results

### Test Setup

Iteration: 1  
 Test Port Address Mode: Use Port Native MAC  
 Learn Port DMAC Mode: Use Test Port MAC  
 Learn Port Base Address: 02:F4:BC  
 Only Use Max. Capacity: No  
 Set End = Max. Capacity: Yes  
  
 Base Learning Rate: 1,000 Fps  
 Initial Rate: 100,00%  
 Maximum Rate: 100,00%  
 Minimum Rate : 10,00%  
 Resolution: 10,00%  
  
 Toggle Port Sync State: Yes  
 Sync. State Off Duration: 1 seconds  
 Switch Test Ports: No  
 DUT Aging Time: 300 seconds

Port ID	Port Role
P-0-0-0	Test Port
P-0-4-1	Learning Port
P-0-4-5	Monitoring Port


### Test Results

#### Results for 380 Addresses

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	FAIL
Iter. #	1	1	1	1	1	1
Learning Rate (Percent)	100 %	100 %	100 %	100 %	100 %	15,625 %
Learning Rate (Fps)	1 K	1 K	1 K	1 K	1 K	156
Duration (Seconds)	2	2	2	2	2	4
Address Count	380	380	380	380	380	380
TestPort Tx (Frames)	380	380	380	380	380	380
TestPort Rx (Frames)	0	0	0	0	0	0
LearnPort Rx (Frames)	380	380	380	380	380	380
MonPort Rx (Frames)	0	0	0	0	0	128

Frame Size	1518
Result State	FAIL
Iter. #	1
Learning Rate (Percent)	15,625 %
Learning Rate (Fps)	156
Duration (Seconds)	4
Address Count	380
TestPort Tx (Frames)	380
TestPort Rx (Frames)	0
LearnPort Rx (Frames)	380
MonPort Rx (Frames)	128

Note: One or more of the tests did not pass the test criteria!





## Errored Frames Filtering Results

### Test Setup

Duration: 30 seconds  
 Iteration: 1  
 Oversize Test Enabled: Yes  
 Max. Valid Frame Size: 1518 bytes  
 Min. Valid Frame Size: 64 bytes  
 Oversize Frame Span: 1 bytes  
 Undersize Frame Span: 1 bytes

Port ID	Port Role
P-0-0-0	Source
P-0-4-5	Destination

### Test Results

Tx Rate (Percent)	10 %	20 %	30 %	40 %	50 %	60 %
Result State	FAIL	FAIL	FAIL	FAIL	FAIL	FAIL
Iter. #	1	1	1	1	1	1
Tx Rate (L1) (Bit/s)	90 M	180 M	270 M	360 M	450 M	540 M
Tx (Frames)	1.567.237	3.134.476	4.701.715	6.268.953	7.836.193	9.403.431
Rx (Frames)	1.562.826	3.118.269	4.648.836	6.167.349	7.683.434	9.076.399
Tx Valid (Frames)	138.717	277.435	416.152	554.870	693.588	832.305
Rx Valid (Frames)	138.500	277.030	415.527	554.112	692.699	831.237
Tx Oversize (Frames)	73.099	146.198	219.298	292.397	365.497	438.596
Rx Oversize (Frames)	72.686	145.618	218.348	290.951	363.680	436.389
Tx Undersize (Frames)	1.355.421	2.710.843	4.066.265	5.421.686	6.777.108	8.132.530
Rx Undersize (Frames)	1.351.640	2.695.621	4.014.961	5.322.286	6.627.055	7.808.773
Tx FCS Error (Frames)	59	59	59	59	59	59
Rx FCS Error (Frames)	630	985	1.575	2.204	2.706	3.275

Tx Rate (Percent)	70 %	80 %	90 %	100 %
Result State	FAIL	FAIL	FAIL	FAIL
Iter. #	1	1	1	1
Tx Rate (L1) (Bit/s)	630 M	720 M	810 M	900 M
Tx (Frames)	10.970.669	12.537.909	14.105.147	15.672.386
Rx (Frames)	10.467.803	11.889.035	13.205.921	64.861
Tx Valid (Frames)	971.023	1.109.741	1.248.458	1.387.176
Rx Valid (Frames)	969.786	1.108.913	1.247.694	7.398
Tx Oversize (Frames)	511.695	584.795	657.894	730.994
Rx Oversize (Frames)	509.033	581.624	654.289	3.779
Tx Undersize (Frames)	9.487.951	10.843.373	12.198.795	13.554.216
Rx Undersize (Frames)	8.988.984	10.198.498	11.303.938	53.684
Tx FCS Error (Frames)	59	59	59	59
Rx FCS Error (Frames)	3.899	3.999	4.369	111

Note: One or more of the tests did not pass the test criteria!

## Broadcast Forwarding Results

### Test Setup

Duration: 30 seconds  
 Iteration: 1  
 Initial Rate: 10,00%  
 Maximum Rate: 100,00%  
 Minimum Rate: 10,00%  
 Resolution: 10,00%

Port ID	Port Role
P-0-0-0	Source
P-0-0-1	Destination
P-0-0-2	Destination
P-0-0-3	Destination
P-0-0-4	Destination
P-0-0-5	Destination
P-0-2-0	Destination
P-0-2-1	Destination
P-0-2-2	Destination
P-0-2-3	Destination
P-0-2-4	Destination
P-0-2-5	Destination
P-0-4-0	Destination
P-0-4-1	Destination
P-0-4-2	Destination
P-0-4-3	Destination
P-0-4-4	Destination
P-0-4-5	Destination

### Test Results

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	FAIL	FAIL
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	94,375 %	94,375 %	94,375 %	94,375 %	10 %	10 %
Tx (Frames)	37.918.526	21.521.326	11.540.421	5.987.135	323.275	259.615
Tx Rate (L1) (Bit/s)	849,37 M	849,37 M	849,37 M	849,37 M	90 M	90 M
Tx Rate (Fps)	1.263.951	717.378	384.681	199.571	10.776	8.654
Loss Rate (Percent)	0 %	0 %	0 %	0 %	0,28 %	0,28 %
Loss (Frames)	0	0	0	0	15.225	12.155
P-0-0-1						
- Rx (Frames)	37.918.526	21.521.326	11.540.421	5.987.135	320.916	257.753
- Rx Rate (L1) (Bit/s)	849,37 M	849,37 M	849,37 M	849,37 M	89,34 M	89,35 M
- Rx Rate (Fps)	1.263.951	717.378	384.681	199.571	10.697	8.592
- Avg Latency (micsec)	2,452	2,900	2,878	2,865	2,876	2,881
- Min Latency (micsec)	2,310	2,655	2,671	2,655	2,671	2,655
- Max Latency (micsec)	4,571	4,555	4,547	4,628	3,297	3,256
- Avg Jitter (micsec)	0,004	0,008	0,006	0,004	0,000	0,000
- Min Jitter (micsec)	0,000	0,000	0,000	0,000	0,000	0,000
- Max Jitter (micsec)	2,092	1,755	1,731	1,707	0,336	0,481
P-0-0-2						
- Rx (Frames)	37.918.526	21.521.326	11.540.421	5.987.135	320.474	257.403
- Rx Rate (L1) (Bit/s)	849,37 M	849,37 M	849,37 M	849,37 M	89,22 M	89,23 M
- Rx Rate (Fps)	1.263.951	717.378	384.681	199.571	10.682	8.580
- Avg Latency (micsec)	2,484	2,909	2,884	2,874	2,876	2,881
- Min Latency (micsec)	2,310	2,679	2,695	2,679	2,719	2,703
- Max Latency (micsec)	4,716	4,604	4,668	4,555	4,090	3,256
- Avg Jitter (micsec)	0,004	0,008	0,006	0,004	0,000	0,000
- Min Jitter (micsec)	0,000	0,000	0,000	0,000	0,000	0,000
- Max Jitter (micsec)	2,188	1,707	1,804	1,659	1,202	0,457
P-0-0-3						
- Rx (Frames)	37.918.526	21.521.326	11.540.421	5.987.135	320.181	257.193
- Rx Rate (L1) (Bit/s)	849,37 M	849,37 M	849,37 M	849,37 M	89,14 M	89,16 M
- Rx Rate (Fps)	1.263.951	717.378	384.681	199.571	10.673	8.573
- Avg Latency (micsec)	2,473	2,910	2,882	2,876	2,860	2,865

- Min Latency (micsec)	2,310	2,679	2,695	2,679	2,719	2,703
- Max Latency (micsec)	4,331	4,796	4,644	4,724	3,513	3,930
- Avg Jitter (micsec)	0,004	0,008	0,005	0,004	0,000	0,000
- Min Jitter (micsec)	0,000	0,000	0,000	0,000	0,000	0,000
- Max Jitter (micsec)	1,876	1,876	1,707	1,900	0,697	0,938
P-0-0-4						
- Rx (Frames)	37.918.526	21.521.326	11.540.421	5.987.135	316.304	253.956
- Rx Rate (L1) (Bit/s)	849,37 M	849,37 M	849,37 M	849,37 M	88,06 M	88,04 M
- Rx Rate (Fps)	1.263.951	717.378	384.681	199.571	10.543	8.465
- Avg Latency (micsec)	2,465	2,908	2,883	2,879	2,850	2,854
- Min Latency (micsec)	2,286	2,679	2,695	2,679	2,695	2,703
- Max Latency (micsec)	4,547	4,820	4,644	4,604	3,080	3,256
- Avg Jitter (micsec)	0,004	0,008	0,005	0,003	0,000	0,000
- Min Jitter (micsec)	0,000	0,000	0,000	0,000	0,000	0,000
- Max Jitter (micsec)	2,092	1,804	1,755	1,804	0,336	0,481
P-0-0-5						
- Rx (Frames)	37.918.526	21.521.326	11.540.421	5.987.135	323.275	259.615
- Rx Rate (L1) (Bit/s)	849,37 M	849,37 M	849,37 M	849,37 M	90 M	90 M
- Rx Rate (Fps)	1.263.951	717.378	384.681	199.571	10.776	8.654
- Avg Latency (micsec)	2,486	2,913	2,893	2,892	2,850	2,855
- Min Latency (micsec)	2,310	2,703	2,695	2,679	2,695	2,703
- Max Latency (micsec)	4,812	4,676	4,788	4,555	3,080	3,882
- Avg Jitter (micsec)	0,004	0,008	0,005	0,003	0,000	0,000
- Min Jitter (micsec)	0,000	0,000	0,000	0,000	0,000	0,000
- Max Jitter (micsec)	2,357	1,755	1,828	1,683	0,312	1,154
P-0-2-0						
- Rx (Frames)	37.918.526	21.521.326	11.540.421	5.987.135	323.275	259.615
- Rx Rate (L1) (Bit/s)	849,37 M	849,37 M	849,37 M	849,37 M	90 M	90 M
- Rx Rate (Fps)	1.263.951	717.378	384.681	199.571	10.776	8.654
- Avg Latency (micsec)	3,605	4,487	4,457	4,437	4,375	4,380
- Min Latency (micsec)	3,385	4,114	4,082	4,138	4,058	4,066
- Max Latency (micsec)	5,670	6,231	6,223	6,303	5,069	4,956
- Avg Jitter (micsec)	0,004	0,009	0,008	0,005	0,000	0,000
- Min Jitter (micsec)	0,000	0,000	0,000	0,000	0,000	0,000
- Max Jitter (micsec)	2,068	1,780	1,707	1,755	0,865	0,745
P-0-2-1						
- Rx (Frames)	37.918.526	21.521.326	11.540.421	5.987.135	323.275	259.615
- Rx Rate (L1) (Bit/s)	849,37 M	849,37 M	849,37 M	849,37 M	90 M	90 M
- Rx Rate (Fps)	1.263.951	717.378	384.681	199.571	10.776	8.654
- Avg Latency (micsec)	3,592	4,463	4,434	4,418	4,378	4,383
- Min Latency (micsec)	3,337	4,090	4,058	4,114	4,058	4,066
- Max Latency (micsec)	5,718	6,255	6,271	6,255	5,646	5,293
- Avg Jitter (micsec)	0,004	0,009	0,008	0,005	0,000	0,000
- Min Jitter (micsec)	0,000	0,000	0,000	0,000	0,000	0,000
- Max Jitter (micsec)	2,164	1,804	1,876	1,900	1,250	1,058
P-0-2-2						
- Rx (Frames)	37.918.526	21.521.326	11.540.421	5.987.135	323.275	259.615
- Rx Rate (L1) (Bit/s)	849,37 M	849,37 M	849,37 M	849,37 M	90 M	90 M
- Rx Rate (Fps)	1.263.951	717.378	384.681	199.571	10.776	8.654
- Avg Latency (micsec)	3,625	4,490	4,464	4,445	4,363	4,368
- Min Latency (micsec)	3,361	4,114	4,082	4,138	4,082	4,090
- Max Latency (micsec)	5,718	6,303	6,343	6,255	4,732	4,932
- Avg Jitter (micsec)	0,004	0,009	0,008	0,005	0,000	0,000
- Min Jitter (micsec)	0,000	0,000	0,000	0,000	0,000	0,000
- Max Jitter (micsec)	2,164	1,804	1,804	1,780	0,481	0,745
P-0-2-3						
- Rx (Frames)	37.918.526	21.521.326	11.540.421	5.987.135	323.275	259.615
- Rx Rate (L1) (Bit/s)	849,37 M	849,37 M	849,37 M	849,37 M	90 M	90 M
- Rx Rate (Fps)	1.263.951	717.378	384.681	199.571	10.776	8.654
- Avg Latency (micsec)	3,605	4,471	4,438	4,418	4,376	4,380
- Min Latency (micsec)	3,337	4,090	4,058	4,114	4,082	4,090
- Max Latency (micsec)	5,718	6,303	6,319	6,255	5,453	4,932
- Avg Jitter (micsec)	0,004	0,009	0,008	0,004	0,000	0,000
- Min Jitter (micsec)	0,000	0,000	0,000	0,000	0,000	0,000
- Max Jitter (micsec)	2,164	1,780	1,804	1,900	1,226	0,745
P-0-2-4						
- Rx (Frames)	37.918.526	21.521.326	11.540.421	5.987.135	323.275	259.615
- Rx Rate (L1) (Bit/s)	849,37 M	849,37 M	849,37 M	849,37 M	90 M	90 M
- Rx Rate (Fps)	1.263.951	717.378	384.681	199.571	10.776	8.654
- Avg Latency (micsec)	5,921	7,194	7,162	7,124	7,021	7,026
- Min Latency (micsec)	5,598	6,688	6,632	6,712	6,608	6,616

- Max Latency (micsec)	8,003	9,046	9,086	8,901	8,821	7,699
- Avg Jitter (micsec)	0,004	0,009	0,007	0,005	0,000	0,000
- Min Jitter (micsec)	0,000	0,000	0,000	0,000	0,000	0,000
- Max Jitter (micsec)	2,140	2,092	1,996	1,707	1,804	0,865
P-0-2-5						
- Rx (Frames)	37.918.526	21.521.326	11.540.421	5.987.135	323.275	259.615
- Rx Rate (L1) (Bit/s)	849,37 M	849,37 M	849,37 M	849,37 M	90 M	90 M
- Rx Rate (Fps)	1.263.951	717.378	384.681	199.571	10.776	8.654
- Avg Latency (micsec)	5,912	7,191	7,164	7,127	7,023	7,028
- Min Latency (micsec)	5,622	6,688	6,632	6,712	6,584	6,616
- Max Latency (micsec)	8,123	9,022	9,062	8,925	8,148	8,228
- Avg Jitter (micsec)	0,004	0,009	0,007	0,005	0,000	0,000
- Min Jitter (micsec)	0,000	0,000	0,000	0,000	0,000	0,000
- Max Jitter (micsec)	2,164	2,092	1,996	1,780	1,250	1,274
P-0-4-0						
- Rx (Frames)	37.918.526	21.521.326	11.540.421	5.987.135	323.275	259.615
- Rx Rate (L1) (Bit/s)	849,37 M	849,37 M	849,37 M	849,37 M	90 M	90 M
- Rx Rate (Fps)	1.263.951	717.378	384.681	199.571	10.776	8.654
- Avg Latency (micsec)	5,972	7,251	7,221	7,184	7,053	7,059
- Min Latency (micsec)	5,670	6,736	6,704	6,760	6,632	6,640
- Max Latency (micsec)	8,172	9,142	9,086	8,997	8,220	7,795
- Avg Jitter (micsec)	0,004	0,008	0,007	0,005	0,000	0,000
- Min Jitter (micsec)	0,000	0,000	0,000	0,000	0,000	0,000
- Max Jitter (micsec)	2,188	1,804	1,924	1,804	1,298	0,962
P-0-4-1						
- Rx (Frames)	37.918.526	21.521.326	11.540.421	5.987.135	323.275	259.615
- Rx Rate (L1) (Bit/s)	849,37 M	849,37 M	849,37 M	849,37 M	90 M	90 M
- Rx Rate (Fps)	1.263.951	717.378	384.681	199.571	10.776	8.654
- Avg Latency (micsec)	5,980	7,259	7,227	7,190	7,073	7,078
- Min Latency (micsec)	5,670	6,760	6,704	6,760	6,656	6,640
- Max Latency (micsec)	8,340	9,118	9,110	8,973	8,220	7,795
- Avg Jitter (micsec)	0,004	0,008	0,008	0,005	0,000	0,000
- Min Jitter (micsec)	0,000	0,000	0,000	0,000	0,000	0,000
- Max Jitter (micsec)	2,357	1,804	1,996	1,755	1,226	0,914
P-0-4-2						
- Rx (Frames)	37.918.526	21.521.326	11.540.421	5.987.135	323.275	259.615
- Rx Rate (L1) (Bit/s)	849,37 M	849,37 M	849,37 M	849,37 M	90 M	90 M
- Rx Rate (Fps)	1.263.951	717.378	384.681	199.571	10.776	8.654
- Avg Latency (micsec)	8,320	10,018	9,978	9,923	9,777	9,781
- Min Latency (micsec)	7,979	9,382	9,374	9,430	9,302	9,262
- Max Latency (micsec)	10,649	11,932	11,972	11,764	10,986	10,657
- Avg Jitter (micsec)	0,004	0,009	0,009	0,006	0,000	0,000
- Min Jitter (micsec)	0,000	0,000	0,000	0,000	0,000	0,000
- Max Jitter (micsec)	2,261	1,876	2,116	1,852	1,371	1,154
P-0-4-3						
- Rx (Frames)	37.918.526	21.521.326	11.540.421	5.987.135	323.275	259.615
- Rx Rate (L1) (Bit/s)	849,37 M	849,37 M	849,37 M	849,37 M	90 M	90 M
- Rx Rate (Fps)	1.263.951	717.378	384.681	199.571	10.776	8.654
- Avg Latency (micsec)	8,299	10,002	9,964	9,907	9,757	9,764
- Min Latency (micsec)	7,979	9,382	9,374	9,382	9,230	9,262
- Max Latency (micsec)	10,625	11,932	11,972	11,643	11,178	10,777
- Avg Jitter (micsec)	0,004	0,010	0,008	0,006	0,000	0,000
- Min Jitter (micsec)	0,000	0,000	0,000	0,000	0,000	0,000
- Max Jitter (micsec)	2,212	1,900	2,140	1,900	1,515	1,250
P-0-4-4						
- Rx (Frames)	37.918.526	21.521.326	11.540.421	5.987.135	323.275	259.615
- Rx Rate (L1) (Bit/s)	849,37 M	849,37 M	849,37 M	849,37 M	90 M	90 M
- Rx Rate (Fps)	1.263.951	717.378	384.681	199.571	10.776	8.654
- Avg Latency (micsec)	8,309	10,013	9,974	9,919	9,750	9,754
- Min Latency (micsec)	7,979	9,382	9,422	9,430	9,254	9,262
- Max Latency (micsec)	10,649	11,932	11,972	11,788	10,986	10,489
- Avg Jitter (micsec)	0,004	0,010	0,008	0,006	0,000	0,000
- Min Jitter (micsec)	0,000	0,000	0,000	0,000	0,000	0,000
- Max Jitter (micsec)	2,261	1,900	2,116	1,780	1,419	1,058
P-0-4-5						
- Rx (Frames)	37.918.526	21.521.326	11.540.421	5.987.135	323.275	259.615
- Rx Rate (L1) (Bit/s)	849,37 M	849,37 M	849,37 M	849,37 M	90 M	90 M
- Rx Rate (Fps)	1.263.951	717.378	384.681	199.571	10.776	8.654
- Avg Latency (micsec)	8,318	10,015	9,977	9,918	9,743	9,746
- Min Latency (micsec)	7,979	9,406	9,422	9,430	9,278	9,262
- Max Latency (micsec)	10,649	11,932	12,068	11,595	10,986	11,210

- Avg Jitter (micsec)	0,004	0,009	0,008	0,005	0,000	0,000
- Min Jitter (micsec)	0,000	0,000	0,000	0,000	0,000	0,000
- Max Jitter (micsec)	2,309	1,900	2,212	1,780	1,347	1,539

<b>Frame Size</b>	<b>1518</b>
Result State	<b>FAIL</b>
Iter. #	1
Tx Rate (Percent)	10 %
Tx (Frames)	219.440
Tx Rate (L1) (Bit/s)	90 M
Tx Rate (Fps)	7.315
Loss Rate (Percent)	<b>0.25 %</b>
Loss (Frames)	<b>9.467</b>
P-0-0-1	
- Rx (Frames)	218.164
- Rx Rate (L1) (Bit/s)	89,48 M
- Rx Rate (Fps)	7.272
- Avg Latency (micsec)	2,897
- Min Latency (micsec)	2,663
- Max Latency (micsec)	3,096
- Avg Jitter (micsec)	0,000
- Min Jitter (micsec)	0,000
- Max Jitter (micsec)	0,336
P-0-0-2	
- Rx (Frames)	219.439
- Rx Rate (L1) (Bit/s)	90 M
- Rx Rate (Fps)	7.315
- Avg Latency (micsec)	2,883
- Min Latency (micsec)	2,711
- Max Latency (micsec)	3,986
- Avg Jitter (micsec)	0,000
- Min Jitter (micsec)	0,000
- Max Jitter (micsec)	1,178
P-0-0-3	
- Rx (Frames)	216.019
- Rx Rate (L1) (Bit/s)	88,6 M
- Rx Rate (Fps)	7.201
- Avg Latency (micsec)	2,861
- Min Latency (micsec)	2,711
- Max Latency (micsec)	4,443
- Avg Jitter (micsec)	0,000
- Min Jitter (micsec)	0,000
- Max Jitter (micsec)	1,587
P-0-0-4	
- Rx (Frames)	214.685
- Rx Rate (L1) (Bit/s)	88,05 M
- Rx Rate (Fps)	7.156
- Avg Latency (micsec)	2,839
- Min Latency (micsec)	2,687
- Max Latency (micsec)	3,770
- Avg Jitter (micsec)	0,000
- Min Jitter (micsec)	0,000
- Max Jitter (micsec)	0,914
P-0-0-5	
- Rx (Frames)	219.438
- Rx Rate (L1) (Bit/s)	90 M
- Rx Rate (Fps)	7.315
- Avg Latency (micsec)	2,841
- Min Latency (micsec)	2,687
- Max Latency (micsec)	2,976
- Avg Jitter (micsec)	0,000
- Min Jitter (micsec)	0,000
- Max Jitter (micsec)	0,240
P-0-2-0	
- Rx (Frames)	219.439
- Rx Rate (L1) (Bit/s)	90 M
- Rx Rate (Fps)	7.315
- Avg Latency (micsec)	4,380
- Min Latency (micsec)	4,074
- Max Latency (micsec)	4,700

- Avg Jitter (micsec)	0,000
- Min Jitter (micsec)	0,000
- Max Jitter (micsec)	0,481
P-0-2-1	
- Rx (Frames)	219.439
- Rx Rate (L1) (Bit/s)	90 M
- Rx Rate (Fps)	7.315
- Avg Latency (micsec)	4,383
- Min Latency (micsec)	4,074
- Max Latency (micsec)	4,676
- Avg Jitter (micsec)	0,000
- Min Jitter (micsec)	0,000
- Max Jitter (micsec)	0,457
P-0-2-2	
- Rx (Frames)	219.439
- Rx Rate (L1) (Bit/s)	90 M
- Rx Rate (Fps)	7.315
- Avg Latency (micsec)	4,368
- Min Latency (micsec)	4,074
- Max Latency (micsec)	4,676
- Avg Jitter (micsec)	0,000
- Min Jitter (micsec)	0,000
- Max Jitter (micsec)	0,457
P-0-2-3	
- Rx (Frames)	219.439
- Rx Rate (L1) (Bit/s)	90 M
- Rx Rate (Fps)	7.315
- Avg Latency (micsec)	4,381
- Min Latency (micsec)	4,074
- Max Latency (micsec)	4,676
- Avg Jitter (micsec)	0,000
- Min Jitter (micsec)	0,000
- Max Jitter (micsec)	0,457
P-0-2-4	
- Rx (Frames)	219.439
- Rx Rate (L1) (Bit/s)	90 M
- Rx Rate (Fps)	7.315
- Avg Latency (micsec)	7,026
- Min Latency (micsec)	6,624
- Max Latency (micsec)	7,899
- Avg Jitter (micsec)	0,000
- Min Jitter (micsec)	0,000
- Max Jitter (micsec)	1,106
P-0-2-5	
- Rx (Frames)	219.439
- Rx Rate (L1) (Bit/s)	90 M
- Rx Rate (Fps)	7.315
- Avg Latency (micsec)	7,028
- Min Latency (micsec)	6,600
- Max Latency (micsec)	8,308
- Avg Jitter (micsec)	0,000
- Min Jitter (micsec)	0,000
- Max Jitter (micsec)	1,371
P-0-4-0	
- Rx (Frames)	219.439
- Rx Rate (L1) (Bit/s)	90 M
- Rx Rate (Fps)	7.315
- Avg Latency (micsec)	7,059
- Min Latency (micsec)	6,624
- Max Latency (micsec)	7,971
- Avg Jitter (micsec)	0,000
- Min Jitter (micsec)	0,000
- Max Jitter (micsec)	1,082
P-0-4-1	
- Rx (Frames)	219.439
- Rx Rate (L1) (Bit/s)	90 M
- Rx Rate (Fps)	7.315
- Avg Latency (micsec)	7,078
- Min Latency (micsec)	6,648
- Max Latency (micsec)	8,428
- Avg Jitter (micsec)	0,000

- Min Jitter (micsec)	0,000
- Max Jitter (micsec)	1,443
P-0-4-2	
- Rx (Frames)	219.439
- Rx Rate (L1) (Bit/s)	90 M
- Rx Rate (Fps)	7.315
- Avg Latency (micsec)	9,782
- Min Latency (micsec)	9,318
- Max Latency (micsec)	10,858
- Avg Jitter (micsec)	0,000
- Min Jitter (micsec)	0,000
- Max Jitter (micsec)	1,298
P-0-4-3	
- Rx (Frames)	219.439
- Rx Rate (L1) (Bit/s)	90 M
- Rx Rate (Fps)	7.315
- Avg Latency (micsec)	9,762
- Min Latency (micsec)	9,246
- Max Latency (micsec)	10,737
- Avg Jitter (micsec)	0,000
- Min Jitter (micsec)	0,000
- Max Jitter (micsec)	1,202
P-0-4-4	
- Rx (Frames)	219.439
- Rx Rate (L1) (Bit/s)	90 M
- Rx Rate (Fps)	7.315
- Avg Latency (micsec)	9,757
- Min Latency (micsec)	9,294
- Max Latency (micsec)	10,569
- Avg Jitter (micsec)	0,000
- Min Jitter (micsec)	0,000
- Max Jitter (micsec)	1,010
P-0-4-5	
- Rx (Frames)	219.439
- Rx Rate (L1) (Bit/s)	90 M
- Rx Rate (Fps)	7.315
- Avg Latency (micsec)	9,747
- Min Latency (micsec)	9,294
- Max Latency (micsec)	10,569
- Avg Jitter (micsec)	0,000
- Min Jitter (micsec)	0,000
- Max Jitter (micsec)	1,010

Note: One or more of the tests did not pass the test criteria!

