

Xena2889 Test Report

Test Summary

Test company: Xena Networks
 Customer: Xena Networks
 Test Date and Time: 2016-07-02, 03:07
 Test Duration: 15:59:26 (h:m:s)
 Generated By: Xena2889 v1.17, running on 'Microsoft Windows 7 Enterprise'

Test Setup

Test Configuration

Subtest Selection

Rate Test: Full Mesh Enabled
 - Throughput Enabled
 - Forwarding Enabled

Rate Test: Part.Mesh, 1:N Enabled
 - Throughput Enabled
 - Forwarding Enabled

Rate Test: Part.Mesh, N->N Enabled
 - Throughput Enabled
 - Forwarding Enabled

Congestion Control: Enabled
 Forward Pressure: Enabled
 Maximum Forwarding Rate: Enabled
 Address Caching Capacity: Enabled
 Address Learning Rate: Enabled
 Errored Frames Filtering: Enabled
 Broadcast Forwarding: Enabled

Test Options

Packet Sizes Used: 64,128,256,512,1024,1280,1518

Rate Type: Fraction
 Fraction per Port: 100,00%

Latency Measurement Mode: Last-To-Last
 Toggle Port Sync States: Yes

Traffic Configuration

Used Chassis

Chassis ID	Chassis Name	Address
C-0	New chassis	140.181.139.228:22606

Used Ports

Port ID	Interface Type	Speed	IP Address & Gateway	Protocol Segment Profile
P-0-0-0	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-0-1	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-0-2	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-0-3	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-0-4	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-0-5	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet

P-0-2-0	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-2-1	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-2-2	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-2-3	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-2-4	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-2-5	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-4-0	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-4-1	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-4-2	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-4-3	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-4-4	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet
P-0-4-5	SFP-O LR 1310 nm	AUTO	No address specified	1: Ethernet

Rate Test: Full Mesh Results

Test Setup

Duration: 30 seconds
 Iteration: 1
 Topology: Mesh
 Direction: Bidirectional

Throughput Options

Initial Rate: 100,00%
 Maximum Rate: 100,00%
 Minimum Rate: 0,10%
 Resolution: 0,50%

Used Ports

Port ID
P-0-0-0
P-0-0-1
P-0-0-2
P-0-0-3
P-0-0-4
P-0-0-5
P-0-2-0
P-0-2-1
P-0-2-2
P-0-2-3
P-0-2-4
P-0-2-5
P-0-4-0
P-0-4-1
P-0-4-2
P-0-4-3
P-0-4-4
P-0-4-5

Throughput Test Results

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	1,856 %	20,587 %	20,782 %	20,782 %	20,782 %	20,782 %
Tx Rate (L1) (Bit/s)	334,08 M	3,71 G	3,74 G	3,74 G	3,74 G	3,74 G
Tx Rate (Fps)	497,148	3.129.819	1.694.210	878.954	447.892	359.693
Rx Rate (Percent)	1,86 %	20,59 %	20,78 %	20,78 %	20,78 %	20,78 %
Rx Rate (L1) (Bit/s)	334,08 M	3,71 G	3,74 G	3,74 G	3,74 G	3,74 G
Rx Rate (Fps)	497,15 K	3,13 M	1,69 M	878,95 K	447,89 K	359,69 K
Loss Rate (Percent)	0 %	0 %	0 %	0 %	0 %	0 %
Loss (Frames)	0	0	0	0	0	0
P-0-0-0						
- Tx (Frames)	828.580	5.216.365	2.823.683	1.464.924	746.487	599.488
- Tx Rate (L1) (Bit/s)	18,56 M	205,87 M	207,82 M	207,82 M	207,82 M	207,82 M
- Tx Rate (Fps)	27.619	173.879	94.123	48.831	24.883	19.983
- Rx (Frames)	828.580	5.216.365	2.823.683	1.464.924	746.487	599.488
- Rx Rate (L1) (Bit/s)	18,56 M	205,87 M	207,82 M	207,82 M	207,82 M	207,82 M
- Rx Rate (Fps)	27.619	173.879	94.123	48.831	24.883	19.983
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-1						
- Tx (Frames)	828.580	5.216.365	2.823.683	1.464.924	746.487	599.488
- Tx Rate (L1) (Bit/s)	18,56 M	205,87 M	207,82 M	207,82 M	207,82 M	207,82 M
- Tx Rate (Fps)	27.619	173.879	94.123	48.831	24.883	19.983
- Rx (Frames)	828.580	5.216.365	2.823.683	1.464.924	746.487	599.488
- Rx Rate (L1) (Bit/s)	18,56 M	205,87 M	207,82 M	207,82 M	207,82 M	207,82 M
- Rx Rate (Fps)	27.619	173.879	94.123	48.831	24.883	19.983

- Flood Count (Frames)	91	95	95	90	93	89
P-0-0-2						
- Tx (Frames)	828.580	5.216.365	2.823.683	1.464.924	746.487	599.488
- Tx Rate (L1) (Bit/s)	18,56 M	205,87 M	207,82 M	207,82 M	207,82 M	207,82 M
- Tx Rate (Fps)	27.619	173.879	94.123	48.831	24.883	19.983
- Rx (Frames)	828.580	5.216.365	2.823.683	1.464.924	746.487	599.488
- Rx Rate (L1) (Bit/s)	18,56 M	205,87 M	207,82 M	207,82 M	207,82 M	207,82 M
- Rx Rate (Fps)	27.619	173.879	94.123	48.831	24.883	19.983
- Flood Count (Frames)	92	90	91	91	91	87
P-0-0-3						
- Tx (Frames)	828.580	5.216.365	2.823.683	1.464.924	746.487	599.488
- Tx Rate (L1) (Bit/s)	18,56 M	205,87 M	207,82 M	207,82 M	207,82 M	207,82 M
- Tx Rate (Fps)	27.619	173.879	94.123	48.831	24.883	19.983
- Rx (Frames)	828.580	5.216.365	2.823.683	1.464.924	746.487	599.488
- Rx Rate (L1) (Bit/s)	18,56 M	205,87 M	207,82 M	207,82 M	207,82 M	207,82 M
- Rx Rate (Fps)	27.619	173.879	94.123	48.831	24.883	19.983
- Flood Count (Frames)	88	91	93	90	92	89
P-0-0-4						
- Tx (Frames)	828.580	5.216.365	2.823.683	1.464.924	746.487	599.488
- Tx Rate (L1) (Bit/s)	18,56 M	205,87 M	207,82 M	207,82 M	207,82 M	207,82 M
- Tx Rate (Fps)	27.619	173.879	94.123	48.831	24.883	19.983
- Rx (Frames)	828.580	5.216.365	2.823.683	1.464.924	746.487	599.488
- Rx Rate (L1) (Bit/s)	18,56 M	205,87 M	207,82 M	207,82 M	207,82 M	207,82 M
- Rx Rate (Fps)	27.619	173.879	94.123	48.831	24.883	19.983
- Flood Count (Frames)	93	87	93	90	92	93
P-0-0-5						
- Tx (Frames)	828.580	5.216.365	2.823.683	1.464.924	746.487	599.488
- Tx Rate (L1) (Bit/s)	18,56 M	205,87 M	207,82 M	207,82 M	207,82 M	207,82 M
- Tx Rate (Fps)	27.619	173.879	94.123	48.831	24.883	19.983
- Rx (Frames)	828.580	5.216.365	2.823.683	1.464.924	746.487	599.488
- Rx Rate (L1) (Bit/s)	18,56 M	205,87 M	207,82 M	207,82 M	207,82 M	207,82 M
- Rx Rate (Fps)	27.619	173.879	94.123	48.831	24.883	19.983
- Flood Count (Frames)	91	92	95	88	91	92
P-0-2-0						
- Tx (Frames)	828.580	5.216.365	2.823.683	1.464.924	746.487	599.488
- Tx Rate (L1) (Bit/s)	18,56 M	205,87 M	207,82 M	207,82 M	207,82 M	207,82 M
- Tx Rate (Fps)	27.619	173.879	94.123	48.831	24.883	19.983
- Rx (Frames)	828.580	5.216.365	2.823.683	1.464.924	746.487	599.488
- Rx Rate (L1) (Bit/s)	18,56 M	205,87 M	207,82 M	207,82 M	207,82 M	207,82 M
- Rx Rate (Fps)	27.619	173.879	94.123	48.831	24.883	19.983
- Flood Count (Frames)	95	93	92	88	92	91
P-0-2-1						
- Tx (Frames)	828.580	5.216.365	2.823.683	1.464.924	746.487	599.488
- Tx Rate (L1) (Bit/s)	18,56 M	205,87 M	207,82 M	207,82 M	207,82 M	207,82 M
- Tx Rate (Fps)	27.619	173.879	94.123	48.831	24.883	19.983
- Rx (Frames)	828.580	5.216.365	2.823.683	1.464.924	746.487	599.488
- Rx Rate (L1) (Bit/s)	18,56 M	205,87 M	207,82 M	207,82 M	207,82 M	207,82 M
- Rx Rate (Fps)	27.619	173.879	94.123	48.831	24.883	19.983
- Flood Count (Frames)	91	95	93	91	90	91
P-0-2-2						
- Tx (Frames)	828.580	5.216.365	2.823.683	1.464.924	746.487	599.488
- Tx Rate (L1) (Bit/s)	18,56 M	205,87 M	207,82 M	207,82 M	207,82 M	207,82 M
- Tx Rate (Fps)	27.619	173.879	94.123	48.831	24.883	19.983
- Rx (Frames)	828.580	5.216.365	2.823.683	1.464.924	746.487	599.488
- Rx Rate (L1) (Bit/s)	18,56 M	205,87 M	207,82 M	207,82 M	207,82 M	207,82 M
- Rx Rate (Fps)	27.619	173.879	94.123	48.831	24.883	19.983
- Flood Count (Frames)	94	92	88	93	93	93
P-0-2-3						
- Tx (Frames)	828.580	5.216.365	2.823.683	1.464.924	746.487	599.488
- Tx Rate (L1) (Bit/s)	18,56 M	205,87 M	207,82 M	207,82 M	207,82 M	207,82 M
- Tx Rate (Fps)	27.619	173.879	94.123	48.831	24.883	19.983
- Rx (Frames)	828.580	5.216.365	2.823.683	1.464.924	746.487	599.488
- Rx Rate (L1) (Bit/s)	18,56 M	205,87 M	207,82 M	207,82 M	207,82 M	207,82 M
- Rx Rate (Fps)	27.619	173.879	94.123	48.831	24.883	19.983
- Flood Count (Frames)	93	90	91	92	90	93
P-0-2-4						
- Tx (Frames)	828.580	5.216.365	2.823.683	1.464.924	746.487	599.488
- Tx Rate (L1) (Bit/s)	18,56 M	205,87 M	207,82 M	207,82 M	207,82 M	207,82 M
- Tx Rate (Fps)	27.619	173.879	94.123	48.831	24.883	19.983
- Rx (Frames)	828.580	5.216.365	2.823.683	1.464.924	746.487	599.488
- Rx Rate (L1) (Bit/s)	18,56 M	205,87 M	207,82 M	207,82 M	207,82 M	207,82 M


- Rx Rate (Fps)	27.619	173.879	94.123	48.831	24.883	19.983
- Flood Count (Frames)	91	89	86	92	95	84
P-0-2-5						
- Tx (Frames)	828.580	5.216.365	2.823.683	1.464.924	746.487	599.488
- Tx Rate (L1) (Bit/s)	18,56 M	205,87 M	207,82 M	207,82 M	207,82 M	207,82 M
- Tx Rate (Fps)	27.619	173.879	94.123	48.831	24.883	19.983
- Rx (Frames)	828.580	5.216.365	2.823.683	1.464.924	746.487	599.488
- Rx Rate (L1) (Bit/s)	18,56 M	205,87 M	207,82 M	207,82 M	207,82 M	207,82 M
- Rx Rate (Fps)	27.619	173.879	94.123	48.831	24.883	19.983
- Flood Count (Frames)	91	94	88	89	94	90
P-0-4-0						
- Tx (Frames)	828.580	5.216.365	2.823.683	1.464.924	746.487	599.488
- Tx Rate (L1) (Bit/s)	18,56 M	205,87 M	207,82 M	207,82 M	207,82 M	207,82 M
- Tx Rate (Fps)	27.619	173.879	94.123	48.831	24.883	19.983
- Rx (Frames)	828.580	5.216.365	2.823.683	1.464.924	746.487	599.488
- Rx Rate (L1) (Bit/s)	18,56 M	205,87 M	207,82 M	207,82 M	207,82 M	207,82 M
- Rx Rate (Fps)	27.619	173.879	94.123	48.831	24.883	19.983
- Flood Count (Frames)	90	90	91	93	88	91
P-0-4-1						
- Tx (Frames)	828.580	5.216.365	2.823.683	1.464.924	746.487	599.488
- Tx Rate (L1) (Bit/s)	18,56 M	205,87 M	207,82 M	207,82 M	207,82 M	207,82 M
- Tx Rate (Fps)	27.619	173.879	94.123	48.831	24.883	19.983
- Rx (Frames)	828.580	5.216.365	2.823.683	1.464.924	746.487	599.488
- Rx Rate (L1) (Bit/s)	18,56 M	205,87 M	207,82 M	207,82 M	207,82 M	207,82 M
- Rx Rate (Fps)	27.619	173.879	94.123	48.831	24.883	19.983
- Flood Count (Frames)	91	91	89	91	93	93
P-0-4-2						
- Tx (Frames)	828.580	5.216.365	2.823.683	1.464.924	746.487	599.488
- Tx Rate (L1) (Bit/s)	18,56 M	205,87 M	207,82 M	207,82 M	207,82 M	207,82 M
- Tx Rate (Fps)	27.619	173.879	94.123	48.831	24.883	19.983
- Rx (Frames)	828.580	5.216.365	2.823.683	1.464.924	746.487	599.488
- Rx Rate (L1) (Bit/s)	18,56 M	205,87 M	207,82 M	207,82 M	207,82 M	207,82 M
- Rx Rate (Fps)	27.619	173.879	94.123	48.831	24.883	19.983
- Flood Count (Frames)	90	92	93	92	94	93
P-0-4-3						
- Tx (Frames)	828.580	5.216.365	2.823.683	1.464.924	746.487	599.488
- Tx Rate (L1) (Bit/s)	18,56 M	205,87 M	207,82 M	207,82 M	207,82 M	207,82 M
- Tx Rate (Fps)	27.619	173.879	94.123	48.831	24.883	19.983
- Rx (Frames)	828.580	5.216.365	2.823.683	1.464.924	746.487	599.488
- Rx Rate (L1) (Bit/s)	18,56 M	205,87 M	207,82 M	207,82 M	207,82 M	207,82 M
- Rx Rate (Fps)	27.619	173.879	94.123	48.831	24.883	19.983
- Flood Count (Frames)	93	91	89	92	88	92
P-0-4-4						
- Tx (Frames)	828.580	5.216.365	2.823.683	1.464.924	746.487	599.488
- Tx Rate (L1) (Bit/s)	18,56 M	205,87 M	207,82 M	207,82 M	207,82 M	207,82 M
- Tx Rate (Fps)	27.619	173.879	94.123	48.831	24.883	19.983
- Rx (Frames)	828.580	5.216.365	2.823.683	1.464.924	746.487	599.488
- Rx Rate (L1) (Bit/s)	18,56 M	205,87 M	207,82 M	207,82 M	207,82 M	207,82 M
- Rx Rate (Fps)	27.619	173.879	94.123	48.831	24.883	19.983
- Flood Count (Frames)	92	93	92	95	93	94
P-0-4-5						
- Tx (Frames)	828.580	5.216.365	2.823.683	1.464.924	746.487	599.488
- Tx Rate (L1) (Bit/s)	18,56 M	205,87 M	207,82 M	207,82 M	207,82 M	207,82 M
- Tx Rate (Fps)	27.619	173.879	94.123	48.831	24.883	19.983
- Rx (Frames)	828.580	5.216.365	2.823.683	1.464.924	746.487	599.488
- Rx Rate (L1) (Bit/s)	18,56 M	205,87 M	207,82 M	207,82 M	207,82 M	207,82 M
- Rx Rate (Fps)	27.619	173.879	94.123	48.831	24.883	19.983
- Flood Count (Frames)	91	92	92	91	93	89

Frame Size	1518
Result State	PASS
Iter. #	1
Tx Rate (Percent)	21,185 %
Tx Rate (L1) (Bit/s)	3,81 G
Tx Rate (Fps)	309.917
Rx Rate (Percent)	21,18 %
Rx Rate (L1) (Bit/s)	3,81 G
Rx Rate (Fps)	309,92 K
Loss Rate (Percent)	0 %
Loss (Frames)	0

P-0-0-0	
- Tx (Frames)	516.528
- Tx Rate (L1) (Bit/s)	211,85 M
- Tx Rate (Fps)	17.218
- Rx (Frames)	516.528
- Rx Rate (L1) (Bit/s)	211,85 M
- Rx Rate (Fps)	17.218
- Flood Count (Frames)	0
P-0-0-1	
- Tx (Frames)	516.528
- Tx Rate (L1) (Bit/s)	211,85 M
- Tx Rate (Fps)	17.218
- Rx (Frames)	516.528
- Rx Rate (L1) (Bit/s)	211,85 M
- Rx Rate (Fps)	17.218
- Flood Count (Frames)	92
P-0-0-2	
- Tx (Frames)	516.528
- Tx Rate (L1) (Bit/s)	211,85 M
- Tx Rate (Fps)	17.218
- Rx (Frames)	516.528
- Rx Rate (L1) (Bit/s)	211,85 M
- Rx Rate (Fps)	17.218
- Flood Count (Frames)	93
P-0-0-3	
- Tx (Frames)	516.528
- Tx Rate (L1) (Bit/s)	211,85 M
- Tx Rate (Fps)	17.218
- Rx (Frames)	516.528
- Rx Rate (L1) (Bit/s)	211,85 M
- Rx Rate (Fps)	17.218
- Flood Count (Frames)	90
P-0-0-4	
- Tx (Frames)	516.528
- Tx Rate (L1) (Bit/s)	211,85 M
- Tx Rate (Fps)	17.218
- Rx (Frames)	516.528
- Rx Rate (L1) (Bit/s)	211,85 M
- Rx Rate (Fps)	17.218
- Flood Count (Frames)	94
P-0-0-5	
- Tx (Frames)	516.528
- Tx Rate (L1) (Bit/s)	211,85 M
- Tx Rate (Fps)	17.218
- Rx (Frames)	516.528
- Rx Rate (L1) (Bit/s)	211,85 M
- Rx Rate (Fps)	17.218
- Flood Count (Frames)	93
P-0-2-0	
- Tx (Frames)	516.528
- Tx Rate (L1) (Bit/s)	211,85 M
- Tx Rate (Fps)	17.218
- Rx (Frames)	516.528
- Rx Rate (L1) (Bit/s)	211,85 M
- Rx Rate (Fps)	17.218
- Flood Count (Frames)	94
P-0-2-1	
- Tx (Frames)	516.528
- Tx Rate (L1) (Bit/s)	211,85 M
- Tx Rate (Fps)	17.218
- Rx (Frames)	516.528
- Rx Rate (L1) (Bit/s)	211,85 M
- Rx Rate (Fps)	17.218
- Flood Count (Frames)	95
P-0-2-2	
- Tx (Frames)	516.528
- Tx Rate (L1) (Bit/s)	211,85 M
- Tx Rate (Fps)	17.218
- Rx (Frames)	516.528
- Rx Rate (L1) (Bit/s)	211,85 M
- Rx Rate (Fps)	17.218

- Flood Count (Frames)	92
P-0-2-3	
- Tx (Frames)	516.528
- Tx Rate (L1) (Bit/s)	211,85 M
- Tx Rate (Fps)	17.218
- Rx (Frames)	516.528
- Rx Rate (L1) (Bit/s)	211,85 M
- Rx Rate (Fps)	17.218
- Flood Count (Frames)	93
P-0-2-4	
- Tx (Frames)	516.528
- Tx Rate (L1) (Bit/s)	211,85 M
- Tx Rate (Fps)	17.218
- Rx (Frames)	516.528
- Rx Rate (L1) (Bit/s)	211,85 M
- Rx Rate (Fps)	17.218
- Flood Count (Frames)	88
P-0-2-5	
- Tx (Frames)	516.528
- Tx Rate (L1) (Bit/s)	211,85 M
- Tx Rate (Fps)	17.218
- Rx (Frames)	516.528
- Rx Rate (L1) (Bit/s)	211,85 M
- Rx Rate (Fps)	17.218
- Flood Count (Frames)	93
P-0-4-0	
- Tx (Frames)	516.528
- Tx Rate (L1) (Bit/s)	211,85 M
- Tx Rate (Fps)	17.218
- Rx (Frames)	516.528
- Rx Rate (L1) (Bit/s)	211,85 M
- Rx Rate (Fps)	17.218
- Flood Count (Frames)	92
P-0-4-1	
- Tx (Frames)	516.528
- Tx Rate (L1) (Bit/s)	211,85 M
- Tx Rate (Fps)	17.218
- Rx (Frames)	516.528
- Rx Rate (L1) (Bit/s)	211,85 M
- Rx Rate (Fps)	17.218
- Flood Count (Frames)	93
P-0-4-2	
- Tx (Frames)	516.528
- Tx Rate (L1) (Bit/s)	211,85 M
- Tx Rate (Fps)	17.218
- Rx (Frames)	516.528
- Rx Rate (L1) (Bit/s)	211,85 M
- Rx Rate (Fps)	17.218
- Flood Count (Frames)	94
P-0-4-3	
- Tx (Frames)	516.528
- Tx Rate (L1) (Bit/s)	211,85 M
- Tx Rate (Fps)	17.218
- Rx (Frames)	516.528
- Rx Rate (L1) (Bit/s)	211,85 M
- Rx Rate (Fps)	17.218
- Flood Count (Frames)	95
P-0-4-4	
- Tx (Frames)	516.528
- Tx Rate (L1) (Bit/s)	211,85 M
- Tx Rate (Fps)	17.218
- Rx (Frames)	516.528
- Rx Rate (L1) (Bit/s)	211,85 M
- Rx Rate (Fps)	17.218
- Flood Count (Frames)	93
P-0-4-5	
- Tx (Frames)	516.528
- Tx Rate (L1) (Bit/s)	211,85 M
- Tx Rate (Fps)	17.218
- Rx (Frames)	516.528
- Rx Rate (L1) (Bit/s)	211,85 M

- Rx Rate (Fps)	17.218
- Flood Count (Frames)	98



Forwarding Test Results

Results for 50,00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	50 %	50 %	50 %	50 %	50 %	50 %
Tx Rate (L1) (Bit/s)	9 G	9 G	9 G	9 G	9 G	9 G
Tx Rate (Fps)	13.392.855	7.601.346	4.076.083	2.114.654	1.077.579	865.378
Rx Rate (Percent)	10,43 %	30,01 %	30,2 %	30,57 %	28,61 %	28,3 %
Rx Rate (L1) (Bit/s)	1,88 G	5,4 G	5,44 G	5,5 G	5,15 G	5,09 G
Rx Rate (Fps)	2,79 M	4,56 M	2,46 M	1,29 M	616,49 K	489,77 K
Loss Rate (Percent)	79,14 %	39,99 %	39,6 %	38,86 %	42,79 %	43,4 %
Loss (Frames)	317.958.278	91.189.249	48.421.502	24.655.262	13.832.563	11.268.300
P-0-0-0						
- Tx (Frames)	22.321.425	12.668.910	6.793.472	3.524.423	1.795.965	1.442.297
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.048	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	18.573	7.880.379	4.159.080	2.242.560	1.251.016	889.050
- Rx Rate (L1) (Bit/s)	416,04 K	311,01 M	306,11 M	318,14 M	348,28 M	308,2 M
- Rx Rate (Fps)	619	262.679	138.636	74.752	41.701	29.635
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-1						
- Tx (Frames)	22.321.425	12.668.910	6.793.472	3.524.423	1.795.965	1.442.297
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.048	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	17.748	8.018.420	4.097.765	2.207.231	1.177.020	860.913
- Rx Rate (L1) (Bit/s)	397,56 K	316,46 M	301,6 M	313,13 M	327,68 M	298,45 M
- Rx Rate (Fps)	592	267.281	136.592	73.574	39.234	28.697
- Flood Count (Frames)	89	92	93	93	92	92
P-0-0-2						
- Tx (Frames)	22.321.425	12.668.910	6.793.472	3.524.423	1.795.965	1.442.297
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.048	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	17.697	8.136.095	4.253.920	2.187.573	1.066.791	900.352
- Rx Rate (L1) (Bit/s)	396,41 K	321,1 M	313,09 M	310,34 M	296,99 M	312,12 M
- Rx Rate (Fps)	590	271.203	141.797	72.919	35.560	30.012
- Flood Count (Frames)	91	92	91	92	87	90
P-0-0-3						
- Tx (Frames)	22.321.425	12.668.910	6.793.472	3.524.423	1.795.965	1.442.297
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.048	422.297	226.449	117.481	59.866	48.077


- Rx (Frames)	17.679	7.893.212	4.267.566	2.166.171	1.087.830	940.626
- Rx Rate (L1) (Bit/s)	396,01 K	311,52 M	314,09 M	307,31 M	302,85 M	326,08 M
- Rx Rate (Fps)	589	263.107	142.252	72.206	36.261	31.354
- Flood Count (Frames)	91	89	93	94	93	92
P-0-0-4						
- Tx (Frames)	22.321.425	12.668.910	6.793.472	3.524.423	1.795.965	1.442.297
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.048	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	17.850	7.607.485	4.316.663	2.171.165	1.085.853	940.174
- Rx Rate (L1) (Bit/s)	399,84 K	300,24 M	317,71 M	308,02 M	302,3 M	325,93 M
- Rx Rate (Fps)	595	253.583	143.889	72.372	36.195	31.339
- Flood Count (Frames)	90	89	94	94	91	91
P-0-0-5						
- Tx (Frames)	22.321.425	12.668.910	6.793.472	3.524.423	1.795.965	1.442.297
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.048	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	19.152	7.503.563	4.292.559	2.240.837	1.080.775	891.293
- Rx Rate (L1) (Bit/s)	429 K	296,14 M	315,93 M	317,9 M	300,89 M	308,98 M
- Rx Rate (Fps)	638	250.119	143.085	74.695	36.026	29.710
- Flood Count (Frames)	92	90	93	93	89	91
P-0-2-0						
- Tx (Frames)	22.321.425	12.668.910	6.793.472	3.524.423	1.795.965	1.442.297
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.048	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	8.484.784	6.981.969	3.729.923	2.098.694	673.558	563.290
- Rx Rate (L1) (Bit/s)	190,06 M	275,56 M	274,52 M	297,73 M	187,52 M	195,27 M
- Rx Rate (Fps)	282.826	232.732	124.331	69.956	22.452	18.776
- Flood Count (Frames)	89	91	90	94	69	58
P-0-2-1						
- Tx (Frames)	22.321.425	12.668.910	6.793.472	3.524.423	1.795.965	1.442.297
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.048	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	8.303.959	7.159.029	3.881.763	2.010.262	721.130	571.379
- Rx Rate (L1) (Bit/s)	186,01 M	282,54 M	285,7 M	285,19 M	200,76 M	198,08 M
- Rx Rate (Fps)	276.799	238.634	129.392	67.009	24.038	19.046
- Flood Count (Frames)	94	95	92	91	70	65
P-0-2-2						
- Tx (Frames)	22.321.425	12.668.910	6.793.472	3.524.423	1.795.965	1.442.297
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.048	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	8.067.881	7.090.340	3.666.950	2.077.911	739.172	516.610
- Rx Rate (L1) (Bit/s)	180,72 M	279,83 M	269,89 M	294,79 M	205,79 M	179,09 M
- Rx Rate (Fps)	268.929	236.345	122.232	69.264	24.639	17.220
- Flood Count (Frames)	92	95	91	90	70	54
P-0-2-3						
- Tx (Frames)	22.321.425	12.668.910	6.793.472	3.524.423	1.795.965	1.442.297
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.048	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	8.048.600	6.844.293	3.552.577	1.949.329	771.745	510.091
- Rx Rate (L1) (Bit/s)	180,29 M	270,12 M	261,47 M	276,54 M	214,85 M	176,83 M
- Rx Rate (Fps)	268.287	228.143	118.419	64.978	25.725	17.003
- Flood Count (Frames)	89	93	90	91	69	62
P-0-2-4						
- Tx (Frames)	22.321.425	12.668.910	6.793.472	3.524.423	1.795.965	1.442.297
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.048	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	3.902.739	7.117.276	3.674.977	2.002.764	983.063	786.293
- Rx Rate (L1) (Bit/s)	87,42 M	280,9 M	270,48 M	284,13 M	273,68 M	272,58 M
- Rx Rate (Fps)	130.091	237.243	122.499	66.759	32.769	26.210
- Flood Count (Frames)	91	95	92	93	97	90
P-0-2-5						
- Tx (Frames)	22.321.425	12.668.910	6.793.472	3.524.423	1.795.965	1.442.297
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.048	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	3.893.771	7.240.385	3.824.024	1.917.877	973.685	740.193
- Rx Rate (L1) (Bit/s)	87,22 M	285,75 M	281,45 M	272,08 M	271,07 M	256,6 M
- Rx Rate (Fps)	129.792	241.346	127.467	63.929	32.456	24.673
- Flood Count (Frames)	90	91	90	90	88	94
P-0-4-0						
- Tx (Frames)	22.321.425	12.668.910	6.793.472	3.524.423	1.795.965	1.442.297
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M

- Tx Rate (Fps)	744.048	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	3.881.151	7.165.961	4.026.354	2.189.276	1.075.434	863.166
- Rx Rate (L1) (Bit/s)	86,94 M	282,82 M	296,34 M	310,59 M	299,4 M	299,23 M
- Rx Rate (Fps)	129.372	238.865	134.212	72.976	35.848	28.772
- Flood Count (Frames)	92	91	89	92	95	91
P-0-4-1						
- Tx (Frames)	22.321.425	12.668.910	6.793.472	3.524.423	1.795.965	1.442.297
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.048	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	3.874.967	6.696.517	4.073.468	2.012.095	1.083.126	860.684
- Rx Rate (L1) (Bit/s)	86,8 M	264,29 M	299,81 M	285,45 M	301,54 M	298,37 M
- Rx Rate (Fps)	129.166	223.217	135.782	67.070	36.104	28.689
- Flood Count (Frames)	88	95	93	95	95	91
P-0-4-2						
- Tx (Frames)	22.321.425	12.668.910	6.793.472	3.524.423	1.795.965	1.442.297
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.048	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	8.944.831	8.154.460	4.311.232	2.315.378	1.132.322	971.016
- Rx Rate (L1) (Bit/s)	200,36 M	321,83 M	317,31 M	328,47 M	315,24 M	336,62 M
- Rx Rate (Fps)	298.161	271.815	143.708	77.179	37.744	32.367
- Flood Count (Frames)	91	94	90	94	91	95
P-0-4-3						
- Tx (Frames)	22.321.425	12.668.910	6.793.472	3.524.423	1.795.965	1.442.297
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.048	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	8.847.465	8.263.243	4.372.575	2.281.853	1.227.447	970.055
- Rx Rate (L1) (Bit/s)	198,18 M	326,12 M	321,82 M	323,72 M	341,72 M	336,29 M
- Rx Rate (Fps)	294.916	275.441	145.753	76.062	40.915	32.335
- Flood Count (Frames)	93	90	92	94	94	90
P-0-4-4						
- Tx (Frames)	22.321.425	12.668.910	6.793.472	3.524.423	1.795.965	1.442.297
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.048	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	8.723.456	8.695.891	4.642.272	2.342.548	1.167.321	965.884
- Rx Rate (L1) (Bit/s)	195,41 M	343,2 M	341,67 M	332,33 M	324,98 M	334,84 M
- Rx Rate (Fps)	290.782	289.863	154.742	78.085	38.911	32.196
- Flood Count (Frames)	95	93	89	90	93	91
P-0-4-5						
- Tx (Frames)	22.321.425	12.668.910	6.793.472	3.524.423	1.795.965	1.442.297
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.048	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	8.745.069	8.402.613	4.717.326	2.370.828	1.197.519	951.977
- Rx Rate (L1) (Bit/s)	195,89 M	331,62 M	347,2 M	336,34 M	333,39 M	330,02 M
- Rx Rate (Fps)	291.502	280.087	157.244	79.028	39.917	31.733
- Flood Count (Frames)	92	93	92	91	93	88

Frame Size	1518
Result State	PASS
Iter. #	1
Tx Rate (Percent)	50 %
Tx Rate (L1) (Bit/s)	9 G
Tx Rate (Fps)	731.462
Rx Rate (Percent)	29,01 %
Rx Rate (L1) (Bit/s)	5,22 G
Rx Rate (Fps)	424,4 K
Loss Rate (Percent)	41,98 %
Loss (Frames)	9.211.900
P-0-0-0	
- Tx (Frames)	1.219.104
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	837.118
- Rx Rate (L1) (Bit/s)	343,33 M
- Rx Rate (Fps)	27.904
- Flood Count (Frames)	0
P-0-0-1	
- Tx (Frames)	1.219.104
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	778.419

- Rx Rate (L1) (Bit/s)	319,26 M
- Rx Rate (Fps)	25.947
- Flood Count (Frames)	92
P-0-0-2	
- Tx (Frames)	1.219.104
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	754.305
- Rx Rate (L1) (Bit/s)	309,37 M
- Rx Rate (Fps)	25.144
- Flood Count (Frames)	88
P-0-0-3	
- Tx (Frames)	1.219.104
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	733.876
- Rx Rate (L1) (Bit/s)	300,99 M
- Rx Rate (Fps)	24.463
- Flood Count (Frames)	95
P-0-0-4	
- Tx (Frames)	1.219.104
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	737.147
- Rx Rate (L1) (Bit/s)	302,33 M
- Rx Rate (Fps)	24.572
- Flood Count (Frames)	89
P-0-0-5	
- Tx (Frames)	1.219.104
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	744.959
- Rx Rate (L1) (Bit/s)	305,53 M
- Rx Rate (Fps)	24.832
- Flood Count (Frames)	90
P-0-2-0	
- Tx (Frames)	1.219.104
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	513.311
- Rx Rate (L1) (Bit/s)	210,53 M
- Rx Rate (Fps)	17.110
- Flood Count (Frames)	62
P-0-2-1	
- Tx (Frames)	1.219.104
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	538.670
- Rx Rate (L1) (Bit/s)	220,93 M
- Rx Rate (Fps)	17.956
- Flood Count (Frames)	60
P-0-2-2	
- Tx (Frames)	1.219.104
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	542.113
- Rx Rate (L1) (Bit/s)	222,34 M
- Rx Rate (Fps)	18.070
- Flood Count (Frames)	72
P-0-2-3	
- Tx (Frames)	1.219.104
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	518.334
- Rx Rate (L1) (Bit/s)	212,59 M
- Rx Rate (Fps)	17.278
- Flood Count (Frames)	64
P-0-2-4	
- Tx (Frames)	1.219.104
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637

- Rx (Frames)	658.348
- Rx Rate (L1) (Bit/s)	270,01 M
- Rx Rate (Fps)	21.945
- Flood Count (Frames)	92
P-0-2-5	
- Tx (Frames)	1.219.104
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	670.224
- Rx Rate (L1) (Bit/s)	274,88 M
- Rx Rate (Fps)	22.341
- Flood Count (Frames)	93
P-0-4-0	
- Tx (Frames)	1.219.104
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	701.166
- Rx Rate (L1) (Bit/s)	287,57 M
- Rx Rate (Fps)	23.372
- Flood Count (Frames)	90
P-0-4-1	
- Tx (Frames)	1.219.104
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	778.107
- Rx Rate (L1) (Bit/s)	319,13 M
- Rx Rate (Fps)	25.937
- Flood Count (Frames)	88
P-0-4-2	
- Tx (Frames)	1.219.104
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	791.567
- Rx Rate (L1) (Bit/s)	324,65 M
- Rx Rate (Fps)	26.386
- Flood Count (Frames)	93
P-0-4-3	
- Tx (Frames)	1.219.104
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	807.447
- Rx Rate (L1) (Bit/s)	331,16 M
- Rx Rate (Fps)	26.915
- Flood Count (Frames)	93
P-0-4-4	
- Tx (Frames)	1.219.104
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	809.236
- Rx Rate (L1) (Bit/s)	331,89 M
- Rx Rate (Fps)	26.975
- Flood Count (Frames)	93
P-0-4-5	
- Tx (Frames)	1.219.104
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	817.625
- Rx Rate (L1) (Bit/s)	335,34 M
- Rx Rate (Fps)	27.254
- Flood Count (Frames)	91



Results for 100,00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	100 %	100 %	100 %	100 %	100 %	100 %
Tx Rate (L1) (Bit/s)	18 G	18 G	18 G	18 G	18 G	18 G
Tx Rate (Fps)	26.785.710	15.202.702	8.152.166	4.229.318	2.155.168	1.730.767
Rx Rate (Percent)	0,02 %	7,88 %	41,08 %	42,32 %	34,9 %	33,95 %
Rx Rate (L1) (Bit/s)	3,09 M	1,42 G	7,39 G	7,62 G	6,28 G	6,11 G
Rx Rate (Fps)	4,6 K	1,2 M	3,35 M	1,79 M	752,1 K	587,55 K
Loss Rate (Percent)	99,98 %	92,12 %	58,92 %	57,68 %	65,1 %	66,05 %
Loss (Frames)	803.433.301	420.155.615	144.102.523	73.178.083	42.092.059	34.296.429
P-0-0-0						
- Tx (Frames)	44.642.850	25.337.837	13.586.944	7.048.863	3.591.947	2.884.611
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1.488.095	844.595	452.898	234.962	119.732	96.154
- Rx (Frames)	7.722	10.478	6.317.001	3.372.440	1.609.280	1.332.875
- Rx Rate (L1) (Bit/s)	172,97 K	413,53 K	464,93 M	478,44 M	448,02 M	462,06 M
- Rx Rate (Fps)	257	349	210.567	112.415	53.643	44.429
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-1						
- Tx (Frames)	44.642.850	25.337.837	13.586.944	7.048.863	3.591.947	2.884.611
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1.488.095	844.595	452.898	234.962	119.732	96.154
- Rx (Frames)	8.207	10.460	6.263.716	3.291.624	1.628.277	1.347.180
- Rx Rate (L1) (Bit/s)	183,84 K	412,82 K	461,01 M	466,97 M	453,31 M	467,02 M
- Rx Rate (Fps)	274	349	208.791	109.721	54.276	44.906
- Flood Count (Frames)	92	91	93	91	93	94
P-0-0-2						
- Tx (Frames)	44.642.850	25.337.837	13.586.944	7.048.863	3.591.947	2.884.611
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1.488.095	844.595	452.898	234.962	119.732	96.154
- Rx (Frames)	8.663	10.047	6.184.608	3.205.486	1.620.372	1.322.957
- Rx Rate (L1) (Bit/s)	194,05 K	396,52 K	455,19 M	454,75 M	451,11 M	458,63 M
- Rx Rate (Fps)	289	335	206.154	106.850	54.012	44.099
- Flood Count (Frames)	95	94	94	93	91	89
P-0-0-3						
- Tx (Frames)	44.642.850	25.337.837	13.586.944	7.048.863	3.591.947	2.884.611
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1.488.095	844.595	452.898	234.962	119.732	96.154
- Rx (Frames)	8.542	11.299	6.126.170	3.207.281	1.718.222	1.304.795
- Rx Rate (L1) (Bit/s)	191,34 K	445,93 K	450,89 M	455,01 M	478,35 M	452,33 M
- Rx Rate (Fps)	285	377	204.206	106.909	57.274	43.493
- Flood Count (Frames)	92	93	94	92	94	91
P-0-0-4						
- Tx (Frames)	44.642.850	25.337.837	13.586.944	7.048.863	3.591.947	2.884.611


- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1.488.095	844.595	452.898	234.962	119.732	96.154
- Rx (Frames)	8.055	10.758	6.249.874	3.163.688	1.669.020	1.333.657
- Rx Rate (L1) (Bit/s)	180,43 K	424,58 K	459,99 M	448,82 M	464,66 M	462,33 M
- Rx Rate (Fps)	269	359	208.329	105.456	55.634	44.455
- Flood Count (Frames)	93	94	92	97	92	93
P-0-0-5						
- Tx (Frames)	44.642.850	25.337.837	13.586.944	7.048.863	3.591.947	2.884.611
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1.488.095	844.595	452.898	234.962	119.732	96.154
- Rx (Frames)	8.685	11.551	6.238.490	3.188.415	1.652.198	1.303.642
- Rx Rate (L1) (Bit/s)	194,54 K	455,88 K	459,15 M	452,33 M	459,97 M	451,93 M
- Rx Rate (Fps)	290	385	207.950	106.281	55.073	43.455
- Flood Count (Frames)	93	92	93	90	92	93
P-0-2-0						
- Tx (Frames)	44.642.850	25.337.837	13.586.944	7.048.863	3.591.947	2.884.611
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1.488.095	844.595	452.898	234.962	119.732	96.154
- Rx (Frames)	6.731	4.476.908	4.922.853	2.644.162	733.084	458.710
- Rx Rate (L1) (Bit/s)	150,77 K	176,69 M	362,32 M	375,12 M	204,09 M	159,02 M
- Rx Rate (Fps)	224	149.230	164.095	88.139	24.436	15.290
- Flood Count (Frames)	92	91	89	91	55	49
P-0-2-1						
- Tx (Frames)	44.642.850	25.337.837	13.586.944	7.048.863	3.591.947	2.884.611
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1.488.095	844.595	452.898	234.962	119.732	96.154
- Rx (Frames)	6.609	4.477.017	5.174.471	2.790.985	626.776	469.956
- Rx Rate (L1) (Bit/s)	148,04 K	176,69 M	380,84 M	395,95 M	174,49 M	162,92 M
- Rx Rate (Fps)	220	149.234	172.482	93.033	20.893	15.665
- Flood Count (Frames)	91	90	90	90	55	60
P-0-2-2						
- Tx (Frames)	44.642.850	25.337.837	13.586.944	7.048.863	3.591.947	2.884.611
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1.488.095	844.595	452.898	234.962	119.732	96.154
- Rx (Frames)	7.266	4.477.457	5.152.892	2.878.205	638.410	495.341
- Rx Rate (L1) (Bit/s)	162,76 K	176,71 M	379,25 M	408,32 M	177,73 M	171,72 M
- Rx Rate (Fps)	242	149.249	171.763	95.940	21.280	16.511
- Flood Count (Frames)	92	88	92	92	50	44
P-0-2-3						
- Tx (Frames)	44.642.850	25.337.837	13.586.944	7.048.863	3.591.947	2.884.611
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1.488.095	844.595	452.898	234.962	119.732	96.154
- Rx (Frames)	7.575	4.477.923	4.648.282	2.632.628	625.529	508.869
- Rx Rate (L1) (Bit/s)	169,68 K	176,73 M	342,11 M	373,48 M	174,15 M	176,41 M
- Rx Rate (Fps)	253	149.264	154.943	87.754	20.851	16.962
- Flood Count (Frames)	91	91	91	92	37	47
P-0-2-4						
- Tx (Frames)	44.642.850	25.337.837	13.586.944	7.048.863	3.591.947	2.884.611
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1.488.095	844.595	452.898	234.962	119.732	96.154
- Rx (Frames)	6.834	9.145	4.668.300	2.601.249	1.013.557	760.339
- Rx Rate (L1) (Bit/s)	153,08 K	360,92 K	343,59 M	369,03 M	282,17 M	263,58 M
- Rx Rate (Fps)	228	305	155.610	86.708	33.785	25.345
- Flood Count (Frames)	91	93	93	90	67	65
P-0-2-5						
- Tx (Frames)	44.642.850	25.337.837	13.586.944	7.048.863	3.591.947	2.884.611
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1.488.095	844.595	452.898	234.962	119.732	96.154
- Rx (Frames)	7.535	8.859	4.743.360	3.064.561	998.527	669.041
- Rx Rate (L1) (Bit/s)	168,78 K	349,64 K	349,11 M	434,76 M	277,99 M	231,93 M
- Rx Rate (Fps)	251	295	158.112	102.152	33.284	22.301
- Flood Count (Frames)	88	91	93	96	62	65
P-0-4-0						
- Tx (Frames)	44.642.850	25.337.837	13.586.944	7.048.863	3.591.947	2.884.611
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1.488.095	844.595	452.898	234.962	119.732	96.154
- Rx (Frames)	7.422	9.037	5.489.553	2.550.757	884.094	713.238
- Rx Rate (L1) (Bit/s)	166,25 K	356,66 K	404,03 M	361,87 M	246,13 M	247,26 M
- Rx Rate (Fps)	247	301	182.985	85.025	29.470	23.775
- Flood Count (Frames)	90	92	94	92	78	72
P-0-4-1						

- Tx (Frames)	44.642.850	25.337.837	13.586.944	7.048.863	3.591.947	2.884.611
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1.488.095	844.595	452.898	234.962	119.732	96.154
- Rx (Frames)	7.358	8.820	5.290.615	3.133.463	1.030.364	692.497
- Rx Rate (L1) (Bit/s)	164,82 K	348,1 K	389,39 M	444,53 M	286,85 M	240,07 M
- Rx Rate (Fps)	245	294	176.354	104.449	34.345	23.083
- Flood Count (Frames)	89	94	93	94	70	66
P-0-4-2						
- Tx (Frames)	44.642.850	25.337.837	13.586.944	7.048.863	3.591.947	2.884.611
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1.488.095	844.595	452.898	234.962	119.732	96.154
- Rx (Frames)	7.451	4.478.925	5.704.594	2.871.544	1.504.304	1.264.594
- Rx Rate (L1) (Bit/s)	166,9 K	176,77 M	419,86 M	407,38 M	418,8 M	438,39 M
- Rx Rate (Fps)	248	149.298	190.153	95.718	50.143	42.153
- Flood Count (Frames)	89	93	92	92	91	96
P-0-4-3						
- Tx (Frames)	44.642.850	25.337.837	13.586.944	7.048.863	3.591.947	2.884.611
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1.488.095	844.595	452.898	234.962	119.732	96.154
- Rx (Frames)	7.395	4.479.007	5.758.829	2.952.637	1.682.497	1.226.847
- Rx Rate (L1) (Bit/s)	165,65 K	176,77 M	423,85 M	418,88 M	468,41 M	425,31 M
- Rx Rate (Fps)	247	149.300	191.961	98.421	56.083	40.895
- Flood Count (Frames)	93	94	94	93	91	94
P-0-4-4						
- Tx (Frames)	44.642.850	25.337.837	13.586.944	7.048.863	3.591.947	2.884.611
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1.488.095	844.595	452.898	234.962	119.732	96.154
- Rx (Frames)	7.425	4.478.864	5.729.046	3.068.463	1.404.469	1.230.841
- Rx Rate (L1) (Bit/s)	166,32 K	176,77 M	421,66 M	435,31 M	391 M	426,69 M
- Rx Rate (Fps)	248	149.295	190.968	102.282	46.816	41.028
- Flood Count (Frames)	94	93	91	91	93	92
P-0-4-5						
- Tx (Frames)	44.642.850	25.337.837	13.586.944	7.048.863	3.591.947	2.884.611
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1.488.095	844.595	452.898	234.962	119.732	96.154
- Rx (Frames)	8.524	4.478.896	5.799.815	3.083.863	1.524.007	1.191.190
- Rx Rate (L1) (Bit/s)	190,94 K	176,77 M	426,87 M	437,5 M	424,28 M	412,95 M
- Rx Rate (Fps)	284	149.297	193.327	102.795	50.800	39.706
- Flood Count (Frames)	94	94	93	92	93	91

Frame Size	1518
Result State	PASS
Iter. #	1
Tx Rate (Percent)	100 %
Tx Rate (L1) (Bit/s)	18 G
Tx Rate (Fps)	1.462.935
Rx Rate (Percent)	34,45 %
Rx Rate (L1) (Bit/s)	6,2 G
Rx Rate (Fps)	503,96 K
Loss Rate (Percent)	65,55 %
Loss (Frames)	28.769.120
P-0-0-0	
- Tx (Frames)	2.438.225
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81.274
- Rx (Frames)	1.152.676
- Rx Rate (L1) (Bit/s)	472,75 M
- Rx Rate (Fps)	38.423
- Flood Count (Frames)	0
P-0-0-1	
- Tx (Frames)	2.438.225
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81.274
- Rx (Frames)	1.160.724
- Rx Rate (L1) (Bit/s)	476,05 M
- Rx Rate (Fps)	38.691
- Flood Count (Frames)	90
P-0-0-2	
- Tx (Frames)	2.438.225
- Tx Rate (L1) (Bit/s)	1000 M

- Tx Rate (Fps)	81.274
- Rx (Frames)	1.126.668
- Rx Rate (L1) (Bit/s)	462,08 M
- Rx Rate (Fps)	37.556
- Flood Count (Frames)	93
P-0-0-3	
- Tx (Frames)	2.438.225
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81.274
- Rx (Frames)	1.131.824
- Rx Rate (L1) (Bit/s)	464,2 M
- Rx Rate (Fps)	37.727
- Flood Count (Frames)	90
P-0-0-4	
- Tx (Frames)	2.438.225
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81.274
- Rx (Frames)	1.066.812
- Rx Rate (L1) (Bit/s)	437,54 M
- Rx Rate (Fps)	35.560
- Flood Count (Frames)	93
P-0-0-5	
- Tx (Frames)	2.438.225
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81.274
- Rx (Frames)	1.078.893
- Rx Rate (L1) (Bit/s)	442,49 M
- Rx Rate (Fps)	35.963
- Flood Count (Frames)	95
P-0-2-0	
- Tx (Frames)	2.438.225
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81.274
- Rx (Frames)	434.516
- Rx Rate (L1) (Bit/s)	178,21 M
- Rx Rate (Fps)	14.484
- Flood Count (Frames)	48
P-0-2-1	
- Tx (Frames)	2.438.225
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81.274
- Rx (Frames)	425.062
- Rx Rate (L1) (Bit/s)	174,33 M
- Rx Rate (Fps)	14.169
- Flood Count (Frames)	53
P-0-2-2	
- Tx (Frames)	2.438.225
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81.274
- Rx (Frames)	385.034
- Rx Rate (L1) (Bit/s)	157,92 M
- Rx Rate (Fps)	12.834
- Flood Count (Frames)	42
P-0-2-3	
- Tx (Frames)	2.438.225
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81.274
- Rx (Frames)	432.989
- Rx Rate (L1) (Bit/s)	177,58 M
- Rx Rate (Fps)	14.433
- Flood Count (Frames)	47
P-0-2-4	
- Tx (Frames)	2.438.225
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81.274
- Rx (Frames)	676.844
- Rx Rate (L1) (Bit/s)	277,6 M
- Rx Rate (Fps)	22.561
- Flood Count (Frames)	73
P-0-2-5	
- Tx (Frames)	2.438.225

- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81.274
- Rx (Frames)	601.045
- Rx Rate (L1) (Bit/s)	246,51 M
- Rx Rate (Fps)	20.035
- Flood Count (Frames)	66
P-0-4-0	
- Tx (Frames)	2.438.225
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81.274
- Rx (Frames)	648.843
- Rx Rate (L1) (Bit/s)	266,11 M
- Rx Rate (Fps)	21.628
- Flood Count (Frames)	71
P-0-4-1	
- Tx (Frames)	2.438.225
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81.274
- Rx (Frames)	643.253
- Rx Rate (L1) (Bit/s)	263,82 M
- Rx Rate (Fps)	21.442
- Flood Count (Frames)	72
P-0-4-2	
- Tx (Frames)	2.438.225
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81.274
- Rx (Frames)	1.021.493
- Rx Rate (L1) (Bit/s)	418,95 M
- Rx Rate (Fps)	34.050
- Flood Count (Frames)	94
P-0-4-3	
- Tx (Frames)	2.438.225
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81.274
- Rx (Frames)	1.087.224
- Rx Rate (L1) (Bit/s)	445,91 M
- Rx Rate (Fps)	36.241
- Flood Count (Frames)	95
P-0-4-4	
- Tx (Frames)	2.438.225
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81.274
- Rx (Frames)	1.033.954
- Rx Rate (L1) (Bit/s)	424,06 M
- Rx Rate (Fps)	34.465
- Flood Count (Frames)	92
P-0-4-5	
- Tx (Frames)	2.438.225
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81.274
- Rx (Frames)	1.011.076
- Rx Rate (L1) (Bit/s)	414,68 M
- Rx Rate (Fps)	33.703
- Flood Count (Frames)	90



Rate Test: Part.Mesh, 1:N Results

Test Setup

Duration: 30 seconds
 Iteration: 1
 Topology: Blocks
 Direction: Bidirectional

Throughput Options

Initial Rate: 100,00%
 Maximum Rate: 100,00%
 Minimum Rate: 0,10%
 Resolution: 0,50%

Used Ports

Port ID	Port Role
P-0-0-0	East
P-0-0-1	West
P-0-0-2	West
P-0-0-3	West
P-0-0-4	West
P-0-0-5	West
P-0-2-0	West
P-0-2-1	West
P-0-2-2	West
P-0-2-3	West
P-0-2-4	West
P-0-2-5	West
P-0-4-0	West
P-0-4-1	West
P-0-4-2	West
P-0-4-3	West
P-0-4-4	West
P-0-4-5	West

Throughput Test Results

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	5,173 %	5,661 %	5,758 %	5,758 %	5,758 %	5,758 %
Tx Rate (L1) (Bit/s)	931,15 M	1,02 G	1,04 G	1,04 G	1,04 G	1,04 G
Tx Rate (Fps)	1.385.637	860.600	469.435	243.541	124.103	99.664
Rx Rate (Percent)	5,17 %	5,66 %	5,76 %	5,76 %	5,76 %	5,76 %
Rx Rate (L1) (Bit/s)	931,15 M	1,02 G	1,04 G	1,04 G	1,04 G	1,04 G
Rx Rate (Fps)	1,39 M	860,6 K	469,43 K	243,54 K	124,1 K	99,66 K
Loss Rate (Percent)	0 %	0 %	0 %	0 %	0 %	0 %
Loss (Frames)	0	0	0	0	0	0
P-0-0-0						
- Tx (Frames)	2.309.382	1.434.324	782.391	405.892	206.839	166.107
- Tx Rate (L1) (Bit/s)	51,73 M	56,61 M	57,58 M	57,58 M	57,58 M	57,58 M
- Tx Rate (Fps)	76.979	47.811	26.080	13.530	6.895	5.537
- Rx (Frames)	39.259.715	24.383.678	13.300.647	6.900.334	3.516.263	2.823.819
- Rx Rate (L1) (Bit/s)	879,42 M	962,34 M	978,93 M	978,93 M	978,93 M	978,92 M
- Rx Rate (Fps)	1.308.657	812.789	443.355	230.011	117.209	94.127
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-1						
- Tx (Frames)	2.309.395	1.434.334	782.391	405.902	206.839	166.107
- Tx Rate (L1) (Bit/s)	51,73 M	56,61 M	57,58 M	57,58 M	57,58 M	57,58 M
- Tx Rate (Fps)	76.980	47.811	26.080	13.530	6.895	5.537
- Rx (Frames)	135.846	84.372	46.023	23.876	12.167	9.771
- Rx Rate (L1) (Bit/s)	3,04 M	3,33 M	3,39 M	3,39 M	3,39 M	3,39 M
- Rx Rate (Fps)	4.528	2.812	1.534	796	406	326

- Flood Count (Frames)	91	91	92	96	96	91
P-0-0-2						
- Tx (Frames)	2.309.395	1.434.334	782.391	405.902	206.839	166.107
- Tx Rate (L1) (Bit/s)	51,73 M	56,61 M	57,58 M	57,58 M	57,58 M	57,58 M
- Tx Rate (Fps)	76.980	47.811	26.080	13.530	6.895	5.537
- Rx (Frames)	135.846	84.372	46.023	23.876	12.167	9.771
- Rx Rate (L1) (Bit/s)	3,04 M	3,33 M	3,39 M	3,39 M	3,39 M	3,39 M
- Rx Rate (Fps)	4.528	2.812	1.534	796	406	326
- Flood Count (Frames)	93	90	93	93	94	91
P-0-0-3						
- Tx (Frames)	2.309.395	1.434.334	782.391	405.902	206.839	166.107
- Tx Rate (L1) (Bit/s)	51,73 M	56,61 M	57,58 M	57,58 M	57,58 M	57,58 M
- Tx Rate (Fps)	76.980	47.811	26.080	13.530	6.895	5.537
- Rx (Frames)	135.846	84.372	46.023	23.876	12.167	9.771
- Rx Rate (L1) (Bit/s)	3,04 M	3,33 M	3,39 M	3,39 M	3,39 M	3,39 M
- Rx Rate (Fps)	4.528	2.812	1.534	796	406	326
- Flood Count (Frames)	92	91	91	94	94	95
P-0-0-4						
- Tx (Frames)	2.309.395	1.434.334	782.391	405.902	206.839	166.107
- Tx Rate (L1) (Bit/s)	51,73 M	56,61 M	57,58 M	57,58 M	57,58 M	57,58 M
- Tx Rate (Fps)	76.980	47.811	26.080	13.530	6.895	5.537
- Rx (Frames)	135.846	84.372	46.023	23.876	12.167	9.771
- Rx Rate (L1) (Bit/s)	3,04 M	3,33 M	3,39 M	3,39 M	3,39 M	3,39 M
- Rx Rate (Fps)	4.528	2.812	1.534	796	406	326
- Flood Count (Frames)	93	91	93	92	93	92
P-0-0-5						
- Tx (Frames)	2.309.395	1.434.334	782.391	405.902	206.839	166.107
- Tx Rate (L1) (Bit/s)	51,73 M	56,61 M	57,58 M	57,58 M	57,58 M	57,58 M
- Tx Rate (Fps)	76.980	47.811	26.080	13.530	6.895	5.537
- Rx (Frames)	135.846	84.372	46.023	23.876	12.167	9.771
- Rx Rate (L1) (Bit/s)	3,04 M	3,33 M	3,39 M	3,39 M	3,39 M	3,39 M
- Rx Rate (Fps)	4.528	2.812	1.534	796	406	326
- Flood Count (Frames)	92	92	91	93	94	90
P-0-2-0						
- Tx (Frames)	2.309.395	1.434.334	782.391	405.902	206.839	166.107
- Tx Rate (L1) (Bit/s)	51,73 M	56,61 M	57,58 M	57,58 M	57,58 M	57,58 M
- Tx Rate (Fps)	76.980	47.811	26.080	13.530	6.895	5.537
- Rx (Frames)	135.846	84.372	46.023	23.876	12.167	9.771
- Rx Rate (L1) (Bit/s)	3,04 M	3,33 M	3,39 M	3,39 M	3,39 M	3,39 M
- Rx Rate (Fps)	4.528	2.812	1.534	796	406	326
- Flood Count (Frames)	89	94	93	93	91	91
P-0-2-1						
- Tx (Frames)	2.309.395	1.434.334	782.391	405.902	206.839	166.107
- Tx Rate (L1) (Bit/s)	51,73 M	56,61 M	57,58 M	57,58 M	57,58 M	57,58 M
- Tx Rate (Fps)	76.980	47.811	26.080	13.530	6.895	5.537
- Rx (Frames)	135.846	84.372	46.023	23.876	12.167	9.771
- Rx Rate (L1) (Bit/s)	3,04 M	3,33 M	3,39 M	3,39 M	3,39 M	3,39 M
- Rx Rate (Fps)	4.528	2.812	1.534	796	406	326
- Flood Count (Frames)	91	93	93	91	94	95
P-0-2-2						
- Tx (Frames)	2.309.395	1.434.334	782.391	405.902	206.839	166.107
- Tx Rate (L1) (Bit/s)	51,73 M	56,61 M	57,58 M	57,58 M	57,58 M	57,58 M
- Tx Rate (Fps)	76.980	47.811	26.080	13.530	6.895	5.537
- Rx (Frames)	135.846	84.372	46.023	23.876	12.167	9.771
- Rx Rate (L1) (Bit/s)	3,04 M	3,33 M	3,39 M	3,39 M	3,39 M	3,39 M
- Rx Rate (Fps)	4.528	2.812	1.534	796	406	326
- Flood Count (Frames)	87	89	91	91	90	91
P-0-2-3						
- Tx (Frames)	2.309.395	1.434.334	782.391	405.902	206.839	166.107
- Tx Rate (L1) (Bit/s)	51,73 M	56,61 M	57,58 M	57,58 M	57,58 M	57,58 M
- Tx Rate (Fps)	76.980	47.811	26.080	13.530	6.895	5.537
- Rx (Frames)	135.846	84.372	46.023	23.876	12.167	9.771
- Rx Rate (L1) (Bit/s)	3,04 M	3,33 M	3,39 M	3,39 M	3,39 M	3,39 M
- Rx Rate (Fps)	4.528	2.812	1.534	796	406	326
- Flood Count (Frames)	88	88	88	93	88	90
P-0-2-4						
- Tx (Frames)	2.309.395	1.434.334	782.391	405.902	206.839	166.107
- Tx Rate (L1) (Bit/s)	51,73 M	56,61 M	57,58 M	57,58 M	57,58 M	57,58 M
- Tx Rate (Fps)	76.980	47.811	26.080	13.530	6.895	5.537
- Rx (Frames)	135.846	84.372	46.023	23.876	12.167	9.771
- Rx Rate (L1) (Bit/s)	3,04 M	3,33 M	3,39 M	3,39 M	3,39 M	3,39 M


- Rx Rate (Fps)	4.528	2.812	1.534	796	406	326
- Flood Count (Frames)	92	90	91	92	91	92
P-0-2-5						
- Tx (Frames)	2.309.395	1.434.334	782.391	405.902	206.839	166.107
- Tx Rate (L1) (Bit/s)	51,73 M	56,61 M	57,58 M	57,58 M	57,58 M	57,58 M
- Tx Rate (Fps)	76.980	47.811	26.080	13.530	6.895	5.537
- Rx (Frames)	135.846	84.372	46.023	23.876	12.167	9.771
- Rx Rate (L1) (Bit/s)	3,04 M	3,33 M	3,39 M	3,39 M	3,39 M	3,39 M
- Rx Rate (Fps)	4.528	2.812	1.534	796	406	326
- Flood Count (Frames)	90	91	91	92	92	92
P-0-4-0						
- Tx (Frames)	2.309.395	1.434.334	782.391	405.902	206.839	166.107
- Tx Rate (L1) (Bit/s)	51,73 M	56,61 M	57,58 M	57,58 M	57,58 M	57,58 M
- Tx Rate (Fps)	76.980	47.811	26.080	13.530	6.895	5.537
- Rx (Frames)	135.846	84.372	46.023	23.876	12.167	9.771
- Rx Rate (L1) (Bit/s)	3,04 M	3,33 M	3,39 M	3,39 M	3,39 M	3,39 M
- Rx Rate (Fps)	4.528	2.812	1.534	796	406	326
- Flood Count (Frames)	95	92	90	91	92	91
P-0-4-1						
- Tx (Frames)	2.309.395	1.434.334	782.391	405.902	206.839	166.107
- Tx Rate (L1) (Bit/s)	51,73 M	56,61 M	57,58 M	57,58 M	57,58 M	57,58 M
- Tx Rate (Fps)	76.980	47.811	26.080	13.530	6.895	5.537
- Rx (Frames)	135.846	84.372	46.023	23.876	12.167	9.771
- Rx Rate (L1) (Bit/s)	3,04 M	3,33 M	3,39 M	3,39 M	3,39 M	3,39 M
- Rx Rate (Fps)	4.528	2.812	1.534	796	406	326
- Flood Count (Frames)	93	90	90	86	92	90
P-0-4-2						
- Tx (Frames)	2.309.395	1.434.334	782.391	405.902	206.839	166.107
- Tx Rate (L1) (Bit/s)	51,73 M	56,61 M	57,58 M	57,58 M	57,58 M	57,58 M
- Tx Rate (Fps)	76.980	47.811	26.080	13.530	6.895	5.537
- Rx (Frames)	135.846	84.372	46.023	23.876	12.167	9.771
- Rx Rate (L1) (Bit/s)	3,04 M	3,33 M	3,39 M	3,39 M	3,39 M	3,39 M
- Rx Rate (Fps)	4.528	2.812	1.534	796	406	326
- Flood Count (Frames)	93	92	93	92	91	94
P-0-4-3						
- Tx (Frames)	2.309.395	1.434.334	782.391	405.902	206.839	166.107
- Tx Rate (L1) (Bit/s)	51,73 M	56,61 M	57,58 M	57,58 M	57,58 M	57,58 M
- Tx Rate (Fps)	76.980	47.811	26.080	13.530	6.895	5.537
- Rx (Frames)	135.846	84.372	46.023	23.876	12.167	9.771
- Rx Rate (L1) (Bit/s)	3,04 M	3,33 M	3,39 M	3,39 M	3,39 M	3,39 M
- Rx Rate (Fps)	4.528	2.812	1.534	796	406	326
- Flood Count (Frames)	92	93	90	93	89	90
P-0-4-4						
- Tx (Frames)	2.309.395	1.434.334	782.391	405.902	206.839	166.107
- Tx Rate (L1) (Bit/s)	51,73 M	56,61 M	57,58 M	57,58 M	57,58 M	57,58 M
- Tx Rate (Fps)	76.980	47.811	26.080	13.530	6.895	5.537
- Rx (Frames)	135.846	84.372	46.023	23.876	12.167	9.771
- Rx Rate (L1) (Bit/s)	3,04 M	3,33 M	3,39 M	3,39 M	3,39 M	3,39 M
- Rx Rate (Fps)	4.528	2.812	1.534	796	406	326
- Flood Count (Frames)	93	97	95	94	93	90
P-0-4-5						
- Tx (Frames)	2.309.395	1.434.334	782.391	405.902	206.839	166.107
- Tx Rate (L1) (Bit/s)	51,73 M	56,61 M	57,58 M	57,58 M	57,58 M	57,58 M
- Tx Rate (Fps)	76.980	47.811	26.080	13.530	6.895	5.537
- Rx (Frames)	135.846	84.372	46.023	23.876	12.167	9.771
- Rx Rate (L1) (Bit/s)	3,04 M	3,33 M	3,39 M	3,39 M	3,39 M	3,39 M
- Rx Rate (Fps)	4.528	2.812	1.534	796	406	326
- Flood Count (Frames)	92	93	97	94	93	88

Frame Size	1518
Result State	PASS
Iter. #	1
Tx Rate (Percent)	5,758 %
Tx Rate (L1) (Bit/s)	1,04 G
Tx Rate (Fps)	84.242
Rx Rate (Percent)	5,76 %
Rx Rate (L1) (Bit/s)	1,04 G
Rx Rate (Fps)	84,24 K
Loss Rate (Percent)	0 %
Loss (Frames)	0

P-0-0-0	
- Tx (Frames)	140.403
- Tx Rate (L1) (Bit/s)	57,58 M
- Tx Rate (Fps)	4.680
- Rx (Frames)	2.386.851
- Rx Rate (L1) (Bit/s)	978,93 M
- Rx Rate (Fps)	79.562
- Flood Count (Frames)	0
P-0-0-1	
- Tx (Frames)	140.403
- Tx Rate (L1) (Bit/s)	57,58 M
- Tx Rate (Fps)	4.680
- Rx (Frames)	8.259
- Rx Rate (L1) (Bit/s)	3,39 M
- Rx Rate (Fps)	275
- Flood Count (Frames)	94
P-0-0-2	
- Tx (Frames)	140.403
- Tx Rate (L1) (Bit/s)	57,58 M
- Tx Rate (Fps)	4.680
- Rx (Frames)	8.259
- Rx Rate (L1) (Bit/s)	3,39 M
- Rx Rate (Fps)	275
- Flood Count (Frames)	92
P-0-0-3	
- Tx (Frames)	140.403
- Tx Rate (L1) (Bit/s)	57,58 M
- Tx Rate (Fps)	4.680
- Rx (Frames)	8.259
- Rx Rate (L1) (Bit/s)	3,39 M
- Rx Rate (Fps)	275
- Flood Count (Frames)	90
P-0-0-4	
- Tx (Frames)	140.403
- Tx Rate (L1) (Bit/s)	57,58 M
- Tx Rate (Fps)	4.680
- Rx (Frames)	8.259
- Rx Rate (L1) (Bit/s)	3,39 M
- Rx Rate (Fps)	275
- Flood Count (Frames)	93
P-0-0-5	
- Tx (Frames)	140.403
- Tx Rate (L1) (Bit/s)	57,58 M
- Tx Rate (Fps)	4.680
- Rx (Frames)	8.259
- Rx Rate (L1) (Bit/s)	3,39 M
- Rx Rate (Fps)	275
- Flood Count (Frames)	95
P-0-2-0	
- Tx (Frames)	140.403
- Tx Rate (L1) (Bit/s)	57,58 M
- Tx Rate (Fps)	4.680
- Rx (Frames)	8.259
- Rx Rate (L1) (Bit/s)	3,39 M
- Rx Rate (Fps)	275
- Flood Count (Frames)	92
P-0-2-1	
- Tx (Frames)	140.403
- Tx Rate (L1) (Bit/s)	57,58 M
- Tx Rate (Fps)	4.680
- Rx (Frames)	8.259
- Rx Rate (L1) (Bit/s)	3,39 M
- Rx Rate (Fps)	275
- Flood Count (Frames)	94
P-0-2-2	
- Tx (Frames)	140.403
- Tx Rate (L1) (Bit/s)	57,58 M
- Tx Rate (Fps)	4.680
- Rx (Frames)	8.259
- Rx Rate (L1) (Bit/s)	3,39 M
- Rx Rate (Fps)	275

- Flood Count (Frames)	95
P-0-2-3	
- Tx (Frames)	140.403
- Tx Rate (L1) (Bit/s)	57,58 M
- Tx Rate (Fps)	4.680
- Rx (Frames)	8.259
- Rx Rate (L1) (Bit/s)	3,39 M
- Rx Rate (Fps)	275
- Flood Count (Frames)	93
P-0-2-4	
- Tx (Frames)	140.403
- Tx Rate (L1) (Bit/s)	57,58 M
- Tx Rate (Fps)	4.680
- Rx (Frames)	8.259
- Rx Rate (L1) (Bit/s)	3,39 M
- Rx Rate (Fps)	275
- Flood Count (Frames)	93
P-0-2-5	
- Tx (Frames)	140.403
- Tx Rate (L1) (Bit/s)	57,58 M
- Tx Rate (Fps)	4.680
- Rx (Frames)	8.259
- Rx Rate (L1) (Bit/s)	3,39 M
- Rx Rate (Fps)	275
- Flood Count (Frames)	92
P-0-4-0	
- Tx (Frames)	140.403
- Tx Rate (L1) (Bit/s)	57,58 M
- Tx Rate (Fps)	4.680
- Rx (Frames)	8.259
- Rx Rate (L1) (Bit/s)	3,39 M
- Rx Rate (Fps)	275
- Flood Count (Frames)	95
P-0-4-1	
- Tx (Frames)	140.403
- Tx Rate (L1) (Bit/s)	57,58 M
- Tx Rate (Fps)	4.680
- Rx (Frames)	8.259
- Rx Rate (L1) (Bit/s)	3,39 M
- Rx Rate (Fps)	275
- Flood Count (Frames)	91
P-0-4-2	
- Tx (Frames)	140.403
- Tx Rate (L1) (Bit/s)	57,58 M
- Tx Rate (Fps)	4.680
- Rx (Frames)	8.259
- Rx Rate (L1) (Bit/s)	3,39 M
- Rx Rate (Fps)	275
- Flood Count (Frames)	91
P-0-4-3	
- Tx (Frames)	140.403
- Tx Rate (L1) (Bit/s)	57,58 M
- Tx Rate (Fps)	4.680
- Rx (Frames)	8.259
- Rx Rate (L1) (Bit/s)	3,39 M
- Rx Rate (Fps)	275
- Flood Count (Frames)	92
P-0-4-4	
- Tx (Frames)	140.403
- Tx Rate (L1) (Bit/s)	57,58 M
- Tx Rate (Fps)	4.680
- Rx (Frames)	8.259
- Rx Rate (L1) (Bit/s)	3,39 M
- Rx Rate (Fps)	275
- Flood Count (Frames)	92
P-0-4-5	
- Tx (Frames)	140.403
- Tx Rate (L1) (Bit/s)	57,58 M
- Tx Rate (Fps)	4.680
- Rx (Frames)	8.259
- Rx Rate (L1) (Bit/s)	3,39 M

- Rx Rate (Fps)	275
- Flood Count (Frames)	93



Forwarding Test Results

Results for 50,00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	50 %	50 %	50 %	50 %	50 %	50 %
Tx Rate (L1) (Bit/s)	9 G	9 G	9 G	9 G	9 G	9 G
Tx Rate (Fps)	13.392.857	7.601.351	4.076.087	2.114.661	1.077.586	865.384
Rx Rate (Percent)	0,01 %	8,2 %	8,26 %	8,3 %	8,32 %	8,33 %
Rx Rate (L1) (Bit/s)	2,67 M	1,48 G	1,49 G	1,49 G	1,5 G	1,5 G
Rx Rate (Fps)	3,97 K	1,25 M	673,66 K	351,07 K	179,35 K	144,1 K
Loss Rate (Percent)	99,97 %	83,61 %	83,47 %	83,4 %	83,36 %	83,35 %
Loss (Frames)	401.666.592	190.662.433	102.072.923	52.907.672	26.947.224	21.638.475
P-0-0-0						
- Tx (Frames)	22.321.425	12.668.910	6.793.472	3.524.423	1.795.965	1.442.297
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.048	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	101.131	24.709.173	13.416.203	7.007.740	3.584.385	2.880.744
- Rx Rate (L1) (Bit/s)	2,27 M	975,19 M	987,43 M	994,16 M	997,89 M	998,66 M
- Rx Rate (Fps)	3.371	823.639	447.207	233.591	119.480	96.025
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-1						
- Tx (Frames)	22.321.428	12.668.918	6.793.478	3.524.436	1.795.977	1.442.307
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.048	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	1.058	745.230	399.616	207.319	105.645	84.841
- Rx Rate (L1) (Bit/s)	23,7 K	29,41 M	29,41 M	29,41 M	29,41 M	29,41 M
- Rx Rate (Fps)	35	24.841	13.321	6.911	3.522	2.828
- Flood Count (Frames)	91	90	94	92	95	91
P-0-0-2						
- Tx (Frames)	22.321.428	12.668.918	6.793.478	3.524.436	1.795.977	1.442.307
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.048	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	1.059	745.230	399.616	207.319	105.645	84.841
- Rx Rate (L1) (Bit/s)	23,72 K	29,41 M	29,41 M	29,41 M	29,41 M	29,41 M
- Rx Rate (Fps)	35	24.841	13.321	6.911	3.522	2.828
- Flood Count (Frames)	94	90	93	94	90	90
P-0-0-3						
- Tx (Frames)	22.321.428	12.668.918	6.793.478	3.524.436	1.795.977	1.442.307
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.048	422.297	226.449	117.481	59.866	48.077


- Rx (Frames)	1.059	745.230	399.616	207.319	105.645	84.841
- Rx Rate (L1) (Bit/s)	23,72 K	29,41 M	29,41 M	29,41 M	29,41 M	29,41 M
- Rx Rate (Fps)	35	24.841	13.321	6.911	3.522	2.828
- Flood Count (Frames)	93	93	91	92	91	95
P-0-0-4						
- Tx (Frames)	22.321.428	12.668.918	6.793.478	3.524.436	1.795.977	1.442.307
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.048	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	1.058	745.230	399.616	207.319	105.645	84.841
- Rx Rate (L1) (Bit/s)	23,7 K	29,41 M	29,41 M	29,41 M	29,41 M	29,41 M
- Rx Rate (Fps)	35	24.841	13.321	6.911	3.522	2.828
- Flood Count (Frames)	93	93	93	92	92	94
P-0-0-5						
- Tx (Frames)	22.321.428	12.668.918	6.793.478	3.524.436	1.795.977	1.442.307
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.048	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	1.058	745.230	399.616	207.319	105.645	84.841
- Rx Rate (L1) (Bit/s)	23,7 K	29,41 M	29,41 M	29,41 M	29,41 M	29,41 M
- Rx Rate (Fps)	35	24.841	13.321	6.911	3.522	2.828
- Flood Count (Frames)	93	92	95	92	90	93
P-0-2-0						
- Tx (Frames)	22.321.428	12.668.918	6.793.478	3.524.436	1.795.977	1.442.307
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.048	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	1.058	745.230	399.616	207.319	105.645	84.841
- Rx Rate (L1) (Bit/s)	23,7 K	29,41 M	29,41 M	29,41 M	29,41 M	29,41 M
- Rx Rate (Fps)	35	24.841	13.321	6.911	3.522	2.828
- Flood Count (Frames)	92	92	92	92	93	91
P-0-2-1						
- Tx (Frames)	22.321.428	12.668.918	6.793.478	3.524.436	1.795.977	1.442.307
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.048	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	1.057	745.230	399.616	207.319	105.645	84.841
- Rx Rate (L1) (Bit/s)	23,68 K	29,41 M	29,41 M	29,41 M	29,41 M	29,41 M
- Rx Rate (Fps)	35	24.841	13.321	6.911	3.522	2.828
- Flood Count (Frames)	90	93	93	91	90	95
P-0-2-2						
- Tx (Frames)	22.321.428	12.668.918	6.793.478	3.524.436	1.795.977	1.442.307
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.048	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	1.057	745.230	399.616	207.319	105.645	84.841
- Rx Rate (L1) (Bit/s)	23,68 K	29,41 M	29,41 M	29,41 M	29,41 M	29,41 M
- Rx Rate (Fps)	35	24.841	13.321	6.911	3.522	2.828
- Flood Count (Frames)	90	92	90	93	91	95
P-0-2-3						
- Tx (Frames)	22.321.428	12.668.918	6.793.478	3.524.436	1.795.977	1.442.307
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.048	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	1.057	745.230	399.616	207.319	105.645	84.841
- Rx Rate (L1) (Bit/s)	23,68 K	29,41 M	29,41 M	29,41 M	29,41 M	29,41 M
- Rx Rate (Fps)	35	24.841	13.321	6.911	3.522	2.828
- Flood Count (Frames)	91	94	94	91	90	93
P-0-2-4						
- Tx (Frames)	22.321.428	12.668.918	6.793.478	3.524.436	1.795.977	1.442.307
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.048	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	1.057	745.230	399.616	207.319	105.645	84.841
- Rx Rate (L1) (Bit/s)	23,68 K	29,41 M	29,41 M	29,41 M	29,41 M	29,41 M
- Rx Rate (Fps)	35	24.841	13.321	6.911	3.522	2.828
- Flood Count (Frames)	89	91	88	93	92	91
P-0-2-5						
- Tx (Frames)	22.321.428	12.668.918	6.793.478	3.524.436	1.795.977	1.442.307
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.048	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	1.057	745.230	399.616	207.319	105.645	84.841
- Rx Rate (L1) (Bit/s)	23,68 K	29,41 M	29,41 M	29,41 M	29,41 M	29,41 M
- Rx Rate (Fps)	35	24.841	13.321	6.911	3.522	2.828
- Flood Count (Frames)	91	91	88	91	90	90
P-0-4-0						
- Tx (Frames)	22.321.428	12.668.918	6.793.478	3.524.436	1.795.977	1.442.307
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M

- Tx Rate (Fps)	744.048	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	1.057	745.230	399.616	207.319	105.645	84.841
- Rx Rate (L1) (Bit/s)	23,68 K	29,41 M	29,41 M	29,41 M	29,41 M	29,41 M
- Rx Rate (Fps)	35	24.841	13.321	6.911	3.522	2.828
- Flood Count (Frames)	91	92	93	91	91	90
P-0-4-1						
- Tx (Frames)	22.321.428	12.668.918	6.793.478	3.524.436	1.795.977	1.442.307
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.048	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	1.057	745.230	399.616	207.319	105.645	84.841
- Rx Rate (L1) (Bit/s)	23,68 K	29,41 M	29,41 M	29,41 M	29,41 M	29,41 M
- Rx Rate (Fps)	35	24.841	13.321	6.911	3.522	2.828
- Flood Count (Frames)	95	88	93	93	90	91
P-0-4-2						
- Tx (Frames)	22.321.428	12.668.918	6.793.478	3.524.436	1.795.977	1.442.307
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.048	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	1.057	745.230	399.616	207.319	105.645	84.841
- Rx Rate (L1) (Bit/s)	23,68 K	29,41 M	29,41 M	29,41 M	29,41 M	29,41 M
- Rx Rate (Fps)	35	24.841	13.321	6.911	3.522	2.828
- Flood Count (Frames)	93	92	92	92	90	91
P-0-4-3						
- Tx (Frames)	22.321.428	12.668.918	6.793.478	3.524.436	1.795.977	1.442.307
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.048	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	1.057	745.230	399.616	207.319	105.645	84.841
- Rx Rate (L1) (Bit/s)	23,68 K	29,41 M	29,41 M	29,41 M	29,41 M	29,41 M
- Rx Rate (Fps)	35	24.841	13.321	6.911	3.522	2.828
- Flood Count (Frames)	94	94	92	93	86	90
P-0-4-4						
- Tx (Frames)	22.321.428	12.668.918	6.793.478	3.524.436	1.795.977	1.442.307
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.048	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	1.057	745.230	399.616	207.319	105.645	84.841
- Rx Rate (L1) (Bit/s)	23,68 K	29,41 M	29,41 M	29,41 M	29,41 M	29,41 M
- Rx Rate (Fps)	35	24.841	13.321	6.911	3.522	2.828
- Flood Count (Frames)	92	93	90	92	86	93
P-0-4-5						
- Tx (Frames)	22.321.428	12.668.918	6.793.478	3.524.436	1.795.977	1.442.307
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.048	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	1.058	745.230	399.616	207.319	105.645	84.841
- Rx Rate (L1) (Bit/s)	23,7 K	29,41 M	29,41 M	29,41 M	29,41 M	29,41 M
- Rx Rate (Fps)	35	24.841	13.321	6.911	3.522	2.828
- Flood Count (Frames)	90	93	88	94	91	92

Frame Size	1518
Result State	PASS
Iter. #	1
Tx Rate (Percent)	50 %
Tx Rate (L1) (Bit/s)	9 G
Tx Rate (Fps)	731.469
Rx Rate (Percent)	8,33 %
Rx Rate (L1) (Bit/s)	1,5 G
Rx Rate (Fps)	121,84 K
Loss Rate (Percent)	83,34 %
Loss (Frames)	18.288.801
P-0-0-0	
- Tx (Frames)	1.219.104
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	2.436.154
- Rx Rate (L1) (Bit/s)	999,15 M
- Rx Rate (Fps)	81.205
- Flood Count (Frames)	0
P-0-0-1	
- Tx (Frames)	1.219.115
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	71.712

- Rx Rate (L1) (Bit/s)	29,41 M
- Rx Rate (Fps)	2.390
- Flood Count (Frames)	91
P-0-0-2	
- Tx (Frames)	1.219.115
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	71.712
- Rx Rate (L1) (Bit/s)	29,41 M
- Rx Rate (Fps)	2.390
- Flood Count (Frames)	93
P-0-0-3	
- Tx (Frames)	1.219.115
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	71.712
- Rx Rate (L1) (Bit/s)	29,41 M
- Rx Rate (Fps)	2.390
- Flood Count (Frames)	92
P-0-0-4	
- Tx (Frames)	1.219.115
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	71.712
- Rx Rate (L1) (Bit/s)	29,41 M
- Rx Rate (Fps)	2.390
- Flood Count (Frames)	93
P-0-0-5	
- Tx (Frames)	1.219.115
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	71.712
- Rx Rate (L1) (Bit/s)	29,41 M
- Rx Rate (Fps)	2.390
- Flood Count (Frames)	91
P-0-2-0	
- Tx (Frames)	1.219.115
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	71.712
- Rx Rate (L1) (Bit/s)	29,41 M
- Rx Rate (Fps)	2.390
- Flood Count (Frames)	88
P-0-2-1	
- Tx (Frames)	1.219.115
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	71.712
- Rx Rate (L1) (Bit/s)	29,41 M
- Rx Rate (Fps)	2.390
- Flood Count (Frames)	93
P-0-2-2	
- Tx (Frames)	1.219.115
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	71.712
- Rx Rate (L1) (Bit/s)	29,41 M
- Rx Rate (Fps)	2.390
- Flood Count (Frames)	90
P-0-2-3	
- Tx (Frames)	1.219.115
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	71.712
- Rx Rate (L1) (Bit/s)	29,41 M
- Rx Rate (Fps)	2.390
- Flood Count (Frames)	91
P-0-2-4	
- Tx (Frames)	1.219.115
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637

- Rx (Frames)	71.712
- Rx Rate (L1) (Bit/s)	29,41 M
- Rx Rate (Fps)	2.390
- Flood Count (Frames)	89
P-0-2-5	
- Tx (Frames)	1.219.115
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	71.712
- Rx Rate (L1) (Bit/s)	29,41 M
- Rx Rate (Fps)	2.390
- Flood Count (Frames)	91
P-0-4-0	
- Tx (Frames)	1.219.115
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	71.712
- Rx Rate (L1) (Bit/s)	29,41 M
- Rx Rate (Fps)	2.390
- Flood Count (Frames)	92
P-0-4-1	
- Tx (Frames)	1.219.115
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	71.712
- Rx Rate (L1) (Bit/s)	29,41 M
- Rx Rate (Fps)	2.390
- Flood Count (Frames)	91
P-0-4-2	
- Tx (Frames)	1.219.115
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	71.712
- Rx Rate (L1) (Bit/s)	29,41 M
- Rx Rate (Fps)	2.390
- Flood Count (Frames)	92
P-0-4-3	
- Tx (Frames)	1.219.115
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	71.712
- Rx Rate (L1) (Bit/s)	29,41 M
- Rx Rate (Fps)	2.390
- Flood Count (Frames)	89
P-0-4-4	
- Tx (Frames)	1.219.115
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	71.712
- Rx Rate (L1) (Bit/s)	29,41 M
- Rx Rate (Fps)	2.390
- Flood Count (Frames)	94
P-0-4-5	
- Tx (Frames)	1.219.115
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	71.712
- Rx Rate (L1) (Bit/s)	29,41 M
- Rx Rate (Fps)	2.390
- Flood Count (Frames)	91



Results for 100,00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	100 %	100 %	100 %	100 %	100 %	100 %
Tx Rate (L1) (Bit/s)	18 G	18 G	18 G	18 G	18 G	18 G
Tx Rate (Fps)	26.785.714	15.202.702	8.152.173	4.229.323	2.155.172	1.730.769
Rx Rate (Percent)	0,01 %	0,02 %	11,04 %	11,05 %	10,98 %	10,95 %
Rx Rate (L1) (Bit/s)	1,77 M	2,8 M	1,99 G	1,99 G	1,98 G	1,97 G
Rx Rate (Fps)	2,63 K	2,36 K	900,21 K	467,37 K	236,73 K	189,56 K
Loss Rate (Percent)	99,99 %	99,98 %	88,96 %	88,95 %	89,02 %	89,05 %
Loss (Frames)	803.492.433	456.010.166	217.558.836	112.858.681	57.553.399	46.236.258
P-0-0-0						
- Tx (Frames)	44.642.850	25.337.837	13.586.944	7.048.863	3.591.947	2.884.611
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1.488.095	844.595	452.898	234.962	119.732	96.154
- Rx (Frames)	61.336	54.937	13.419.417	7.008.965	3.584.934	2.881.117
- Rx Rate (L1) (Bit/s)	1,37 M	2,17 M	987,67 M	994,34 M	998,05 M	998,79 M
- Rx Rate (Fps)	2.045	1.831	447.314	233.632	119.498	96.037
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-1						
- Tx (Frames)	44.642.857	25.337.837	13.586.956	7.048.872	3.591.954	2.884.615
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1.488.095	844.595	452.899	234.962	119.732	96.154
- Rx (Frames)	1.039	939	799.232	412.467	206.813	164.949
- Rx Rate (L1) (Bit/s)	23,27 K	37,06 K	58,82 M	58,52 M	57,58 M	57,18 M
- Rx Rate (Fps)	35	31	26.641	13.749	6.894	5.498
- Flood Count (Frames)	90	91	88	93	93	88
P-0-0-2						
- Tx (Frames)	44.642.857	25.337.837	13.586.956	7.048.872	3.591.954	2.884.615
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1.488.095	844.595	452.899	234.962	119.732	96.154
- Rx (Frames)	1.039	939	799.232	412.497	206.781	165.013
- Rx Rate (L1) (Bit/s)	23,27 K	37,06 K	58,82 M	58,52 M	57,57 M	57,2 M
- Rx Rate (Fps)	35	31	26.641	13.750	6.893	5.500
- Flood Count (Frames)	90	91	95	93	92	89
P-0-0-3						
- Tx (Frames)	44.642.857	25.337.837	13.586.956	7.048.872	3.591.954	2.884.615
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1.488.095	844.595	452.899	234.962	119.732	96.154
- Rx (Frames)	1.039	939	799.232	412.422	206.801	165.178
- Rx Rate (L1) (Bit/s)	23,27 K	37,06 K	58,82 M	58,51 M	57,57 M	57,26 M
- Rx Rate (Fps)	35	31	26.641	13.747	6.893	5.506
- Flood Count (Frames)	92	94	90	90	93	91
P-0-0-4						
- Tx (Frames)	44.642.857	25.337.837	13.586.956	7.048.872	3.591.954	2.884.615


- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1.488.095	844.595	452.899	234.962	119.732	96.154
- Rx (Frames)	1.038	939	799.232	412.530	206.868	165.191
- Rx Rate (L1) (Bit/s)	23,25 K	37,06 K	58,82 M	58,52 M	57,59 M	57,27 M
- Rx Rate (Fps)	35	31	26.641	13.751	6.896	5.506
- Flood Count (Frames)	91	91	85	90	92	92
P-0-0-5						
- Tx (Frames)	44.642.857	25.337.837	13.586.956	7.048.872	3.591.954	2.884.615
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1.488.095	844.595	452.899	234.962	119.732	96.154
- Rx (Frames)	1.038	939	799.232	412.474	206.946	165.056
- Rx Rate (L1) (Bit/s)	23,25 K	37,06 K	58,82 M	58,52 M	57,61 M	57,22 M
- Rx Rate (Fps)	35	31	26.641	13.749	6.898	5.502
- Flood Count (Frames)	89	88	92	93	95	92
P-0-2-0						
- Tx (Frames)	44.642.857	25.337.837	13.586.956	7.048.872	3.591.954	2.884.615
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1.488.095	844.595	452.899	234.962	119.732	96.154
- Rx (Frames)	1.038	939	799.232	412.422	206.905	165.022
- Rx Rate (L1) (Bit/s)	23,25 K	37,06 K	58,82 M	58,51 M	57,6 M	57,21 M
- Rx Rate (Fps)	35	31	26.641	13.747	6.897	5.501
- Flood Count (Frames)	92	80	85	95	90	93
P-0-2-1						
- Tx (Frames)	44.642.857	25.337.837	13.586.956	7.048.872	3.591.954	2.884.615
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1.488.095	844.595	452.899	234.962	119.732	96.154
- Rx (Frames)	1.038	939	799.232	412.413	206.911	164.926
- Rx Rate (L1) (Bit/s)	23,25 K	37,06 K	58,82 M	58,51 M	57,6 M	57,17 M
- Rx Rate (Fps)	35	31	26.641	13.747	6.897	5.498
- Flood Count (Frames)	89	81	89	94	91	91
P-0-2-2						
- Tx (Frames)	44.642.857	25.337.837	13.586.956	7.048.872	3.591.954	2.884.615
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1.488.095	844.595	452.899	234.962	119.732	96.154
- Rx (Frames)	1.038	939	799.232	412.561	206.955	164.976
- Rx Rate (L1) (Bit/s)	23,25 K	37,06 K	58,82 M	58,53 M	57,62 M	57,19 M
- Rx Rate (Fps)	35	31	26.641	13.752	6.899	5.499
- Flood Count (Frames)	90	73	87	92	91	91
P-0-2-3						
- Tx (Frames)	44.642.857	25.337.837	13.586.956	7.048.872	3.591.954	2.884.615
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1.488.095	844.595	452.899	234.962	119.732	96.154
- Rx (Frames)	1.038	939	799.232	412.526	206.927	165.023
- Rx Rate (L1) (Bit/s)	23,25 K	37,06 K	58,82 M	58,52 M	57,61 M	57,21 M
- Rx Rate (Fps)	35	31	26.641	13.751	6.898	5.501
- Flood Count (Frames)	93	76	88	94	93	93
P-0-2-4						
- Tx (Frames)	44.642.857	25.337.837	13.586.956	7.048.872	3.591.954	2.884.615
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1.488.095	844.595	452.899	234.962	119.732	96.154
- Rx (Frames)	1.038	939	799.232	412.431	206.790	165.072
- Rx Rate (L1) (Bit/s)	23,25 K	37,06 K	58,82 M	58,51 M	57,57 M	57,22 M
- Rx Rate (Fps)	35	31	26.641	13.748	6.893	5.502
- Flood Count (Frames)	92	75	92	90	90	90
P-0-2-5						
- Tx (Frames)	44.642.857	25.337.837	13.586.956	7.048.872	3.591.954	2.884.615
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1.488.095	844.595	452.899	234.962	119.732	96.154
- Rx (Frames)	1.038	939	799.232	412.447	206.641	165.072
- Rx Rate (L1) (Bit/s)	23,25 K	37,06 K	58,82 M	58,51 M	57,53 M	57,22 M
- Rx Rate (Fps)	35	31	26.641	13.748	6.888	5.502
- Flood Count (Frames)	90	86	89	92	90	94
P-0-4-0						
- Tx (Frames)	44.642.857	25.337.837	13.586.956	7.048.872	3.591.954	2.884.615
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1.488.095	844.595	452.899	234.962	119.732	96.154
- Rx (Frames)	1.038	939	799.232	412.492	206.791	165.027
- Rx Rate (L1) (Bit/s)	23,25 K	37,06 K	58,82 M	58,52 M	57,57 M	57,21 M
- Rx Rate (Fps)	35	31	26.641	13.750	6.893	5.501
- Flood Count (Frames)	91	86	92	91	92	92
P-0-4-1						

- Tx (Frames)	44.642.857	25.337.837	13.586.956	7.048.872	3.591.954	2.884.615
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1.488.095	844.595	452.899	234.962	119.732	96.154
- Rx (Frames)	1.038	939	799.232	412.503	206.839	165.082
- Rx Rate (L1) (Bit/s)	23,25 K	37,06 K	58,82 M	58,52 M	57,58 M	57,23 M
- Rx Rate (Fps)	35	31	26.641	13.750	6.895	5.503
- Flood Count (Frames)	93	73	91	92	93	94
P-0-4-2						
- Tx (Frames)	44.642.857	25.337.837	13.586.956	7.048.872	3.591.954	2.884.615
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1.488.095	844.595	452.899	234.962	119.732	96.154
- Rx (Frames)	1.038	939	799.231	412.486	206.979	165.029
- Rx Rate (L1) (Bit/s)	23,25 K	37,06 K	58,82 M	58,52 M	57,62 M	57,21 M
- Rx Rate (Fps)	35	31	26.641	13.750	6.899	5.501
- Flood Count (Frames)	90	91	95	92	92	90
P-0-4-3						
- Tx (Frames)	44.642.857	25.337.837	13.586.956	7.048.872	3.591.954	2.884.615
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1.488.095	844.595	452.899	234.962	119.732	96.154
- Rx (Frames)	1.038	939	799.232	412.425	207.004	165.019
- Rx Rate (L1) (Bit/s)	23,25 K	37,06 K	58,82 M	58,51 M	57,63 M	57,21 M
- Rx Rate (Fps)	35	31	26.641	13.748	6.900	5.501
- Flood Count (Frames)	93	94	90	94	93	95
P-0-4-4						
- Tx (Frames)	44.642.857	25.337.837	13.586.956	7.048.872	3.591.954	2.884.615
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1.488.095	844.595	452.899	234.962	119.732	96.154
- Rx (Frames)	1.038	939	799.232	412.459	206.947	164.987
- Rx Rate (L1) (Bit/s)	23,25 K	37,06 K	58,82 M	58,51 M	57,61 M	57,2 M
- Rx Rate (Fps)	35	31	26.641	13.749	6.898	5.500
- Flood Count (Frames)	93	89	93	88	91	89
P-0-4-5						
- Tx (Frames)	44.642.857	25.337.837	13.586.956	7.048.872	3.591.954	2.884.615
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1.488.095	844.595	452.899	234.962	119.732	96.154
- Rx (Frames)	1.039	939	799.232	412.486	206.934	165.069
- Rx Rate (L1) (Bit/s)	23,27 K	37,06 K	58,82 M	58,52 M	57,61 M	57,22 M
- Rx Rate (Fps)	35	31	26.641	13.750	6.898	5.502
- Flood Count (Frames)	93	89	92	95	88	90

Frame Size	1518
Result State	PASS
Iter. #	1
Tx Rate (Percent)	100 %
Tx Rate (L1) (Bit/s)	18 G
Tx Rate (Fps)	1.462.938
Rx Rate (Percent)	10,96 %
Rx Rate (L1) (Bit/s)	1,97 G
Rx Rate (Fps)	160,4 K
Loss Rate (Percent)	89,04 %
Loss (Frames)	39.076.240
P-0-0-0	
- Tx (Frames)	2.438.225
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81.274
- Rx (Frames)	2.436.393
- Rx Rate (L1) (Bit/s)	999,25 M
- Rx Rate (Fps)	81.213
- Flood Count (Frames)	0
P-0-0-1	
- Tx (Frames)	2.438.231
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81.274
- Rx (Frames)	139.795
- Rx Rate (L1) (Bit/s)	57,33 M
- Rx Rate (Fps)	4.660
- Flood Count (Frames)	90
P-0-0-2	
- Tx (Frames)	2.438.231
- Tx Rate (L1) (Bit/s)	1000 M

- Tx Rate (Fps)	81.274
- Rx (Frames)	139.766
- Rx Rate (L1) (Bit/s)	57,32 M
- Rx Rate (Fps)	4.659
- Flood Count (Frames)	90
P-0-0-3	
- Tx (Frames)	2.438.231
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81.274
- Rx (Frames)	139.682
- Rx Rate (L1) (Bit/s)	57,29 M
- Rx Rate (Fps)	4.656
- Flood Count (Frames)	95
P-0-0-4	
- Tx (Frames)	2.438.231
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81.274
- Rx (Frames)	139.773
- Rx Rate (L1) (Bit/s)	57,33 M
- Rx Rate (Fps)	4.659
- Flood Count (Frames)	92
P-0-0-5	
- Tx (Frames)	2.438.231
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81.274
- Rx (Frames)	139.750
- Rx Rate (L1) (Bit/s)	57,32 M
- Rx Rate (Fps)	4.658
- Flood Count (Frames)	94
P-0-2-0	
- Tx (Frames)	2.438.231
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81.274
- Rx (Frames)	139.778
- Rx Rate (L1) (Bit/s)	57,33 M
- Rx Rate (Fps)	4.659
- Flood Count (Frames)	93
P-0-2-1	
- Tx (Frames)	2.438.231
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81.274
- Rx (Frames)	139.824
- Rx Rate (L1) (Bit/s)	57,35 M
- Rx Rate (Fps)	4.661
- Flood Count (Frames)	95
P-0-2-2	
- Tx (Frames)	2.438.231
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81.274
- Rx (Frames)	139.799
- Rx Rate (L1) (Bit/s)	57,34 M
- Rx Rate (Fps)	4.660
- Flood Count (Frames)	91
P-0-2-3	
- Tx (Frames)	2.438.231
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81.274
- Rx (Frames)	139.644
- Rx Rate (L1) (Bit/s)	57,27 M
- Rx Rate (Fps)	4.655
- Flood Count (Frames)	89
P-0-2-4	
- Tx (Frames)	2.438.231
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81.274
- Rx (Frames)	139.718
- Rx Rate (L1) (Bit/s)	57,3 M
- Rx Rate (Fps)	4.657
- Flood Count (Frames)	91
P-0-2-5	
- Tx (Frames)	2.438.231

- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81.274
- Rx (Frames)	139.671
- Rx Rate (L1) (Bit/s)	57,28 M
- Rx Rate (Fps)	4.656
- Flood Count (Frames)	93
P-0-4-0	
- Tx (Frames)	2.438.231
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81.274
- Rx (Frames)	139.715
- Rx Rate (L1) (Bit/s)	57,3 M
- Rx Rate (Fps)	4.657
- Flood Count (Frames)	91
P-0-4-1	
- Tx (Frames)	2.438.231
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81.274
- Rx (Frames)	139.666
- Rx Rate (L1) (Bit/s)	57,28 M
- Rx Rate (Fps)	4.656
- Flood Count (Frames)	92
P-0-4-2	
- Tx (Frames)	2.438.231
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81.274
- Rx (Frames)	139.760
- Rx Rate (L1) (Bit/s)	57,32 M
- Rx Rate (Fps)	4.659
- Flood Count (Frames)	91
P-0-4-3	
- Tx (Frames)	2.438.231
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81.274
- Rx (Frames)	139.753
- Rx Rate (L1) (Bit/s)	57,32 M
- Rx Rate (Fps)	4.658
- Flood Count (Frames)	91
P-0-4-4	
- Tx (Frames)	2.438.231
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81.274
- Rx (Frames)	139.694
- Rx Rate (L1) (Bit/s)	57,29 M
- Rx Rate (Fps)	4.656
- Flood Count (Frames)	91
P-0-4-5	
- Tx (Frames)	2.438.231
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81.274
- Rx (Frames)	139.731
- Rx Rate (L1) (Bit/s)	57,31 M
- Rx Rate (Fps)	4.658
- Flood Count (Frames)	93



Rate Test: Part.Mesh, N->N Results

Test Setup

Duration: 30 seconds
 Iteration: 1
 Topology: Blocks
 Direction: East-to-West

Throughput Options

Initial Rate: 100,00%
 Maximum Rate: 100,00%
 Minimum Rate: 0,10%
 Resolution: 0,50%

Used Ports

Port ID	Port Role
P-0-0-0	East
P-0-0-1	East
P-0-0-2	East
P-0-0-3	West
P-0-0-4	West
P-0-0-5	West
P-0-2-0	East
P-0-2-1	East
P-0-2-2	West
P-0-2-3	West
P-0-2-4	East
P-0-2-5	East
P-0-4-0	West
P-0-4-1	West
P-0-4-2	East
P-0-4-3	East
P-0-4-4	West
P-0-4-5	West

Throughput Test Results

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	12,588 %	43,812 %	44,196 %	44,635 %	44,782 %	44,782 %
Tx Rate (L1) (Bit/s)	1,13 G	3,94 G	3,98 G	4,02 G	4,03 G	4,03 G
Tx Rate (Fps)	1.685.875	3.330.329	1.801.486	943.888	482.560	387.534
Rx Rate (Percent)	12,59 %	43,81 %	44,2 %	44,64 %	44,78 %	44,78 %
Rx Rate (L1) (Bit/s)	1,13 G	3,94 G	3,98 G	4,02 G	4,03 G	4,03 G
Rx Rate (Fps)	1,69 M	3,33 M	1,8 M	943,89 K	482,56 K	387,53 K
Loss Rate (Percent)	0 %	0 %	0 %	0 %	0 %	0 %
Loss (Frames)	0	0	0	0	0	0
P-0-0-0						
- Tx (Frames)	5.619.582	11.101.095	6.004.953	3.146.292	1.608.534	1.291.779
- Tx Rate (L1) (Bit/s)	125,88 M	438,12 M	441,96 M	446,35 M	447,82 M	447,82 M
- Tx Rate (Fps)	187.319	370.037	200.165	104.876	53.618	43.059
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-1						
- Tx (Frames)	5.619.582	11.101.095	6.004.953	3.146.292	1.608.534	1.291.779
- Tx Rate (L1) (Bit/s)	125,88 M	438,12 M	441,96 M	446,35 M	447,82 M	447,82 M
- Tx Rate (Fps)	187.319	370.037	200.165	104.876	53.618	43.059
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0

- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-2						
- Tx (Frames)	5.619.582	11.101.095	6.004.953	3.146.292	1.608.534	1.291.779
- Tx Rate (L1) (Bit/s)	125,88 M	438,12 M	441,96 M	446,35 M	447,82 M	447,82 M
- Tx Rate (Fps)	187.319	370.037	200.165	104.876	53.618	43.059
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	5.619.582	11.101.095	6.004.953	3.146.292	1.608.534	1.291.779
- Rx Rate (L1) (Bit/s)	125,88 M	438,12 M	441,96 M	446,35 M	447,82 M	447,82 M
- Rx Rate (Fps)	187.319	370.037	200.165	104.876	53.618	43.059
- Flood Count (Frames)	90	95	91	96	91	92
P-0-0-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	5.619.582	11.101.095	6.004.953	3.146.292	1.608.534	1.291.779
- Rx Rate (L1) (Bit/s)	125,88 M	438,12 M	441,96 M	446,35 M	447,82 M	447,82 M
- Rx Rate (Fps)	187.319	370.037	200.165	104.876	53.618	43.059
- Flood Count (Frames)	87	92	90	92	93	90
P-0-0-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	5.619.582	11.101.095	6.004.953	3.146.292	1.608.534	1.291.779
- Rx Rate (L1) (Bit/s)	125,88 M	438,12 M	441,96 M	446,35 M	447,82 M	447,82 M
- Rx Rate (Fps)	187.319	370.037	200.165	104.876	53.618	43.059
- Flood Count (Frames)	92	93	93	94	93	92
P-0-2-0						
- Tx (Frames)	5.619.582	11.101.095	6.004.953	3.146.292	1.608.534	1.291.779
- Tx Rate (L1) (Bit/s)	125,88 M	438,12 M	441,96 M	446,35 M	447,82 M	447,82 M
- Tx Rate (Fps)	187.319	370.037	200.165	104.876	53.618	43.059
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-1						
- Tx (Frames)	5.619.582	11.101.095	6.004.953	3.146.292	1.608.534	1.291.779
- Tx Rate (L1) (Bit/s)	125,88 M	438,12 M	441,96 M	446,35 M	447,82 M	447,82 M
- Tx Rate (Fps)	187.319	370.037	200.165	104.876	53.618	43.059
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-2						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	5.619.582	11.101.095	6.004.953	3.146.292	1.608.534	1.291.779
- Rx Rate (L1) (Bit/s)	125,88 M	438,12 M	441,96 M	446,35 M	447,82 M	447,82 M
- Rx Rate (Fps)	187.319	370.037	200.165	104.876	53.618	43.059
- Flood Count (Frames)	93	95	89	89	90	89
P-0-2-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	5.619.582	11.101.095	6.004.953	3.146.292	1.608.534	1.291.779
- Rx Rate (L1) (Bit/s)	125,88 M	438,12 M	441,96 M	446,35 M	447,82 M	447,82 M
- Rx Rate (Fps)	187.319	370.037	200.165	104.876	53.618	43.059
- Flood Count (Frames)	91	93	86	89	88	90
P-0-2-4						
- Tx (Frames)	5.619.582	11.101.095	6.004.953	3.146.292	1.608.534	1.291.779
- Tx Rate (L1) (Bit/s)	125,88 M	438,12 M	441,96 M	446,35 M	447,82 M	447,82 M
- Tx Rate (Fps)	187.319	370.037	200.165	104.876	53.618	43.059
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0


- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-5						
- Tx (Frames)	5.619.582	11.101.095	6.004.953	3.146.292	1.608.534	1.291.779
- Tx Rate (L1) (Bit/s)	125,88 M	438,12 M	441,96 M	446,35 M	447,82 M	447,82 M
- Tx Rate (Fps)	187.319	370.037	200.165	104.876	53.618	43.059
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-4-0						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	5.619.582	11.101.095	6.004.953	3.146.292	1.608.534	1.291.779
- Rx Rate (L1) (Bit/s)	125,88 M	438,12 M	441,96 M	446,35 M	447,82 M	447,82 M
- Rx Rate (Fps)	187.319	370.037	200.165	104.876	53.618	43.059
- Flood Count (Frames)	96	91	90	91	91	90
P-0-4-1						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	5.619.582	11.101.095	6.004.953	3.146.292	1.608.534	1.291.779
- Rx Rate (L1) (Bit/s)	125,88 M	438,12 M	441,96 M	446,35 M	447,82 M	447,82 M
- Rx Rate (Fps)	187.319	370.037	200.165	104.876	53.618	43.059
- Flood Count (Frames)	93	91	92	93	89	93
P-0-4-2						
- Tx (Frames)	5.619.582	11.101.095	6.004.953	3.146.292	1.608.534	1.291.779
- Tx Rate (L1) (Bit/s)	125,88 M	438,12 M	441,96 M	446,35 M	447,82 M	447,82 M
- Tx Rate (Fps)	187.319	370.037	200.165	104.876	53.618	43.059
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-4-3						
- Tx (Frames)	5.619.582	11.101.095	6.004.953	3.146.292	1.608.534	1.291.779
- Tx Rate (L1) (Bit/s)	125,88 M	438,12 M	441,96 M	446,35 M	447,82 M	447,82 M
- Tx Rate (Fps)	187.319	370.037	200.165	104.876	53.618	43.059
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-4-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	5.619.582	11.101.095	6.004.953	3.146.292	1.608.534	1.291.779
- Rx Rate (L1) (Bit/s)	125,88 M	438,12 M	441,96 M	446,35 M	447,82 M	447,82 M
- Rx Rate (Fps)	187.319	370.037	200.165	104.876	53.618	43.059
- Flood Count (Frames)	92	91	93	95	93	91
P-0-4-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	5.619.582	11.101.095	6.004.953	3.146.292	1.608.534	1.291.779
- Rx Rate (L1) (Bit/s)	125,88 M	438,12 M	441,96 M	446,35 M	447,82 M	447,82 M
- Rx Rate (Fps)	187.319	370.037	200.165	104.876	53.618	43.059
- Flood Count (Frames)	88	92	91	92	94	90

Frame Size	1518
Result State	PASS
Iter. #	1
Tx Rate (Percent)	44,782 %
Tx Rate (L1) (Bit/s)	4,03 G
Tx Rate (Fps)	327.564
Rx Rate (Percent)	44,78 %
Rx Rate (L1) (Bit/s)	4,03 G
Rx Rate (Fps)	327,56 K
Loss Rate (Percent)	0 %
Loss (Frames)	0

P-0-0-0	
- Tx (Frames)	1.091.880
- Tx Rate (L1) (Bit/s)	447,82 M
- Tx Rate (Fps)	36.396
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-1	
- Tx (Frames)	1.091.880
- Tx Rate (L1) (Bit/s)	447,82 M
- Tx Rate (Fps)	36.396
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-2	
- Tx (Frames)	1.091.880
- Tx Rate (L1) (Bit/s)	447,82 M
- Tx Rate (Fps)	36.396
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	1.091.880
- Rx Rate (L1) (Bit/s)	447,82 M
- Rx Rate (Fps)	36.396
- Flood Count (Frames)	88
P-0-0-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	1.091.880
- Rx Rate (L1) (Bit/s)	447,82 M
- Rx Rate (Fps)	36.396
- Flood Count (Frames)	92
P-0-0-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	1.091.880
- Rx Rate (L1) (Bit/s)	447,82 M
- Rx Rate (Fps)	36.396
- Flood Count (Frames)	90
P-0-2-0	
- Tx (Frames)	1.091.880
- Tx Rate (L1) (Bit/s)	447,82 M
- Tx Rate (Fps)	36.396
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-1	
- Tx (Frames)	1.091.880
- Tx Rate (L1) (Bit/s)	447,82 M
- Tx Rate (Fps)	36.396
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-2	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	1.091.880
- Rx Rate (L1) (Bit/s)	447,82 M
- Rx Rate (Fps)	36.396

- Flood Count (Frames)	92
P-0-2-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	1.091.880
- Rx Rate (L1) (Bit/s)	447,82 M
- Rx Rate (Fps)	36.396
- Flood Count (Frames)	95
P-0-2-4	
- Tx (Frames)	1.091.880
- Tx Rate (L1) (Bit/s)	447,82 M
- Tx Rate (Fps)	36.396
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-5	
- Tx (Frames)	1.091.880
- Tx Rate (L1) (Bit/s)	447,82 M
- Tx Rate (Fps)	36.396
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-4-0	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	1.091.880
- Rx Rate (L1) (Bit/s)	447,82 M
- Rx Rate (Fps)	36.396
- Flood Count (Frames)	95
P-0-4-1	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	1.091.880
- Rx Rate (L1) (Bit/s)	447,82 M
- Rx Rate (Fps)	36.396
- Flood Count (Frames)	90
P-0-4-2	
- Tx (Frames)	1.091.880
- Tx Rate (L1) (Bit/s)	447,82 M
- Tx Rate (Fps)	36.396
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-4-3	
- Tx (Frames)	1.091.880
- Tx Rate (L1) (Bit/s)	447,82 M
- Tx Rate (Fps)	36.396
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-4-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	1.091.880
- Rx Rate (L1) (Bit/s)	447,82 M
- Rx Rate (Fps)	36.396
- Flood Count (Frames)	92
P-0-4-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	1.091.880
- Rx Rate (L1) (Bit/s)	447,82 M

- Rx Rate (Fps)	36.396
- Flood Count (Frames)	93



Forwarding Test Results

Results for 50,00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	50 %	50 %	50 %	50 %	50 %	50 %
Tx Rate (L1) (Bit/s)	4,5 G	4,5 G	4,5 G	4,5 G	4,5 G	4,5 G
Tx Rate (Fps)	6.696.427	3.800.674	2.038.041	1.057.331	538.793	432.691
Rx Rate (Percent)	45,96 %	46,71 %	47,22 %	47,28 %	47,45 %	47,45 %
Rx Rate (L1) (Bit/s)	4,14 G	4,2 G	4,25 G	4,26 G	4,27 G	4,27 G
Rx Rate (Fps)	6,16 M	3,55 M	1,92 M	999,77 K	511,28 K	410,64 K
Loss Rate (Percent)	8,08 %	6,58 %	5,57 %	5,44 %	5,11 %	5,1 %
Loss (Frames)	16.228.252	7.503.051	3.404.239	1.726.760	825.457	661.535
P-0-0-0						
- Tx (Frames)	22.321.422	12.668.913	6.793.470	3.524.436	1.795.977	1.442.304
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.047	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-1						
- Tx (Frames)	22.321.422	12.668.913	6.793.470	3.524.436	1.795.977	1.442.304
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.047	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-2						
- Tx (Frames)	22.321.422	12.668.913	6.793.470	3.524.436	1.795.977	1.442.304
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.047	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0


- Rx (Frames)	21.357.422	12.211.966	6.614.350	3.488.759	1.685.920	1.395.759
- Rx Rate (L1) (Bit/s)	478,41 M	481,97 M	486,82 M	494,94 M	469,36 M	483,86 M
- Rx Rate (Fps)	711.914	407.066	220.478	116.292	56.197	46.525
- Flood Count (Frames)	92	92	90	91	90	92
P-0-0-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	21.271.764	12.259.046	6.559.880	3.401.740	1.787.409	1.408.191
- Rx Rate (L1) (Bit/s)	476,49 M	483,82 M	482,81 M	482,59 M	497,61 M	488,17 M
- Rx Rate (Fps)	709.059	408.635	218.663	113.391	59.580	46.940
- Flood Count (Frames)	91	93	92	91	92	91
P-0-0-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	20.441.952	12.058.754	6.495.920	3.394.658	1.787.133	1.365.361
- Rx Rate (L1) (Bit/s)	457,9 M	475,92 M	478,1 M	481,59 M	497,54 M	473,33 M
- Rx Rate (Fps)	681.398	401.958	216.531	113.155	59.571	45.512
- Flood Count (Frames)	91	94	91	92	92	89
P-0-2-0						
- Tx (Frames)	22.321.422	12.668.913	6.793.470	3.524.436	1.795.977	1.442.304
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.047	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-1						
- Tx (Frames)	22.321.422	12.668.913	6.793.470	3.524.436	1.795.977	1.442.304
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.047	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-2						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	19.659.137	11.642.637	6.288.134	3.302.219	1.696.565	1.402.146
- Rx Rate (L1) (Bit/s)	440,36 M	459,5 M	462,81 M	468,47 M	472,32 M	486,08 M
- Rx Rate (Fps)	655.305	388.088	209.604	110.074	56.552	46.738
- Flood Count (Frames)	93	88	90	90	95	90
P-0-2-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	19.793.703	11.149.732	6.305.591	3.143.783	1.609.968	1.307.535
- Rx Rate (L1) (Bit/s)	443,38 M	440,04 M	464,09 M	446 M	448,22 M	453,28 M
- Rx Rate (Fps)	659.790	371.658	210.186	104.793	53.666	43.585
- Flood Count (Frames)	92	95	89	94	92	89
P-0-2-4						
- Tx (Frames)	22.321.422	12.668.913	6.793.470	3.524.436	1.795.977	1.442.304
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.047	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-5						
- Tx (Frames)	22.321.422	12.668.913	6.793.470	3.524.436	1.795.977	1.442.304
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.047	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-4-0						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0

- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	20.179.586	11.861.329	6.696.808	3.368.304	1.758.573	1.288.270
- Rx Rate (L1) (Bit/s)	452,02 M	468,13 M	492,89 M	477,85 M	489,59 M	446,6 M
- Rx Rate (Fps)	672.653	395.378	223.227	112.277	58.619	42.942
- Flood Count (Frames)	92	92	90	92	92	91
P-0-4-1						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	20.539.874	11.787.987	6.330.548	3.407.667	1.624.086	1.412.489
- Rx Rate (L1) (Bit/s)	460,09 M	465,23 M	465,93 M	483,43 M	452,15 M	489,66 M
- Rx Rate (Fps)	684.662	392.933	211.018	113.589	54.136	47.083
- Flood Count (Frames)	90	93	91	91	93	86
P-0-4-2						
- Tx (Frames)	22.321.422	12.668.913	6.793.470	3.524.436	1.795.977	1.442.304
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.047	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-4-3						
- Tx (Frames)	22.321.422	12.668.913	6.793.470	3.524.436	1.795.977	1.442.304
- Tx Rate (L1) (Bit/s)	500 M	500 M	500 M	500 M	500 M	500 M
- Tx Rate (Fps)	744.047	422.297	226.449	117.481	59.866	48.077
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-4-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	20.100.885	11.820.802	6.126.714	3.345.341	1.699.058	1.408.865
- Rx Rate (L1) (Bit/s)	450,26 M	466,53 M	450,93 M	474,59 M	473,02 M	488,41 M
- Rx Rate (Fps)	670.030	394.027	204.224	111.511	56.635	46.962
- Flood Count (Frames)	91	91	90	91	90	95
P-0-4-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	21.320.223	11.724.913	6.319.046	3.140.693	1.689.624	1.330.585
- Rx Rate (L1) (Bit/s)	477,57 M	462,74 M	465,08 M	445,56 M	470,39 M	461,27 M
- Rx Rate (Fps)	710.674	390.830	210.635	104.690	56.321	44.353
- Flood Count (Frames)	92	93	89	92	94	93

Frame Size	1518
Result State	PASS
Iter. #	1
Tx Rate (Percent)	50 %
Tx Rate (L1) (Bit/s)	4,5 G
Tx Rate (Fps)	365.734
Rx Rate (Percent)	47,47 %
Rx Rate (L1) (Bit/s)	4,27 G
Rx Rate (Fps)	347,21 K
Loss Rate (Percent)	5,07 %
Loss (Frames)	555.742
P-0-0-0	
- Tx (Frames)	1.219.113
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-1	
- Tx (Frames)	1.219.113
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	0

- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-2	
- Tx (Frames)	1.219.113
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	1.190.103
- Rx Rate (L1) (Bit/s)	488,1 M
- Rx Rate (Fps)	39.670
- Flood Count (Frames)	92
P-0-0-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	1.150.224
- Rx Rate (L1) (Bit/s)	471,75 M
- Rx Rate (Fps)	38.341
- Flood Count (Frames)	91
P-0-0-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	1.124.122
- Rx Rate (L1) (Bit/s)	461,04 M
- Rx Rate (Fps)	37.471
- Flood Count (Frames)	92
P-0-2-0	
- Tx (Frames)	1.219.113
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-1	
- Tx (Frames)	1.219.113
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-2	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	1.155.686
- Rx Rate (L1) (Bit/s)	473,99 M
- Rx Rate (Fps)	38.523
- Flood Count (Frames)	93
P-0-2-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	1.196.733
- Rx Rate (L1) (Bit/s)	490,82 M
- Rx Rate (Fps)	39.891
- Flood Count (Frames)	93
P-0-2-4	
- Tx (Frames)	1.219.113
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637

- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-5	
- Tx (Frames)	1.219.113
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-4-0	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	1.133.598
- Rx Rate (L1) (Bit/s)	464,93 M
- Rx Rate (Fps)	37.787
- Flood Count (Frames)	90
P-0-4-1	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	1.178.145
- Rx Rate (L1) (Bit/s)	483,2 M
- Rx Rate (Fps)	39.272
- Flood Count (Frames)	93
P-0-4-2	
- Tx (Frames)	1.219.113
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-4-3	
- Tx (Frames)	1.219.113
- Tx Rate (L1) (Bit/s)	500 M
- Tx Rate (Fps)	40.637
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-4-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	1.178.324
- Rx Rate (L1) (Bit/s)	483,27 M
- Rx Rate (Fps)	39.277
- Flood Count (Frames)	91
P-0-4-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	1.109.340
- Rx Rate (L1) (Bit/s)	454,98 M
- Rx Rate (Fps)	36.978
- Flood Count (Frames)	93



Results for 100,00% Rate

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	100 %	100 %	100 %	100 %	100 %	100 %
Tx Rate (L1) (Bit/s)	9 G	9 G	9 G	9 G	9 G	9 G
Tx Rate (Fps)	13.392.856	7.601.351	4.076.085	2.114.662	1.077.586	865.382
Rx Rate (Percent)	12,89 %	63,27 %	63 %	62,34 %	58,92 %	59,12 %
Rx Rate (L1) (Bit/s)	1,16 G	5,69 G	5,67 G	5,61 G	5,3 G	5,32 G
Rx Rate (Fps)	1,73 M	4,81 M	2,57 M	1,32 M	634,92 K	511,65 K
Loss Rate (Percent)	87,11 %	36,73 %	37 %	37,66 %	41,08 %	40,88 %
Loss (Frames)	350.008.352	83.753.292	45.247.450	23.893.189	13.280.113	10.612.103
P-0-0-0						
- Tx (Frames)	44.642.853	25.337.835	13.586.949	7.048.872	3.591.954	2.884.608
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1.488.095	844.595	452.898	234.962	119.732	96.154
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-1						
- Tx (Frames)	44.642.853	25.337.835	13.586.949	7.048.872	3.591.954	2.884.608
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1.488.095	844.595	452.898	234.962	119.732	96.154
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-2						
- Tx (Frames)	44.642.853	25.337.835	13.586.949	7.048.872	3.591.954	2.884.608
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1.488.095	844.595	452.898	234.962	119.732	96.154
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-0-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	3.309.990	17.927.625	9.117.618	4.401.036	2.376.131	2.115.056
- Rx Rate (L1) (Bit/s)	74,14 M	707,54 M	671,06 M	624,36 M	661,51 M	733,22 M
- Rx Rate (Fps)	110.333	597.588	303.921	146.701	79.204	70.502
- Flood Count (Frames)	90	93	90	91	92	91
P-0-0-4						
- Tx (Frames)	0	0	0	0	0	0


- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	1.143.541	16.297.938	8.813.612	4.623.429	2.411.619	1.834.888
- Rx Rate (L1) (Bit/s)	25,62 M	643,23 M	648,68 M	655,91 M	671,39 M	636,09 M
- Rx Rate (Fps)	38.118	543.265	293.787	154.114	80.387	61.163
- Flood Count (Frames)	91	97	93	93	90	91
P-0-0-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	5.470.265	15.789.184	9.051.966	5.010.326	2.358.340	1.785.085
- Rx Rate (L1) (Bit/s)	122,53 M	623,15 M	666,22 M	710,8 M	656,56 M	618,83 M
- Rx Rate (Fps)	182.342	526.306	301.732	167.011	78.611	59.503
- Flood Count (Frames)	88	92	90	91	93	92
P-0-2-0						
- Tx (Frames)	44.642.853	25.337.835	13.586.949	7.048.872	3.591.954	2.884.608
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1.488.095	844.595	452.898	234.962	119.732	96.154
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-1						
- Tx (Frames)	44.642.853	25.337.835	13.586.949	7.048.872	3.591.954	2.884.608
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1.488.095	844.595	452.898	234.962	119.732	96.154
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-2						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	10.355.153	12.807.109	6.544.732	3.587.208	1.190.767	1.080.701
- Rx Rate (L1) (Bit/s)	231,96 M	505,45 M	481,69 M	508,91 M	331,51 M	374,64 M
- Rx Rate (Fps)	345.172	426.904	218.158	119.574	39.692	36.023
- Flood Count (Frames)	93	93	90	93	66	78
P-0-2-3						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	10.389.824	15.012.865	8.101.760	3.977.596	1.292.952	1.172.093
- Rx Rate (L1) (Bit/s)	232,73 M	592,51 M	596,29 M	564,29 M	359,96 M	406,33 M
- Rx Rate (Fps)	346.327	500.429	270.059	132.587	43.098	39.070
- Flood Count (Frames)	93	93	94	90	79	71
P-0-2-4						
- Tx (Frames)	44.642.853	25.337.835	13.586.949	7.048.872	3.591.954	2.884.608
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1.488.095	844.595	452.898	234.962	119.732	96.154
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-2-5						
- Tx (Frames)	44.642.853	25.337.835	13.586.949	7.048.872	3.591.954	2.884.608
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1.488.095	844.595	452.898	234.962	119.732	96.154
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-4-0						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	280.747	16.685.045	7.816.825	3.809.183	2.227.342	1.577.209
- Rx Rate (L1) (Bit/s)	6,29 M	658,5 M	575,32 M	540,4 M	620,09 M	546,77 M
- Rx Rate (Fps)	9.358	556.168	260.561	126.973	74.245	52.574
- Flood Count (Frames)	90	90	93	88	88	86
P-0-4-1						

- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	51.076	14.688.557	8.285.802	4.227.833	2.261.280	1.816.648
- Rx Rate (L1) (Bit/s)	1,14 M	579,71 M	609,84 M	599,79 M	629,54 M	629,77 M
- Rx Rate (Fps)	1.703	489.619	276.193	140.928	75.376	60.555
- Flood Count (Frames)	92	93	92	90	90	93
P-0-4-2						
- Tx (Frames)	44.642.853	25.337.835	13.586.949	7.048.872	3.591.954	2.884.608
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1.488.095	844.595	452.898	234.962	119.732	96.154
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-4-3						
- Tx (Frames)	44.642.853	25.337.835	13.586.949	7.048.872	3.591.954	2.884.608
- Tx Rate (L1) (Bit/s)	1000 M	1000 M	1000 M	1000 M	1000 M	1000 M
- Tx Rate (Fps)	1.488.095	844.595	452.898	234.962	119.732	96.154
- Rx (Frames)	0	0	0	0	0	0
- Rx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Rx Rate (Fps)	0	0	0	0	0	0
- Flood Count (Frames)	0	0	0	0	0	0
P-0-4-4						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	9.974.182	18.709.414	9.452.683	5.161.297	2.509.316	2.004.551
- Rx Rate (L1) (Bit/s)	223,42 M	738,4 M	695,72 M	732,22 M	698,59 M	694,91 M
- Rx Rate (Fps)	332.473	623.647	315.089	172.043	83.644	66.818
- Flood Count (Frames)	95	94	91	92	92	92
P-0-4-5						
- Tx (Frames)	0	0	0	0	0	0
- Tx Rate (L1) (Bit/s)	0	0	0	0	0	0
- Tx Rate (Fps)	0	0	0	0	0	0
- Rx (Frames)	10.802.547	16.369.486	9.850.093	4.748.751	2.419.726	1.963.138
- Rx Rate (L1) (Bit/s)	241,98 M	646,05 M	724,97 M	673,69 M	673,65 M	680,55 M
- Rx Rate (Fps)	360.085	545.650	328.336	158.292	80.658	65.438
- Flood Count (Frames)	90	91	90	89	90	97

Frame Size	1518
Result State	PASS
Iter. #	1
Tx Rate (Percent)	100 %
Tx Rate (L1) (Bit/s)	9 G
Tx Rate (Fps)	731.468
Rx Rate (Percent)	60,28 %
Rx Rate (L1) (Bit/s)	5,43 G
Rx Rate (Fps)	440,93 K
Loss Rate (Percent)	39,72 %
Loss (Frames)	8.716.196
P-0-0-0	
- Tx (Frames)	2.438.226
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81.274
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-1	
- Tx (Frames)	2.438.226
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81.274
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-2	
- Tx (Frames)	2.438.226
- Tx Rate (L1) (Bit/s)	1000 M

- Tx Rate (Fps)	81.274
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-0-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	1.691.463
- Rx Rate (L1) (Bit/s)	693,73 M
- Rx Rate (Fps)	56.382
- Flood Count (Frames)	91
P-0-0-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	1.491.674
- Rx Rate (L1) (Bit/s)	611,79 M
- Rx Rate (Fps)	49.722
- Flood Count (Frames)	90
P-0-0-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	1.666.550
- Rx Rate (L1) (Bit/s)	683,51 M
- Rx Rate (Fps)	55.552
- Flood Count (Frames)	92
P-0-2-0	
- Tx (Frames)	2.438.226
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81.274
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-1	
- Tx (Frames)	2.438.226
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81.274
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-2	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	945.994
- Rx Rate (L1) (Bit/s)	387,98 M
- Rx Rate (Fps)	31.533
- Flood Count (Frames)	76
P-0-2-3	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	1.030.931
- Rx Rate (L1) (Bit/s)	422,82 M
- Rx Rate (Fps)	34.364
- Flood Count (Frames)	76
P-0-2-4	
- Tx (Frames)	2.438.226
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81.274
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-2-5	
- Tx (Frames)	2.438.226

- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81.274
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-4-0	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	1.456.735
- Rx Rate (L1) (Bit/s)	597,46 M
- Rx Rate (Fps)	48.558
- Flood Count (Frames)	90
P-0-4-1	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	1.589.486
- Rx Rate (L1) (Bit/s)	651,9 M
- Rx Rate (Fps)	52.983
- Flood Count (Frames)	93
P-0-4-2	
- Tx (Frames)	2.438.226
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81.274
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-4-3	
- Tx (Frames)	2.438.226
- Tx Rate (L1) (Bit/s)	1000 M
- Tx Rate (Fps)	81.274
- Rx (Frames)	0
- Rx Rate (L1) (Bit/s)	0
- Rx Rate (Fps)	0
- Flood Count (Frames)	0
P-0-4-4	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	1.692.521
- Rx Rate (L1) (Bit/s)	694,16 M
- Rx Rate (Fps)	56.417
- Flood Count (Frames)	95
P-0-4-5	
- Tx (Frames)	0
- Tx Rate (L1) (Bit/s)	0
- Tx Rate (Fps)	0
- Rx (Frames)	1.662.484
- Rx Rate (L1) (Bit/s)	681,84 M
- Rx Rate (Fps)	55.416
- Flood Count (Frames)	93



Congestion Control Results

Test Setup

Duration: 30 seconds
Iteration: 1

Port ID	Port Role
P-0-0-0	Source
P-0-0-1	Source
P-0-4-1	Destination
P-0-4-4	Destination

Test Results

Frame Size	64	128	256	512	1024	1280
Result State	FAIL	FAIL	FAIL	FAIL	FAIL	FAIL
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	100 %	100 %	100 %	100 %	100 %	100 %
Tx (Frames)	89.372.899	50.723.571	27.194.784	14.110.556	7.190.645	5.774.529
Uncongested Port:						
- Tx (Frames)	22.341.731	12.680.041	6.798.249	3.527.402	1.797.541	1.443.536
- Rx (Frames)	7.858.243	3.089.709	1.920.896	2.274.769	1.281.190	567.774
- Loss (Frames)	14.483.488	9.590.332	4.877.353	1.252.633	516.351	875.762
- Loss (Percent)	64,83	75,63	71,74	35,51	28,73	60,67
Congested Port:						
- Tx (Frames)	67.031.168	38.043.530	20.396.535	10.583.154	5.393.104	4.330.993
- Rx (Frames)	34.806.369	21.610.136	11.485.515	4.729.472	2.271.745	2.296.617
- Loss (Frames)	32.224.799	16.433.394	8.911.020	5.853.682	3.121.359	2.034.376
- Loss (Percent)	48,07	43,20	43,69	55,31	57,88	46,97

Frame Size	1518
Result State	FAIL
Iter. #	1
Tx Rate (Percent)	100 %
Tx (Frames)	4.879.734
Uncongested Port:	
- Tx (Frames)	1.219.852
- Rx (Frames)	461.300
- Loss (Frames)	758.552
- Loss (Percent)	62,18
Congested Port:	
- Tx (Frames)	3.659.882
- Rx (Frames)	1.961.747
- Loss (Frames)	1.698.135
- Loss (Percent)	46,40

Note: One or more of the tests did not pass the test criteria!

Forward Pressure Results

Test Setup

Duration: 30 seconds
 Iteration: 1
 InterFrame Gap Delta: 1 bytes

Port ID	Port Role
P-0-0-0	Source
P-0-4-5	Destination

Test Results

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx (Frames)	45.180.722	25.510.204	13.636.363	7.062.146	3.595.397	2.886.836
Tx Rate (Fps)	1.506.024	850.340	454.545	235.405	119.847	96.228
Tx IFG (Bytes)	20	20	20	20	20	20
Tx Max. Util. (Percent)	101,205	100,680	100,364	100,188	100,096	100,077
Rx (Frames)	42.613.431	24.670.983	13.392.850	6.996.295	3.515.510	2.803.654
Rx Rate (Fps)	1.420.445	822.363	446.426	233.207	117.184	93.454
Rx Max. Util. (Percent)	95,454	97,368	98,571	99,253	97,872	97,193
Loss (Frames)	2.567.291	839.221	243.513	65.851	79.887	83.182
Loss (Percent)	5,68	3,29	1,79	0,93	2,22	2,88

Frame Size	1518
Result State	PASS
Iter. #	1
Tx (Frames)	2.439.817
Tx Rate (Fps)	81.327
Tx IFG (Bytes)	20
Tx Max. Util. (Percent)	100,065
Rx (Frames)	2.374.718
Rx Rate (Fps)	79.157
Rx Max. Util. (Percent)	97,395
Loss (Frames)	65.099
Loss (Percent)	2,67

Maximum Forwarding Rate Results

Test Setup

Duration: 30 seconds
Iteration: 1

Port ID	Port Role
P-0-0-0	Source
P-0-4-5	Destination

Test Results

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	99,856 %	99,587 %	100 %	99,782 %	98,782 %	98,782 %
Tx (Frames)	44.578.595	25.233.269	13.586.956	7.033.535	3.548.219	2.849.492
Tx Rate (L1) (Bit/s)	998,56 M	995,87 M	1000 M	997,82 M	987,82 M	987,82 M
Tx Rate (Fps)	1.485.953	841.109	452.899	234.451	118.274	94.983
Rx (Frames)	42.613.510	24.670.989	13.392.850	6.996.299	3.548.219	2.849.492
Rx Rate (L1) (Bit/s)	954,54 M	973,68 M	985,71 M	992,54 M	987,82 M	987,82 M
Rx Rate (Fps)	1.420.450	822.366	446.428	233.210	118.274	94.983

Frame Size	1518
Result State	PASS
Iter. #	1
Tx Rate (Percent)	99,185 %
Tx (Frames)	2.418.356
Tx Rate (L1) (Bit/s)	991,85 M
Tx Rate (Fps)	80.612
Rx (Frames)	2.394.824
Rx Rate (L1) (Bit/s)	982,2 M
Rx Rate (Fps)	79.827

Address Caching Capacity Results

Test Setup

Iteration: 1
 Test Port Address Mode: Use Port Native MAC
 Learn Port DMAC Mode: Use Test Port MAC
 Learn Port Base Address: 02:F4:BC
 Address Initial Count: 4.096
 Address Maximum Count: 65.535
 Address Minimum Count: 100
 Address Resolution: 100
 Learning Rate: 1.000 Fps
 Toggle Port Sync State: Yes
 Sync. State Off Duration: 1 seconds
 Switch Test Ports: No
 DUT Aging Time: 300 seconds

Port ID	Port Role
P-0-0-0	Test Port
P-0-4-1	Learning Port
P-0-4-5	Monitoring Port

Test Results

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	PASS	PASS
Iter. #	1	1	1	1	1	1
Duration (Seconds)	3	3	3	3	3	3
Address Count	1.504	1.504	1.504	1.504	1.504	1.504
TestPort Tx (Frames)	1.504	1.504	1.504	1.504	1.504	1.504
TestPort Rx (Frames)	0	0	0	0	0	0
LearnPort Rx (Frames)	1.504	1.504	1.504	1.504	1.504	1.504
MonPort Rx (Frames)	0	0	0	0	0	0

Frame Size	1518
Result State	PASS
Iter. #	1
Duration (Seconds)	3
Address Count	1.161
TestPort Tx (Frames)	1.161
TestPort Rx (Frames)	0
LearnPort Rx (Frames)	1.161
MonPort Rx (Frames)	0

Address Learning Rate Results

Test Setup

Iteration: 1
 Test Port Address Mode: Use Port Native MAC
 Learn Port DMAC Mode: Use Test Port MAC
 Learn Port Base Address: 02:F4:BC
 Only Use Max. Capacity: No
 Set End = Max. Capacity: Yes
 Base Learning Rate: 1,000 Fps
 Initial Rate: 100,00%
 Maximum Rate: 100,00%
 Minimum Rate : 0,10%
 Resolution: 0,60%
 Toggle Port Sync State: Yes
 Sync. State Off Duration: 1 seconds
 Switch Test Ports: No
 DUT Aging Time: 300 seconds


Port ID	Port Role
P-0-0-0	Test Port
P-0-4-1	Learning Port
P-0-4-5	Monitoring Port

Test Results

Results for 1.504 Addresses

Frame Size	64	128	256	512	1024	1280
Result State	FAIL	FAIL	FAIL	FAIL	FAIL	FAIL
Iter. #	1	1	1	1	1	1
Learning Rate (Percent)	0,391 %	0,391 %	0,391 %	0,391 %	0,391 %	0,391 %
Learning Rate (Fps)	4	4	4	4	4	4
Duration (Seconds)	377	377	377	377	377	377
Address Count	1.504	1.504	1.504	1.504	1.504	1.504
TestPort Tx (Frames)	1.504	1.504	1.504	1.504	1.504	1.504
TestPort Rx (Frames)	0	0	0	0	0	0
LearnPort Rx (Frames)	1.504	1.504	1.504	1.504	1.504	1.504
MonPort Rx (Frames)	992	992	760	695	688	690


Note: One or more of the tests did not pass the test criteria!



Results for 1.161 Addresses

Frame Size	1518
Result State	FAIL
Iter. #	1
Learning Rate (Percent)	0,391 %
Learning Rate (Fps)	4
Duration (Seconds)	292
Address Count	1.161
TestPort Tx (Frames)	1.161
TestPort Rx (Frames)	0
LearnPort Rx (Frames)	1.161
MonPort Rx (Frames)	403

Note: One or more of the tests did not pass the test criteria!



Errored Frames Filtering Results

Test Setup

Duration: 30 seconds
 Iteration: 1
 Oversize Test Enabled: Yes
 Max. Valid Frame Size: 1518 bytes
 Min. Valid Frame Size: 64 bytes
 Oversize Frame Span: 1 bytes
 Undersize Frame Span: 1 bytes

Port ID	Port Role
P-0-0-0	Source
P-0-4-5	Destination

Test Results

Tx Rate (Percent)	50 %	100 %
Result State	FAIL	FAIL
Iter. #	1	1
Tx Rate (L1) (Bit/s)	500 M	1000 M
Tx (Frames)	8.706.880	17.413.762
Rx (Frames)	8.526.383	45.181
Tx Valid (Frames)	770.653	1.541.307
Rx Valid (Frames)	767.179	5.217
Tx Oversize (Frames)	406.107	812.215
Rx Oversize (Frames)	400.944	2.641
Tx Undersize (Frames)	7.530.120	15.060.240
Rx Undersize (Frames)	7.358.260	37.323
Tx FCS Error (Frames)	59	59
Rx FCS Error (Frames)	8.637	83

Note: One or more of the tests did not pass the test criteria!

Broadcast Forwarding Results

Test Setup

Duration: 30 seconds
 Iteration: 1
 Initial Rate: 100,00%
 Maximum Rate: 100,00%
 Minimum Rate: 0,10%
 Resolution: 0,50%

Port ID	Port Role
P-0-0-0	Source
P-0-0-1	Destination
P-0-0-2	Destination
P-0-0-3	Destination
P-0-0-4	Destination
P-0-0-5	Destination
P-0-2-0	Destination
P-0-2-1	Destination
P-0-2-2	Destination
P-0-2-3	Destination
P-0-2-4	Destination
P-0-2-5	Destination
P-0-4-0	Destination
P-0-4-1	Destination
P-0-4-2	Destination
P-0-4-3	Destination
P-0-4-4	Destination
P-0-4-5	Destination

Test Results

Frame Size	64	128	256	512	1024	1280
Result State	PASS	PASS	PASS	PASS	FAIL	FAIL
Iter. #	1	1	1	1	1	1
Tx Rate (Percent)	95,415 %	97,268 %	98,537 %	99,244 %	0,49 %	0,49 %
Tx (Frames)	42.595.868	24.645.699	13.388.127	6.995.577	17.608	14.141
Tx Rate (L1) (Bit/s)	954,15 M	972,68 M	985,37 M	992,44 M	4,9 M	4,9 M
Tx Rate (Fps)	1.419.862	821.523	446.271	233.186	587	471
Loss Rate (Percent)	0 %	0 %	0 %	0 %	0,29 %	0,28 %
Loss (Frames)	0	0	0	0	878	664
P-0-0-1						
- Rx (Frames)	42.595.868	24.645.699	13.388.127	6.995.577	17.479	14.032
- Rx Rate (L1) (Bit/s)	954,15 M	972,68 M	985,37 M	992,44 M	4,87 M	4,86 M
- Rx Rate (Fps)	1.419.862	821.523	446.271	233.186	583	468
- Avg Latency (micsec)	2,518	2,935	2,988	3,137	2,866	2,870
- Min Latency (micsec)	2,190	2,751	2,791	2,751	2,671	2,655
- Max Latency (micsec)	5,221	5,397	7,025	7,610	3,056	3,064
- Avg Jitter (micsec)	0,004	0,004	0,001	0,001	0,000	0,000
- Min Jitter (micsec)	0,000	0,000	0,000	0,000	0,000	0,000
- Max Jitter (micsec)	1,972	1,731	1,707	1,755	0,360	0,384
P-0-0-2						
- Rx (Frames)	42.595.868	24.645.699	13.388.127	6.995.577	17.441	14.030
- Rx Rate (L1) (Bit/s)	954,15 M	972,68 M	985,37 M	992,44 M	4,86 M	4,86 M
- Rx Rate (Fps)	1.419.862	821.523	446.271	233.186	581	468
- Avg Latency (micsec)	2,541	2,941	2,996	3,147	2,866	2,870
- Min Latency (micsec)	2,190	2,727	2,719	2,751	2,695	2,703
- Max Latency (micsec)	6,424	6,071	5,774	7,394	3,080	3,088
- Avg Jitter (micsec)	0,004	0,004	0,001	0,001	0,000	0,000
- Min Jitter (micsec)	0,000	0,000	0,000	0,000	0,000	0,000
- Max Jitter (micsec)	2,116	1,731	1,755	1,731	0,336	0,336
P-0-0-3						
- Rx (Frames)	42.595.868	24.645.699	13.388.127	6.995.577	17.421	14.009
- Rx Rate (L1) (Bit/s)	954,15 M	972,68 M	985,37 M	992,44 M	4,85 M	4,86 M
- Rx Rate (Fps)	1.419.862	821.523	446.271	233.186	581	467
- Avg Latency (micsec)	2,531	2,958	2,997	3,143	2,850	2,854

- Min Latency (micsec)	2,310	2,727	2,719	2,775	2,695	2,703
- Max Latency (micsec)	5,317	5,301	5,678	7,466	3,080	3,088
- Avg Jitter (micsec)	0,004	0,004	0,001	0,001	0,000	0,000
- Min Jitter (micsec)	0,000	0,000	0,000	0,000	0,000	0,000
- Max Jitter (micsec)	2,116	1,828	1,755	1,755	0,312	0,336
P-0-0-4						
- Rx (Frames)	42.595.868	24.645.699	13.388.127	6.995.577	17.213	13.829
- Rx Rate (L1) (Bit/s)	954,15 M	972,68 M	985,37 M	992,44 M	4,79 M	4,79 M
- Rx Rate (Fps)	1.419.862	821.523	446.271	233.186	574	461
- Avg Latency (micsec)	2,533	2,940	3,000	3,145	2,839	2,844
- Min Latency (micsec)	2,310	2,751	2,719	2,775	2,671	2,679
- Max Latency (micsec)	6,255	6,384	6,760	7,177	3,056	3,064
- Avg Jitter (micsec)	0,004	0,004	0,001	0,001	0,000	0,000
- Min Jitter (micsec)	0,000	0,000	0,000	0,000	0,000	0,000
- Max Jitter (micsec)	2,212	1,755	1,731	1,755	0,288	0,336
P-0-0-5						
- Rx (Frames)	42.595.868	24.645.699	13.388.127	6.995.577	17.608	14.141
- Rx Rate (L1) (Bit/s)	954,15 M	972,68 M	985,37 M	992,44 M	4,9 M	4,9 M
- Rx Rate (Fps)	1.419.862	821.523	446.271	233.186	587	471
- Avg Latency (micsec)	2,547	2,952	3,010	3,158	2,839	2,844
- Min Latency (micsec)	2,334	2,751	2,767	2,775	2,671	2,679
- Max Latency (micsec)	5,341	5,301	5,798	7,562	3,080	3,088
- Avg Jitter (micsec)	0,004	0,004	0,001	0,001	0,000	0,000
- Min Jitter (micsec)	0,000	0,000	0,000	0,000	0,000	0,000
- Max Jitter (micsec)	1,996	1,924	1,924	1,755	0,264	0,384
P-0-2-0						
- Rx (Frames)	42.595.868	24.645.699	13.388.127	6.995.577	17.608	14.141
- Rx Rate (L1) (Bit/s)	954,15 M	972,68 M	985,37 M	992,44 M	4,9 M	4,9 M
- Rx Rate (Fps)	1.419.862	821.523	446.271	233.186	587	471
- Avg Latency (micsec)	3,731	4,584	4,651	4,892	4,365	4,370
- Min Latency (micsec)	3,433	4,211	4,155	4,475	4,058	4,066
- Max Latency (micsec)	7,666	7,145	7,474	7,747	4,732	4,740
- Avg Jitter (micsec)	0,003	0,003	0,001	0,001	0,000	0,000
- Min Jitter (micsec)	0,000	0,000	0,000	0,000	0,000	0,000
- Max Jitter (micsec)	2,212	1,804	1,804	1,755	0,505	0,577
P-0-2-1						
- Rx (Frames)	42.595.868	24.645.699	13.388.127	6.995.577	17.608	14.141
- Rx Rate (L1) (Bit/s)	954,15 M	972,68 M	985,37 M	992,44 M	4,9 M	4,9 M
- Rx Rate (Fps)	1.419.862	821.523	446.271	233.186	587	471
- Avg Latency (micsec)	3,709	4,555	4,630	4,878	4,367	4,372
- Min Latency (micsec)	3,409	4,235	4,323	4,451	4,058	4,066
- Max Latency (micsec)	7,570	7,097	8,701	9,142	4,708	4,716
- Avg Jitter (micsec)	0,003	0,003	0,001	0,001	0,000	0,000
- Min Jitter (micsec)	0,000	0,000	0,000	0,000	0,000	0,000
- Max Jitter (micsec)	2,212	1,828	1,852	1,755	0,505	0,601
P-0-2-2						
- Rx (Frames)	42.595.868	24.645.699	13.388.127	6.995.577	17.608	14.141
- Rx Rate (L1) (Bit/s)	954,15 M	972,68 M	985,37 M	992,44 M	4,9 M	4,9 M
- Rx Rate (Fps)	1.419.862	821.523	446.271	233.186	587	471
- Avg Latency (micsec)	3,740	4,589	4,657	4,899	4,353	4,357
- Min Latency (micsec)	3,433	4,211	4,179	4,187	4,058	4,066
- Max Latency (micsec)	7,715	7,602	7,474	9,022	4,732	4,716
- Avg Jitter (micsec)	0,004	0,004	0,001	0,001	0,000	0,000
- Min Jitter (micsec)	0,000	0,000	0,000	0,000	0,000	0,000
- Max Jitter (micsec)	2,188	1,828	1,755	1,780	0,505	0,577
P-0-2-3						
- Rx (Frames)	42.595.868	24.645.699	13.388.127	6.995.577	17.608	14.141
- Rx Rate (L1) (Bit/s)	954,15 M	972,68 M	985,37 M	992,44 M	4,9 M	4,9 M
- Rx Rate (Fps)	1.419.862	821.523	446.271	233.186	587	471
- Avg Latency (micsec)	3,721	4,564	4,632	4,875	4,365	4,370
- Min Latency (micsec)	3,409	4,259	4,130	4,451	4,058	4,090
- Max Latency (micsec)	7,859	7,891	8,388	7,650	4,708	4,716
- Avg Jitter (micsec)	0,004	0,004	0,001	0,001	0,000	0,000
- Min Jitter (micsec)	0,000	0,000	0,000	0,000	0,000	0,000
- Max Jitter (micsec)	2,212	1,828	1,828	1,780	0,505	0,577
P-0-2-4						
- Rx (Frames)	42.595.868	24.645.699	13.388.127	6.995.577	17.608	14.141
- Rx Rate (L1) (Bit/s)	954,15 M	972,68 M	985,37 M	992,44 M	4,9 M	4,9 M
- Rx Rate (Fps)	1.419.862	821.523	446.271	233.186	587	471
- Avg Latency (micsec)	6,078	7,308	7,427	7,770	7,016	7,021
- Min Latency (micsec)	5,814	6,833	6,728	6,977	6,608	6,616

- Max Latency (micsec)	9,615	10,633	11,587	11,956	7,498	7,458
- Avg Jitter (micsec)	0,004	0,004	0,001	0,001	0,000	0,000
- Min Jitter (micsec)	0,000	0,000	0,000	0,000	0,000	0,000
- Max Jitter (micsec)	2,068	1,828	1,900	1,755	0,649	0,625
P-0-2-5						
- Rx (Frames)	42.595.868	24.645.699	13.388.127	6.995.577	17.608	14.141
- Rx Rate (L1) (Bit/s)	954,15 M	972,68 M	985,37 M	992,44 M	4,9 M	4,9 M
- Rx Rate (Fps)	1.419.862	821.523	446.271	233.186	587	471
- Avg Latency (micsec)	6,084	7,310	7,428	7,772	7,009	7,013
- Min Latency (micsec)	5,814	6,857	6,921	6,881	6,584	6,592
- Max Latency (micsec)	9,639	9,887	11,587	11,403	7,498	7,458
- Avg Jitter (micsec)	0,004	0,004	0,001	0,001	0,000	0,000
- Min Jitter (micsec)	0,000	0,000	0,000	0,000	0,000	0,000
- Max Jitter (micsec)	2,140	1,924	1,828	1,780	0,673	0,649
P-0-4-0						
- Rx (Frames)	42.595.868	24.645.699	13.388.127	6.995.577	17.608	14.141
- Rx Rate (L1) (Bit/s)	954,15 M	972,68 M	985,37 M	992,44 M	4,9 M	4,9 M
- Rx Rate (Fps)	1.419.862	821.523	446.271	233.186	587	471
- Avg Latency (micsec)	6,137	7,368	7,485	7,831	7,056	7,060
- Min Latency (micsec)	5,694	6,905	6,800	7,073	6,632	6,640
- Max Latency (micsec)	9,855	10,970	11,251	12,870	7,522	7,506
- Avg Jitter (micsec)	0,003	0,003	0,001	0,001	0,000	0,000
- Min Jitter (micsec)	0,000	0,000	0,000	0,000	0,000	0,000
- Max Jitter (micsec)	2,285	1,924	1,780	1,755	0,673	0,625
P-0-4-1						
- Rx (Frames)	42.595.868	24.645.699	13.388.127	6.995.577	17.608	14.141
- Rx Rate (L1) (Bit/s)	954,15 M	972,68 M	985,37 M	992,44 M	4,9 M	4,9 M
- Rx Rate (Fps)	1.419.862	821.523	446.271	233.186	587	471
- Avg Latency (micsec)	6,144	7,374	7,491	7,837	7,066	7,071
- Min Latency (micsec)	5,718	6,905	6,800	7,049	6,680	6,688
- Max Latency (micsec)	9,663	9,960	11,251	12,125	7,546	7,554
- Avg Jitter (micsec)	0,003	0,003	0,001	0,001	0,000	0,000
- Min Jitter (micsec)	0,000	0,000	0,000	0,000	0,000	0,000
- Max Jitter (micsec)	2,309	1,755	1,780	1,731	0,577	0,625
P-0-4-2						
- Rx (Frames)	42.595.868	24.645.699	13.388.127	6.995.577	17.608	14.141
- Rx Rate (L1) (Bit/s)	954,15 M	972,68 M	985,37 M	992,44 M	4,9 M	4,9 M
- Rx Rate (Fps)	1.419.862	821.523	446.271	233.186	587	471
- Avg Latency (micsec)	8,521	10,152	10,312	10,756	9,759	9,764
- Min Latency (micsec)	7,811	9,551	9,663	9,791	9,230	9,262
- Max Latency (micsec)	12,477	13,472	14,209	15,540	10,336	10,320
- Avg Jitter (micsec)	0,003	0,003	0,001	0,001	0,000	0,000
- Min Jitter (micsec)	0,000	0,000	0,000	0,000	0,000	0,000
- Max Jitter (micsec)	2,044	1,828	1,852	1,755	0,962	0,841
P-0-4-3						
- Rx (Frames)	42.595.868	24.645.699	13.388.127	6.995.577	17.608	14.141
- Rx Rate (L1) (Bit/s)	954,15 M	972,68 M	985,37 M	992,44 M	4,9 M	4,9 M
- Rx Rate (Fps)	1.419.862	821.523	446.271	233.186	587	471
- Avg Latency (micsec)	8,501	10,135	10,299	10,742	9,740	9,745
- Min Latency (micsec)	8,099	9,527	9,567	9,767	9,182	9,190
- Max Latency (micsec)	12,285	13,544	14,089	15,107	10,264	10,272
- Avg Jitter (micsec)	0,003	0,003	0,001	0,001	0,000	0,000
- Min Jitter (micsec)	0,000	0,000	0,000	0,000	0,000	0,000
- Max Jitter (micsec)	2,333	1,924	1,780	1,755	0,865	0,865
P-0-4-4						
- Rx (Frames)	42.595.868	24.645.699	13.388.127	6.995.577	17.608	14.141
- Rx Rate (L1) (Bit/s)	954,15 M	972,68 M	985,37 M	992,44 M	4,9 M	4,9 M
- Rx Rate (Fps)	1.419.862	821.523	446.271	233.186	587	471
- Avg Latency (micsec)	8,503	10,145	10,310	10,752	9,734	9,736
- Min Latency (micsec)	7,835	9,551	9,687	9,815	9,206	9,238
- Max Latency (micsec)	12,477	13,447	14,113	14,915	10,336	10,320
- Avg Jitter (micsec)	0,003	0,003	0,001	0,001	0,000	0,000
- Min Jitter (micsec)	0,000	0,000	0,000	0,000	0,000	0,000
- Max Jitter (micsec)	2,116	1,924	1,731	1,780	0,841	0,841
P-0-4-5						
- Rx (Frames)	42.595.868	24.645.699	13.388.127	6.995.577	17.608	14.141
- Rx Rate (L1) (Bit/s)	954,15 M	972,68 M	985,37 M	992,44 M	4,9 M	4,9 M
- Rx Rate (Fps)	1.419.862	821.523	446.271	233.186	587	471
- Avg Latency (micsec)	8,514	10,145	10,312	10,754	9,726	9,731
- Min Latency (micsec)	7,835	9,551	9,374	9,887	9,230	9,214
- Max Latency (micsec)	14,690	13,447	14,474	15,035	10,336	10,224

- Avg Jitter (micsec)	0,003	0,003	0,001	0,001	0,000	0,000
- Min Jitter (micsec)	0,000	0,000	0,000	0,000	0,000	0,000
- Max Jitter (micsec)	2,164	1,924	1,804	1,755	0,745	0,769

Frame Size	1518
Result State	FAIL
Iter. #	1
Tx Rate (Percent)	0,49 %
Tx (Frames)	11.953
Tx Rate (L1) (Bit/s)	4,9 M
Tx Rate (Fps)	398
Loss Rate (Percent)	0,26 %
Loss (Frames)	520
P-0-0-1	
- Rx (Frames)	11.892
- Rx Rate (L1) (Bit/s)	4,88 M
- Rx Rate (Fps)	396
- Avg Latency (micsec)	2,885
- Min Latency (micsec)	2,663
- Max Latency (micsec)	3,072
- Avg Jitter (micsec)	0,000
- Min Jitter (micsec)	0,000
- Max Jitter (micsec)	0,312
P-0-0-2	
- Rx (Frames)	11.953
- Rx Rate (L1) (Bit/s)	4,9 M
- Rx Rate (Fps)	398
- Avg Latency (micsec)	2,874
- Min Latency (micsec)	2,687
- Max Latency (micsec)	3,072
- Avg Jitter (micsec)	0,000
- Min Jitter (micsec)	0,000
- Max Jitter (micsec)	0,336
P-0-0-3	
- Rx (Frames)	11.755
- Rx Rate (L1) (Bit/s)	4,82 M
- Rx Rate (Fps)	392
- Avg Latency (micsec)	2,852
- Min Latency (micsec)	2,687
- Max Latency (micsec)	3,096
- Avg Jitter (micsec)	0,000
- Min Jitter (micsec)	0,000
- Max Jitter (micsec)	0,312
P-0-0-4	
- Rx (Frames)	11.692
- Rx Rate (L1) (Bit/s)	4,8 M
- Rx Rate (Fps)	390
- Avg Latency (micsec)	2,829
- Min Latency (micsec)	2,687
- Max Latency (micsec)	3,048
- Avg Jitter (micsec)	0,000
- Min Jitter (micsec)	0,000
- Max Jitter (micsec)	0,264
P-0-0-5	
- Rx (Frames)	11.953
- Rx Rate (L1) (Bit/s)	4,9 M
- Rx Rate (Fps)	398
- Avg Latency (micsec)	2,831
- Min Latency (micsec)	2,687
- Max Latency (micsec)	2,952
- Avg Jitter (micsec)	0,000
- Min Jitter (micsec)	0,000
- Max Jitter (micsec)	0,216
P-0-2-0	
- Rx (Frames)	11.953
- Rx Rate (L1) (Bit/s)	4,9 M
- Rx Rate (Fps)	398
- Avg Latency (micsec)	4,370
- Min Latency (micsec)	4,074
- Max Latency (micsec)	4,652

- Avg Jitter (micsec)	0,000
- Min Jitter (micsec)	0,000
- Max Jitter (micsec)	0,481
P-0-2-1	
- Rx (Frames)	11.953
- Rx Rate (L1) (Bit/s)	4,9 M
- Rx Rate (Fps)	398
- Avg Latency (micsec)	4,372
- Min Latency (micsec)	4,050
- Max Latency (micsec)	4,652
- Avg Jitter (micsec)	0,000
- Min Jitter (micsec)	0,000
- Max Jitter (micsec)	0,505
P-0-2-2	
- Rx (Frames)	11.953
- Rx Rate (L1) (Bit/s)	4,9 M
- Rx Rate (Fps)	398
- Avg Latency (micsec)	4,357
- Min Latency (micsec)	4,074
- Max Latency (micsec)	4,652
- Avg Jitter (micsec)	0,000
- Min Jitter (micsec)	0,000
- Max Jitter (micsec)	0,505
P-0-2-3	
- Rx (Frames)	11.953
- Rx Rate (L1) (Bit/s)	4,9 M
- Rx Rate (Fps)	398
- Avg Latency (micsec)	4,370
- Min Latency (micsec)	4,074
- Max Latency (micsec)	4,652
- Avg Jitter (micsec)	0,000
- Min Jitter (micsec)	0,000
- Max Jitter (micsec)	0,505
P-0-2-4	
- Rx (Frames)	11.953
- Rx Rate (L1) (Bit/s)	4,9 M
- Rx Rate (Fps)	398
- Avg Latency (micsec)	7,021
- Min Latency (micsec)	6,600
- Max Latency (micsec)	7,394
- Avg Jitter (micsec)	0,000
- Min Jitter (micsec)	0,000
- Max Jitter (micsec)	0,673
P-0-2-5	
- Rx (Frames)	11.953
- Rx Rate (L1) (Bit/s)	4,9 M
- Rx Rate (Fps)	398
- Avg Latency (micsec)	7,014
- Min Latency (micsec)	6,600
- Max Latency (micsec)	7,394
- Avg Jitter (micsec)	0,000
- Min Jitter (micsec)	0,000
- Max Jitter (micsec)	0,673
P-0-4-0	
- Rx (Frames)	11.953
- Rx Rate (L1) (Bit/s)	4,9 M
- Rx Rate (Fps)	398
- Avg Latency (micsec)	7,060
- Min Latency (micsec)	6,648
- Max Latency (micsec)	7,466
- Avg Jitter (micsec)	0,000
- Min Jitter (micsec)	0,000
- Max Jitter (micsec)	0,673
P-0-4-1	
- Rx (Frames)	11.953
- Rx Rate (L1) (Bit/s)	4,9 M
- Rx Rate (Fps)	398
- Avg Latency (micsec)	7,071
- Min Latency (micsec)	6,672
- Max Latency (micsec)	7,466
- Avg Jitter (micsec)	0,000

- Min Jitter (micsec)	0,000
- Max Jitter (micsec)	0,649
P-0-4-2	
- Rx (Frames)	11.953
- Rx Rate (L1) (Bit/s)	4,9 M
- Rx Rate (Fps)	398
- Avg Latency (micsec)	9,765
- Min Latency (micsec)	9,246
- Max Latency (micsec)	10,304
- Avg Jitter (micsec)	0,000
- Min Jitter (micsec)	0,000
- Max Jitter (micsec)	0,697
P-0-4-3	
- Rx (Frames)	11.953
- Rx Rate (L1) (Bit/s)	4,9 M
- Rx Rate (Fps)	398
- Avg Latency (micsec)	9,746
- Min Latency (micsec)	9,198
- Max Latency (micsec)	10,280
- Avg Jitter (micsec)	0,000
- Min Jitter (micsec)	0,000
- Max Jitter (micsec)	0,745
P-0-4-4	
- Rx (Frames)	11.953
- Rx Rate (L1) (Bit/s)	4,9 M
- Rx Rate (Fps)	398
- Avg Latency (micsec)	9,738
- Min Latency (micsec)	9,222
- Max Latency (micsec)	10,328
- Avg Jitter (micsec)	0,000
- Min Jitter (micsec)	0,000
- Max Jitter (micsec)	0,841
P-0-4-5	
- Rx (Frames)	11.953
- Rx Rate (L1) (Bit/s)	4,9 M
- Rx Rate (Fps)	398
- Avg Latency (micsec)	9,731
- Min Latency (micsec)	9,246
- Max Latency (micsec)	10,232
- Avg Jitter (micsec)	0,000
- Min Jitter (micsec)	0,000
- Max Jitter (micsec)	0,769

Note: One or more of the tests did not pass the test criteria!

