Harmonized Tariff Schedule of the United States Revision 19 (2025)

Annotated for Statistical Reporting Purposes

CHAPTER 76

ALUMINUM AND ARTICLES THEREOF

XV 76-1

Subheading Notes

1. In this chapter the following expressions have the meanings hereby assigned to them:

(a) Aluminum, not alloyed

Metal containing by weight at least 99 percent of aluminum, provided that the content by weight of any other element does not exceed the limit specified in the following table:

TABLE - Other elements

Element	Limiting content percent by weight		
Fe + Si (iron plus silicon)	1		
Other elements (1), each	0.1 (2)		

⁽¹⁾ Other elements are, for example, Cr, Cu, Mg, Mn, Ni, Zn.

(b) Aluminum alloys

Metallic substances in which aluminum predominates by weight over each of the other elements, provided that:

- The content by weight of at least one of the other elements or of iron plus silicon taken together is greater than the limit specified in the foregoing table; or
- (ii) The total content by weight of such other elements exceeds 1 percent.
- 2. Notwithstanding the provisions of note 9(c) to section XV, for the purposes of subheading 7616.91 the term "wire" applies only to products, whether or not in coils, of any cross-sectional shape, of which no cross-sectional dimension exceeds 6 mm.

Additional U.S. Note

1. For the purposes of heading 7608, the rate of duty "Free (C)" appearing in the "Special" subcolumn applies only to tubes and pipes with attached fittings, suitable for conducting gases or liquids.

Statistical Notes

- I. For the purposes of this chapter, the term "aluminum vanadium master alloy" refers to aluminum alloys which contain by weight 20 percent or more of vanadium.
- For the purposes of this chapter, the term "aluminum can stock" refers to sheets and strip in coils, of alloys of aluminum in which
 either manganese or magnesium is the predominant alloying element, not painted, over 0.175 mm but not over 0.432 mm in
 thickness, and over 254 mm in width, comprising "body stock and "lid stock" as specified below:
 - (a) The term "body stock" refers to aluminum can stock having manganese as the predominant alloying element and having a minimum tensile strength of 262 MPa; and
 - (b) The term "<u>lid stock</u>" refers to aluminum can stock having magnesium as the predominant alloying element and having a minimum tensile strength of 345 MPa.
- 3. For the purposes of statistical reporting number 7601.20.9080, "sheet ingot" (slabs) refers to aluminum alloys with a rectangular cross-section suitable to be manufactured into other products.

⁽²⁾ Copper is permitted in a proportion greater than 0.1 percent but not more than 0.2 percent, provided that neither the chromium nor manganese content exceeds 0.05 percent.

Harmonized Tariff Schedule of the United States Revision 19 (2025)

Annotated for Statistical Reporting Purposes

XV 76-2

Statistical Notes (con.)

- 4. For the purposes of statistical reporting number 7601.20.9085, "foundry ingot" refers to large castings of aluminum alloys of various shapes other than sheets or slabs to be melted for further processing.
- 5. For statistical reporting purposes under subheading 7602.00.00, the term "recyclable aluminum" refers to materials that are obsolete, previously used, off-specification, surplus, or incidentally produced and are collected and sorted for processing into a specification-grade commodity. Recyclable materials may also be considered as scrap but do not include solid waste or residue.
- 6. For the purposes of statistical reporting numbers 7604.29.3030, 7604.29.5020 and 7606.12.3015, "high-strength heat-treatable alloys" refers to aluminum containing by weight 7.0 percent or less of copper or 10.0 percent or less of zinc, and/or are designated as series 2xxx or 7xxx (except 7072) in the Aluminum Association's specifications of registered alloys.
- 7. For the purposes of statistical reporting numbers 7604.21.0010, 7604.29.1010, 7604.29.3060, 7604.29.5050, 7606.12.3025 and 7606.12.3091, "heat-treatable industrial alloys" refers to aluminum containing by weight 3.0 percent or less of magnesium and 3.0 percent or less of silicon, and/or are designated as series 6xxx in the Aluminum Association's specifications of registered alloys.

	>	(V	
7	۵		2	

Heading/	Stat.	Auticle Description	Unit		Rates of Duty	
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	2
7601		Unwrought aluminum:	,	Goneral	Special.	
7601.10		Aluminum, not alloyed:				
7601.10.30	00	Of uniform cross section throughout its length, the least				
		cross-sectional dimension of which is not greater than				
		9.5 mm, in coils	kg	2.6% ^{1/2/}	Free (A, AU, BH, CL,	18.5% ^{3/}
					CO, D, E, IL, JO, KR, MA, OM, P,	
					PA, PE, S, SG)	
7601.10.60		Other		- 1/2/	, , , , , , , , , , , , , , , , , ,	4.07.3/
7001.10.00	40	Of 99.9 percent aluminum or greater		Free—		11% ^{3/}
			Ng			
	45	Of greater than 99.8 percent but less than 99.9 percent	ka			
		·	Ŭ			
7001.00	90	Other	kg			
7601.20 7601.20.30	00	Aluminum alloys: Of uniform cross section throughout its length, the least				
7001.20.00	00	cross-sectional dimension of which is not greater than				
		9.5 mm, in coils	kg	2 6% ^{1/2/}	Free (A, AU, BH, CL,	18.5% ^{3/}
		,	J	2.070	CO, D, E, IL, JO,	10.070
					KR, MA, OM, P,	
					PA, PE, S, SG)	
		Other:				
7601.20.60	00	Containing 25 percent or more by weight of				
Ì		silicon	kg	2.1% ^{1/2/}	Free (A+, AU, BH,	25% ^{3/}
					CL, CO, D, E, IL, JO, KR, MA, OM,	
					P, PA, PE, S, SG)	
7601.20.90		Other		– 1/2/	.,.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	10.50/3/
7001.20.90	20			Free ^{1/2/}		10.5% ^{3/}
	30	Aluminum vanadium master alloy	kg			
	45	Other:				
	45	Of uniform circular cross section throughout its length, the foregoing				
		comprised of billets, not in coils	ka			
	60	Other, containing 0.03 percent or more by	Ŭ			
	00	weight of lead (secondary aluminum)				
		Other:	· · · ·			
	75	Remelt scrap ingot	ka			
	80	Sheet ingot (slab) of a kind described	_			
	00	in statistical note 3 to this chapter				
	٥.		Ng			
	85	Foundry ingot of a kind described in statistical note 4 to this chapter	ka			
	٥٦		•			
	95	Other	Ŭ			
7602.00.00		Aluminum waste and scrap		Free ^{4/}		Free
	35	Recyclable used beverage containers	kg			
	95	Recyclable aluminum from industrial processes, including				
		turnings, borings, shavings, filings, clippings and chips				
	97	Other recyclable aluminum	kg			
	98	Other	ka			
			9			

Heading/ Subheading	Stat. Suf-	Article Description	Unit of		Rates of Duty 1	2
	fix		Quantity	General	Special	
603 603.10.00	00	Aluminum powders and flakes: Powders of non-lamellar structure			Free (A, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	45%
603.20.00	00	Powders of lamellar structure; flakes	kg	3.9%4	KR, MA, OM, P,	11%

		v
7	6-	C

Subbooding	Stat. Suf-	Article Description	Unit of		Rates of Duty	2
Subheading	fix	Atticle Description	Quantity	General	1 Special	
604		Aluminum bars, rods and profiles:			,	
604.10		Of aluminum, not alloyed:				
604.10.10	00	Profiles	kg	5% ^{1/2/}	Free (A, AU, BH, CL,	45%
					CO, D, E, IL, JO,	
					KR, MA, OM, P,	
					PA, PE, S, SG)	
		Bars and rods:				
7604.10.30	00	Having a round cross section	ka	2 60/. 1/2/	Free (A, AU, BH, CL,	110/.3/
				2.0 /6	CO, D, E, IL, JO,	11/0
					KR, MA, OM, P,	
					PA, PE, S, SG)	
7604.10.50	00	Other	ka	00/1/2/	Free (A, AU, BH, CL,	40.50/3/
7004.10.50	00	Otrier	Kg	3%	CO, D, E, IL, JO,	13.5%
					KR, MA, OM, P, PA, PE, S, SG)	
		Of aluminum alloys:			17,12,0,00)	
7604.21.00		Hollow profiles	 	1.5% ^{1/2/}	Free (A, AU, BH, CL,	15 50/. 3/
35 <u>.</u> 1.00				1.5/0	CO, D, E, IL, JO,	13.5%
					KR, MA, OM, P,	
					PA, PE, S, SG)	
	10	Heat-treatable industrial alloys of a kind described			, , -,,	
		in statistical note 7 to this chapter				
	90	Other	_			
7604.29	90	Other:	Ny			
7604.29 7604.29.10		Other profiles		5% ^{1/2/}	Free (A*, AU, BH,	45%
. 507.23.10		Outor profiles		5%	CL, CO, D, E, IL,	70 /0
					JO, KR, MA, OM,	
					P, PA, PE, S, SG)	
	10	Heat-treatable industrial alloys of a kind			, , , , =, 0, 00)	
		described in statistical note 7 to this				
		chapter	kg			
	90	Other	_			
	30	Bars and rods:	'\9			
7604.29.30		Having a round cross section		2 69/ 1/2/	Free (A*, AU, BH,	11% 3′
. 55-1.25.00		riaving a round cross scotton		2.0%	CL, CO, D, E, IL,	1170
					JO, KR, MA, OM,	
					P, PA, PE, S, SG)	
	30	High-strength heat-treatable alloys of a			, , , , =, 0, 00)	
		kind described in statistical note 6 to this				
		chapter	kg			
	60	Heat-treatable industrial alloys of a kind				
	50	described in statistical note 7 to this				
		chapter	ka			
			_			
7004.00.50	90	Other		1/9/	France (A* ALL DIL	0/
7604.29.50		Other		3% ^{1/2/}	Free (A*, AU, BH,	13.5% ^{3/}
					CL, CO, D, E, IL,	
					JO, KR, MA, OM, P, PA, PE, S, SG)	
	20	High-strength heat-treatable alloys of a			1,1A,FE, 3, 3G)	
	20	kind described in statistical note 6 to this				
		chapter	ka			
		·	a			
	50	Heat-treatable industrial alloys of a kind				
		described in statistical note 7 to this				
		chapter	_			
	90	Other	kg			
				Ī	1	

	Stat. Suf-	Article Description	Unit of		Rates of Duty 1	2
udunig	fix		Quantity	General	Special	
605		Aluminum wire: Of aluminum, not alloyed:				
605.11.00	00	Of which the maximum cross-sectional dimension exceeds 7 mm	kg	2.6% 1/2/	Free (A, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	11% ^{3/}
605.19.00	00	Other	kg	4.2% 1/2/	Free (A, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	25% ^{3/}
605.21.00	00	Of aluminum alloys: Of which the maximum cross-sectional dimension exceeds 7 mm	kg	2.6% ^{1/2/}	Free (A, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	11% ^{3/}
605.29.00		Other	kg	4.2% 1/2/	Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	25% ^{3/}
606 606.11		Aluminum plates, sheets and strip, of a thickness exceeding 0.2 mm: Rectangular (including square): Of aluminum, not alloyed:				
606.11.30		Not clad		3%1/2/	Free (A, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	13.5% ^{3/}
	30	With a thickness of more than 6.3 mm	J			
606.11.60	60 00	With a thickness of 6.3 mm or less		2.7% 1/2/	Free (A, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	9.5% ^{3/}
				Ī		Ī

	ΧV	
7	6-7	

Stat.		Unit		Rates of Duty	1 0
Suf- fix		of Quantity	General	1 Special	2
)	Aluminum plates, sheets and strip, of a thickness exceeding	,	Contrai	opecia.	
	0.2 mm: (con.)				
	Rectangular (including square): (con.)				
	Of aluminum alloys:		1/0/	- /A+ ALL DIL	2/
	Not clad		3% ^{1/2/}	Free (A*, AU, BH,	13.5% ^{3/}
				CL, CO, D, E, IL, JO, KR, MA, OM,	
				P, PA, PE, S, SG)	
	With a thickness of more than 6.3 mm:			1,174,12,0,00	
15					
	kind described in statistical note 6 to this				
	chapter	kg			
25					
	described in statistical note 7 to this				
	chapter	•			
35		kg			
	With a thickness of 6.3 mm or less:				
1,5	Aluminum can stock:	Line			
45	,				
55		kg			
91	Other: Heat-treatable industrial alloys of a				
191	kind described in statistical note 7 to				
	this chapter	ka			
96					
00			C Fo/ 1/2/	Free (A*, AU, BH,	30% ^{3/}
100	U Glad	Kg	6.5%	CL, CO, D, E, IL,	30%-
				JO, KR, MA, OM,	
				P, PA, PE, S, SG)	
	1				
	1				
	1				
	1				
	1				
	1				
	1				

	Stat. Suf-	Article Description	Unit of		Rates of Duty 1	2
	fix		Quantity	General	Special	
606 (con.)		Aluminum plates, sheets and strip, of a thickness exceeding				
		0.2 mm: (con.) Other:				
'606.91		Of aluminum, not alloyed:				
606.91.30		Not clad		3% ^{1/2/}	Free (A, AU, BH, CL,	13.5% ^{3/}
					CO, D, E, IL, JO, KR, MA, OM, P,	
					PA, PE, S, SG)	
	55	With a thickness of more than 6.3 mm	•			
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	95	With a thickness of 6.3 mm or less		1/0/	F (A ALL BLI OL	2/
606.91.60		Clad		2.7% ^{1/2/}	Free (A, AU, BH, CL, CO, D, E, IL, JO,	9.5%
					KR, MA, OM, P,	
		With a thickness of many them C.O. man	t		PA, PE, S, SG)	
	55	With a thickness of more than 6.3 mm	Ŭ			
'606.92	95	With a thickness of 6.3 mm or less Of aluminum alloys:	kg			
606.92.30		Not clad		3% ^{1/2/}	Free (A, AU, BH, CL,	13.5% ^{3/}
					CO, D, E, IL, JO,	
					KR, MA, OM, P, PA, PE, S, SG)	
	25	With a thickness of more than 6.3 mm	kg		171,12,0,00)	
	35	With a thickness of 6.3 mm or less				
7606.92.60		Clad		6.5% ^{1/2/}	Free (A, AU, BH, CL,	30% ^{3/}
					CO, D, E, IL, JO, KR, MA, OM, P,	
					PA, PE, S, SG)	
	55	With a thickness of more than 6.3 mm	kg			
	95	With a thickness of 6.3 mm or less	kg			

	Х	١
7	۵	c

	Stat.	Audi-la Danadada	Unit		Rates of Duty	
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	2
7607		Aluminum foil (whether or not printed, or backed with paper, paperboard, plastics or similar backing materials) of a	,	Jo nora.	C posia.	
		thickness (excluding any backing) not exceeding 0.2 mm:				
607.11		Not backed: Rolled but not further worked:				
607.11		Of a thickness not exceeding 0.15 mm:				
7607.11.30	00		kg	5.8% ^{1/2/}	Free (A*, AU, BH,	40%
					CL, CO, D, E, IL, JO, KR, MA, OM,	
					P, PA, PE, S, SG)	
7607.11.60		Of a thickness exceeding 0.01 mm		5.3% ^{1/2/}	Free (A*, AU, BH,	40%
					CL, CO, D, E, IL, JO, KR, MA, OM,	
					P, PA, PE, S, SG)	
	10	Boxed aluminum foil weighing not more than 11.3 kg	ka			
		trial 11.5 kg	m ²			
	90	Other	kg			
			m ²			
7607.11.90		Other		3% ^{1/2/}	Free (A*, AU, BH, CL, CO, D, E, IL,	13.5% ^{3/}
					JO, KR, MA, OM,	
		Aluminum can stock:			P, PA, PE, S, SG)	
	30	Body stock	kg			
	60	Lid stock	kg			
7007.10	90	Other	kg			
7607.19 7607.19.10	00	Other: Etched capacitor foil	kg	5.3% ^{5/}	Free (A, AU, BH, CL,	40%
				0.070	CO, D, E, IL, JO,	
					KR, MA, OM, P, PA, PE, S, SG)	
		Other:			, , , , =, 0, 00,	
7607.19.30	00	Cut to shape, of a thickness not exceeding				
		0.15 mm	kg	5.7%	Free (A, AU, BH, CL, CO, D, E, IL, JO,	45%
					KR, MA, OM, P,	
					PA, PE, S, SG)	
7607.19.60	00	Other	kg	3%1/2/	Free (A, AU, BH, CL, CO, D, E, IL, JO,	13.5% ^{3/}
					KR, MA, OM, P,	
7607.20		Backed:			PA, PE, S, SG)	
607.20.10	00	Covered or decorated with a character, design, fancy				
		effect or pattern	kg	3.7% ^{1/2/}	Free (A, AU, BH, CL, CO, D, E, IL, JO,	22.5% ^{3/}
					KR, MA, OM, P,	
					PA, PE, S, SG)	
7607.20.50	00	Other	kg	Free ^{5/}		23% ^{3/}
				l	1	

Subheading	Stat. Suf-	Article Description	Unit of		Rates of Duty	2
, i	fix		Quantity	General	Special	<u> </u>
608 608.10.00		Aluminum tubes and pipes: Of aluminum, not alloyed		5.7% ^{1/2/}	Free (A, AU, B, BH, C, CL, CO, D, E, IL, JO, KR, MA, OM,	
	30	Seamless	ka		P, PA, PE, S, SG) ^{6/}	
	90	Other	J			
'608.20.00	90	Of aluminum alloys	•	5.7% ^{1/2/}	Free (A, AU, B, BH, C, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	
	30	Seamless	kg		,	
	90	Other	kg			
609.00.00	00	Aluminum tube or pipe fittings (for example, couplings, elbows, sleeves)	kg	5.7% ^{1/2/}	Free (A, AU, B, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	45%
610		Aluminum structures (excluding prefabricated buildings of heading 9406) and parts of structures (for example, bridges and bridge-sections, towers, lattice masts, roofs, roofing frameworks, doors and windows and their frames and thresholds for doors, balustrades, pillars and columns); aluminum plates, rods, profiles, tubes and the like, prepared for use in structures:				
610.10.00		Doors, windows and their frames and thresholds for doors		5.7% ^{7/1/}	Free (A, AU, BH, CL, CO, D, E, IL, JO,	45%
					KR, MA, OM, P, PA, PE, S, SG)	
	10	Windows and their frames	kg		, , ,	
	20	Thresholds for doors	kg			
	30	Other				
610.90.00		Other		5.7%4/1/	Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	45%
	20	Sheet-metal roofing, siding, flooring, and roof guttering				
	40	and drainage equipment	_			
	40	Architectural and ornamental work	ĸg			
	60	Other: Mobile homes	ka			
	80	Other	· ·			
				I	I	1

	Stat.	Auticle Description	Unit		Rates of Duty	
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	2
7611.00.00		Aluminum reservoirs, tanks, vats and similar containers, for any material (other than compressed or liquefied gas), of a capacity exceeding 300 liters, whether or not lined or heat insulated, but not fitted with mechanical or thermal equipment		2.6% ^{4/}	Free (A, AU, BH, CL,	45%
	30	Tanks	No.		CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	
	90		No.			
7612		Aluminum casks, drums, cans, boxes and similar containers (including rigid or collapsible tubular containers), for any material (other than compressed or liquefied gas), of a capacity not exceeding 300 liters, whether or not lined or heat insulated, but not fitted with mechanical or thermal equipment:				
7612.10.00	00	Collapsible tubular containers	No	2.4% ^{4/}	Free (A, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	45%
7612.90 7612.90.10		Other: Of a capacity not exceeding 20 liters		5.7% ^{4/}	Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	45%
	40	Cans of a capacity not exceeding 355 ml: With a circular cross section, of a kind used for aerosols	No.			
	45 60	OtherCans of a capacity exceeding 355 ml but less than 3.8 liters				
	90		No.			
7612.90.50		Other				25% ^{3/}
7613.00.00	00	Aluminum containers for compressed or liquefied gas	No	5% ^{4/}	Free (A, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	25% ^{3/}

	Stat. Suf-	Article Description	Unit of		Rates of Duty 1	2
	fix		Quantity	General	Special	
614		Stranded wire, cables, plaited bands and the like, including slings and similar articles, of aluminum, not electrically insulated:				
'614.10 '614.10.10	00	With steel core: Not fitted with fittings and not made up into articles	kg	4.9% ^{8/}	Free (A+, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	35%
614.10.50	00	Fitted with fittings or made up into articles	kg	4.9% ^{9/}	Free (A*, AU, B, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	35%
614.90 614.90.20		Other: Not fitted with fittings and not made up into articles: Electrical conductors		4.9% ^{10/}	Free (A, AU, BH, CL,	35%
	30	With a cross-sectional area less than 240			CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	
	60	mm² With a cross-sectional area greater than or				
'614.90.40	00	equal to 240 mm² Other	kg kg	4.9% ^{<u>9′</u>}	Free (A+, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM,	35%
7614.90.50	00	Fitted with fittings or made up into articles	kg	5.7% ^{9/}	P, PA, PE, S, SG) Free (A, AU, B, BH, CL, CO, D, E, IL, JO, KR, MA, OM,	45%
					P, PA, PE, S, SG)	

	,	X	V	
76		1	2	

	Stat.	Australia Decembration	Unit		Rates of Duty	_
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	2
615		Table, kitchen or other household articles and parts thereof, of aluminum; pot scourers and scouring or polishing pads, gloves and the like, of aluminum; sanitary ware and parts thereof, of aluminum:		001.014.	- Cpcotai	
615.10		Table, kitchen or other household articles and parts thereof; pot scourers and scouring or polishing pads, gloves and the like:				
615.10.11	00	Pot scourers and scouring or polishing pads, gloves and the like	kg	3.1% ^{7/}	Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	45.5%
		Other: Cooking and kitchen ware: Enameled or glazed or containing nonstick interior finishes:				
615.10.20		Cast		3.1% ^{1/}	Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	45.5%
	15	Bakeware (cookware not suitable for stove top use)	kg			
	25	Other	No. kg			
615.10.30		Other		3.1% ^{7/1/}	Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	45.5%
	15	Bakeware (cookware not suitable for stove top use)	kg			
	25	Other	No. kg			

	Stat. Suf-	Article Description	Unit of		Rates of Duty	2
Jubileading	fix	Article Description	Quantity	General	Special	
7615 (con.)		Table, kitchen or other household articles and parts thereof, of aluminum; pot scourers and scouring or polishing pads, gloves and the like, of aluminum; sanitary ware and parts thereof, of aluminum: (con.)				
7615.10 con.)		Table, kitchen or other household articles and parts thereof; pot scourers and scouring or polishing pads, gloves and the like: (con.) Other: (con.)				
		Cooking and kitchen ware: (con.) Not enameled or glazed and not containing nonstick interior finishes:		744		45.50
615.10.50		Cast		3.1%***	Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	45.5%
	20	Bakeware (cookware not suitable for stove top use)	No. kg		, , , ,	
	40	Other	No.			
7615.10.71		Other	kg 	3.1% ^{1/}	Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM,	45.5%
	25	Containers suitable for food preparation, baking, reheating or storage, 0.04 mm or more but not over 0.22 mm in thickness	No. kg		P, PA, PE, S, SG)	
	30	Other cookware: Bakeware (cookware not suitable for stove top use)	No.			
	55	Other	kg No.			
	80	Other	kg			
⁷ 615.10.91	00	Other	kg	3.1% ^{7/1/}	Free (A*, AU, BH,	45.5%
010.10.01	00				CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	
7615.20.00	00	Sanitary ware and parts thereof	kg	3.8%4/1/	Free (A*, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	45.5%

)	K	V	
76		1	5	

Subheading	Stat. Suf-	Article Description	Unit of		Rates of Duty	2
Subneading	fix	Article Description	Quantity	General	1 Special	
616 616.10		Other articles of aluminum: Nails, tacks, staples (other than those of heading 8305), screws, bolts, nuts, screw hooks, rivets, cotters, cotter pins, washers and similar articles:				
616.10.10	00	Nails, tacks and staples			Free (A, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	45%
616.10.30	00	Rivets	kg	4.7% ^{4/}	Free (A, AU, B, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	45%
616.10.50	00	Cotters and cotter pins	kg	5.7% ^{4/}	Free (A, AU, B, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	45%
616.10.70		Other: Having shanks, threads or holes over 6 mm in				
010.10.70		diameter		5.5% ^{4/}	Free (A, AU, B, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) 2.75% (JP)	45%
	30	Threaded fasteners	J			
616.10.90	90	OtherOther	U	6% ^{4/1/}	Free (A, AU, B, BH, CL, CO, D, E, IL, JO, KR, MA, OM,	45%
	30	Threaded fasteners	ka		P, PA, PE, S, SG)	
	90	Other	_			

	Stat. Suf-	Article Description	Unit of		Rates of Duty 1	2
_	fix	·	Quantity	General	Special	_
616 (con.)		Other articles of aluminum: (con.)				
616.91.00	00	Other: Cloth, grill, netting and fencing, of aluminum wire	kg	2.5% ^{4/}	Free (A*, AU, B, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	45%
616.99 616.99.10	00	Other: Luggage frames	kg	Free ^{4/1/}		45%
616.99.51		Other		2.5% ^{9/}	Free (A*, AU, B, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	45%
	20	Laminated goods consisting of 2 or more flat-rolled sheets of aluminum held together with an adhesive or having a core of non-metallic material	ka		1,1 A,1 E, 3, 30)	
	30	Ladders	•			
	40	Venetian blinds and parts thereof				
	50	Hangers and supports for pipes and tubes				
	50	Other:	ng .			
	60	Castings	kg			
	70	Forgings	_			
		Other:				
	75	Articles of wire	•			
	90	Other	kg			

Harmonized Tariff Schedule of the United States Revision 19 (2025)

Annotated for Statistical Reporting Purposes

Endnotes--page 76 - 17

- 1/ See U.S. note 19 to subchapter III, chapter 99.
- 2/ See 9903.91.01.
- 3/ See 9903.90.09.
- 4/ See 9903.88.03.
- 5/See 9903.88.15 and U.S. note 19 to subchapter III, chapter 99.
- $\overline{6/}$ See additional U.S. note 1 to this chapter.
- <u>7/</u> See 9903.88.15.
- 8/ See 9903.88.02.
- $\overline{9/}$ See 9903.88.03 and U.S. note 19 to subchapter III, chapter 99.
- 10/ See 9903.88.02 and U.S. note 19 to subchapter III, chapter 99.