Harmonized Tariff Schedule of the United States Revision 19 (2025)

Annotated for Statistical Reporting Purposes

CHAPTER 73

ARTICLES OF IRON OR STEEL

XV 73-1

Notes

- 1. In this chapter the expression "cast iron" applies to products obtained by casting in which iron predominates by weight over each of the other elements and which do not comply with the chemical composition of steel as defined in Note 1(d) to chapter 72.
- In this chapter the word "wire" means hot- or cold-formed products of any cross-sectional shape, of which no cross-sectional dimension exceeds 16 mm.

Additional U.S. Notes

- 1. For the purposes of heading 7304 or 7306, the rate of duty "Free (C)" appearing in the "Special" subcolumn applies only to tubes and pipes with attached fittings, suitable for conducting gases or liquids.
- 2. For the purposes of subheading 7307.19.30, the expression "ductile fittings" refers to fittings which contain over 2.5 percent carbon and over 0.02 percent of magnesium or of magnesium and cerium, by weight.

Statistical Note

1. For the purposes of statistical reporting numbers 7310.10.0005, 7310.29.0020 and 7310.29.0055, "refillable stainless steel kegs, whether or not pressurized" refers to cylindrical kegs for liquid beverages, each keg with a domed top and bottom and a single neck piece, designed for a coupler (valve) system and an extractor tube (spear) by which the keg can be cleaned, filled and dispense the liquid contents.

Heading/	Stat.	A 21 B	Unit		Rates of Duty	
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	2
7301		Sheet piling of iron or steel, whether or not drilled, punched or made from assembled elements; welded angles, shapes and sections, of iron or steel:				
7301.10.00 7301.20	00	Sheet piling Angles, shapes and sections:	kg	Free ^{1/2/}		2%
7301.20.10	00	Of iron or nonalloy steel				20%
7301.20.50	00	Of alloy steel	kg	Free ^{3/1/}		28%
7302.10 7302.10.10		Railway or tramway track construction material of iron or steel, the following: rails, check-rails and rack rails, switch blades, crossing frogs, point rods and other crossing pieces, sleepers (cross-ties), fish-plates, chairs, chair wedges, sole plates (base plates), rail clips, bedplates, ties and other material specialized for jointing or fixing rails: Rails: Of iron or nonalloy steel		Free ^{1/2/}		1%
	10	Not heat treated: Standard tee rails over 30 kg per meter	kg			
	15	Other: Over 30 kg per meter	ka			
	25	Other	•			
	35	Heat treated: Standard tee rails over 30 kg per meter	J			
	45	Other: Over 30 kg per meter	ka			
	55	Other	•			
	65	Used: Railway rails for rerolling	ka			
	75	Other	_			
7302.10.50	20	Of alloy steel		Free ^{1/2/}		9%
	20	Used:	· ·			
	40	Railway rails for rerolling Other	_			
7302.30.00	60 00	Switch blades, crossing frogs, point rods and other crossing pieces		Free ^{3/1/}		45%
7302.40.00	00	Fish-plates and sole plates				2%
7302.90 7302.90.10	00	Other: Sleepers (cross-ties)	kg	Free ^{1/2/}		2%
7302.90.90	00	Other	kg	Free ^{1/2/}		45%
7303.00.00	30	Tubes, pipes and hollow profiles, of cast iron		Free ^{3/}		33%
	60	Pressure pipe with an inside diameter of less than	J			
	00	356 mm Other	•			
	90	Other	kg			
			i		1	

)	(٧
7	3	_	1

	C.,4	Article Description	Unit		Rates of Duty	2
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	2
304		Tubes, pipes and hollow profiles, seamless, of iron (other than				
		cast iron) or steel: Line pipe of a kind used for oil or gas pipelines:				
304.11.00		Of stainless steel		Free ^{1/2/}		35%
	20	Having an outside diameter not exceeding				
		114.3 mm	_			
	50	Having an outside diameter exceeding 114.3 mm but not exceeding 406.4 mm				
	80	Having an outside diameter exceeding				
		406.4 mm	kg			
304.19 304.19.10		Other: Of iron or nonalloy steel		Froe 1/2/		25% ^{4/}
JO4.13.10	20	Having an outside diameter not exceeding		Free		25%
		114.3 mm	kg			
	30	Having an outside diameter exceeding				
		114.3 mm but less than 215.9 mm	kg			
		Having an outside diameter of 215.9 mm or				
	45	more but not exceeding 406.4 mm: Having a wall thickness less than				
	73	12.7 mm	kg			
	60	Having a wall thickness of 12.7 mm or	J			
		more	kg			
	80	Having an outside diameter exceeding 406.4 mm	ka			
304.19.50		Of other alloy steel		Free 1/2/		35%
	20	Having an outside diameter not exceeding 114.3 mm		1100		
	50	Having an outside diameter exceeding	Ng			
	30	114.3 mm but not exceeding 406.4 mm	kg			
	80	Having an outside diameter exceeding				
		406.4 mm	kg			
	l					1

	Stat. Suf-	Article Description	Unit of	-	Rates of Duty 1	2
	fix	· ·	Quantity	General	Special	1
7304 (con.)		Tubes, pipes and hollow profiles, seamless, of iron (other than cast iron) or steel: (con.) Casing, tubing and drill pipe, of a kind used in drilling for				
7304.22.00		oil or gas: Drill pipe of stainless steel Having an outside diameter not exceeding		Free ^{1/2/}		35%
	30	168.3 mm: Having a wall thickness not exceeding				
	45	9.5 mm Having a wall thickness exceeding 9.5 mm	· ·			
	60	Having an outside diameter exceeding 168.3 mm				
7304.23 7304.23.30	00	Other drill pipe: Of iron or nonalloy steel	kg	Free ^{1/2/}		25%
7304.23.60		Of alloy steel Having an outside diameter not exceeding		Free ^{1/2/}		35%
	30	168.3 mm: Having a wall thickness not exceeding 9.5 mm	ka			
	45	Having a wall thickness exceeding 9.5 mm				
	60	Having an outside diameter exceeding 168.3 mm	_			
7304.24		Other, of stainless steel: Casing:		400		
7304.24.30		Threaded or coupledHaving an outside diameter less than 215.9 mm:		Free ^{1/2/}		28%
	10	Having a wall thickness less than 12.7 mm	kg			
	20	Having a wall thickness of 12.7 mm or more				
	30	Having an outside diameter of 215.9 mm or more but not exceeding 285.8 mm: Having a wall thickness less than	3			
	40	12.7 mm Having a wall thickness of 12.7 mm or	J			
	45	Having an outside diameter exceeding	kg			
	80	285.8 mm but not exceeding 406.4 mm Having an outside diameter exceeding				
		406.4 mm	kg			

	ΧV	
7	3-5	

Heading/ Subheading	Stat. Suf-	Article Description	Unit of		Rates of Duty 1	2
Subneading	fix	Article Description	Quantity	General	Special	1 ′
304 (con.)		Tubes, pipes and hollow profiles, seamless, of iron (other than cast iron) or steel: (con.) Casing, tubing and drill pipe, of a kind used in drilling for	-			
304.24 con.)		oil or gas: (con.) Other, of stainless steel: (con.)				
304.24.40		Casing: (con.) Other		Free ^{1/2/}		8.5% ^{4/}
	10	Having an outside diameter less than 215.9mm: Having a wall thickness less than 12.7mm	ka			
	20	Having a wall thickness of 12.7 mm or more	Ü			
	30	Having an outside diameter of 215.9 mm or more but not exceeding 285.8 mm: Having a wall thickness less than				
	40	12.7 mm Having a wall thickness of 12.7 mm or				
	50	moreHaving an outside diameter exceeding 285.8 mm but not exceeding 406.4 mm: Having a wall thickness less than	kg			
	60	12.7 mmHaving a wall thickness is a than 12.7 mm or	_			
	80	moreHaving an outside diameter exceeding	kg			
304.24.60		406.4 mm Tubing Having an outside diameter not exceeding 114.3 mm:		Free ^{1/2/}		35%
	15	Having a wall thickness not exceeding 9.5 mm	kg			
	30		kg			
	45	Having an outside diameter exceeding 114.3 mm but less than 215.9 mm	kg			
	60	Having an outside diameter of 215.9 mm or more but not exceeding 406.4 mm	kg			
	75	Having an outside diameter exceeding 406.4 mm	kg			

Heading/	Stat.	Autola Description	Unit		Rates of Duty	
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	2
7304 (con.)		Tubes, pipes and hollow profiles, seamless, of iron (other than	•			
		cast iron) or steel: (con.)				
		Casing, tubing and drill pipe, of a kind used in drilling for				
7304.29		oil or gas: (con.) Other:				
7504.25		Casing:				
		Of iron or nonalloy steel:				
7304.29.10		Threaded or coupled		Free ^{1/2/}		20% 4/
		Having an outside diameter less than				
		215.9 mm:				
	10	Having a wall thickness less than	l.a.			
		12.7 mm	кд			
	20	Having a wall thickness of				
		12.7 mm or more	kg			
		Having an outside diameter of 215.9 mm or more but not exceeding				
		285.8 mm:				
	30	Having a wall thickness less than				
		12.7 mm				
	40	Having a wall thickness of	-			
	"0	12.7 mm or more	kg			
		Having an outside diameter exceeding	J			
		285.8 mm but not exceeding				
		406.4 mm:				
	50	Having a wall thickness less than				
		12.7 mm	kg			
	60	Having a wall thickness of				
		12.7 mm or more				
	80	Having an outside diameter exceeding	Lan			
7304.29.20		406.4 mm		– 1/2/		40/4/
7304.29.20		Other		Free TE		1% ^{4/}
		Having an outside diameter less than 215.9 mm:				
	10	Having a wall thickness less than				
	. •	12.7 mm	kg			
	20	Having a wall thickness of	J			
	20	12.7 mm or more	ka			
		Having an outside diameter of	3			
		215.9 mm or more but not exceeding				
		285.8 mm:				
	30	Having a wall thickness less than	l.a.			
		12.7 mm	kg			
	40	Having a wall thickness of				
		12.7 mm or more	kg			
		Having an outside diameter exceeding 285.8 mm but not exceeding				
		406.4 mm:				
	50	Having a wall thickness less than				
		12.7 mm	kg			
	60	Having a wall thickness of				
		12.7 mm or more	kg			
	80	Having an outside diameter exceeding				
		406.4 mm	kg			
	Ī			1	I	Ī

	>	(V	
7	3	_	7	

	Stat.	Article Description	Unit		Rates of Duty	2
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	2
7304 (con.) 7304.29		Tubes, pipes and hollow profiles, seamless, of iron (other than cast iron) or steel: (con.) Casing, tubing and drill pipe, of a kind used in drilling for oil or gas: (con.) Other: (con.)				
(con.)		Casing: (con.)				
7304.29.31		Of other alloy steel: Threaded or coupled		Free ^{1/2/}		28% ^{4/}
	10	Having an outside diameter less than 215.9 mm: Having a wall thickness less than				
	20	12.7 mm Having a wall thickness of	kg			
	20	12.7 mm or more Having an outside diameter of 215.9 mm or more but not exceeding 285.8 mm:	kg			
	30	Having a wall thickness less than 12.7 mm	kg			
	40	Having a wall thickness of 12.7 mm or more	kg			
		Having an outside diameter exceeding 285.8 mm but not exceeding 406.4 mm:	3			
	50	Having a wall thickness less than 12.7 mm	kg			
	60	Having a wall thickness of 12.7 mm or more				
7004 00 44	80	Having an outside diameter exceeding 406.4 mm	kg	1/0/		4/
7304.29.41	10	OtherHaving an outside diameter less than 215.9 mm: Having a wall thickness less than		Free 112		8.5% ^{4/}
	20	12.7 mm Having a wall thickness of	kg			
	20	12.7 mm or more Having an outside diameter of 215.9 mm or more but not exceeding 285.8 mm:	kg			
	30	Having a wall thickness less than 12.7 mm	kg			
	40	Having a wall thickness of 12.7 mm or moreHaving an outside diameter exceeding 285.8 mm but not exceeding 406.4 mm:	kg			
	50	Having a wall thickness less than 12.7 mm	kg			
	60	Having a wall thickness of 12.7 mm or more	kg			
	80	Having an outside diameter exceeding 406.4 mm	kg			

	Stat. Suf-	Article Description	Unit of		Rates of Duty 1	2
	fix	·	Quantity	General	Special	<u> </u>
'304 (con.)		Tubes, pipes and hollow profiles, seamless, of iron (other than cast iron) or steel: (con.) Casing, tubing and drill pipe, of a kind used in drilling for oil or gas: (con.)				
304.29 con.)		Other: (con.)				
304.29.50		Tubing: Of iron or nonalloy steel		Fro e 1/2/		25% ^{4/}
004.20.00		Having an outside diameter not exceeding		Free—		25%
	15	114.3 mm: Having a wall thickness not exceeding 9.5 mm				
	30	Having a wall thickness exceeding				
	45	9.5 mm Having an outside diameter exceeding 114.3 mm but less than 215.9 mm	_			
	60	Having an outside diameter of 215.9 mm	ĸy			
	75	or more but not exceeding 406.4 mm Having an outside diameter exceeding	kg			
	73	406.4 mm	kg			
7304.29.61		Of other alloy steel		Free ^{1/2/}		35%
	15	Having an outside diameter not exceeding 114.3 mm: Having a wall thickness not exceeding				
	.0	9.5 mm				
	30	Having a wall thickness exceeding 9.5 mm	kg			
	45	Having an outside diameter exceeding 114.3 mm but less than 215.9 mm	kg			
	60	Having an outside diameter of 215.9 mm or more but not exceeding 406.4 mm	kg			
	75	Having an outside diameter exceeding 406.4 mm	kg			

	ΧV	
7	3-a	

	Stat.	Article Description	Unit		Rates of Duty	2
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	2
304 (con.)		Tubes, pipes and hollow profiles, seamless, of iron (other than	-		,	
		cast iron) or steel: (con.)				
304.31		Other, of circular cross section, of iron or nonalloy steel: Cold-drawn or cold-rolled (cold-reduced):				
304.31.30	00	Hollow bars	kg	Free ^{1/2/}		22%
304.31.60		Other				25% ^{4/}
304.31.00	10	Suitable for use in boilers, superheaters, heat		Free-		25%
	. •	exchangers, condensers, refining furnaces				
		and feedwater heaters	kg			
	50	Other				
304.39.00		Other		Free ^{1/2/}		25% ^{4/}
		Suitable for use in boilers, superheaters, heat				
		exchangers, condensers, refining furnaces and feedwater heaters:				
	02	Having an outside diameter less than				
		38.1 mm	kg			
	04	Having an outside diameter of 38.1 mm or				
		more but less than 190.5 mm	kg			
	06	Having an outside diameter of 190.5 mm or				
		more but not exceeding 285.8 mm	kg			
	80	Having an outside diameter exceeding				
		285.8 mm	kg			
						1
						1
						1
						1
						1

Heading/ Subheading	Stat. Suf-	Article Description	Unit of		Rates of Duty 1	2
Jubi leading	fix	Artiole Description	Quantity	General	Special	
304 (con.)		Tubes, pipes and hollow profiles, seamless, of iron (other than cast iron) or steel: (con.)				
		Other, of circular cross section, of iron or nonalloy steel: (con.)				
304.39.00 con.)		Other (con.)				
- /		Other:				
	16	Galvanized, having an outside diameter not exceeding 114.3 mm	kg			
	20	Other: Having an outside diameter less than 38.1 mm	kg			
		Having an outside diameter of 38.1 mm or more but not exceeding 114.3 mm:				
	24	Having a wall thickness less than 6.4 mm	kg			
	28	Having a wall thickness of 6.4 mm or more but not exceeding 12.7 mm	kg			
	32	Having a wall thickness exceeding 12.7 mm	kg			
	36	Having an outside diameter exceeding 114.3 mm but less than 190.5 mm: Having a wall thickness less than 12.7 mm	ka			
	40	Having a wall thickness of 12.7 mm or more but less than 19 mm				
	44	Having a wall thickness of 19 mm or more				
	48	Having an outside diameter of 190.5 mm or more but not exceeding 285.8 mm: Having a wall thickness less than				
	52	12.7 mm Having a wall thickness of 12.7 mm or more but less than 19 mm				
	56	Having a wall thickness of 19 mm or	kg			
	62	Having an outside diameter exceeding 285.8 mm but not exceeding 406.4 mm: Having a wall thickness less than	.vg			
	02	12.7 mm	ka			
	68	Having a wall thickness of 12.7 mm or more but less than 19 mm				
	72	Having a wall thickness of 19 mm or				
		Having an outside diameter exceeding 406.4 mm:	kg			
	76	Having a wall thickness less than 19 mm	kg			
	80	Having a wall thickness of 19 mm or more	kg			

	Χ	V
73	-1	1

	Stat.	Asticle Description	Unit		Rates of Duty	^
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	2
304 (con.)		Tubes, pipes and hollow profiles, seamless, of iron (other than			·	
		cast iron) or steel: (con.)				
304.41		Other, of circular cross section, of stainless steel: Cold-drawn or cold-rolled (cold-reduced):				
304.41.30		Of an external diameter of less than 19 mm		Fra 5/		36%
004.41.00	05	Of high-nickel alloy steel		Free_		00 70
	00		ng .			
	15	Other: Suitable for use in boilers, superheaters,				
	13	heat exchangers, condensers, refining				
		furnaces and feedwater heaters	kg			
	45	Other	_			
304.41.60	.0	Other		Free ^{5/}		36%
	05	Of high-nickel alloy steel		1100		
		Other:	9			
	15	Suitable for use in boilers, superheaters,				
	. •	heat exchangers, condensers, refining				
		furnaces and feedwater heaters	kg			
	45	Other	ka			
304.49.00	٠٠	Other		Free ^{1/2/}		36%
	05	Of high-nickel alloy steel		. 100		
		Other:	3			
	15	Hollow bars	ka			
	. •		1.9			
	45	Other: Suitable for use in boilers, superheaters,				
	+5	heat exchangers, condensers, refining				
		furnaces and feedwater heaters	kg			
	60	Other	ŭ			
	00	Ou let	Ng			
				Ī		1

Subheading	Stat. Suf-	Article Description	Unit of	-	Rates of Duty 1	2
	fix	· ·	Quantity	General	Special	
304 (con.)		Tubes, pipes and hollow profiles, seamless, of iron (other than				
		cast iron) or steel: (con.) Other, of circular cross section, of other alloy steel:				
304.51		Cold-drawn or cold-rolled (cold-reduced):				
304.51.10	00	Suitable for use in the manufacture of ball or roller				
		bearings	kg	Free ^{1/2/}		34%
304.51.50		Other		Fra a 1/2/		35%
304.31.30	05	Of high-nickel alloy steel		Free		33 78
	05		Ng			
		Other: Suitable for use in boilers, superheaters,				
		heat exchangers, condensers, refining				
		furnaces and feedwater heaters:				
	15	Of heat-resisting steel	kg			
	45	Other	ka			
	60	Other				
304.59		Other:				
304.59.10	00	Suitable for use in the manufacture of ball or roller		4404		
		bearings	kg	Free ^{1/2/}		34%
		Other:				
304.59.20		Suitable for use in boilers, superheaters, heat				
		exchangers, condensers, refining furnaces and feedwater heaters		1/2/		050/
	20			Free "Z		35%
	30	Of heat-resisting steel	кg			
	40	Other:				
	40	Having an outside diameter less than 38.1 mm				
	4-		Νg			
	45	Having an outside diameter of 38.1 mm or more but not exceeding				
		114.3 mm	ka			
	55	Having an outside diameter exceeding	•			
	55	114.3 mm but less than 190.5 mm	ka			
	60		9			
	00	Having an outside diameter of 190.5 mm or more but not exceeding				
		9	kg			
	70	Having an outside diameter exceeding	Ŭ			
	. 3	285.8 mm but not exceeding				
		406.4 mm	kg			
	80	Having an outside diameter exceeding				
		406.4 mm				
						1

	Χ	V
73	-1	3

	Stat.	Australia Danasinstina	Unit		Rates of Duty	
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	2
304 (con.)		Tubes, pipes and hollow profiles, seamless, of iron (other than cast iron) or steel: (con.)		96	Gpot.id.	
'304.59 con.)		Other, of circular cross section, of other alloy steel: (con.) Other: (con.)				
·		Other: (con.)				
304.59.60	00	Other: Of heat-resisting steel	kg	Free ^{1/2/}		36%
304.59.80		Other				35%
	10	Having an outside diameter less than 38.1 mm				
		Having an outside diameter of 38.1 mm or more but not exceeding 114.3 mm:				
	15	Having a wall thickness less than 6.4 mm				
	20	Having a wall thickness of 6.4 mm or more but not exceeding 12.7 mm				
	25	Having a wall thickness exceeding 12.7 mm				
	30	Having an outside diameter exceeding 114.3 mm but less than 190.5 mm: Having a wall thickness less than				
	00	12.7 mm				
	35	Having a wall thickness of 12.7 mm or more but less than 19 mm	ka			
	40	Having a wall thickness of 19 mm	_			
		or moreHaving an outside diameter of 190.5 mm or more but not exceeding 285.8 mm:				
	45	Having a wall thickness less than 12.7 mm				
	50	Having a wall thickness of 12.7 mm or more but less than 19 mm	kg			
	55	Having a wall thickness of 19 mm or more				
		Having an outside diameter exceeding 285.8 mm but not exceeding 406.4 mm:	Ng			
	60	Having a wall thickness less than 12.7 mm				
	65	Having a wall thickness of 12.7 mm or more but less than 19 mm	kg			
	70	Having a wall thickness of 19 mm or more				
	80	Having an outside diameter exceeding 406.4 mm				
				1		

Heading/	Stat. Suf-	Article Description	Unit		Rates of Duty	2
	fix	Article Description	of Quantity	General	1 Special	
304 (con.)		Tubes, pipes and hollow profiles, seamless, of iron (other than				
304.90		cast iron) or steel: (con.) Other:				
004.50		Having a wall thickness of 4 mm or more:				
304.90.10	00	Of iron or nonalloy steel	kg	Free ^{1/2/}		1%
304.90.30	00	Of alloy steel	kg	Free ^{5/}		8.5%
		Having a wall thickness of less than 4 mm.				
304.90.50		Of iron or nonalloy steel				25%
304.90.70	00	Of alloy steel	kg	Free ^{1/2/}		35%
						1
						1
						1

	Χ	V
73	-1	5

	Stat. Suf-	Article Description	Unit of		Rates of Duty	2
Subheading	fix	Article Description	Quantity	General	1 Special	
'305		Other tubes and pipes (for example, welded, riveted or similarly			·	
		closed), having circular cross sections, the external diameter				
		of which exceeds 406.4 mm, of iron or steel:				
7305.11		Line pipe of a kind used for oil or gas pipelines: Longitudinally submerged arc welded:				
7305.11.10		Of iron or nonalloy steel		Eroo <u>^{1/2/}</u>		5.5% ^{4/}
000.11.10	30	With an external diameter exceeding 406.4 mm		riee		5.5%
	00	but not exceeding 609.6 mm				
	60	With an external diameter exceeding	3			
	00	609.6 mm	ka			
7305.11.50	00	Of alloy steel	0	Free 1/2/		10%
7305.12		Other, longitudinally welded:				
7305.12.10		Of iron or nonalloy steel		Free ^{1/2/}		5.5% ^{4/}
	30	With an external diameter exceeding 406.4 mm				
		but not exceeding 609.6 mm	kg			
	60	With an external diameter exceeding				
		609.6 mm				
7305.12.50	00	Of alloy steel	kg	Free ^{1/2/}		10%
7305.19		Other:				
7305.19.10		Of iron or nonalloy steel		Free ^{1/2/}		5.5%
	30	With an external diameter exceeding 406.4 mm				
		but not exceeding 609.6 mm	kg			
	60	With an external diameter exceeding				
		609.6 mm		4/0/		
7305.19.50	00	Of alloy steel	kg	Free ^{1/2/}		10%
7305.20		Casing of a kind used in drilling for oil or gas:				
7305.20.20	٥٥	Of iron or nonalloy steel: Threaded or coupled	ka	 1/2/		20%
			_			
7305.20.40	00	Other	kg	Free ^{1/2/}		1%
		Of alloy steel:		4/0/		
7305.20.60	00	Threaded or coupled				28%
7305.20.80	00	Other	kg	Free ^{1/2/}		8.5%
		Other, welded:				
7305.31		Longitudinally welded:				
7305.31.20	00	Tapered pipes and tubes of steel principally used	1	1/2/		450/
		as parts of illuminating articles	кд	Free TE		45%
		Other:				
7305.31.40	00	Of iron or nonalloy steel	kg	Free ^{1/2/}		5.5%
7305.31.60		Of alloy steel		Free ^{1/2/}		10%
	10	Of stainless steel				
	90	Other	_			
7305.39	50	Other:	Ng			
7305.39.10	00	Of iron or nonalloy steel	kg	Free 1/2/		5.5%
7305.39.50		Of alloy steel				10%
7305.39.50 7305.90	UU	Other:		ree		10%
7305.90 7305.90.10	00	Otner: Of iron or nonalloy steel	ka	Froo 1/2/		5.5%
7305.90.50	00	Of alloy steel	kg	Free ^{1/2/}		10%
						1

Subheading	Stat. Suf-	Article Description	Unit of	-	Rates of Duty 1	2
	fix	, 1100 2000 pto.	Quantity	General	Special	
306.11.00		Other tubes, pipes and hollow profiles (for example, open seamed or welded, riveted or similarly closed), of iron or steel: Line pipe of a kind used for oil or gas pipelines: Welded, of stainless steel		F1/2/		10%
300.11.00	10	With an outside diameter not exceeding 114.3 mm		Free		10 %
306.19	50	With an outside diameter exceeding 114.3 mm Other:				
306.19.10	10	Of iron or nonalloy steel		Free ^{1/2/}		5.5%
	50	With an outside diameter exceeding 114.3 mm				
306.19.51	10	Of alloy steel		Free ^{1/2/}		10%
	50	114.3 mm With an outside diameter exceeding 114.3 mm				
306.21		Casing and tubing of a kind used in drilling for oil or gas: Welded of stainless steel: Casing:				
306.21.30	00	Threaded or coupled	kg	Free 1/2/		28%
306.21.40	00	Other	kg	Free ^{1/2/}		8.5%
306.21.80		Tubing	_			10%
	10	Imported with coupling	kg			
	50	Other	kg			
306.29		Other: Casing: Of iron or nonalloy steel:				
306.29.10	30	Threaded or coupledImported with coupling	kg	Free ^{1/2/}		20%
306.29.20	90	OtherOtherOther:		Free ^{2/1/}		1% ^{4/}
306.29.31	00	Threaded or coupled	kg	Free 1/1/2/		28%
306.29.41	00	Other				8.5%
306.29.60		Tubing: Of iron or nonalloy steel		Free ^{1/2/1/}		5.5% ^{4/}
	10	Imported with coupling	kg			
306.29.81	50	Other		Free ^{1/2/}		10%
	10	Imported with coupling	kg			
	50	Other	kg			

Heading/	Stat.		Unit		Rates of Duty	
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	2
306 (con.)		Other tubes, pipes and hollow profiles (for example, open		00.1014.	Opeo.a.	
		seamed or welded, riveted or similarly closed), of iron or steel:				
306.30		(con.) Other, welded, of circular cross section, of iron or nonalloy				
000.00		steel:				
306.30.10	00	Having a wall thickness of less than 1.65 mm	kg	Free ^{1/2/}		25%
		Having a wall thickness of 1.65 mm or more:				
306.30.30	00	Tapered steel pipes and tubes principally used as	Lan	1/2/		450/
		parts of illuminating articles	кд	Free TEE		45%
						1
						1
						1
					ĺ	I

Heading/ Subheading	Stat. Suf-	Article Description	Unit of		Rates of Duty 1	2
Cubileauling	fix	·	Quantity	General	Special	
7306 (con.)		Other tubes, pipes and hollow profiles (for example, open seamed or welded, riveted or similarly closed), of iron or steel: (con.)				
7306.30 con.)		Other, welded, of circular cross section, of iron or nonalloy steel: (con.)				
306.30.50		Having a wall thickness of 1.65 mm or more: (con.) Other		Free ^{1/2/}		5.5% ^{4/}
	10	Suitable for use in boilers, superheaters, heat exchangers, condensers, refining furnaces and feedwater heaters, whether or not cold drawn		1100		0.070
	15	Other, cold-drawn	kg			
	20	Other, cold-rolled (cold-reduced) with a wall thickness not exceeding 2.54 mm	kg			
		Other: With an outside diameter not exceeding 114.3 mm: Galvanized: Imported with coupling:				
	26	With an outside diameter not exceeding 50.8 mm	kg			
	27	With an outside diameter exceeding 50.8 mm but not exceeding 114.3 mm	ka			
	28	Internally coated or lined with a non-electrically insulating material, suitable for use as electrical conduit				
	31	Other: With an outside diameter not	Ng			
	33	exceeding 50.8 mm With an outside diameter	kg			
		exceeding 50.8 mm but not exceeding 114.3 mm Other:	kg			
	35	Tube and pipe hollows for redrawing	kg			
	41	Imported with coupling: With an outside diameter not exceeding 50.8 mm	ka			
	43	With an outside diameter exceeding 50.8 mm but not exceeding 114.3 mm				
	56	Other: With an outside diameter not exceeding 50.8 mm	kg			
	57	With an outside diameter exceeding 50.8 mm but not exceeding 114.3 mm	kg			
	O.F.	114.3 mm but not exceeding 406.4 mm:	Lan			
	85 90	Galvanized Other	· ·			

	X	(V
73	_	1	a

	Stat.	Autolo Documentos	Unit		Rates of Duty	
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	2
306 (con.)		Other tubes, pipes and hollow profiles (for example, open			·	
		seamed or welded, riveted or similarly closed), of iron or steel:				
2000 40		(con.)				
'306.40 '306.40.10		Other, welded, of circular cross section, of stainless steel: Having a wall thickness of less than 1.65 mm		– 1/2/		36%
300.40.10		Containing more than 0.5 percent by weight of		Free		30%
		nickel:				
	10	Containing more than 1.5 percent but less than				
		5 percent by weight of molybdenum				
	15	Other	ka			
	90	Other				
'306.40.50		Having a wall thickness of 1.65 mm or more		Free ^{1/2/}		11%
	05	Of high-nickel alloy steel	kg			
		Other:				
	15	Suitable for use in boilers, superheaters, heat				
		exchangers, condensers, refining furnaces				
		and feedwater heaters, whether or not				
		cold-drawn	kg			
		Other, cold-drawn or cold-rolled (cold-				
		reduced):				
	40	Containing more than 0.5 percent but less than 24 percent by weight of nickel				
		, , , ,	kg			
	40	Other:				
	42	Containing less than 15 percent by weight of chromium	ka			
		_	_			
	44	Other	kg			
		Other: With an outside diameter not exceeding				
		114.3 mm:				
		Containing more than 0.5 percent but				
		less than 24 percent by weight of				
		nickel:				
	62	Containing more than 1.5 percent				
		but less than 5 percent by weight of molybdenum	ka			
	0.4	-	•			
	64 80	Other Other				
	00	With an outside diameter exceeding	kg			
		114.3 mm but not exceeding 406.4 mm:				
	85	Containing more than 0.5 percent but				
		less than 24 percent by weight of				
		nickel	•			
	90	Other	kg			
						I

Heading/ Subheading	Stat. Suf-	Article Description	Unit of	-	Rates of Duty 1	2
Capitoduling	fix	Antolo Doscription	Quantity	General	Special	
'306 (con.)		Other tubes, pipes and hollow profiles (for example, open seamed or welded, riveted or similarly closed), of iron or steel: (con.)				
'306.50 '306.50.10	00	Other, welded, of circular cross section, of other alloy steel: Having a wall thickness of less than 1.65 mm		Free ^{1/2/}		35%
'306.50.30	00	Having a wall thickness of 1.65 mm or more: Tapered pipes and tubes of steel principally used as parts of illuminating articles	kg	Free ^{1/2/}		45%
306.50.50		Other				10%
300.30.30	10	Suitable for use in boilers, superheaters, heat exchangers, condensers, refining furnaces and feedwater heaters, whether or not cold-drawn		Free—		10 %
	30	Other, cold-drawn or cold-rolled (cold-reduced)	· ·			
	50	Other: With an outside diameter not exceeding 114.3 mm	kg			
	70	With an outside diameter exceeding 114.3 mm but not exceeding 406.4 mm Other, welded, of noncircular cross section:	kg			
306.61	00	Of square or rectangular cross section: Having a wall thickness of 4 mm or more: Of iron or nonalloy steel	ka	F 1/2/		1%
			_			
306.61.30	00	Of alloy steel	kg	Free 1/2/		28%
306.61.50	00	Of iron or nonalloy steel				25%
306.61.70	00	Of attributes attack		Free ^{1/2/}		35%
	30	Of stainless steel	Ŭ			
'306.69	60	OtherOf other noncircular cross section: Having a wall thickness of 4 mm or more:	kg			
306.69.10	00	Of iron or nonalloy steel				1%
306.69.30	00	Of alloy steel	kg	Free ^{1/2/}		28%
306.69.50	00	Having a wall thickness of less than 4 mm: Of iron or nonalloy steel	kg	Free ^{5/}		25%
306.69.70		Of alloy steel		Free ^{1/2/}		35%
	30	Of stainless steel	kg			
	60	Other	kg			
'306.90 '306.90.10	00	Other: Of iron or nonalloy steel	ka	Exp a 1/2/		5.5%
306.90.50		Of alloy steel				10%

	X	(V
73	_′)	1

	Stat.	Article Description	Unit		Rates of Duty	2
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	2
307		Tube or pipe fittings (for example, couplings, elbows, sleeves),				
		of iron or steel:				
		Cast fittings:				
'307.11.00		Of nonmalleable cast iron		4.8% ^{3/}	Free (A*, AU, BH,	25%
					CL, CO, D, E, IL,	
					JO, KR, MA, OM,	
					P, PA, PE, S, SG)	
	30	For threaded pipe	kg			
		Other:				
	45	For cast-iron soil pipe	kg			
	60	Other	ka			
307.19		Other:	3			
307.19.30		Ductile fittings		5.6% ^{3/}	Free (A*, AU, BH,	45%
		Ğ		0.070	CL, CO, D, E, IL,	
					JO, KR, MA, OM,	
					P, PA, PE, S, SG)	
	40	Grooved-end fittings (including grooved				
		couplings)	kg			
		Other:				
	60	Threaded	kg			
	70	With mechanical, push-on (rubber				
	, 0	compression) or flanged joints attached	ka			
	0.5		_			
207 10 00	85	Other	0	3/	Froe /A . All DII	4E0/
307.19.90		Other		6.2% ^{3/}	Free (A+, AU, BH,	45%
					CL, CO, D, E, IL, JO, KR, MA, OM,	
					P, PA, PE, S, SG)	
	30	Unions	ka		1,17,12,3,30)	
	55		· · · · · ·			
	40	Other:				
	40	Grooved-end fittings (including grooved	lem.			
		couplings)	kg			
		Other:				
	60	Threaded	kg			
	80	Other	kg			

ubheading	Stat. Suf-	Article Description	Unit of		Rates of Duty	2
	fix	2000	Quantity	General	Special	
307 (con.)		Tube or pipe fittings (for example, couplings, elbows, sleeves),				
		of iron or steel: (con.)				
207.04		Other, of stainless steel:				
307.21	00	Flanges:				
307.21.10	00	Not machined, not tooled and not otherwise processed after forging	ka	0.00/3/1/	Free (A*, AU, BH,	34%
		processed after longing	Kg	3.3%—	CL, CO, D, E, IL,	J4 /0
					JO, KR, MA, OM,	
					P, PA, PE, S, SG)	
307.21.50	00	Other	ka	5 69/ ^{3/1/}	Free (A*, AU, B, BH,	45%
07.121.00	00	G1101	,	5.0%	CL, CO, D, E, IL,	10 70
					JO, KR, MA, OM,	
					P, PA, PE, S, SG)	
307.22		Threaded elbows, bends and sleeves:				
07.22.10	00	Sleeves (couplings)	kg	Free ^{3/1/}		45%
07.22.50	00	Other	kg	6.2% ^{3/1/}	Free (A, AU, B, BH,	45%
				0.270	CL, CO, D, E, IL,	
					JO, KR, MA, OM,	
07.00.05		D. 11 (11)		2017	P, PA, PE, S, SG)	450/
07.23.00		Butt welding fittings		5% ^{3/1/}	Free (A*, AU, B, BH,	45%
				1	CL, CO, D, E, IL, JO, KR, MA, OM,	
					P, PA, PE, S, SG)	
	30	Not machined, not tooled and not otherwise			1,171,12,0,00)	
		processed after forming	kg			
	90	Other	ka			
07.29.00	00	Other		5% ^{3/1/}	Free (A*, AU, B, BH,	45%
				3 76	CL, CO, D, E, IL,	10 70
					JO, KR, MA, OM,	
					P, PA, PE, S, SG)	
	30	Nipples	kg			
	90	Other	kg			
				1		
				1		
				1		
				1		
				1		
				1		
				1		
				1		
				1		
				1		
				1		
				1		
				1		
			Ī	1	i	Ī

	X١
73	-2

Heading/	Stat. Suf-	Article Description	Unit of		Rates of Duty 1	2
Subheading	Sur- fix	Article Description	Quantity	General	Special	
307 (con.)		Tube or pipe fittings (for example, couplings, elbows, sleeves), of iron or steel: (con.)	j		open	
307.91		Other: Flanges: Not machined, not tooled and not otherwise				
2007.04.40		processed after forging:	l	3/1/	Francis (A. Alli Dill Ol	050/
307.91.10	00	Of iron or nonalloy steel	kg	3.3% ""	Free (A, AU, BH, CL, CO, D, E, IL, JO, JP, KR, MA, OM, P, PA, PE, S, SG)	25%
307.91.30	00	Of alloy steel (except stainless steel)	kg	3.2% ^{3/1/}	Free (A*, AU, BH, CL, CO, D, E, IL, JO, JP, KR, MA, OM, P, PA, PE, S, SG)	33%
307.91.50		Other		5.5% ^{3/1/}	Free (A*, AU, B, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) 2.75% (JP)	45%
	10	With an inside diameter of less than 360 mm: Of iron or nonalloy steel				
	30	Of alloy steel (except stainless steel) With an inside diameter of 360 mm or more:				
	50	Of iron or nonalloy steel				
307.92	70	Of alloy steel (except stainless steel) Threaded elbows, bends and sleeves:		2/1/		450/
307.92.30	10	Sleeves (couplings) Of iron or nonalloy steel		Free ^{3/17}		45%
	30	Of alloy steel (except stainless steel)	_			
7307.92.90	00	Other	kg	6.2% ^{3/1/}	Free (A, AU, B, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) 3.1% (JP)	45%

	Stat. Suf-	Article Description	Unit of		Rates of Duty	2
Subheading	fix	Article Description	or Quantity	General	1 Special	2
307 (con.)		Tube or pipe fittings (for example, couplings, elbows, sleeves),	•			
, ,		of iron or steel: (con.)				
207.00		Other: (con.)				
'307.93		Butt welding fittings: With an inside diameter of less than 360 mm:				
307.93.30		Of iron or nonalloy steel		6.2% ^{3/1/}	Free (A+, AU, B, BH,	45%
007.00.00		or non or nonality decommunity		0.2%	CL, CO, D, E, IL,	1070
					JO, KR, MA, OM,	
					P, PA, PE, S, SG)	
	10	Not machined, not tooled and not				
		otherwise processed after forging	•			
	40	Other	kg			
307.93.60	00	Of alloy steel (except stainless steel)	kg	5.5% ^{3/1/}	Free (A*, AU, B, BH,	45%
					CL, CO, D, E, IL, JO, KR, MA, OM,	
					P, PA, PE, S, SG)	
307.93.90		With an inside diameter of 360 mm or more		4.3% ^{3/1/}	Free (A*, AU, B, BH,	45%
				4.0 /0	CL, CO, D, E, IL,	
					JO, KR, MA, OM,	
					P, PA, PE, S, SG)	
	10	Of iron or nonalloy steel:				
	10	Not machined, not tooled and not otherwise processed after forging	ka			
	40	·	J			
	40	Other				
307.99	60	Of alloy steel (except stainless steel) Other:	kg			
307.33		Not machined, not tooled and not otherwise				
		processed after forging:				
307.99.10	00	Of iron or nonalloy steel	kg	3.7% ^{3/1/}	Free (A, AU, BH, CL,	25% ^{4/}
					CO, D, E, IL, JO,	
					JP, KR, MA, OM,	
					P, PA, PE, S, SG)	
307.99.30	00	Of alloy steel (except stainless steel)	kg	3.2% ^{3/1/}	Free (A, AU, BH, CL,	33%
					CO, D, E, IL, JO,	
					JP, KR, MA, OM, P, PA, PE, S, SG)	
307.99.50		Other		4.3% ^{3/1/}	Free (A, AU, B, BH,	45%
				4.5 /6	CL, CO, D, E, IL,	1.0 7.0
					JO, JP, KR, MA,	
					OM, P, PA, PE, S,	
		Office and a self-controls			SG)	
	15	Of iron or nonalloy steel: Nipples	ka			
			•			
	45	Other				
	60	Of alloy steel (except stainless steel)	кд			
					I	

)	K	V
7:	۱_	2	5

	Stat.	Article Description	Unit		Rates of Duty	2
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	
308		Structures (excluding prefabricated buildings of heading 9406) and parts of structures (for example, bridges and bridge sections, lock gates, towers, lattice masts, roofs, roofing frameworks, doors and windows and their frames and thresholds for doors, shutters, balustrades, pillars and columns) of iron or steel; plates, rods, angles, shapes, sections, tubes				
7308.10.00	00	and the like, prepared for use in structures, of iron or steel:	kg	Free ^{6/1/}		45%
7308.20.00		Towers and lattice masts		Free ^{6/1/}		45%
	30	Tubular, whether or not tapered, and sectional components thereof	kg			
	35	Tubular wind turbine towers, whether or not tapered, and sectional components thereof	kg			
	90	Other	kg			
7308.30 7308.30.10	00	Doors, windows and their frames and thresholds for doors: Of stainless steel	ka	Froo ^{3/1/}		35%
7308.30.50		Other				25%
000.00.00	15	Windows and their frames		Free		2570
	25	Thresholds for doors	· ·			
	50	Other	· ·			
7308.40.00	00	Equipment for scaffolding, shuttering, propping or pit- propping		Free ^{3/1/}		45%
7308.90		Other: Columns, pillars, posts, beams, girders and similar structural units:				
7308.90.30	00	Not in part of alloy steel	_			20% ^{4/}
7308.90.60	00	OtherOther:	kg	Free ^{6/1/}		30% ^{4/}
308.90.70	00	Steel grating	kg	Free ^{6/1/}		45%
7308.90.95		Other		Free ^{6/1/}		45%
	30	Sheet-metal roofing, siding, flooring and roof drainage equipment				
		Other:				
	60	Architectural and ornamental work	•			
7309.00.00	90	OtherReservoirs, tanks, vats and similar containers for any material (other than compressed or liquefied gas), of iron or steel, of a capacity exceeding 300 liters, whether or not lined or heat	· ·			
		insulated, but not fitted with mechanical or thermal				450/
	30	equipment Tanks	No.	Free ^{3/1/}		45%
			kg			
	90	Other	No.			
			kg			
		[I		

Heading/ Subheading	Stat. Suf-	Article Description	Unit of	ļ	Rates of Duty 1	2
Subfleading	fix	Article Description	Quantity	General	Special	
'310		Tanks, casks, drums, cans, boxes and similar containers, for any material (other than compressed or liquefied gas), of iron or steel, of a capacity not exceeding 300 liters, whether or not lined or heat insulated, but not fitted with mechanical or thermal equipment:				
7310.10.00	05	Of a capacity of 50 liters or more	No.	Free ^{3/1/}		25% ^{4/}
	15		kg			
7310.21.00	90	Other Of a capacity of less than 50 liters: Cans which are to be closed by soldering or crimping		Free ^{3/1/}		25%
	25	Containers, of circular cross section, of a volume capacity between 11.4 liters and 26.6 liters, of a kind used for the conveyance of goods		1166		
	70	Containers of a circular cross section, of a capacity not exceeding 11.4 liters, of a kind used for aerosols	No.			
7310.29.00	75	Other Other Containers, of circular cross section, of a volume		Free ^{3/1/}		25% ^{4/}
	20	capacity between 11.4 liters and 26.6 liters, of a kind used for the conveyance of goods: Refillable stainless steel kegs, whether or not pressurized, of a kind described in statistical note 1 to this chapter				
	30	Other	No.			
	55	Other: Refillable stainless steel kegs, whether or not pressurized, of a kind described in statistical note 1 to this chapter				
	65	Other				
7311.00.00	30	Containers for compressed or liquefied gas, of iron or steel Certified prior to exportation to have been made in accordance with the safety requirements of sections 178.36 through 178.68 of title 49 CFR or under a specific exemption to those requirements: Seamless steel containers not overwrapped, marked DOT 3A, 3AX, 3AA, 3AAX, 3B, 3E, 3HT, 3T or DOT-E followed by a specific exemption number		Free ^{3/1/}		25% ^{4/}
	60		No. kg			
	90	Other	No. kg			

		X	V
7	٦.	.2	7

	Stat.	Article Description	Unit		Rates of Duty	2
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	2
312		Stranded wire, ropes, cables, plaited bands, slings and the				
		like, of iron or steel, not electrically insulated:				
312.10		Stranded wire, ropes and cables:				
		Stranded wire:				
312.10.05	00	Of stainless steel: Fitted with fittings or made up into articles	ka	F _{*0.0} 3/1/		45%
	00					
312.10.10		Other		Free ^{3/1/}		45%
	30	Tire cord	kg			
	50	Other, stranded wire having a lay or twist				
		of not more than 1 revolution for a length				
		equal to the strand diameter multiplied by				
		8.5	kg			
	70	Other	kg			
		Other:	J			
312.10.20	00	Fitted with fittings or made up into articles	kg	Free ^{3/1/}		45%
312.10.30		Other				050/
012.10.30	0.5			Free		35%
	05	Tire cord	кд			
		For prestressing concrete:				
	10	Covered with textile or other non-				
		metallic material	kg			
	12	Other	kg			
	20	Other, stranded wire having a lay or twist	J			
		of not more than 1 revolution for a length				
		equal to the strand diameter multiplied by				
		8.5	kg			
		Other:				
	45	Of brass plated wire	kg			
		Other:				
		Galvanized:				
	65	ACSR core strand	kg			
		Other:	, and the second			
	70	Covered with textile or				
		other nonmetallic				
		material	kg			
	74	Other	_			
	80	Other	. •			
	00	Ott Of	Ng			
				i e	Ī	

Heading/ Subheading	Stat. Suf-	Article Description	Unit of		Rates of Duty	2
Subneading	fix	Article Description	Quantity	General	Special	2
7312 (con.) 7312.10		Stranded wire, ropes, cables, plaited bands, slings and the like, of iron or steel, not electrically insulated: (con.)				
(con.)		Stranded wire, ropes and cables: (con.) Ropes, cables and cordage other than stranded wire:				
7312.10.50	00	Of stainless steel: Fitted with fittings or made up into articles		Free ^{3/1/}		45%
7312.10.60	30	OtherWith a diameter not exceeding 9.5 mm		Free ^{3/1/}		45%
	60	Other:	ŭ			
7312.10.70	00	Fitted with fittings or made up into articles	kg	Free ^{3/1/}		45%
7312.10.80	00	Other: Of brass plated wire	kg	Free ^{3/1/}		35%
7312.10.90		OtherGalvanized:		Free ^{3/1/}		35%
	30	With a diameter not exceeding 9.5 mm	kg			
	60	With a diameter exceeding 9.5 mm	ka			
7312.90.00	90 00	Other	kg	Free ^{3/1/}		45%
7313.00.00	00	Barbed wire of iron or steel; twisted hoop or single flat wire, barbed or not, and loosely twisted double wire, of a kind used for fencing, of iron or steel		Free ^{3/1/}		Free
7314		Cloth (including endless bands), grill, netting and fencing, of iron or steel wire; expanded metal of iron or steel: Woven cloth:				
7314.12 7314.12.10	00	Endless bands for machinery, of stainless steel: With meshes not finer than 12 wires to the lineal centimeter in warp or filling	m ²	Free ^{3/1/}		35%
7314.12.20	00	With meshes finer than 12 but not finer than 36 wires to the lineal centimeter in warp or filling	kg m² kg	Free ^{3/1/}		50%
7314.12.30	00	With meshes finer than 36 wires to the lineal centimeter in warp or filling: Fourdrinier wires, seamed or not seamed, suitable for use in papermaking machines: With 94 or more wires to the lineal	þ			
7011112.00		centimeter	m² kg	Free ^{3/1/}		75%
7314.12.60	00	Other	m² kg	Free ^{3/1/}		75%
7314.12.90	00	Other	m² kg	Free ^{3/1/}		60%

	Χ	V
73	-2	a

	Stat.	Article Description	Unit		Rates of Duty	
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	2
314 (con.)		Cloth (including endless bands), grill, netting and fencing, of				
` '		iron or steel wire; expanded metal of iron or steel: (con.)				
		Woven cloth: (con.)				
'314.14		Other woven cloth, of stainless steel:				
'314.14.10	00	With meshes not finer than 12 wires to the lineal	2	3/1/		35%
		centimeter in warp or filling	m ²	Free		35%
			kg			
'314.14.20	00	With meshes finer than 12 but not finer than	2	- 3/1/		50%
		36 wires to the lineal centimeter in warp or filling	m ²	Free		50%
			kg			
		With meshes finer than 36 wires to the lineal				
		centimeter in warp or maximum:				
		Fourdrinier wires, seamed or not seamed, suitable for use in papermaking machines:				
314.14.30	nn	With 94 or more wires to the lineal				
314.14.30	00	centimeter	m²	Free ^{3/1/}		75%
		ochtimotol	kg	1100		
314.14.60	00	Other	m ²	Eroo ^{3/1/}		75%
314.14.00	00	Other	kg	Fiee		7070
314.14.90	00	Other	m²	Free ^{3/1/}		60%
51117.00	55		kg			
'314.19.01	00	Other	m ²	Free ^{3/1/}		60%
			kg			
'314.20.00	00	Grill, netting and fencing, welded at the intersection, of				
		wire with a maximum cross-sectional dimension of 3 mm				
		or more and having a mesh size of 100 cm ² or more	kg	Free ^{3/1/}		45%
		Other grill, netting and fencing, welded at the intersection:				
'314.31		Plated or coated with zinc:				
314.31.10	00	Wire fencing plated or coated with zinc, whether				
		or not covered with plastic material	kg	Free ^{3/1/}		1.1¢/kg
'314.31.50						45%
314.31.50	4.0	Other:		Free		45%
	10	Welded wire stucco netting, furred, not reinforced with supplemental horizontal				
		wire	ka			
			_			
704 4 00 00	80	Other	kg	2/1/		450/
'314.39.00	00	Other	кд	Free 3/1/		45%
			ı			

Heading/ Subheading	Stat. Suf-	Article Description	Unit of	-	Rates of Duty 1	2
_	fix		Quantity	General	Special	1
314 (con.)		Cloth (including endless bands), grill, netting and fencing, of				
		iron or steel wire; expanded metal of iron or steel: (con.)				
24 44 00		Other grill, netting and fencing:		- 2/1/		
314.41.00	•	Plated or coated with zinc		Free ^{3/1/}		1.1¢/kg ^{4/}
	30	Chain link fencing	_			
		Woven wire stucco netting, furred, not reinforced				
	40	with supplemental horizontal wire:				
	40	Of wire with maximum cross- sectional	Lea			
		dimension of 1 mm	ŭ			
	45	Other				
	80	Other		2/1/		4 4 . 0
314.42.00		Coated with plastics		Free ^{3/1/}		1.1¢/kg
	30	Chain link fencing	kg			
	60	Other	kg			
314.49		Other:				
314.49.30	00	Not cut to shape	kg	Free ^{3/1/}		45%
314.49.60	00	Cut to shape	kg	Free ^{3/1/}		35%
314.50.00		Expanded metal	m ²	Free ^{3/1/}		45%
22.00			kg			
			-			
						1
						1
l						

	Χ	V
73	-3	1

	Stat.	Autola Dannintin	Unit		Rates of Duty	
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	2
7315		Chain and parts thereof, of iron or steel:		220.0.		1
701E 11 00		Articulated link chain and parts thereof:		2/1/		100/
315.11.00	05	Roller chain For motor vehicles		Free 3/1/		40%
	05		kg			
		Other: Of not over 50 mm pitch and containing more				
		than 3 parts per pitch:				
	10	Bicycle chains	kg			
	45	Other				
015 10 00	60	Other	0	2/1/		400/
315.12.00	20	Other chain		Free ^{3/1/}		40%
	20	Of not over 50 mm pitch and containing more than 3 parts per pitch				
		Other:	9			
	40	Welded steel chain	kg			
	60	Cast and combination chain	Ü			
	80	Other	_			
315.19.00	00	Parts		Free ^{3/1/}		40%
315.20		Skid chain:	-			
315.20.10	00	Not over 8 mm in diameter	kg	Free ^{3/1/}		10%
315.20.50	00	Over 8 mm in diameter	kg	Free ^{3/1/}		2.5¢/kg
		Other chain:				
315.81.00	00	Stud link	kg	Free ^{3/1/}		4.4¢/kg
315.82		Other, welded link:				
70.1 F 00.10		Of alloy steel:		2/1/		100/
315.82.10	00	Not over 10 mm in diameter				10%
315.82.30	00	Over 10 mm in diameter	kg	Free ^{3/1/}		10%
701E 00 E0	00	Of iron or nonalloy steel: Not over 10 mm in diameter	l. a.	_ 3/1/		100/
'315.82.50			_			10%
315.82.70	00	Over 10 mm in diameter	kg	Free ^{3/1/}		10%
315.89		Other: With links of essentially round cross sections:				
315.89.10	00	Not over 8 mm in diameter	kg	1 5% ^{3/1/}	Free (A, AU, B, BH,	10%
			Ü	1.070	CL, CO, D, E, IL,	
					JO, KR, MA, OM, P, PA, PE, S, SG)	
704 5 00 00	00	0 0 ' ' '	Line	2/1/	P, PA, PE, S, SG)	4.7.4.0
315.89.30 315.89.50		Over 8 mm in diameter Other			Eroo /A ALL D DIL	4.7¢/kg
313.69.30	00	Other	ку	3.9%	Free (A, AU, B, BH, CL, CO, D, E, IL,	45%
					JO, KR, MA, OM,	
70.4.5.00.00				2/1/	P, PA, PE, S, SG)	450/
7315.90.00	00	Other parts	кд	2.9%3/1/	Free (A*, AU, B, BH, CL, CO, D, E, IL,	45%
					JO, KR, MA, OM,	
					P, PA, PE, S, SG)	
316.00.00	00	Anchors, grapnels and parts thereof, of iron or steel		Free ^{3/1/}		25%
			kg			
						1

Heading/ Subheading	Stat. Suf-	Article Description	Unit of		Rates of Duty 1	2
Jubileauling	fix	Attible Description	Quantity	General	Special	
317.00		Nails, tacks, drawing pins, corrugated nails, staples (other than those of heading 8305) and similar articles, of iron or steel, whether or not with heads of other material, but excluding such articles with heads of copper:				
317.00.10	00	Thumb tacks	kg	Free ^{7/1/}		4%
317.00.20	00	Other, suitable for use in powder-actuated handtools: Not threaded	kg	Free ^{3/1/}		1.5¢/kg
317.00.30	00	Threaded	kg	Free ^{8/1/}		45%
		Other: Of one piece construction:				
317.00.55	01	Made of round wire		Free ^{8/1/}		3.5%
		galvanized, who who is in the	kg			
		Other:	Ü			
		Assembled in a wire coil:				
	02	Galvanized	kg			
	03	Other	kg			
		Assembled in a plastic strip:	Ü			
	05	Galvanized	kg			
	07	Other	0			
	80	Assembled in a paper strip	kg			
	11	Assembled in a wire strip	kg			
	18	Other:	kg			
	19	With a length of less than 25.4 mm and with a diameter of less than 1.65 mm	kg			
	20	Other: Smooth shank: Not coated, plated or painted	kg			
	30	Coated, plated or painted: Galvanized	kg			
	40	Vinyl, resin or cement coated	ka			
	50	Other	3			
	30	Other:	ĸġ			
	60	Not coated, plated or painted Coated, plated or painted:	kg			
	70	Galvanized	ka			
	80	Vinyl, resin or cement coated				
	90	Other	Ŭ			
317.00.65	00	Other	3	Free ^{8/}		5.5%
	30	Cut				
	60	Other	ka			
317.00.75	00	Of two or more pieces		Free ^{3/1/}		8%

	Χ	V
73	-3	3

Suf- fix	Article Description	of Quantity	General	1 Special	2
	Course holts with social courses courselessing wheat cottons			Opecial	
	Screws, bolts, nuts, coach screws, screw hooks, rivets, cotters, cotter pins, washers (including spring washers) and similar articles, of iron or steel:				
00	Threaded articles:	1	2/1/	F /A ALL D. DILL	050/
00	Coach screws			Free (A+, AU, B, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	
00	Other wood screws	kg	· 12.5% ^{3/1/}	Free (A*, AU, B, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	25%
	Screw hooks and screw rings		5.7% ^{3/1/}	Free (A, AU, B, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	45%
30		"			
60	or more				
	Having shanks or threads with a diameter of less		6 29/ ^{3/1/}	Free (A+, AU, B, BH,	45%
			0.2%	CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG) 3.1% (JP)	10 /0
30	Of stainless steel	kg			
60	Having shanks or threads with a diameter of 6 mm		2/1/	Francia All D. Dill	450/
	or more		8.6%311	CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	45%
20	Of stainless steel	kg		4.3% (JP)	
80		_			
	30 60 30 60	Screw hooks and screw rings	Screw hooks and screw rings	Screw hooks and screw rings	Other wood screws

Heading/ Subheading	Stat. Suf-	Article Description	Unit of	<u> </u>	Rates of Duty	2
Subineading	fix	Atticle Description	Quantity	General	Special	
318 (con.)		Screws, bolts, nuts, coach screws, screw hooks, rivets, cotters, cotter pins, washers (including spring washers) and similar articles, of iron or steel: (con.)				
318.15		Threaded articles: (con.) Other screws and bolts, whether or not with their nuts or washers:				
318.15.20		Bolts and bolts and their nuts or washers entered or exported in the same shipment		Free ^{3/1/}		3.5% ^{4/}
	10	Having shanks or threads with a diameter of less than 6 mm				
	20	Having shanks or threads with a diameter of 6 mm or more: Track bolts	ka			
			_			
	30	Structural bolts Bent bolts:				
	41	Right-angle anchor bolts	•			
	46	Other:Other: Other: With round heads:	kg			
	51	Of stainless steel	kg			
	55	Other With hexagonal heads:	kg			
	61	Of stainless steel	kg			
	65	Other Other:	kg			
	91	Of stainless steel	kg			
318.15.40	95 00	Other Machine screws 9.5 mm or more in length and 3.2 mm or more in diameter (not including cap	kg			
2010 15 50		screws)				2.2¢/kg ^{4/}
318.15.50	20	Studs		Free ^{3/1/}		45%
	30	Of stainless steel Other:	кд			
	51	Continuously threaded rod: Of alloy steel	ka			
	56	Other	1			
	90		kg kg			
				1		
				1		

	ΧV
72	25

	Stat.	Article Description	Unit		Rates of Duty	2
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	2
318 (con.)		Screws, bolts, nuts, coach screws, screw hooks, rivets, cotters,			· ·	
		cotter pins, washers (including spring washers) and similar				
		articles, of iron or steel: (con.)				
040.45		Threaded articles: (con.)				
318.15		Other screws and bolts, whether or not with their nuts				
con.)		or washers: (con.) Other:				
318.15.60		Having shanks or threads with a diameter of				
010.10.00		less than 6 mm		6.2% 3/1/	Free (A*, AU, B, BH,	45%
				0.270	CL, CO, D, E, IL,	
					JO, KR, MA, OM,	
					P, PA, PE, S, SG)	
		Socket screws:				
	10	Of stainless steel	kg			
	40	Other	kg			
		Other:				
	70	Of stainless steel	kg			
	80	Other	kg			
'318.15.80		Having shanks or threads with a diameter of				
		6 mm or more		8.5% ^{3/1/}	Free (A*, AU, B, BH,	45%
					CL, CO, D, E, IL,	
					JO, KR, MA, OM,	
	00	0	l.a.		P, PA, PE, S, SG)	
	20	Set screws	кg			
		Other:				
		Socket screws:				
	30	Of stainless steel	kg			
	45	Other	kg			
		Other:				
		With hexagonal heads:				
	55	Of stainless steel	kg			
		Other:				
	66	Cap screws	kg			
	69	Other	kg			
		Other:				
	82	Of stainless steel	kg			
	85	Other	kg			
7318.16.00		Nuts		Free ^{7/1/}		0.5% 4/
		Lugnuts:				
	15	Non-locking chrome-plated	kg			
	30	Locking	ka			
		_	•			
	45	Other:	kg			
	60	Of stainless steel	ka			
			•			
	85 00	Other	U	F 70/3/1/	Free (A*, AU, B, BH,	15%
318.19.00	UU	Other	ку	5.7%	CL, CO, D, E, IL,	45%
					JO, KR, MA, OM,	
					P, PA, PE, S, SG)	
					2.85% (JP)	
					` ′	
J			1	1	1	

No. No.	Stat. Suf-	Article Description	Unit of		Rates of Duty	2
Cotter pins, washers (including spring washers) and similar articles, of iron or steel: (co.n.) radicles, of iron or steel; and other lock washers				General	Special	
Spring washers and other lock washers		cotter pins, washers (including spring washers) and similar articles, of iron or steel: (con.)				
Sewing needles, knitting needles, bodkins, crochet hooks, embroidery stillettos and similar articles for use in the hand, of iron or steel; safety pins and other pins: Safety pins and other pins: Safety pins pins: Safety pins and other pins: Safety p				5.8% ^{3/1/}	CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	35%
1.3¢/kg² 1.3¢/kg² 1.3¢/kg² 1.3¢/kg² 2.2¢/kg 3.18.23.00 00 1.3¢/kg² 2.2¢/kg 2.2¢/kg 2.2¢/kg 2.2¢/kg 3.18.24.00 00 1.3¢/kg² 2.2¢/kg 2.2¢/kg 2.2¢/kg 2.2¢/kg 2.2¢/kg 2.2¢/kg 3.18.24.00 00 1.3¢/kg² 2.2¢/kg 3.18.24.00 00 00 00 00 00 00 00	30	Helical spring lock washers	kg		, ,	
Sale		Other	kg	047		
Sewing needles, knitting needles, bodkins, crochet hooks, embroidery stilettos and similar articles for use in the hand, of iron or steel; safety pins and other pins: Safety pins and other pins: Safety pins						
Sewing needles, knitting needles, bodkins, crochet hooks, embroidery stilettos and similar articles for use in the hand, of iron or steel; safety pins and other pins: Safety pins and	00		_			2.2¢/kg
Sewing needles, knitting needles, bodkins, crochet hooks, embroidery stilettos and similar articles for use in the hand, of iron or steel; safety pins and other pins of iron or steel, not elsewhere specified or included: Safety pins and other pins: Safety pins and other pins and other pins: Safety pins and other pins of iron or steel, not elsewhere specified or included: Safety pins and other pins: Safety pins	00	Cotters and cotter pins	kg	· 3.8% ^{3/1/}	CL, CO, D, E, IL, JO, JP, KR, MA, OM, P, PA, PE, S,	45%
embroidery stilettos and similar articles for use in the hand, of iron or steel; safety pins and other pins of iron or steel, not elsewhere specified or included: Safety pins and other pins: Safety pins and other pins:	00	Other	kg	· 2.8% ^{3/1/}	CL, CO, D, E, IL, JO, JP, KR, MA, OM, P, PA, PE, S,	45%
10		embroidery stilettos and similar articles for use in the hand, of iron or steel; safety pins and other pins of iron or steel, not elsewhere specified or included:				
319.40.30 50 00 Other	10	Safety pins		4.5% ^{7/1/}	CO, D, E, IL, JO, KR, MA, OM, P,	35%
319.40.30 00 Dressmakers' or common pins	_		_			
Other				· 4.1% ^{7/1/}	CO, D, E, IL, JO, KR, MA, OM, P,	35%
10 Push pins		Other		Free ^{7/1/}	,	35%
319.90 319.90.10 Other: Sewing, darning or embroidery needles	10	Push pins	kg			
319.90.10 00 Sewing, darning or embroidery needles	50		kg			
319.90.90 00 Other	00		thousands	Free ^{7/1/}		Free
		30 90 00 00 00 10 50 00	Screws, bolts, nuts, coach screws, screw hooks, rivets, cotters, cotter pins, washers (including spring washers) and similar articles, of iron or steel: (con.) Non-threaded articles: Spring washers and other lock washers	fix Quantity Screws, bolts, nuts, coach screws, screw hooks, rivets, cotters, cotter pins, washers (including spring washers) and similar articles, of iron or steel: (con.)	Screws, bolts, nuts, coach screws, screw hooks, rivets, cotters, cotter pins, washers (including spring washers) and similar articles, of iron or steel: (con.) Non-threaded articles: Spring washers and other lock washers	Suffix

	ΧV
73	-37

	Stat.		Unit		Rates of Duty	I -
	Suf- fix	Article Description	of Quantity	General	1 Special	2
7320		Springs and leaves for springs, of iron or steel:	Quantity	General	Зреста	
7320.10		Leaf springs and leaves therefor:				
020.10		Suitable for motor vehicle suspension:				
7320.10.30	00	To be used in motor vehicles having a G.V.W. not				
		exceeding 4 metric tons		3.2% ^{3/1/}	Free (A*, AU, B, BH,	25%
		_	_	7.5	CL, CO, D, E, IL,	
					JO, KR, MA, OM,	
					P, PA, PE, S, SG)	
7320.10.60		Other		3.2% ^{3/1/}	Free (A+, AU, B, BH,	25%
				0.270	CL, CO, D, E, IL,	
					JO, KR, MA, OM,	
					P, PA, PE, S, SG)	
	15	Leaf springs having individual leaves with a				
		thickness of 1.6 mm or more and leaves	l.a.			
		therefor	J			
	60	Other				
7320.10.90		Other		$3.2\%^{\frac{3/1}{2}}$	Free (A*, AU, B, BH,	25%
					CL, CO, D, E, IL,	
					JO, JP, KR, MA,	
					OM, P, PA, PE, S,	
	15	Leaf springs having individual leaves with a			SG)	
	15	thickness of 1.6 mm or more and leaves				
		therefor	ka			
	~					
7320.20	60	OtherHelical springs:	kg			
7320.20	nn	Suitable for motor-vehicle suspension	ka	0.0047/1/	Free (A, AU, B, BH,	25%
7320.20.10	00	Suitable for motor-verifice suspension	ку	3.2%	CL, CO, D, E, IL,	25 /6
					JO, KR, MA, OM,	
					P, PA, PE, S, SG)	
7320.20.50		Other		3.9% ^{7/1/}	Free (A, AU, B, BH,	15%
320.20.30		Oti iei		3.9%—	CL, CO, D, E, IL,	45 /6
					JO, KR, MA, OM,	
					P, PA, PE, S, SG)	
		Helical springs, of wire having a cross-sectional			,	
		dimension of less than 5.1 mm:				
	10	Suitable for use in mattress supports and				
		mattresses of heading 9404	kg			
	20		kg			
	45	Helical springs, of wire having a cross-sectional				
		dimension of 5.1 mm or more but less than				
		12.7 mm	kg			
	60	Other	kg			

Heading/ Subheading	Stat. Suf-	Article Description	Unit of	—	Rates of Duty 1	2
	fix	·	Quantity	General	Special	
320 (con.)		Springs and leaves for springs, of iron or steel: (con.)				
320.90 320.90.10	00	Other: Hairsprings	l. a	- 3/1/		CEO/
	00					65%
'320.90.50		Other		2.9% ^{3/1/}	Free (A*, AU, B, BH, CL, CO, D, E, IL, JO, JP, KR, MA, OM, P, PA, PE, S, SG)	45%
	10	Of wire: Suitable for use in mattress supports and mattresses of heading 9404	ka		,	
	20	Other	•			
	60	Other				
7321		Stoves, ranges, grates, cookers (including those with subsidiary boilers for central heating), barbecues, braziers, gas rings, plate warmers and similar nonelectric domestic appliances, and parts thereof, of iron or steel: Cooking appliances and plate warmers:	, y			
7321.11 7321.11.10		For gas fuel or for both gas and other fuels: Portable		5.7% ^{3/1/}	Free (A, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P,	45%
	20	Storing or remove	No		PA, PE, S, SG)	
	30	Stoves or ranges		1		
	60	Other	No.	1		
321.11.30		Other: Stoves or ranges:		Eroo ^{3/1/}		45%
521.11.50	10	Of a maximum width not exceeding		-ree		75 /0
	10	70 centimeters	No.	1		
	20	Of a maximum width exceeding 70 but not		1		
	20	exceeding 80 centimeters		1		
	50	Of a maximum width exceeding		1		
	50	80 centimeters	No.	1		
7321.11.60	00	Other		Free ^{3/1/}		45%
321.12.00	00	For liquid fuel				45%
7321.19.00		Other, including appliances for solid fuel				45%
	20	Portable: Hibachis	No.	1		
	40	Other	No.	1		
	-10	Other:	. 10.	1		
	60	Of cast iron	No.	1		
	80	Other	No.	1		

	>	(١
73	٠	3	(

	Stat.	Australia Description	Unit		Rates of Duty	
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	2
321 (con.)		Stoves, ranges, grates, cookers (including those with				
,		subsidiary boilers for central heating), barbecues, braziers,				
		gas rings, plate warmers and similar nonelectric domestic				
		appliances, and parts thereof, of iron or steel: (con.)				
		Other appliances:				
321.81		For gas fuel or for both gas and other fuels:				
321.81.10	00	Portable	No	2.9% ^{1/}	Free (A*, AU, BH,	45%
					CL, CO, D, E, IL,	
					JO, KR, MA, OM,	
					P, PA, PE, S, SG)	
321.81.50	00	Other	No	Free ^{7/1/}		45%
321.82		For liquid fuel:				
321.82.10	00	Portable	No	2.9% ^{7/1/}	Free (A, AU, BH, CL,	45%
					CO, D, E, IL, JO,	
					KR, MA, OM, P,	
					PA, PE, S, SG)	
321.82.50	00	Other	No	Eroo <u>^{7/1/}</u>		45%
321.89.00		Other, including appliances for solid fuel				45%
321.03.00	10			Free		45 /0
	10	Fireplace grates of cast iron				
	50	Other	No.	ĺ		
321.90		Parts:				
		Of articles in subheading 7321.11.30:				
321.90.10	00	Cooking chambers, whether or not assembled	No	Free ^{3/1/}		45%
			kg			
321.90.20	00	Top surface panels with or without burners or				
		controls	No	Free ^{3/1/}		45%
			kg			
321.90.40	00	Door assemblies, incorporating more than one of				
		the following: inner panel, outer panel, window,				
			No	Free ^{3/1/}		45%
			kg	1100		
321.90.50	00	Other	No	Eroo ^{3/1/}		45%
021.00.00	00		kg	riee		13 /0
321.90.60		Other		Eroo ^{3/1/}		45%
		Of cooking appliances and plate warmers:		1166		.0,0
	40	Shelving and racks for cooking ovens	No.			
		Cholving and rapid for cooking eventum	kg			
	60	Othor	_			
	60	Other	No.			
	90	Other	kg No.			
	90	Otilei	kg			
			ky			
				ĺ		
				ĺ		
				ĺ		
				ĺ		
				ĺ		
				ĺ		
			Ī	1	1	Ī

	Stat. Suf-	Article Description	Unit of		Rates of Duty 1	2
Caphodaling	fix	Attiolo Docomption	Quantity	General	Special	
'322		Radiators for central heating, not electrically heated, and parts thereof, of iron or steel; air heaters and hot air distributors (including distributors which can also distribute fresh or conditioned air), not electrically heated, incorporating a motor-driven fan or blower, and parts thereof, of iron or steel: Radiators and parts thereof:				
7322.11.00	00	Of cast iron	No	Free ^{3/}		45%
7322.19.00	00	Other	No	Free ^{3/1/}		45%
7322.90.00		Other, including parts				45%
	15	Air heaters, not electrically heated, incorporating a		1.00		
		motor-driven fan or blower	No. kg			
	30		No. kg			
	45	Parts of air heaters and hot air distributors	No.			
323 323.10.00		Table, kitchen or other household articles and parts thereof, of iron or steel; iron or steel wool; pot scourers and scouring or polishing pads, gloves and the like, of iron or steel: Iron or steel wool; pot scourers and scouring or polishing				
020.10.00	00	pads, gloves and the like	kg	Free ^{3/1/}		22¢/kg + 30%
'323.91 '323.91.10	00	Other: Of cast iron, not enameled: Coated or plated with precious metal	Nokg	Free ^{7/}		20%
323.91.50		Other	0	5.3%	Free (A*, AU, BH,	40%
	20	Bakeware (cookware not suitable for stove top use)			CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	
		·	kg			
	40	Other	No. kg			
323.92.00		Of cast iron, enameled		Free ^{7/}		35.5%
	20	Bakeware (cookware not suitable for stove top use)	No.			
	40	Other	kg No.			
			kg			

	Χ	V
73	-4	1

	Stat.	Article Description	Unit		Rates of Duty	
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	2
323 (con.)		Table, kitchen or other household articles and parts thereof,		General	Openia.	
(,		of iron or steel; iron or steel wool; pot scourers and scouring				
		or polishing pads, gloves and the like, of iron or steel: (con.)				
		Other: (con.)				
323.93.00		Of stainless steel		20/_1/	Free (A*, AU, BH,	40%
				2 /0	CL, CO, D, E, IL,	
					JO, KR, MA, OM,	
					P, PA, PE, S, SG)	
		Cooking and kitchen ware:			, , , , ,	
	15	Teakettles	No.			
			kg			
		Other:				
		Cooking ware:				
	35	Bakeware (cookware not suitable for				
	00	stove top use)	No.			
		Stove top use/	kg			
			I -			
	45	Other	No.			
			kg			
	60	Kitchen ware	No.			
			kg			
	80	Other	No.			
			kg			
323.94.00		Of iron (other than cast iron) or steel, enameled		2.7% ^{7/1/}	Free (A, AU, BH, CL,	35.5%
					CO, D, E, IL, JO,	
					KR, MA, OM, P,	
					PA, PE, S, SG)	
		Cooking and kitchen ware:				
		Of steel:	[
	10	Teakettles	No.			
			kg			
		Other:				
		Cooking ware:				
	21	Bakeware (cookware not suitable				
		for stove top use)				
		, ,	kg			
	26	Other	No.			
	20	Oti lei	kg			
	30	Kitchen ware				
	30	Michell Wale				
	40	Other	kg No.			
	40	Otilei	kg			
	80	Other	No.			
	00	Otilei	kg			
			ĸg			
			Ī	Ī	1	

3	Stat.	Article Description	Unit		Rates of Duty	
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	2
323 (con.)		Table, kitchen or other household articles and parts thereof,			5,000	
		of iron or steel; iron or steel wool; pot scourers and scouring				
		or polishing pads, gloves and the like, of iron or steel: (con.)				
323.99		Other: (con.) Other:				
323.33		Coated or plated with precious metal:				
323.99.10	00		No	Free ^{7/1/}		50%
			kg			
323.99.30	00	Other	No	8 2% ^{1/}	Free (A*, AU, BH,	65%
			kg	0.270	CL, CO, D, E, IL,	
					JO, KR, MA, OM,	
		N			P, PA, PE, S, SG)	
323.99.50		Not coated or plated with precious metal:		– 1/		40%
323.99.50	20	Of tinplate Kitchen or tableware suitable for food or		Free		40%
	30		No.			
		utilik contact	kg			
	co	Othor	J			
	60	Other	kg			
		Other:	'\9			
323.99.70	00	Cookingware	No	. 5.3% ^{1/}	Free (A*, AU, BH,	40%
		5	kg	3.5 /5	CL, CO, D, E, IL,	
					JO, KR, MA, OM,	
					P, PA, PE, S, SG)	
323.99.90		Other		3.4% ^{3/1/}	Free (A*, AU, BH,	40%
				0.170	CL, CO, D, E, IL,	
					JO, KR, MA, OM,	
	00	Michael and the law and the law and the late of the state of			P, PA, PE, S, SG)	
	30	Kitchen or tableware suitable for food or drink contact	No.			
		Of diffix contact	kg			
	40	Catao for confining children or note	ľ			
		Gates for confining children or pets				
	80	Other	No.			
324		Sanitary ware and parts thereof, of iron or steel:				
324.10.00		Sinks and wash basins, of stainless steel		$3.4\%^{\frac{3/1}{2}}$	Free (A*, AU, BH, C,	40%
					CL, CO, D, E, IL,	
					JO, KR, MA, OM, P, PA, PE, S, SG)	
	10	Stainless steel sinks with one or more drawn bowls			1,17,12,0,00)	
	. •	(basins)	No.			
	50	Other				
	55	Baths:				
324.21		Of cast iron, whether or not enamelled:				
324.21.10	00	Coated or plated with precious metal	No	· Free ^{3/}		20%
324.21.50	00	Other	No	Free ^{3/}		40%
	00	Other				40%
324.90.00		Other, including parts				40%
724.50.00	00	Other, including parts	110	Free		40 /0
					i e	

	Χ	V
73	-4	3

	Stat.	Autilla Dannintia	Unit		Rates of Duty	_
Subheading	Suf- fix	Article Description	of Quantity	General	1 Special	2
325		Other cast articles of iron or steel:				
7325.10.00 10 20 25	10	Of nonmalleable cast iron		Free ^{3/}		10% 4
		Manhole covers, rings and frames	· ·			
	_	Catch basins, grates and frames	_			
	_	Cleanout covers and frames	3			
	30	Valve and service boxes	ŭ			
	35	Meter boxes	"			
	80	Other:Other:	kg			
7325.91.00	00	Grinding balls and similar articles for mills	kg	2.9% ^{3/1/}	Free (A, AU, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	45%
7325.99	00	Other:	1.	04/		2021
'325.99.10		Of cast iron				20%
'325.99.50	00	Other	kg	2.9% ^{3/1/}	Free (A, AU, B, BH, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	45%
'326		Other articles of iron or steel:				
326.11.00	00	Forged or stamped, but not further worked: Grinding balls and similar articles for mills	ka	Froo ^{3/1/}		27.5%
326.19.00		Other		2.9% ^{3/1/}	Free (A, AU, B, BH,	
320.19.00				2.9%—	CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	45 /6
	10	Forged				
326.20.00	80	OtherArticles of iron or steel wire		3/1/	Free /A ALL D DLL	450/
326.20.00				3.9% ^{3/1/}	Free (A, AU, B, BH, C, CL, CO, D, E, IL, JO, KR, MA, OM, P, PA, PE, S, SG)	45%
	10	Belts and belting	_			
	20	Garment hangers				
	30	Sod staples, U staples, irrigation staples, ground staples, and ground pins				
	40	Double loop bar ties and double loop wire ties				
	55	Paint roller frames				
	90	Other				
	55		1.10.			
						Ī

Subheading	Stat. Suf-	Article Description	Unit of		Rates of Duty 1	2
	fix		Quantity	General	Special	
326 (con.)		Other articles of iron or steel: (con.)				
7326.90	00	Other:	NI.	_ 2/1/		450/
7326.90.10	00	Of tinplate	Nokg	Free ^{3/1/}		45%
		Other	ĸġ			
7326.90.25	00	Other: Cable or inner wire for caliper and cantilever				
020.00.20	00	brakes and casing therefor, whether or not cut to				
		length	kg	Free ^{3/1/}		45%
7326.90.35	00	Containers of a kind normally carried on the				
020.00.00	00	person, in the pocket or in the handbag	doz	7 8% ^{3/1/}	Free (AU, BH, CL,	110%
				7.070	CO, D, E, IL, JO,	
					KR, MA, OM, P,	
					PA, PE, S, SG)	
7326.90.45	00	Horse and mule shoes	kg	Free ^{3/1/}		10%
		Other:				
7326.90.60	00	Coated or plated with precious metal	No	8.6% ^{3/1/}	Free (A, AU, BH, CL,	65%
			kg		CO, D, E, IL, JO,	
					KR, MA, OM, P,	
7000 00 00		Others		2/1/	PA, PE, S, SG)	450/
7326.90.86		Other		2.9% ^{3/1/}	Free (A, AU, B, BH, CL, CO, D, E, IL,	45%
					JO, JP, KR, MA,	
				1	OM, P, PA, PE, S,	
				1	SG)	
	05	Rods for electrical grounding	•	1		
	10	Laminated goods consisting of two or more		1		
		flat-rolled sheets of iron or steel held				
		together with an adhesive or having a core of non-metallic material				
	20		Ng			
	30	Hangers and similar supports for tubes and pipes	ka			
	35		Ng			
	33	Fence posts, studded with corrugations, knobs, studs, notches or similar				
		protrusions, with or without anchor				
		plates	kg			
	45	Barbed tape	kg	1		
	60	Ladders	No.	1		
	75	Paint roller frames (other than of iron or				
	, 5		No.	1		
	76	Metal handles for brooms, mops, paint		1		
	10	applicators and similar products	No.	1		
	77	Burial caskets				
				1		
	88	Other ⁹ /	kg	1		
				1		
				1		
				1		
				1		
				1		
				1		
				1		
				1		
				1		
				1		
					1	I

Harmonized Tariff Schedule of the United States Revision 19 (2025)

Annotated for Statistical Reporting Purposes

Endnotes--page 73 - 45

- $\underline{1/}$ See U.S. note 16 to subchapter III, chapter 99.
- 2/ See 9903.91.01.
- 3/ See 9903.88.03.
- 4/ See 9903.90.09.
- $\overline{5/}$ See 9903.88.15 and U.S. note 16 to subchapter III, chapter 99.
- 6/ See 9903.88.02.
- <u>7/</u> See 9903.88.15.
- 8/ See 9903.88.03 and U.S. note 16 to subchapter III, chapter 99.
- 9/ See 9903.88.69.