

risetset_notebook

April 1, 2023

1 risetset Examples

This notebook demonstrates the J `risetset` script. `risetset` computes the rise, transit, and set times of named [IAU Stars](#).

To run this notebook you must install a J jupyter kernel. See Martin Saurer's [GitHub repository](#) for instructions.

```
[1]: NB. J version and date
smoutput 9!:14 ''
smoutput 6!:0 ''

NB. set portable box drawing characters
portchars=:[: 9!:7 '+++++++|-'"_ [ ]
portchars 0
```

```
j9.4.1/j64avx512/windows/commercial/www.jsoftware.com/2023-02-27T15:21:53/clang-
15-0-7/SLEEF=1
2023 4 1 11 49 24.274
```

1.1 Installation

`risetset` is distributed as a J addon. It is installed in the J `~addons/jacks` folder. It can be installed from [GitHub](#) with:

```
[2]: load 'pacman'
NB. smoutput install 'github:bakerjd99/jackshacks' NB. uncomment to install
```

The `jacks` (J-hacks) addons are self contained [JOD generated](#) J scripts. Each `ijs` script is accompanied with pdf document that describes how to use it. Some scripts, like `risetset` are also packaged with a Jupyter notebook (this file) and a pdf version of the notebook. For example, the `risetset` files are:

```
risetset.ijs
risetset.pdf
risetset_notebook.ipynb
risetset_notebook.pdf
```

There are other scripts in `~addons/jacks` and more will be added from time to time. To refresh the folder, reissue the install command.

In addition to these files the subfolder `~addons/jacks/testdata` contains data files. `riserset` files in `testdata` are:

```
Bright_Stars_Meridian_Almanac_23mar27.md
iau_named_stars_2022.txt
Navigation_Stars.txt
```

```
[3]: NB. addon files
     dir '~addons/jacks'
```

```
testdata          <dir>      28-Mar-23 22:45:21
brandxmp.ijs       13295 28-Mar-23 22:45:21
brandxmp.pdf       125252 28-Mar-23 22:45:21
gpxutils.ijs       17079 28-Mar-23 22:45:21
gpxutils.pdf       134365 28-Mar-23 22:45:21
ipynb.ijs          4699 28-Mar-23 22:45:21
ipynb.pdf          86966 28-Mar-23 22:45:21
manifest.ijs       1214 29-Mar-23 13:18:17
riserset.ijs       34195 29-Mar-23 13:49:12
riserset.pdf       174094 29-Mar-23 13:18:17
riserset_notebook.ipynb 6671 29-Mar-23 13:52:41
riserset_notebook.pdf 35069 29-Mar-23 13:52:19
```

1.2 Using riserset

```
[4]: NB. load '~addons/jacks/riserset.ijs' NB. addon version
     load 'riserset' NB. dev version

     smoutput 'NB. vmd: ' , , '0,p<; >q<; >0,0' (8!:2) VMDriserset
```

```
NB. (riserset) interface word(s): 20230401j113813
NB. -----
NB. fmt_today NB. format today verbs result
NB. iau_today NB. named IAU stars rising/setting today
NB. loadstars NB. loads riserset star data
NB. nav_today NB. named navigation stars rising/setting today
NB. riserset NB. rise, transit, set times of stars
```

```
NB. vmd: 0.9.0; 4; 01 Apr 2023 11:38:13
```

```
[5]: NB. set a location - add your own by cloning and modifying location verbs
     location_yellowstone
```

```
3 : 0
```

```

NB.*location_yellowstone v-- set parameters for Old Faithful location.
NB.
NB. monad: location_yellowstone uuIgnore
NB.
NB. location_yellowstone 0 NB. set location
NB. iau_today 0 NB. uses set location with current date
NB.
NB. NB. uses location with set date
NB. (location_yellowstone 0) iau_today 0
NB.
NB. dyad: bl =. flymfd location_yellowstone uuIgnore
NB.
NB. NB. arbitrary date for location
NB. 1712 3 15.34 location_yellowstone 0
NB. location_yellowstone~ 1933 9 25.75

2013 5 7 location_yellowstone y
:
JULIAN_riseset_=: julfrcal ymd=. x

NB. longitude, latitude with standard signs
OBSLOCATION_riseset_=: _110.82792 44.46057

UTCOFFSET_riseset_=: 6.0 NB. MST time zone
LIMITMAG_riseset_=: 6.0 NB. stellar magnitude
LIMITHORZ_riseset_=: 10 NB. degrees above horizon

ymd;JULIAN;OBSLOCATION;UTCOFFSET;LIMITMAG;LIMITHORZ
)

```

```

[6]: location_yellowstone 0
      'IAU cParms'=: iau_today 0

      NB. number of rising/setting IAU stars
      smoutput #IAU
      NB. limit magnitude, above horizon, julian date, ΔT in seconds, longitude,
      ↪ latitude, year, month day.dd
      smoutput cParms
      NB. star name, designation, transit altitude degrees, transit time 24 hours,
      ↪ minutes
      smoutput 5 {. IAU

```

```

243
6 10 2460035.75 73.45591845312505 _110.82792 44.46057 2023 4 1.25
+-----+-----+-----+-----+
|Chertan      |HR 4359|61  |0 1 |
+-----+-----+-----+-----+
|Zosma        |HR 4357|66  |0 1 |

```

```

+-----+-----+-----+-----+
|Alula Australis|HR 4375|77  |0 5 |
+-----+-----+-----+-----+
|Alula Borealis |HR 4377|78.5|0 6 |
+-----+-----+-----+-----+
|Denebola       |HR 4534|60  |0 36|
+-----+-----+-----+-----+

```

Detailed rise and set information is provided by `riseset`.

```

[7]: LB=: _116.375956 43.646775  NB. Meridian
YMD=: 2023 3 27
UO=: 6 NB. MST UTC offset

NB. star name, (0=rises/sets), altitudes, times fractional day, times hours,
↪minutes
'Rs cParms'=: (YMD;UO;LB) riseset 'Algol';'Rigel';'Spica'
smoutput cParms
smoutput Rs

```

```

2460030.75 73.40741357812496 _116.375956 43.646775 2023 3 27.25
+-----+-----+-----+-----+
|Algol|0| 0.5 0.2910386461449466 6 59|
|      | |87.5 0.6908345293917257 16 35|
|      | |0.5 0.09337060171945516 2 14|
+-----+-----+-----+-----+
|Rigel|0| 1 0.5527905462948185 13 16|
|      | |38 0.7780712498266437 18 40|
|      | |0.5 0.006088476753742347 0 9|
+-----+-----+-----+-----+
|Spica|0| 1 0.9012706582406574 21 38 |
|      | |35 _0.8793144933635634 2 54 |
|      | |0.5 0.3373585646884121 8 6 |
+-----+-----+-----+-----+

```

The stars listed by `riseset` come from IAU named stars.

```

[8]: NB. leading characters from UTF-8 CSV IAU star data file
800 {. read jpath '~addons/jacks/testdata/iau_named_stars_2022.txt'

```

```

IAU_Name,Designation,HIP,Bayer_Name,Nm,WDS_J,Vmag,RA_J2000,Dec_J2000,Origin,Sou
rce,ID,Const,Etymology_Note
Absolutno,X0-5,X0-5,_ Lyn,_,_,12.13,116.716506,39.094572,2019 IAU100
NameExoWorlds,https://www.nameexoworlds.iau.org/2019approved-names,_,Lyn,Czech
Republic proposal;Absolutno is a fictional miraculous substance in the sci-fi
novel Továrna na absolutno (T...
Acamar,HR 897,13847, 1 Eri,A,02583-4018,2.88,44.565311,-40.304672,,, 1,Eri,
Achernar,HR 472,7588, Eri,A,-,0.45,24.428523,-57.236753,Arabic,, ,Eri,The name
was originally Arabic: ʿāḥir an-nahr ('river's end').

```

Achird,HR 219,3821, Cas,A,00491+5749,3.46,12.276213,57.815187,,, ,Cas,"first applied to Cassiopeiae in the Skalnate Pleso

```
[9]: loadstars~ 2
smoutput 'Named stars:', "#IAU_Name
smoutput 10 {. IAU_Name
```

Named stars:449

```
+-----+-----+-----+-----+-----+-----+-----+-----+-----+
|Absolutno|Acamar|Achernar|Achird|Acrab|Acrux|Acubens|Adhafera|Adhara|Adhil|
+-----+-----+-----+-----+-----+-----+-----+-----+-----+
```

Additional stars/objects can be added by editing the IAU file or by doing the following.

New objects need a name, right ascension (RA), and declination (Dec) for the J2000.0 epoch.

```
[10]: NB. meeus pg. 99,100
LB=: _71.0833 42.3333 NB. Boston
YMD=: 1988 3 20
UO=: 0
NB. add objects not in IAU names - needs - name, ra, dec
AOB=. (<;:'Venus'),(<41.73129),<18.44092
AOB=. ,&.> (;:'OBJ_Name OBJ_RA_J2000 OBJ_Dec_J2000') ,. AOB
DeltaTsOverride_risese_=: 56
'Vrs cParms'=: (YMD;UO;LB;<AOB) risese_ 'Venus'
0 0$erase 'DeltaTsOverride_risese_'
smoutput cParms
smoutput Vrs
```

2447240.5 56 _71.08329999999999 42.3333 1988 3 20

```
+-----+-----+-----+-----+
|Venus|0| 1 0.5211284270665463 12 30|
|      | | 66 0.8169433896164773 19 36|
|      | |0.5 0.1154978057116963 2 46|
+-----+-----+-----+-----+
```

1.3 Maintaining and modifying risese

All **risese** code, documentation and test scripts are stored in the JOD dictionary **futs**. To change the code or run the test cases you need to install the JOD dictionaries **futs** and **utils**.

Use J's package manager to install the JOD addons **general/jod**, **general/joddocument**. If you have installed all the addons JOD is already on your system.

After installing JOD do:

1. Download the JOD dump scripts:

<https://github.com/bakerjd99/joddumps/blob/master/utils.ijs>

<https://github.com/bakerjd99/joddumps/blob/master/futs.ijs>

and put them in a `~temp` folder.

2. Start JOD and check for the presence of `futs` and `utils`.

```
NB. start JOD
load 'general/jod'
(;;'futs utils') e. od''
```

3. Only if both dictionaries are missing do:

```
newd 'utils' NB. creates utils dictionary in '~user/joddicts/utils'
newd 'futs' NB. creates futs in '~user/joddicts/futs'
```

4. Load the dictionaries:

```
NB. load utils first
od 'utils' [ 3 od ''
0!:0 <jpath '~temp/utils.ijs'
NB. rebuild references
0 globs&> }. revo ''
NB. take first binary backup
packd 'utils'

NB. load futs with utils on path
od ;;'futs utils' [ 3 od ''
0!:0 <jpath '~temp/futs.ijs'
NB. rebuild references
0 globs&> }. revo ''
NB. take first binary backup
packd 'futs'

NB. close dictionaries
3 od ''
```

The rest of this notebook *assumes* you have installed `futs` and `utils`.

It also assumes a basic knowledge of JOD. See the JOD Manual for details. The JOD Manual is distributed in the `general/joddocument` addon - see:

`~addons/general/joddocument/pdfdoc/jod.pdf`

`jod.pdf` is also available on [The JOD Page](#)

1.4 riseset test suite

Many `riseset` test cases are in `futs`. Groups of test cases are called suites. The contents of the `riseset` suite is:

```
[11]: NB. open futs and utils - assumed open until notebook end
load 'general/jod'
od ;;'futs utils' [ 3 od ''
```

```

++-----+-----+
|1|opened (rw/ro) ->|futs|utils|
++-----+-----+

```

```

[12]: NB. list test cases in (riseset) suite
      ,. 3 grp 'riseset'

```

```

+-----+
|1      |
+-----+
|riseset_atan2_smoke  |
+-----+
|riseset_espenak_smoke|
+-----+
|riseset_meeus_smoke  |
+-----+
|riseset_navstars_smoke|
+-----+
|riseset_riseset_smoke|
+-----+
|riseset_tanner_smoke |
+-----+

```

```

[13]: NB. show test case
      1 disp 'riseset_riseset_smoke'

```

```

NB.*riseset_riseset_smoke t-- (riseset) smoke tests.
NB.
NB. created: 2023mar27
NB. changes: -----

load 'riseset'

NB. meeus pg. 99,100
LB=: _71.0833 42.3333 NB. Boston
YMD=: 1988 3 20
UO=: 0
NB. add objects not in IAU names - needs - name, ra, dec
AOB=. (<:;'Venus'),(<41.73129),<18.44092
AOB=. ,&.> (<:'OBJ_Name OBJ_RA_J2000 OBJ_Dec_J2000') ,. AOB
DeltaTsOverride_riseset_=: 56
'Vrs cParms'=: (YMD;UO;LB;<AOB) riseset 'Venus'
0 0$erase 'DeltaTsOverride_riseset_'

NB. values are within 10 minutes of the meeus book
NB. result - not great but good enough for demo work
Meeusmin=: +/" 1 ] 60 1 *"1 ] 12 25 , 19 41 ,: 2 55
10 > >./|Meeusmin - +/" 1 ] 60 1 *"1 ] _2 {."1 ;2 {"1 Vrs

```

```

LB=: _116.375956 43.646775    NB. Meridian
YMD=: 2023 3 27
UO=: 6                        NB. MST UTC offset

'Rs cParms'=: (YMD;UO;LB) riseset 'Algol'
'Rs cParms'=: (YMD;UO;LB) riseset 'Algol';'Rigel';'Spica'

NB. Bright Stars for 2023 3 27 Meridian
NB. https://www.almanac.com/astronomy/bright-stars/zipcode/83646/2023-03-27
Bs=: ;:'Altair Deneb Fomalhaut Algol Aldebaran Rigel Capella Bellatrix'
Bs=: Bs,;:'Betelgeuse Sirius Procyon Pollux Regulus Spica Arcturus Antares Vega'

'Rs cParms'=: (YMD;UO;LB) riseset Bs

NB. transits match fairly well rise/sets differ 5 to 10 minutes
BsTransit=: 9 18,10 8,12 25,16 35,18 2,18 41,18 43,:18 51
BsTransit=: BsTransit , 19 21,20 11,21 5,21 11,23 34,2 54,3 44,5 58,:8 4

NB. transit altitude degrees
BsAlt=: 55 88 16 87 62 38 87 52
BsAlt=: BsAlt,53 29 51 74 58 35 65 19 85

TMP=: {"1 Rs
ALT=: ((<1;,0)&{&> TMP) ,. BsAlt
TRT=: ((<1;2 3)&{&> TMP) ,. BsTransit

NB. altitudes match to 1 degree
1 = >./ -/"1 ALT

NB. transit times match to 1 minute in worst case
1 = >./ | (60 #:^:_1 ] 0 1 {"1 TRT) - 60 #:^:_1 ] 2 3 {"1 TRT

'IAU NAV'=: loadstars 0
({"1 NAV)=: {"1 NAV
({"1 IAU)=: {"1 IAU
'Navrs cParms'=: (YMD;UO;LB) riseset Nav_Star_Name
'Iaurs cParms'=: (YMD;UO;LB) riseset IAU_Name

NB. default
'Meridianrs cParms'=: iau_today 0

NB. date of Uluru star party diner
uJD=: julfrcal uYMD=: 2022 10 19
ULURU=: 131.01941 _25.34301
uUTC=: _9.5
uLMAG=: 6.0
uLHORZ=: 5

```



```

'Ulururs cParms'=: (uYMD;uJD;ULURU;uUTC;uLMAG;uLHORZ) iau_today 0
'Ulururs cParms'=: (uYMD;uJD;ULURU;uUTC;uLMAG;uLHORZ) nav_today 0

'Navrs cParms'=: (location_yellowstone~ 1933 9 25.75) iau_today 0
'Navrs cParms'=: (location_home~ 1956 7 18) nav_today 0
'Navrs cParms'=: (location_uluru~ 2043 7 2) nav_today 0

0 0$erase 'AOB Meeusmin Vrs LB YMD UO Rs Bs BsTransit BsAlt TMP ALT TRT Navrs
Iaurs cParms'
0 0$erase (;;'IAU NAV') , ({."1 NAV), {. "1 IAU
0 0$erase 'uYMD uJD ULURU uUTC uLMAG uLHORZ Meridianrs Ulururs'

smoutput 'PASSED:: riseset_riseset_smoke'

```

[14]: *NB. run all the test cases in the suite*
NB. suppressing all but (smoutput) output
NB. Each test will show PASSED:: if OK.
4 rtt 'riseset'

```

NB. (riseset) interface word(s): 20230401j113813
NB. -----
NB. fmt_today NB. format today verbs result
NB. iau_today NB. named IAU stars rising/setting today
NB. loadstars NB. loads riseset star data
NB. nav_today NB. named navigation stars rising/setting today
NB. riseset NB. rise, transit, set times of stars

```

```

PASSED:: riseset_atan2_smoke
NB. (riseset) interface word(s): 20230401j113813
NB. -----
NB. fmt_today NB. format today verbs result
NB. iau_today NB. named IAU stars rising/setting today
NB. loadstars NB. loads riseset star data
NB. nav_today NB. named navigation stars rising/setting today
NB. riseset NB. rise, transit, set times of stars

```

```

PASSED:: riseset_espenak_smoke
NB. (riseset) interface word(s): 20230401j113813
NB. -----
NB. fmt_today NB. format today verbs result
NB. iau_today NB. named IAU stars rising/setting today
NB. loadstars NB. loads riseset star data
NB. nav_today NB. named navigation stars rising/setting today
NB. riseset NB. rise, transit, set times of stars

```

```

PASSED:: riseset_meeus_smoke
NB. (riseset) interface word(s): 20230401j113813
NB. -----

```

NB. fmt_today NB. format today verbs result
 NB. iau_today NB. named IAU stars rising/setting today
 NB. loadstars NB. loads riseset star data
 NB. nav_today NB. named navigation stars rising/setting today
 NB. riseset NB. rise, transit, set times of stars

northern hemisphere past =====

+-----+				
	6 Mag-Lim			
	10 Above-Horz			
	2427989.75 Julian			
	8.090820174247453 ΔT			
	_110.82792 Longitude			
	44.46057 Latitude			
	1935 Year			
	7 Month			
	6.25 Day.dd			
+-----+				
+-----+-----+-----+-----+				
Name	Designation	Tr-Alt-Deg	Tr-24-HrMin	
+-----+-----+-----+-----+				
Rasalhague	HR 6556	58.0	0 2	
Kaus Australis	HR 6879	11.0	0 50	
Vega	HR 7001	84.5	1 5	
Nunki	HR 7121	19.0	1 21	
Altair	HR 7557	54.0	2 17	
Deneb	HR 7924	89.5	3 9	
Enif	HR 8308	55.0	4 10	
Fomalhaut	HR 8728	15.5	5 23	
Markab	HR 8781	60.5	5 31	
Alpheratz	HR 15	74.5	6 34	
Diphda	HR 188	27.0	7 9	
Hamal	HR 617	68.5	8 32	
Menkar	HR 911	49.5	9 27	
Aldebaran	HR 1457	62.0	11 1	
Rigel	HR 1713	37.5	11 40	
Capella	HR 1708	88.5	11 40	
Bellatrix	HR 1790	52.0	11 50	
Elnath	HR 1791	74.0	11 50	
Alnilam	HR 1903	44.5	12 1	
Betelgeuse	HR 2061	53.0	12 20	
Sirius	HR 2491	29.0	13 10	
Adhara	HR 2618	16.5	13 24	
Procyon	HR 2943	51.0	14 4	
Pollux	HR 2990	73.5	14 9	
Alphard	HR 3748	37.0	15 52	
Regulus	HR 3982	58.0	16 32	
Denebola	HR 4534	60.5	18 13	

Gienah	HR 4662	28.5	18 40	
Spica	HR 5056	34.5	19 49	
Arcturus	HR 5340	65.0	20 39	
Zubenelgenubi	HR 5531	30.0	21 14	
Alphecca	HR 5793	72.5	21 58	
Antares	HR 6134	19.0	22 52	
Sabik	HR 6378	30.0	23 33	

+-----+-----+-----+-----+

northern hemisphere current =====

+-----+

	6 Mag-Lim	
	10 Above-Horz	
	2460030.75 Julian	
	73.40741357812496 ΔT	
	_110.82792 Longitude	
	44.46057 Latitude	
	2023 Year	
	3 Month	
	27.25 Day.dd	

+-----+

+-----+-----+-----+

Name	Designation	Tr-Alt-Deg	Tr-24-HrMin	
------	-------------	------------	-------------	--

+-----+-----+-----+

Denebola	HR 4534	60.0	0 56	
Gienah	HR 4662	28.0	1 22	
Spica	HR 5056	34.5	2 32	
Arcturus	HR 5340	64.5	3 22	
Zubenelgenubi	HR 5531	29.5	3 57	
Alphecca	HR 5793	72.0	4 41	
Antares	HR 6134	19.0	5 36	
Sabik	HR 6378	30.0	6 16	
Rasalhague	HR 6556	58.0	6 41	
Kaus Australis	HR 6879	11.0	7 30	
Vega	HR 7001	84.5	7 42	
Nunki	HR 7121	19.5	8 1	
Altair	HR 7557	54.5	8 56	
Deneb	HR 7924	89.0	9 46	
Enif	HR 8308	55.5	10 49	
Fomalhaut	HR 8728	16.0	12 3	
Markab	HR 8781	61.0	12 10	
Alpheratz	HR 15	75.0	13 13	
Diphda	HR 188	27.5	13 48	
Hamal	HR 617	69.0	15 12	
Menkar	HR 911	49.5	16 6	
Aldebaran	HR 1457	62.0	17 40	
Rigel	HR 1713	37.5	18 18	
Capella	HR 1708	88.5	18 21	
Bellatrix	HR 1790	52.0	18 29	

Elnath	HR 1791	74.0	18 30	
Alnilam	HR 1903	44.5	18 40	
Betelgeuse	HR 2061	53.0	18 59	
Sirius	HR 2491	29.0	19 49	
Adhara	HR 2618	16.5	20 2	
Procyon	HR 2943	50.5	20 43	
Pollux	HR 2990	73.5	20 49	
Alphard	HR 3748	37.0	22 31	
Regulus	HR 3982	57.5	23 11	

+-----+-----+-----+-----+

northern hemisphere future =====

+-----+

	6 Mag-Lim	
	10 Above-Horz	
	2467432.75 Julian	
	87.54387382812507 ΔT	
	_110.82792 Longitude	
	44.46057 Latitude	
	2043 Year	
	7 Month	
	2.25 Day.dd	

+-----+

+-----+-----+-----+-----+

Name	Designation	Tr-Alt-Deg	Tr-24-HrMin	
------	-------------	------------	-------------	--

+-----+-----+-----+-----+

Rasalhague	HR 6556	58.0	0 19	
Kaus Australis	HR 6879	11.0	1 9	
Vega	HR 7001	84.5	1 21	
Nunki	HR 7121	19.5	1 40	
Altair	HR 7557	54.5	2 35	
Deneb	HR 7924	89.0	3 25	
Enif	HR 8308	55.5	4 28	
Fomalhaut	HR 8728	16.0	5 42	
Markab	HR 8781	61.0	5 49	
Alpheratz	HR 15	75.0	6 52	
Diphda	HR 188	28.0	7 27	
Hamal	HR 617	69.0	8 51	
Menkar	HR 911	50.0	9 46	
Aldebaran	HR 1457	62.0	11 19	
Rigel	HR 1713	37.5	11 57	
Capella	HR 1708	88.5	12 1	
Bellatrix	HR 1790	52.0	12 8	
Elnath	HR 1791	74.0	12 10	
Alnilam	HR 1903	44.5	12 19	
Betelgeuse	HR 2061	53.0	12 38	
Sirius	HR 2491	29.0	13 27	
Adhara	HR 2618	16.5	13 41	
Procyon	HR 2943	50.5	14 22	

Pollux	HR 2990	73.5	14 28	
Alphard	HR 3748	36.5	16 10	
Regulus	HR 3982	57.5	16 51	
Denebola	HR 4534	60.0	18 31	
Gienah	HR 4662	28.0	18 58	
Spica	HR 5056	34.0	20 7	
Arcturus	HR 5340	64.5	20 57	
Zubenelgenubi	HR 5531	29.5	21 32	
Alphecca	HR 5793	72.0	22 15	
Antares	HR 6134	19.0	23 11	
Sabik	HR 6378	30.0	23 52	

+-----+-----+-----+-----+

PASSED:: riseset_navstars_smoke

NB. (riseset) interface word(s): 20230401j113813

NB. -----

NB. fmt_today NB. format today verbs result

NB. iau_today NB. named IAU stars rising/setting today

NB. loadstars NB. loads riseset star data

NB. nav_today NB. named navigation stars rising/setting today

NB. riseset NB. rise, transit, set times of stars

PASSED:: riseset_riseset_smoke

NB. (riseset) interface word(s): 20230401j113813

NB. -----

NB. fmt_today NB. format today verbs result

NB. iau_today NB. named IAU stars rising/setting today

NB. loadstars NB. loads riseset star data

NB. nav_today NB. named navigation stars rising/setting today

NB. riseset NB. rise, transit, set times of stars

PASSED:: riseset_tanner_smoke

1

1.5 Building riseset

There are a number of test scripts in `futs` that build and distribute `riseset`. These scripts are tuned to my environment but they do illustrate how to *make* a distribution script.

```
[15]: NB. show main riseset maker
smoutput 1 disp 'build_riseset'
3 od ''
```

NB.*build_riseset t-- build (riseset) and distribute.

NB.

NB. created: 2023mar09

NB. changes: -----

coclass tmploc_AAAbuild999_=: 'AAAbuild999' [coerase <'AAAbuild999'

```

coininsert 'ijod'

scrn=: 'riseset'

>0{OPENDIC=: did 0

NB. if (imex) is first dictionary on path include it
headdic=: ('imex'-:>1{OPENDIC)#'imex '

>0{od ;: headdic,'futs utils' [ 3 od ''

>0{tmploc get ;:'gettxt getmd read write showpass sha256 afterstr beforestr jnow
jnowpost timestamp VMD',scrn,' ',scrn,'_hashdateurl'

NB. insert/replace build time stamp on post processor
>0{'rc ncv'=: MACRO_ajod_ get 'POST_',scrn
>0{MACRO_ajod_ put (<jnowpost ;2 { ncv) 2} ncv=: ,ncv

NB. update VMD
vmd=: ".'VMD',scrn
bulddtm=: timestamp ''
('VMD',scrn)=: (0{vmd),(<1+>1{vmd),<bulddtm
>0{tmploc put 'VMD',scrn

smoutput 'building version -> ';".'VMD',scrn

NB. get history document
NB. (histmd,'_md')=: MACRO_ajod_ disp (histmd=: 'HISTORY_',scrn),'_md'

NB. get todo document
NB. (todomd,'_md')=: MACRO_ajod_ disp (todomd=: 'TODO_',scrn),'_md'

NB. generate load script
rc [ 'rc msg file'=: mls scrn

NB. generate companion - contains words used to test main group
rc [ 'rc msg2 file2'=: mls scrn,'Utils'

NB. update hash
ghash=: "._scrn,'_hashdateurl'
(scrn,'_hashdateurl')=: ((sha256 read file);bulddtm) (0 1)} ghash
>0{tmploc put scrn,'_hashdateurl'

NB. update distribution files
(3 : 0) file
if. IFWIN do.
    smoutput 'saved in ~JACKSHACKS'

```

```

djacksd=. jpath '~JACKSHACKS/'
scr=. djacksd,scrn,'.ijs'
(toHOST file) write scr

NB. copy associated files
'Dname Dobj'=. ({. , {:) 0{DPATH__ST__JODobj
if. Dname -: 'futs' do.
  NB. local (futs) document directory
  docd=. ". 'DOC_',Dobj,'_'
  (read docd,'riseset.pdf') write djacksd,'riseset.pdf'
end.
jtmpd=. jpath '~temp\'
(read jtmpd,'riseset_notebook.ipynb') write djacksd,'riseset_notebook.ipynb'
(read jtmpd,'riseset_notebook.pdf') write djacksd,'riseset_notebook.pdf'

dtestd=. jpath '~JACKSHACKS/testdata/'
dtestd gettxt 'iau_named_stars_2022_txt'
dtestd gettxt 'Navigation_Stars_txt'
dtestd getmd 'Bright_Stars_Meridian_Almanac_23mar27_md'
elseif. IFUNIX do.
  smoutput scr=. 'NIMP: save in ~JACKSHACKS'
  NB. scr=. jpath '~/git/jackshacks/',scrn,'.ijs'
  NB. (toHOST file) write scr
elseif.do.
  1 [ showpass 'distributed on WIN/UNIX only' return.
end.

if. fexist scr do.
  1 [ (read y) write showpass scr
else.
  1 [ showpass 'missing distribution script ->';scr
end.
)

cocurrent tmploc_AAAbuild999_
>0{od }. OPENDIC [ 3 od ''

cocurrent 'base'
coerase <tmploc_AAAbuild999_

+-+-----+-----+-----+
|1|closed ->|futs|utils|
+-+-----+-----+-----+

```

1.6 All done - thanks for playing