

**Started on** Monday, 4 August 2025, 3:46 PM

**State** Finished

**Completed on** Monday, 4 August 2025, 4:05 PM

**Time taken** 19 mins 43 secs

**Marks** 1.00/1.00

**Grade** 10.00 out of 10.00 (100%)

**Question 1** | Correct Mark 1.00 out of 1.00

Convert the following algorithm into a program and find its time complexity using the counter method.

```
void func(int n)
{
    if(n==1)
    {
        printf("*");
    }
    else
    {
        for(int i=1; i<=n; i++)
        {
            for(int j=1; j<=n; j++)
            {
                printf("*");
                printf("*");
                break;
            }
        }
    }
}
```

**Note:** No need of counter increment for declarations and scanf() and count variable printf() statements.

**Input:**

A positive Integer n

**Output:**

Print the value of the counter variable

**Answer:** (penalty regime: 0 %)

[Reset answer](#)

```
1 #include<stdio.h>
2 int func(int n)
3 {
4     int counter=0;
5     counter++;
6     if(n==1)
7     {
8         //printf("*")
9         counter++;
10    }
11    else
12    {
13        for(int i=1;i<=n; i++)
14        {
15            counter++;
16            for(int j=1; j<=n; j++)
17            {
18
19                counter++;
20                //printf("*");
21                counter++;
22                //printf("*");
23                counter++;
24                break;
25            }counter++;
26        }
27    }
28 }
```

```
26         }counter++;
27
28     }
29     return counter;
30 }
31 int main()
32 {
33     int n;
34     scanf("%d",&n);
35     int ans = func(n);
36     printf("%d",ans);
37 }
```

	Input	Expected	Got	
✓	2	12	12	✓
✓	1000	5002	5002	✓
✓	143	717	717	✓

Passed all tests! ✓

Correct

Marks for this submission: 1.00/1.00.