

Tamias2D: Unit Verification and Validation Plan for a 2D Rigid Body Game Physics Library

Oluwaseun Owojaiye

December 26, 2018

1 Revision History

Date	Version	Notes
Nov. 29, 2018	1.0	Initial Draft
Dec. 1, 2018	1.1	Updates from github feedback

2 Symbols, Abbreviations and Acronyms

See MIS documentation at https://github.com/smiths/caseStudies/blob/gamephy_MIS/CaseStudies/gamephys/docs/Design/MIS/GamePhysicsMIS.pdf

symbol	description
T	Test

Contents

1	Revision History	i
2	Symbols, Abbreviations and Acronyms	ii
3	General Information	1
3.1	Purpose	1
3.2	Scope	1
4	Plan	1
4.1	Verification and Validation Team	1
4.2	Automated Testing and Verification Tools	1
4.3	Non-Testing Based Verification	1
5	Unit Test Description	2
5.1	Tests for Functional Requirements	2
5.1.1	Body Module	2
5.1.2	Vector Module	5
5.1.3	Shape Module	8
5.1.4	Space Module	9
5.1.5	Collision Solver Module	10
5.2	Tests for Nonfunctional Requirements	11
5.3	Traceability Between Test Cases and Modules	11
6	Appendix	13
6.1	Symbolic Parameters	13

List of Tables

List of Figures

This document describes the unit verification and validation (V&V) plan for Tamias2D, a 2D Physics Game Library. The purpose of this document is to specify the details of testing each unit of software by providing test cases based on the modules in the library's module interface specification (MIS) document. The MIS, with all other documentation relating to Tamias2D, can be found at: <https://github.com/smiths/caseStudies/tree/master/CaseStudies/gamephys>.

3 General Information

3.1 Purpose

This section details the summary of what is being tested in this document, the objectives of this document and references for this document. Tamias2D is a 2D rigid body physics library that can be used to simulate the interaction between rigid bodies. This software is able to simulate movement, rotation and collision of rigid bodies.

3.2 Scope

The following modules will be verified using the testcases listed in this document: Space, Shape, Body, Vec2, Collision Solver.

4 Plan

4.1 Verification and Validation Team

Member(s) of the verification and validation team will include myself, Olu.

4.2 Automated Testing and Verification Tools

PyTest framework will be used for automated unit testing. A script with all the testcases covering all Tamias2D modules will be created by me.

4.3 Non-Testing Based Verification

Not applicable for Tamias2D

5 Unit Test Description

The test cases discussed in this section are based on the Module Interface Specification(MIS) which can be found at https://github.com/smiths/caseStudies/blob/gamephy_MIS/CaseStudies/gamephys/docs/Design/MIS/GamePhysicsMIS.pdf. Each test case listed covers for all applicable functions that need to be tested in each module to ensure that Tamias2D functions as intended based on the requirements of the software.

5.1 Tests for Functional Requirements

5.1.1 Body Module

Body module is responsible for storing the physical properties of an object such as mass, position, rotation properties, velocity, e.t.c and provides operations on rigid bodies such as setting the mass, moment, applying force e.t.c.

1. UTC1 : test_body_apply_force1

Type: Automatic.

Initial State:

Input:

shp = Box(Vec2(0, 0), Vec2(100, 100))

mass = 1000

body = Body(Vec2(0, 0), mass, 100, shp)

force = Vec2(1000,0)

body.update(1/60)

expectedAccel = force/mass

Output: body.accel == expectedAccel

How test will be performed: PyTest

Ref. source: <https://onlimeschool.com/math/assistance/vector/calc/>

2. UTC2: test_body_apply_torque

Type: Automatic

Initial State:

Input:

```
shp = Box(Vec2(0, 0), Vec2(100, 100))
inertia = 1000
body = Body(Vec2(0, 0), 100, inertia, shp)
torque = 1000
body.update(1/60)
expectedAngularAccel = torque/inertia
```

Output: `body.angularAccel == expectedAngularAccel` Ref. source:
<https://onlinemschool.com/math/assistance/vector/calc/>

3. UTC5: `test_space_set_gravity(space)`

Type: Automatic

Initial State:

Input:

```
shp = Box(Vec2(0,0), Vec2(100,100))
body = Body(Vec2(0, 0), 100, 100, shp)
space = Space()
gravity = Vec2(0,9800)
time = 2
```

Output: `body.accel == expectedAccel`

How test will be performed: PyTest

4. UTC6: Validate - Initialize dynamic body

This testcase is to initialize a body object. A body object is initialized with these parameters:

```
body = Body( position_, mass_, inertia_, shape_, angle=0, bodyType_=
DYNAMIC, restitution_ = 0) to create and initialize a body.
```

Initial State:

Input: `space.add_body(body)`
`body = Body(Vec2(250,0), 1000, 100, shape, 0, Body.DYNAMIC,1)`

Output: `body = Body(Vec2(250,0), 1000, 100, shape, 0, Body.DYNAMIC,1)`,
1 body created

How test will be performed: PyTest

5. UTC7: Validate - Initialize static body

This testcase is to initialize a body object. A body object is initialized with these parameters:

`body = Body(position_, mass_, inertia_, shape_, angle=0, bodyType_=STATIC, restitution_ = 0)` to create and initialize a body.

Initial State:

Input: `space.add_body(body)`
`body = Body(Vec2(250,0), 1000, 100, polyShape, 0, Body.STATIC,1)`

Output: `body = Body(Vec2(250,0), 1000, 100, polyShape, 0, Body.STATIC,1)`;
1 body created

How test will be performed: PyTest

6. UTC8: Validate - Initialize multiple bodies

This testcase is to initialize multiple body objects. A body object is initialized with these parameters:

`body = Body(position_, mass_, inertia_, shape_, angle=0, bodyType_=DYNAMIC, restitution_ = 0)` to create and initialize a body.

Initial State:

Input: `space.add_body(body)`
`body = Body(Vec2(250,0), 1000, 100, polyShape, 0, Body.DYNAMIC,1)`
`body = Body(Vec2(200,0), 1000, 100, polyShape, 0, Body.DYNAMIC,1)`

Output: `body = Body(Vec2(250,0), 1000, 100, polyShape, 0, Body.DYNAMIC,1)`
`body = Body(Vec2(200,0), 1000, 100, polyShape, 0, Body.DYNAMIC,1)`
2 bodies created

How test will be performed: PyTest

7. UTC9: Validate - Update Body

This testcase is to update body object(s), after a cycle/tick.

Initial State:

$$p_{initial} = (20, 20), v_{initial} = (0, 0)$$

Input: `apply_force(20, 20)`

Output: The table below displays the position and time of a rigid body when a force is applied. The result shows the output velocity and position from 0.5secs to 3secs. How test will be performed: PyTest

Position	Velocity	after time t(secs)
(20.025, 20.025)	(0.05, 0.05)	0.5sec
(20.175, 20.172)	(0.15, 0.15)	1secs
(20.625, 20.613)	(0.15, 0.15)	1.5secs
(21.625, 20.592)	(0.5, 0.5)	2.0secs
(23.500, 23.430)	(0.75, 0.74)	2.5secs
(26.650, 26.520)	(1.05, 1.03)	3.0secs

Ref. source: <https://calculator.tutorvista.com/physics/535/velocity-calculator.html>

5.1.2 Vector Module

Vector module provides operations such as addition, scalar and vector multiplication, dot and cross products e.t.c.

1. UTC10: test_vec2_add - (vector addition)

Type: Automatic.

Initial State:

Input: $\text{Vec2}(2.22, 5.17) + \text{Vec2}(1.00, 1.00)$

Output: $\text{Vec2}(3.22, 6.17)$

How test will be performed: PyTest

Ref. source: <https://onlinesechool.com/math/assistance/vector/calc/>

2. UTC11: test_vec2_sub1 - (vector subtraction)

Type: Automatic

Initial State:

Input: $\text{Vec2}(1.0, 2.0) - \text{Vec2}(2.0, 4.0)$

Output: $\text{Vec2}(-1.0, -2.0)$

How will test be performed: PyTest

Ref. source: <https://onlinesechool.com/math/assistance/vector/calc/>

3. UTC12: test_vec2_sub2 - (vector subtraction)

Type: Automatic

Initial State:

Input: $\text{Vec2}(-20.0, 5.0) - \text{Vec2}(1.0, -10.0)$

Output: $\text{Vec2}(-21.0, 15.0)$

How will test be performed: PyTest

Ref. source: <https://onlinesechool.com/math/assistance/vector/calc/>

4. UTC13: test_vec2_mult - (scalar multiplication)

Type: Automatic

Initial State:

Input: $\text{Vec2}(2.0, 4.0) * 2.0$

Output: $\text{Vec2}(4.0, 8.0)$

How test will be performed: PyTest Ref. source: <https://onlinemschool.com/math/assistance/vector/multiply3/>

5. UTC14: test_vec2_mult2 - (scalar multiplication2)

Type: Automatic

Initial State:

Input: $\text{Vec}(-2.0, -4.0) * 2.0$

Output: $\text{Vec2}(-4.0, -8.0)$

How test will be performed: PyTest Ref. source: <https://onlinemschool.com/math/assistance/vector/multiply3/>

6. UTC15: test_vec2_div

Type: Automatic

Initial State:

Input: apply force $\text{Vec}(-10.2, 4.2) / 2.0$

Output: New total force is $\text{Vec2}(-5.1, 2.1)$

How test will be performed: PyTest

7. UTC12: test_vec2_div2

Type: Automatic

Initial State:

Input: $\text{Vec}(22.24, 4.34) / 2.0$

Output: $\text{Vec2}(11.12, 2.17)$

How test will be performed: PyTest

8. UTC16: test_vec2_mag1 - (vector magnitude)

Type: Automatic

Initial State:

Input: $\text{Vec}(0, 4.0)$

Output: $\text{magnitude} = V.\text{mag}() = 2.0$

How test will be performed: PyTest

Ref: <https://onlinschool.com/math/assistance/vector/length/>

9. UTC17: test_vec2_mag2 - (vector magnitude)

Type: Automatic

Initial State:

Input: Velocity = Vec(-2.0, -4.0)

Output: $\text{magnitude} = V.\text{mag}() = 4.47$

How test will be performed: PyTest

Ref: <https://onlinschool.com/math/assistance/vector/length/>

10. UTC18: test_vec2_dot1 - (vector dot product)

Type: Automatic

Initial State:

Input: $\text{vec2}.\text{dot}(\text{vec2}(1.0, 2.0), \text{vec2}(2.0, 1.0))$

Output: $\text{magnitude} = 4.0$

How test will be performed: PyTest

Ref. source: <https://onlinschool.com/math/assistance/vector/multiply/>

5.1.3 Shape Module

Shape module is responsible for storing the surface properties of an object such as restitution and provides operations on shapes, such as setting the coefficient of restitution. e.t.c.

1. UTC19 : test_shape_set_angle

Type: Automatic.

Initial State:

Input: $\text{shp} = \text{Box}(\text{Vec2}(0,0), \text{vec2}(100, 100)); \text{shp}.\text{set_angle}(45)$

Output: `shp.angle = 45`

How test will be performed: PyTest

2. UTC20: `test_shape_set_pos`

Type: Automatic

Initial State:

Input: `shp = Box(Vec2(0,0), vec2(100, 100)); shp.set_pos(Vec2(2,2))`

Output: `Vec2(2,2)`

3. UTC21: `test_get_vertices`

Type: Automatic

Initial State:

Input: `shape.get_verts(Box(Vec2(0,0), Vec2(100,100)), 0)`

Output: 4

How test will be performed: PyTest

5.1.4 Space Module

The space module is responsible for all the rigid bodies and shape interaction. It is the container for simulation.

1. UTC22 : Validate `set_gravity`

Type: Automatic.

Initial State:

Input: `space.set_gravity(Vec2(0, 9.8))`

Output: `(Vec2(0, 9.8))`

How test will be performed: PyTest

2. UTC23: Validate add_body

Type: Automatic

Initial State:

Input: space.add_body(b)

Output: len(self.bodies) = 1

5.1.5 Collision Solver Module

This module is responsible for shape to shape collision detection, response and resolution. The new velocity, positions and orientation of bodies will be calculated and updated.

1. UTC24 : test_CollisionHandler_is_intersecting_with

This testcase checks for collision i.e. if points on rigid bodies are intersecting.

Type: Automatic.

Initial State:

Input:

shape1 = Box(Vec2(0,0), Vec2(100,100), 0)

body1 = Body(Vec2(250,0), 1000, 100, shape1, 0, Body.DYNAMIC,0)

shape2 = Box(Vec2(0,0), Vec2(100,200), 0)

body2 = Body(Vec2(300,50), 1000, 100, shape2, 0, Body.DYNAMIC,0)

Output: (body1, body2) -collision between body1 and body2

How test will be performed: PyTest

2. UTC25 : Validate _is_intersecting_with_False

This testcase checks for collision i.e if points on rigid bodies are intersecting.

Type: Automatic.

Initial State:

Input:

shape1 = Box(Vec2(0,0), Vec2(100,100), 0)

body1 = Body(Vec2(250,0), 1000, 100, shape1, 0, Body.DYNAMIC,0)

```
shape2 = Box(Vec2(10,0), Vec2(300,200), 0)
body2 = Body(Vec2(300,50), 1000, 100, shape2, 0, Body.DYNAMIC,0)
```

Output: () -(no collision)

How test will be performed: PyTest

5.2 Tests for Nonfunctional Requirements

Non-Functional testing will not be required for unit testing. This will be covered in section 5.2 of the System Verification and Validation document located at:

https://github.com/smiths/caseStudies/blob/gamephy_SysVnVPlan/CaseStudies/gamephys/docs/VnVPlan/SystVnVPlan/SystVnVPlan.pdf.pdf

5.3 Traceability Between Test Cases and Modules

The table below shows the traceability map between test cases and modules.

Test Case ID	Module
UTC1-UTC2, UTC5-UTC9	Body Module
UTC10 - UTC18	Vector Module
UTC19 - UTC21	Shape Module
UTC22 - UTC23	Space
UTC24 - UTC25	Collision Solver

Table 1: Traceability Between Test Cases and Modules

References

6 Appendix

This section provides additional content related to this document.

6.1 Symbolic Parameters

There are no symbolic parameters used in this document.