

My Maya

Owl Code



Apt Logic

Logout



J-Path

Contact

Home / Owl ground / Donation Drive

Points: 20

Submissions: 6774



Light



Description

Donation Drive

Program Description

A blood drive aims to collect N number of blood donations.

The drive has collected X donations so far. Find the remaining number of donations needed to reach the target.

Input Format

A single line of input contains two space-separated integers N and X — the number of required donations and the number of collected donations, respectively.

Output Format

Output on a new line, the remaining number of donations needed to reach the target.

Constraints

$1 \leq X \leq N \leq 20$

Input-1

5 2

Output-1

3

Input-2

3 3

Output-2

0

C - GCC 11.1.0 ▾



Timer 0:06 sec



Light

```
1  #include<stdio.h>
2  int main()
3  {
4      int n,x;
5      scanf("%d %d",&n,&x);
6      printf("%d",n-x);
7      return 0;
8  }
```

 Run Code

Compiler Response

#	Testcase	Input	Expected Output	Your Output	Memory	CPU time	Result
1	5 3	5 3	2	2	1408 KB	3.308 ms	Pass
2	3 3	3 3	0	0	1408 KB	2.437 ms	Pass

All hidden testcases passed



TECHNICAL HUB

Contact

Call: +91 83 43 81 81 81

Email: support@technicalhub.io

Our Social Media



Light



Copyright 2025 [Technical Hub](https://technicalhub.io). All Rights Reserved