## **WEEK 11:**

## 1.

Write a Python program that asks the user for their age and prints a message based on the age. Ensure that the program handles cases where the input is not a valid integer.

**Input Format:** A single line input representing the user's age.

**Output Format:** Print a message based on the age or an error if the input is invalid.

### For example:

Input	Result	
twent y	Error: Please enter a valid age.	
25	You are 25 years old.	
-1	Error: Please enter a valid age.	

```
try:
    a=input()

if(len(a)==0):
    print("Error: Please enter a valid age.")

elif a.isnumeric():
    print("You are",a,"years old.")

else:
    print("Error: Please enter a valid age.")

except:
    print("Error: Please enter a valid age.")
```

# **OUTOUT:**

Input	Expected	Got
twent Y	Error: Please enter a valid age.	Error: Please enter a valid age.
25	You are 25 years old.	You are 25 years old.
-1	Error: Please enter a valid age.	Error: Please enter a valid age.
150	You are 150 years old.	You are 150 years old.
	Error: Please enter a valid age.	Error: Please enter a valid age.

### Passed all tests!

Correct

## 2.

## Problem Description:

Write a Python program that asks the user for their age and prints a message based on the age. Ensure that the program handles cases where the input is not a valid integer.

### Input Format:

A single line input representing the user's age.

### Output Format:

Print a message based on the age or an error if the input is invalid.

## For example:

Input	Result	
25	You are 25 years old.	
rec	Error: Please enter a valid age.	
-5	Error: Please enter a valid age.	

try:

```
a=input()
if(len(a)==0):
    print("Error: Please enter a valid age.")
elif a.isnumeric():
    print("You are",a,"years old.")
else:
    print("Error: Please enter a valid age.")
except:
    print("Error: Please enter a valid age.")
```

## **OUTPUT:**

Input	Expected	Got
25	You are 25 years old.	You are 25 years old.
rec	Error: Please enter a valid age.	Error: Please enter a valid age.
!@#	Error: Please enter a valid age.	Error: Please enter a valid age.

#### Passed all tests!

Correct

## 3.

## Problem Description:

Write a Python script that asks the user to enter a number within a specified range (e.g., 1 to 100). Handle exceptions for invalid inputs and out-of-range numbers.

Input Format:

User inputs a number.

Output Format:

Confirm the input or print an error message if it's invalid or out of range.

### For example:

Input	Result	
1	Valid input.	
101	Error: Number out of allowed range	
rec	<pre>Error: invalid literal for int()</pre>	

```
def main():
    min_range = 1
    max_range = 100

try:
    num = int(input())
    if num < min_range or num > max_range:
        print("Error: Number out of allowed range")
    else:
        print("Valid input.")
    except ValueError:
    print("Error: invalid literal for int()")
```

# **OUTPUT:**

if \_\_name\_\_ == "\_\_main\_\_":

Input	Expected	Got
1	Valid input.	Valid input.
100	Valid input.	Valid input.
101	Error: Number out of allowed range	Error: Number out of allowed range

#### Passed all tests!

Correct

Marks for this submission: 1.00/1.00.

# 4.

Develop a Python program that safely performs division between two numbers provided by the user. Handle exceptions like division by zero and non-numeric inputs.

Input Format: Two lines of input, each containing a number.

**Output Format:** Print the result of the division or an error message if an exception occurs.

### For example:

Input	Result	
10 2	5.0	
10	Error: Cannot divide or modulo by zero.	
ten 5	Error: Non-numeric input provided.	

def main():

```
try:
    num1 = float(input())
    num2 = float(input())

division_result = num1 / num2
    modulo_result = num1 % num2

print(division_result)

except ValueError:
    print("Error: Non-numeric input provided.")
    except ZeroDivisionError:
    print("Error: Cannot divide or modulo by zero.")
if __name__ == "__main__":
```

# **OUTPUT:**

Input	Expected	Got
10	5.0	5.0
10	Error: Cannot divide or modulo by zero.	Error: Cannot divide or modulo by zero.
ten 5	Error: Non-numeric input provided.	Error: Non-numeric input provided.

#### Passed all tests!

Correct

# 5.

## Problem Description:

Develop a Python program that safely calculates the square root of a number provided by the user. Handle exceptions for negative inputs and non-numeric inputs.

Input Format:

User inputs a number.

Output Format:

Print the square root of the number or an error message if an exception occurs.

### For example:

Input	Result	
16	The square root of 16.0 is 4.00	
-4	Error: Cannot calculate the square root of a negative number.  Error: could not convert string to float	
rec		

### try:

a=float(input())

if(a<0):

print("Error: Cannot calculate the square root of a negative number.")

else:

print("The square root of",a,"is {:.2f}".format(a\*\*0.5))

except:

print("Error: could not convert string to float")

# **OUTPUT:**

Input	Expected	Got
16	The square root of 16.0 is 4.00	The square root of 16.0 is 4.00
0	The square root of 0.0 is 0.00	The square root of 0.0 is 0.00
-4	Error: Cannot calculate the square root of a negative number.	Error: Cannot calculate the square root of a negative number.

Passed all tests!

Correct

# **WEEK 12:**

# 1.

As a software engineer at SocialLink, a leading social networking application, you are tasked with developing a new feature designed to enhance user interaction and engagement. The company aims to introduce a system where users can form connections based on shared interests and activities. One of the feature's components involves analyzing pairs of users based on the activities they've participated in, specifically looking at the numerical difference in the number of activities each user has participated in.

Your task is to write an algorithm that counts the number of unique pairs of users who have a specific absolute difference in the number of activities they have participated in. This algorithm will serve as the backbone for a larger feature that recommends user connections based on shared participation patterns.

#### Problem Statement

Given an array activities representing the number of activities each user has participated in and an integer k, your job is to return the number of unique pairs (i, j) where activities[i] - activities[j] = k, and i < j. The absolute difference between the activities should be exactly k.